

API.API-1184.v2026-08-20.q59

Exam Code:	API-1184
Exam Name:	Pipeline Facility Construction Inspector Exam
Certification Provider:	API
Free Question Number:	59
Version:	v2026-08-20
# of views:	150
# of Questions views:	590
https://www.freepdfdumps.com/API.API-1184.v2026-08-20.q59.html	

NEW QUESTION: 1

What does "BT" stand for in API 1104?

- A. Burn-Through
- B. Back Weld Test
- C. Branch Welding Type
- D. Butt Welding Technique

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

What does the classification system in NFPA 70 help determine?

- A. Vapor pressure of liquids
- B. Natural gas composition
- C. Combustion temperature of gases
- D. Suitable electrical equipment for classified locations

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 3

Which factor necessitates the design of electrical installations to prevent accidental ignition of flammable liquids and gases in petroleum facilities?

- A. Elevated pressures
- B. High temperatures
- C. All of the above
- D. Chemical changes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

What does "EU" represent in API 1104?

- A. External Undercutting
- B. Elevated Junction
- C. Erosion Undercutting
- D. End User

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 5

What needs to be submitted to demonstrate the equivalency of a system, method, or device?

- A. Certification from welding experts
- B. Test results to the equipment manufacturer
- C. A letter of intent to the standard committee
- D. Technical documentation to the relevant authority

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 6

What does MOP stand for in API RP 1110?

- A. Maximum Overload Pressure
- B. Maximum Operating Pressure
- C. Minimum Overload Pressure
- D. Minimum Operating Pressure

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 7

What is "porosity" in the context of welding?

- A. Gas trapped in the weld metal
- B. A type of filler material
- C. A type of electrode
- D. A type of welding process

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 8

What is the purpose of API Recommended Practice (RP) 686?

- A. To assist with the installation design of machinery
- B. To provide vendor instructions for machinery installation
- C. To provide guidelines for equipment classification
- D. To offer contractual documents for machinery installation

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 9

What is the purpose of keeping pressure test records according to API RP 1110?

- A. To fill up storage space with unnecessary documents
- B. To show off to regulatory authorities
- C. To share with other pipeline operators for competition
- D. To provide evidence of compliance with industry standards

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 10

What does "ICP" stand for in API 1104?

- A. Inspection and Control Procedure
- B. International Certification Process
- C. Internal Corrosion Prevention
- D. Inadequate Cross Penetration

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

Who is ultimately responsible for identifying specific risks and threats for the pressure testing process?

- A. Inspection service personnel
- B. Regulatory authorities
- C. The pipeline operator
- D. Pipeline vendors

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

What is the primary purpose of Section 2 in API RP 540?

- A. Define electrical equipment standards
- B. Review the classification of hazardous locations
- C. Address fire safety procedures
- D. Discuss energy conservation techniques

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 13

What is the main goal of ANSI Z49.1 regarding property protection?

- A. Preventing welding accidents
- B. Protecting property from fire and explosions
- C. Protecting equipment from damage
- D. Ensuring efficient welding processes

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

What is the purpose of a warm-up line in machinery?

- A. To measure machinery vibrations
- B. To heat up machinery components
- C. To control equipment classification
- D. To regulate machinery speed

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

What does "RP" stand for in API RP 1110?

- A. Recommended Practice
- B. Regulatory Practice
- C. Regulatory Procedure
- D. Recommended Procedure

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 16

Which materials can be welded according to API 1104?

- A. Stainless steel only
- B. Aluminum only
- C. Any type of metal
- D. Carbon and low-alloy steel only

Answer: (SHOW ANSWER)

Valid API-1184 Dumps shared by Actual4test.com for Helping Passing API-1184 Exam! Actual4test.com now offer the **newest API-1184 exam dumps**, the Actual4test.com API-1184 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com API-1184 dumps with Test Engine here: https://www.actual4test.com/API-1184_examcollection.html (123 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

What is the definition of "critical service" in machinery installation?

- A. Service with moderate importance
- B. Uninterrupted, continuous operation in critical situations
- C. Service with minimal downtime impact
- D. Routine maintenance service

Answer: (SHOW ANSWER)

NEW QUESTION: 18

What is the purpose of a qualifying test?

- A. To measure the external corrosion rate
- B. To assess the level of stress corrosion cracking
- C. To establish the operating pressure limit of a pipeline segment
- D. To determine if the pipeline material is suitable for use

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 19

Which classification indicates that a flammable mixture may be present only in the event of abnormal operating conditions or equipment malfunction?

- A. Zone 1
- B. Division 2
- C. Zone 2
- D. Division 1

Answer: B [\(LEAVE A REPLY\)](#)

NEW QUESTION: 20

What is the scope of API RP 540 limited to?

- A. Operation and maintenance
- B. Electrical installations in petroleum facilities
- C. Electrical equipment test standards
- D. Energy conservation

Answer: B [\(LEAVE A REPLY\)](#)

NEW QUESTION: 21

What is the purpose of an activity quality plan (AQP)?

- A. To identify quality concerns and control methods
- B. To identify potential hazards
- C. To establish construction schedules
- D. To outline project budgets

Answer: A [\(LEAVE A REPLY\)](#)

NEW QUESTION: 22

What is "post weld heat treatment" (PWHT) according to API 1104?

- A. Heating a completed weld to accelerate hydrogen diffusion
- B. A repair weld made after the weld has cooled down
- C. Heating a completed weld to result in stress relief or other metallurgical changes
- D. A method to enhance the weld's appearance

Answer: C [\(LEAVE A REPLY\)](#)

NEW QUESTION: 23

Which standard deals with the design and installation of electrical systems for offshore production platforms?

- A. API RP 14F
- B. NEMA MG1
- C. API RP 540
- D. IEEE Std 399

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 24

What does "HVL" stand for in API 1104?

- A. Heat Variability Level
- B. High Velocity Limit
- C. High Voltage Level
- D. Half-Value Layer

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 25

What is the purpose of an exclusion zone in pipeline construction?

- A. To identify the route of the pipeline
- B. To establish a safe work area
- C. To mark the location of a pipeline anomaly
- D. To demarcate the construction site

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

Which of the following is NOT covered by API RP 1110?

- A. Breakout tanks
- B. Valves
- C. Control piping
- D. Line pipe

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 27

What is a baseplate in machinery installation?

- A. A component that provides structural support
- B. A type of equipment classification
- C. A term used for machinery installation contractors
- D. A method for handling conflicting requirements

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 28

What is the main purpose of the ANSI Z49.1 standard?

- A. To establish welding certification procedures
- B. To provide guidelines for equipment design
- C. To ensure efficient welding operations
- D. To protect persons and property from hazards related to welding

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 29

What is the function of chainage station numbers in pipeline construction?

- A. Measure pipeline pressure
- B. Measure distance along the pipeline centerline
- C. Measure pipeline diameter
- D. Measure pipeline flow rate

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 30

Which parties can benefit from the information provided in ANSI Z49.1?

- A. Industrial hygienists only
- B. Welders and shop management only
- C. Welders only
- D. Educators, engineers, and similar responsible parties

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

Who is considered a contractor in pipeline facility construction?

- A. Inspection service company
- B. Pipeline operator
- C. Equipment supplier
- D. Regulatory agency

Answer: ([SHOW ANSWER](#))

Valid API-1184 Dumps shared by Actual4test.com for Helping Passing API-1184 Exam! Actual4test.com now offer the **newest API-1184 exam dumps**, the Actual4test.com API-1184 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com API-1184 dumps with Test Engine here: https://www.actual4test.com/API-1184_examcollection.html (123 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

What are heritage sites in the context of pipeline facility construction?

- A. Locations of historic or cultural significance
- B. Locations of future pipeline expansions
- C. Locations of historical pipeline leaks
- D. Locations of significant equipment failures

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 33

Which pressure test type is used to verify the structural integrity of pipelines with time-dependent anomalies?

- A. Spike Test
- B. Qualifying Test
- C. Leak Test
- D. High Pressure Test

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

What is the purpose of corrective action in pipeline construction?

- A. To increase the production speed
- B. To eliminate the cause of a nonconformance and prevent recurrence
- C. To prevent the discovery of nonconformances
- D. To change the design of the pipeline facility

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 35

Which classification system does NFPA 70 recognize for Class I locations?

- A. Division and Zone systems
- B. Category system
- C. Zone system
- D. Division system

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 36

What does the term "alignment" refer to?

- A. The reduction of misalignment between adjacent shafts
- B. The installation of machinery on a concrete foundation
- C. The connection between machinery and power sources
- D. The arrangement of machinery in a facility

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

What types of welding processes are specifically addressed by ANSI Z49.1?

- A. Only oxyfuel gas and arc welding
- B. All types of welding processes
- C. Oxyfuel gas, arc welding, and laser cutting
- D. Only resistance welding

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 38

What is the scope of API Recommended Practice 1184?

- A. In-line inspection of pipelines
- B. Onshore transmission pipeline facility construction
- C. Offshore pipeline facility construction
- D. Anomaly evaluation

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which of the following is NOT a guiding principle of API RP 1110?

- A. Ensuring personnel safety during pressure tests
- B. Defining specific engineering solutions
- C. Providing a consistent means of preparing and assessing pressure test results
- D. Accommodating present and future pipeline technologies

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 40

Which of the following is NOT excluded from the scope of ANSI Z49.1?

- A. Pipeline protection systems
- B. Bulk gas supply systems
- C. Building electrical installations
- D. Building piping systems

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 41

What is the function of a tabletop foundation?

- A. To support machinery with concrete beams
- B. To facilitate machinery transportation
- C. To connect machinery to power sources
- D. To control machinery vibrations

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

What is the primary focus of this recommended practice concerning electrical systems in petroleum facilities?

- A. Safety and operating continuity
- B. Chemical process optimization
- C. Design of electrical equipment
- D. Energy conservation

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 43

What does "AUT" stand for in API 1104?

- A. Automated Underwater Testing
- B. Arc Welding Technique
- C. Arc Ultrasonic Testing
- D. Automated Ultrasonic Testing

Answer: D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 44

Who is responsible for conducting radiographic operations according to API 1104?

- A. Welder
- B. Inspector
- C. Radiographer
- D. Engineer

Answer: D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 45

Which types of provisions were deleted in the revised scope of ANSI Z49.1?

- A. Welding certification procedures
- B. Safety measures for equipment manufacturing
- C. Facility pipelines and electrical installations
- D. Building design and construction guidelines

Answer: C [\(LEAVE A REPLY\)](#)

NEW QUESTION: 46

Which of the following is NOT a pipeline type covered by API RP 1110?

- A. Gas
- B. Hazardous liquids
- C. Carbon dioxide
- D. Water

Answer: D [\(LEAVE A REPLY\)](#)

Valid API-1184 Dumps shared by Actual4test.com for Helping Passing API-1184 Exam! Actual4test.com now offer the **newest API-1184 exam dumps**, the Actual4test.com API-1184 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com API-1184 dumps with Test Engine here: https://www.actual4test.com/API-1184_examcollection.html (123 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 47

Why is communication important when planning a pressure test?

- A. To avoid sharing information with contractors
- B. To ensure all parties involved are informed and aware
- C. To keep the test procedure a secret
- D. To inform the public about the test

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 48

What does API RP 540 provide information on?

- A. Structural design in petroleum facilities
- B. Chemical processes in petroleum facilities
- C. Mechanical systems in petroleum facilities
- D. Electrical installations in petroleum facilities

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 49

Which type of facilities are more stringent in terms of electrical system requirements according to API RP 540?

- A. Petroleum facilities
- B. Manufacturing facilities
- C. Offshore facilities
- D. Chemical facilities

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 50

What is the main purpose of "UT qualification" according to API 1104?

- A. To evaluate the ultrasonic testing system's accuracy
- B. To evaluate the performance of welders
- C. To ensure proper equipment maintenance
- D. To test the ultrasonic equipment

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 51

Who is considered an inspector in pipeline facility construction?

- A. A representative of the regulatory agency
- B. An individual qualified to monitor construction activities
- C. Anyone involved in construction activities
- D. An individual responsible for environmental monitoring

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 52

What is the focus of ANSI Z49.1 in its revised versions?

- A. Building design and construction
- B. Control of welding and cutting operations
- C. Equipment manufacturing guidelines
- D. Fire and explosion prevention

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

What is the primary purpose of a leak test?

- A. To ensure the pipeline segment does not leak
- B. To determine the level of stress corrosion cracking
- C. To assess the integrity of pipeline coatings
- D. To identify anomalies in the pipeline material

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 54

Which classification reduces the classification within an enclosure from Division 1 to unclassified through adequate positive-pressure ventilation?

- A. Type Y purging
- B. Type X purging
- C. Type Z purging
- D. Zone 1 classification

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 55

Which aspect is addressed by API RP 540 in relation to operation and maintenance?

- A. Electrical system design
- B. Safety protocols
- C. Energy conservation techniques
- D. Equipment selection

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

API RP 500 deals with the classification of locations for electrical installations in petroleum facilities. What is the classification based on?

- A. Voltage levels
- B. Type of insulation
- C. Flammable substances presence
- D. Ambient temperature

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 57

What is the primary factor that determines whether a flammable gas or vapor is ignitable in a classified location?

- A. Boiling point
- B. Vapor density
- C. Mixing with air
- D. Vapor pressure

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 58

Which type of service is typically defined as critical in machinery installation?

- A. Wet gas service
- B. Critical service
- C. Non-slam service
- D. Ambient service

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 59

What must be submitted to demonstrate the equivalency of a system, method, or device?

- A. A detailed welding procedure
- B. Technical documentation to the authority having jurisdiction
- C. A written request to the authorities
- D. A certificate from a welding inspector

Answer: B ([LEAVE A REPLY](#))

Valid API-1184 Dumps shared by Actual4test.com for Helping Passing API-1184 Exam! Actual4test.com now offer the **newest API-1184 exam dumps**, the Actual4test.com API-1184 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com API-1184 dumps with Test Engine

here: https://www.actual4test.com/API-1184_examcollection.html (123 Q&As Dumps,
30%OFF Special Discount: **Freepdfdumps**)