

Adobe.AD0-E137.v2026-03-23.q23

Exam Code:	AD0-E137
Exam Name:	Adobe Experience Manager Sites Developer Expert
Certification Provider:	Adobe
Free Question Number:	23
Version:	v2026-03-23
# of views:	113
# of Questions views:	230
https://www.freepdfdumps.com/Adobe.AD0-E137.v2026-03-23.q23.html	

NEW QUESTION: 1

A developer created a component with the following fields:

Name	Type	Value	Purpose
pagePath	pathfield	/content/testsite/en/page1	Display page path
additionalInfo	textfield	/product/test1	Display as suffix
label	textfield	Test page1 title	Display as link title

What is the correct HTL code and resultant valid URL path generated?

A)

HTL code:

```
<a href="{properties.pagePath}.html/{properties.additionalInfo}">{properties.label}</a>
```

Page Path:

/content/testsite/en/page1.html/product/test1

B)

HTL code:

```
<a href="{properties.pagePath}/{properties.additionalInfo}.html">{properties.label}</a>
```

Page Path:

/content/testsite/en/page1/product/test1.html

C)

HTL code:

```
<a href="{properties.additionalInfo}.html/{properties.pagePath}">{properties.label}</a>
```

Page Path:

/product/test1.html/content/testsite/en/page1

A. Option C

B. Option B

C. Option A

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 2

A developer needs to define vanity URLs in the dispatcher configuration file.

Under which property would this be defined?

- A. /vanityUrls
- B. /vanity_url
- C. vanityUrls
- D. /vanity_urls

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 3

A customer noticed slower Adobe Experience Manager performance in the last couple of days. The segment store size is almost double the size from the previous week.

To reduce the segment store size and maintain overall Adobe Experience Manager health, which Adobe Experience Manager maintenance task should be executed daily?

- A. Audit Log Purge
- B. Lucene Binaries Cleanup
- C. Version Purge

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 4

A customer added a custom property "foo:bar" to all assets. Once the property is added, the customer needs to run the following query:

select * from [dam:Asset] where isdescendantnode('/content') and [foo:bar] ="Hello" How would the customer update the indexes to make sure the query is not a traversal query?

- A. Add "foo:bar" as a child node of oak:index/lucene/indexRules/dam:Asset/properties.
- B. Add "foo:bar" as a child node of oak:index/damAssetLucene/indexRules/dam:Asset/properties.
- C. Add "Hello" as a child node of oak:index/ntBaseLucene/indexRules/dam:Asset/properties.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 5

A university wants to roll out content updates to all the schools affiliated with it. The individual schools have configured their respective homepages with a space allocated to display updated university information. The rest of the homepage is dedicated to school-specific information.

What is the recommended approach to roll out university updates on all the schools' homepages?

- A. Implement custom logic for page roll out action
- B. Roll out of Experience Fragment
- C. Restore inheritance for certain components on the school homepage

D. Mark the "Partial" option on the roll out screen

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 6

A client wants to ensure that only specific components are available to content authors when using an editable template in AEM. Additionally, they require that certain fields within a content fragment model adhere to strict validation rules for data integrity.

Which two steps would the developer take to meet both requirements? (Choose two.)

- A.** Enable dynamic templates for flexible content creation.
- B.** Define policies in the editable template to control allowed components.
- C.** Use editable templates to directly configure field validation rules.
- D.** Create and assign a new workflow to enforce component usage.
- E.** Configure field validation within the content fragment model.

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 7

A developer needs to upgrade an existing custom component based on Core Components Version 1 (v1) to Core Components Version 2 (v2).

How should the developer upgrade to this version?

- A.** Modify the sling:resourceType property on the custom component to point to the V2 Component
- B.** The Custom Component will be automatically upgraded to the V2 Core Component on AEM Restart
- C.** Modify the sling:resourceSuperType property on the custom component to point to the V2 Component

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 8

A website hosted on AEM as a Cloud Service features site page content search as part of their user experience. The search internally uses JCR Queries for content search based on tags. The content has been indexed adequately.

Which approach is recommended to make the index available across all the environments?

- A.** Create Index Package from Package Manager and replicate over other environments
- B.** Customize out-of-the-box index and deploy with Maven configurations and CI/CD Pipelines
- C.** Create fully custom index and deploy with Maven configurations and CI/CD Pipelines

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 9

How would a developer create a new Adobe Experience Manager project version 2.0 for 6.5 using the Adobe Experience Manager Maven Archetype with package com.mysite?

A)

```
mvn -B org.apache.maven.plugins:maven-archetype-plugin:3.2.1:generate \
-D archetypeGroupId=com.mysite \
-D archetypeArtifactId=aem-project-archetype \
-D archetypeVersion=6.5 \
-D appTitle="My Site" \
-D appld="com.adobe.aem" \
-D version="latest" \
-D aemVersion="2.0"
```

B)

```
mvn -B org.apache.maven.plugins:maven-archetype-plugin:3.2.1:generate \
-D archetypeGroupId=com.adobe.aem \
-D archetypeArtifactId=aem-project-archetype \
-D archetypeVersion=50 \
-D appTitle="My Site" \
-D appld="mysite" \
-D groupId="com.mysite" \
-D version="2.0" \
-D aemVersion="6.5"
```

C)

```
mvn -B org.apache.maven.plugins:maven-archetype-plugin:3.2.1:generate \
-D archetypeGroupId=com.adobe.aem \
-D archetypeArtifactId=aem-project-archetype \
-D archetypeVersion=${jabebrl_nmqliwqo} \
-D appTitle="My Site" \
-D appld="siteId" \
-D groupId="com.mysite" \
-D version="2.0" \
-D aemVersion="latest"
```

A. Option B

B. Option C

C. Option A

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Given the following error:

```
[ERROR] org.acme:mybundle:0.0.1-SNAPSHOT: Bundle org.acme:mybundle:0.0.1-SNAPSHOT is exporting package org.acme.foo without a version.
```

What are the appropriate troubleshooting steps for addressing this error?

- A.** Check if the OSGi bundles specify a version with an Export-Package declaration and a version range with an Import-Package declaration.
- B.** Check if the customer OSGi bundles don't have the Export-Package declarations that override AEM as a Cloud Service's bundle dependencies.
- C.** Check if all the OSGi bundles have their Import-Package declarations satisfied by the Export-Package declaration of other included bundles in the Maven project.
- D.** Check if all the dependency declarations made in the OSGi bundle are satisfied by the capabilities declarations in other bundles included in the Maven project.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 11

A developer is tasked with designing a solution to accommodate multiple client projects within a single Adobe Experience Manager (AEM) instance, each requiring its own set of unique resources, code, and content.

Given the need for true multi-tenancy, where each tenant operates independently with zero knowledge of other tenants and no shared code, content, or common authors, which approach should the developer recommend?

- A.** Encourage the use of component groups and allowedPaths properties to logically separate tenant-specific components and templates within the same AEM instance.
- B.** Implement separate author and publish instances for each tenant, ensuring complete isolation of resources, code, and content, thereby achieving true multi-tenancy.
- C.** Utilize AEM's out-of-the-box multi-tenancy capabilities to segregate tenants within the same author and publish instances, relying on access control lists (ACLs) and content path organization to ensure separation.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 12

A developer is working on an Adobe Experience Manager project that uses a multi-module maven build. A new module was just added to the project. When the following build command is executed, the new module is not installed:

```
mvn clean install -PautoInstallSinglePackage
```

What should the developer verify to ensure the package is being included as part of the installation process?

- A.** Verify the module is included in the embeddeds section of the filevault-package-maven-plugin in the all module.
- B.** Verify the module is included in the Embed-Dependency section of the maven-bundle-plugin in the ui.content module.
- C.** Verify the module is included in the Embed-Dependency section of the maven-bundle-plugin in the all module.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 13

What is the default file to store the dispatcher cache configuration?



- A. /etc/httpd/conf.dispatcher.d/cache/_cache.xml
- B. /etc/httpd/conf.dispatcher.d/cache/_cache.any
- C. /etc/httpd/conf.dispatcher.d/cache/*_cache.config

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

A developer created an editable template named home-template in AEM application 'wknd'.

What is the internal structure created for this template in the CRX repository?



Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

A developer needs to use the mode in Template Editor which allows template authors to define grid settings for different devices.

Which mode should the developer use?

- A. Layout
- B. Structure
- C. Page Policy

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 16

From which source environment can content be copied to Stage using Content sets in Cloud Manager?

- A. Development
- B. Production
- C. Integration

Answer: B ([LEAVE A REPLY](#))

Valid AD0-E137 Dumps shared by Actual4test.com for Helping Passing AD0-E137 Exam! Actual4test.com now offer the **newest AD0-E137 exam dumps**, the Actual4test.com AD0-E137 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AD0-E137 dumps with Test Engine here: https://www.actual4test.com/AD0-E137_examcollection.html (53 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 17

An Adobe Experience Manager architect is asked to configure run mode for their UAT environment.

Which configuration will work for the environment?

- A. /apps/<Project Name>/osgiconfig/config.author.author/<Persistent Identity>.json in ui.apps project
- B. /apps/<Project Name>/osgiconfig/config.uat.author/<Persistent Identity>.cfg.json in ui.apps project
- C. /apps/<Project Name>/osgiconfig/config.publish.uat/<Persistent Identity>.cfg.json in ui.config project

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 18

A developer is tasked with displaying the results from an external API call using Server Side Rendering in Adobe Experience Manager.

Which actions would the developer take to complete this task?

A. Create an OSGi Component foo with a service declaration of Servlet.

Create a Sling Model that references foo.

Create an AEM Component flarp that utilizes JavaScript Use API to display data from the Sling Model.

B. Create an OSGi Component foo with an HTTP Client.

Create a Sling Model that references foo.

Create an AEM Component flarp that displays the data from the Sling Model.

C. Create an AEM Component foo with an HTTP Client.

Create a Sling Model that references foo.

Create an OSGi Component flarp that displays the data from the Sling Model.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 19


A developer needs to configure two style options (style-a and style-b) for a text component so authors can choose between different pre-defined styles for their content. What is the correct way to define the cq:editConfig node?

A. 


```
/cq:editConfig
/cq:style
- jcr:primaryType: "nt:unstructured"
- cq:styleClasses: ["style-a", "style-b"]
- cq:styleLabel: "Text Styles"
```

B. 

```
/cq:editConfig
/cq:style
- jcr:primaryType: "nt:unstructured"
- cssClasses: ["style-a", "style-b"]
- styleLabel: "Text Styles"
```

C. 

```
/cq:editConfig
/cq:style
- jcr:primaryType: "nt:unstructured"
- cssStyles: ["style-a", "style-b"]
- cssLabel: "Text Styles"
```

D. 

```
/cq:editConfig
/cq:style
- jcr:primaryType: "nt:unstructured"
- cssClasses: ["style-a", "style-b"]
- styleLabel: "Text Styles"
```

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 20

A customer noticed slower Adobe Experience Manager performance in the last couple of days. The segment store size is almost double the size from the previous week. To reduce the segment store size and maintain overall Adobe Experience Manager health, which two Adobe Experience Manager maintenance tasks should be executed Weekly? (Choose two.)

- A. Version Purge
- B. Clientlib Dumps
- C. Online Revision Cleanup
- D. Datastore Garbage Collection

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 21

A developer is required to create a package with these requirements:

Package Name: aem-package

Content Path: /content/aem-site

Group: aem_group

What is the correct zip package file created in Adobe Experience Manager package manager?

- A. aem-package-1.0.zip
- B. aem_group-aem-site-aem-package.zip
- C. aem-package-aem_group-1.0.zip

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 22

A client has a requirement to get the location of stores based on the zip code authored in the component dialog. Location needs to be pulled from an external API using OSGi services.

Which OSGi Service code snippet should be used to represent the requirement?

A)

```
@OSGiService(component = Service.class)
public class ServiceImpl implements Service {
    @Override
    public List<String> getStoresByZipCode(String zipCode) {
        List<String> storeLocations = new ArrayList<>();
        // Create an HTTP client
        try (CloseableHttpClient httpClient = HttpClients.createDefault()) {
            // Processing logic to get all the locations from external api
        } catch (IOException e) {
        }
        return storeLocations;
    }
}
```

```
}
```

B)

```
@Component(service = Service.class)
public class ServiceImpl implements Service {
    @Override
    public List<String> getStoresByZipCode(String zipCode) {
        List<String> storeLocations = new ArrayList<>();
        // Create an HTTP client
        try (CloseableHttpClient httpClient = HttpClients.createDefault()) {
            // Processing logic to get all the locations from external api
        } catch (IOException e) {
        }
        return storeLocations;
    }
}
```

C)

```
@Service(service = Component.class)
public class ServiceImpl implements Service {
    @Override
    public List<String> getStoresByZipCode(String zipCode) {
        List<String> storeLocations = new ArrayList<>();
        // Create an HTTP client
        try (CloseableHttpClient httpClient = HttpClients.createDefault()) {
            // Processing logic to get all the locations from external api
        } catch (IOException e) {
        }
        return storeLocations;
    }
}
```

A. Option D

B. Option A

C. Option B

D. Option C

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 23

A developer is writing a unit test for a service that depends on a query of nodes inside the JCR.

What is the correct approach to unit testing the service?

A. Use an @Mock annotation on the Query object with when and then methods.

B. Use SlingContext with ResourceResolverType of JCR_OAK.

C. Add the currentResource method call to include the nodes to be queried.

Answer: A ([LEAVE A REPLY](#))

Valid AD0-E137 Dumps shared by Actual4test.com for Helping Passing AD0-E137 Exam! Actual4test.com now offer the **newest AD0-E137 exam dumps**, the Actual4test.com AD0-E137 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AD0-E137 dumps with Test Engine here: https://www.actual4test.com/AD0-E137_examcollection.html (53 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)