

Adobe.AD0-E703.v2022-02-05.q47

Exam Code:	AD0-E703
Exam Name:	Adobe Certified Expert - Magento Commerce Developer
Certification Provider:	Adobe
Free Question Number:	47
Version:	v2022-02-05
# of views:	1074
# of Questions views:	470
https://www.freepdf dumps.com/Adobe.AD0-E703.v2022-02-05.q47.html	

NEW QUESTION: 1

What is a valid use case for an around plugin?

- A. The execution of the before and after plugins must be suppressed
- B. The arguments of the after plugins must be modified
- C. The arguments of the before plugins must be modified
- D. The execution of the pluginized method must be suppressed

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

You have created a new block and will be adding this block on every page. The block contains user-specific information and cannot be cached. The block is added to the default.xml with:

```
<block class="MyCompany\MyModule\Block\Unique" name="unique" cacheable="false" after="-">
```

What does this accomplish?

- A. The block will be loaded on the store front using AJAX
- B. FPC will cache the block content for all cacheable pages
- C. FPC will be bypassed for this block and all other page content will be cached
- D. All store front pages are no longer cacheable

Answer: ([SHOW ANSWER](#))

Explanation

<https://magento.stackexchange.com/questions/103256/how-to-disable-the-cache-for-the-block-in-magento-2>

NEW QUESTION: 3

You are facing a bug, which is supposedly caused by the customization of `\Magento\Catalog\Api\ProductRepositoryInterface::save()`.

To resolve the issue, you decide to find all logic which customizes this method. Which two places do you search for customization declarations? (Choose 2)

- A. */config.xml
- B. */plugins.xml
- C. */events.xml
- D. */di.xml

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 4

You are implementing a custom module MyModule, which provides an implementation of \Psr\Log\LoggerInterface called \MyCompany\MyModule\Logger.

The LoggerInterface has the default preference declared in app/etc/di.xml.

Keeping upgradability in mind, how do you make \MyCompany\MyModule\Logger the default implementation of the LoggerInterface globally?

- A. Declare a new preference for the LoggerInterface in MyCompany/MyModule/etc/di.xml
- B. Overwrite the existing preference for the LoggerInterface in app/etc/di.xml
- C. Declare a new preference for the LoggerInterface in app/code/myCompany/MyModule/etc/frontend/di.xml
- D. Declare a new preference for the LoggerInterface in app/code/MyCompany/MyModule/etc/global/di.xml

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

You have created a custom module which must perform an action immediately after an order is placed, but only on the store front of the merchant site. You have selected the checkout_submit_all_after as the target event which the module will observe.

In which file will the event observer be declared?

- A. etc/frontend/events.xml
- B. etc/events.xml
- C. etc/frontend.xml
- D. etc/config.xml

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 6

You are adding a new entry to the backend menu that appears after Marketing > SEO & Search > Site Map

You see the existing site map menu item is declared by the node:

```
<add id="Magento_Sitemap::catalog_sitemap"
    title="Site Map"
    translate="title"
    sortOrder="60"
    parent="Magento_Backend::marketing_seo"
    action="adminhtml/sitemap/"
    resource="Magento_Sitemap::sitemap"/>
```

What two actions do you take to configure the new menu entry location? (Choose two.)

- A. Specify parent="Magento_Sitemap::catalog_sitemap"
- B. Specify parent="Magento_Backend::marketing_seo"
- C. Specify sortOrder="100"
- D. Specify item XML in the file etc/adminhtml/menu/marketing/seo/menu.xml

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 7

A custom module is performing an optimized custom query for quote items. The class applies the query customizations on the select object of a quote item collection instance.

```
public function __construct(
    \Magento\Quote\Model\ResourceModel\Quote\Item\Collection $collection
) {
    $this->collection = $collection;
}

public function fetchData()
{
    $select = $this->collection->getSelect();
    ... code modifying $select...
    return $this->collection->getData();
}
```

You are tasked to resolve an issue where the query sometimes does not deliver the expected results. You have debugged the problem and found another class is also using a quote item collection and is loading the collection before the custom module. How do you resolve the issue, keeping maintainability in mind?

- A. You inject \Magento\Framework\DB\Select instead of the collection and perform the desired query independently of the collection.
- B. You change the argument type to \Magento\Quote\Model\ResourceModel\Quote\Item\CollectionFactory and instantiate the collection using \$collectionFactory->create();
- C. You remove the constructor argument and use ObjectManager::getInstance()-

>create(\Magento\Quote\Model\ResourceModel\Quote\Item\Collection::class) to instantiate the collection instead.

D. You inject \Magento\Quote\Api\CartItemRepositoryInterface because low level query customizations are not allowed.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

What is the difference between online and offline shipping methods?

A. Online means that a shipment will have a tracking number, and offline means no tracking numbers are available

B. Online means that it will be sent to the customer using a shipping carrier, offline means the customer will pick up the order in person

C. Online means Magento will use a shipping carrier's API to obtain rates, offline means Magento will calculate the rates internally

D. Online means that an item's shipping will be processed by the merchant, offline means that it will be processed by the customer

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 9

You have created a module to show manufacturer-list, but in your page need to show Pagination that already ready in your block. Keeping maintainability in mind, where you call echo \$block->getPagerHtml();?

A. /Manufacturer/Block/Index.php

B. /Manufacturer/view/frontend/templates/content.phtml

C. /Manufacturer/view/frontend/layout/manufacturer_index_index.xml

D. /Manufacturer/Controller/Index/Index.php

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 10

Which two ways does Magento persist category relationships in the database? (Choose two.)

A. in the table catalog_category_index

B. Using comma-separated values in the parent-ids field

C. in the parent_id field

D. Using slash-separated values in the path field

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 11

You are reviewing a theme in app/design/frontend/MyCompany/MyTheme and see the file etc/view.xml.

What is the function of this file?

A. It specifies the applicable CSS files for the theme

- B. It configures Grunt to compile assets for the theme
- C. It informs Magento that the theme is present and available for use
- D. It stores theme and image configuration values

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

You are developing a module MyCompany_StoreInfo to display information about brick and mortar stores on a frontend page. The displayed information varies based on the country of a given store.

What two elements automatically render their children? (Choose two.)

- A. `<block class="\Magento\Framework\View\Element\Template" name="shop.info.details"/>`
- B. `<container name="shop.info.details"/>`
- C. `<block class="\Magento\Framework\View\Element\AbstractBlock" name="shop.info.details"/>`
- D. `<block class="\Magento\Framework\View\Element\Text\ListText" name="shop.info.details"/>`

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 13

You are debugging a problem resulting from a recently deployed around plugin. The plugin is intercepting the doSomething method. The aroundDoSomething plugin method is called successfully, but the original doSomething method is no longer being executed as expected.

What is causing this?

- A. The plugin implementation returned something other than its callable argument
- B. The plugin implementation overlooked using the AbstractPlugin parent class
- C. The plugin implementation is skipping the execution of its callable argument
- D. The sort order of the plugin is too high and supersedes the priority of the intercepted method

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

A merchant is interested in setting different prices for the same products in different store scopes.

What do you reply to this inquiry?

- A. The price scope can be set to store but this will lead to performance degradation of category pages
- B. The prices can only be scoped per website or globally
- C. The prices do not support scopes
- D. The prices can be scoped per store

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

You are updating a module to add extra functionality to the Magento application, Where would Magento look for modules?

- A. lib/vendor-name/module-name

- B. app/vendor/vendor-name/module-name
- C. vendor/vendor-name/module-name
- D. app/code/VendorName/ModuleName

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 16

You have been given the task of importing products from an external source. You decide to create a custom module to do this. The class handling the import creates a product for each record, sets the data on it and saves it to the database.

What do you inject into a constructor to represent each product you create?

- A. \Magento\Catalog\Api\Data\ProductInterfaceFactory
- B. \Magento\Catalog\Model\ProductBuilder
- C. \Magento\Catalog\Model\Product
- D. \Magento\Catalog\Api\Data\ProductInterface

Answer: A ([LEAVE A REPLY](#))

Valid AD0-E703 Dumps shared by Actual4test.com for Helping Passing AD0-E703 Exam! Actual4test.com now offer the **newest AD0-E703 exam dumps**, the Actual4test.com AD0-E703 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AD0-E703 dumps with Test Engine here:

https://www.actual4test.com/AD0-E703_examcollection.html (137 Q&As Dumps, **30%OFF**

Special Discount: [Freepdfdumps](#))

NEW QUESTION: 17

The constructor function for \Magento\Catalog\Model\Category contains this excerpt:

With the automatic dependency injection that Magento provides, how is the StoreManagerInterface resolved?

- A. If no \$storeManager is provided, Magento's code generator creates a shell concrete class based on
\Magento\Store\Model\StoreManagerInterface
- B. Magento finds all classes that implement \Magento\Store\Model\StoreManagerInterface (ordered alphabetically) and injects the first class.
- C. Magento looks to the di.xml files in the entire system for a preference node for \Magento\Store\Model\StoreManagerInterface. This class is constructed and injected
- D. Magento throws an exception because you cannot instantiate an interface

Answer: C ([LEAVE A REPLY](#))

Explanation

<https://devdocs.magento.com/guides/v2.4/extension-dev-guide/depend-inj.html>

NEW QUESTION: 18

What is the connection between product attribute sets and categories?

- A. Each category is linked to a single product attribute set, and only products from that attribute set are allowed in the category
- B. Categories have no connection to product attribute sets, and any product can be assigned to any category
- C. Each category is linked to a single product attribute set, and only products from that category's set or any of its parent categories'
- D. Categories can be connected to multiple product attribute sets, and only products from one of those sets are allowed in the category

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 19

A Magento industry partner shipping provider has tasked you to build their integration module called MyCompany_ShippingProvider.

Where do you define the class that provides options for the select field that enables or disables the provider in the file etc/adminhtml/system.xml?

- A. <source_model>Magento\Config\Model\Config\Source\Yesno</source_model>
- B. <frontend_model>Magento\Config\Model\Config\Frontend\Yesno</frontend_model>
- C. <backend_model>Magento\Config\Model\Config\Backend\Yesno</backend_model>
- D. <option_model>Magento\Config\Model\Config\Option\Yesno</option_model>

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 20

You are writing a customization for the customer module. You need to make sure the configuration files from your module are loaded after the customer module's configuration.

Where should the dependency be declared?

- A. etc/di.xml
- B. composer.json
- C. etc/module.xml
- D. etc/config.xml

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 21

A custom module must make changes to the schema following each setup:upgrade run. This must be done after all other module's schema updates have been applied.

How is this accomplished?

- A. Create a Recurring class which implements InstallSchemaInterface
- B. Create an UpgradeSchemaAfter class which implements InstallSchemaInterface
- C. Write a plugin intercepting \Magento\Setup\Model\Installer::handleDBSchemaData
- D. Update the module's setup_priority in etc/modules.xml

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 22

While developing a module you need to modify an existing Data Patch.

How can you force Magento to execute an existing Data Patch file again?

- A.** By deleting the record with the Data Patch class name from the table patch_list table
- B.** By changing the version of the Data Patch in the getVersion method
- C.** By modifying the data_version value in the setup_module table
- D.** By removing the Data Patch, running the command: bin/magento setup:db-data:upgrade, then copying the file back and running the command again

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 23

In a custom module you implement the interface \Magento\Framework\App\Config\DataInterface.

What version constraint for magento/framework do you add to your module's composer.json file?

- A.** patch
- B.** major
- C.** minor
- D.** stable

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 24

In layout files you can change an element's order on a page. This can be done using one of the following:

- * <move> instruction
- * before and after element attributes?

How are two methods different?

- A.** Before and after attributes can only be used with referenceContainer and referenceBlock
- B.** The move instruction allows altering an element's parent node
- C.** They are the same, both provide access to the same functionality
- D.** Elements are renamed by default when using the move instruction

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 25

You are adding a child node to the product.info block using the XML:

How will this block be rendered?

- A.** Automatically if the block class Custom implements the _toHtml method
- B.** By calling \$block->getChildHtml('mynewblock') in the parent block's template
- C.** The layout is invalid since block elements cannot be nested
- D.** Child block nodes are automatically rendered as HTML

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 26

A merchant requires the ability to configure contact information for their brick and mortar stores as a CSV file upload. The module already exists and contains an etc/adminhtml/system.xml file where the new field can be added.

How do you specify the class that will process the uploaded file?

- A. `<frontend_model>\Magento\Config\Model\Config\Frontend\File</frontend_model>`
- B. `<source_model>\Magento\Config\Model\Config\Source\File</source_model>`
- C. `<upload_model>\Magento\Config\Model\Config\Upload\File</upload_model>`
- D. `<backend_model>\Magento\Config\Model\Config\Backend\File</backend_model>`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

You are developing a module and need to add another column to a table introduced by another module MyCompany_MyModule via db schema.

How do you do that?

- A. Create a etc/db_schema.xml file in your module, add the column and run bin/magento setup:upgrade
- B. Create a etc/db.xml file in your module, add the column and run bin/magento setup:db-schema:upgrade
- C. Run a command: bin/magento setup:db-schema:upgrade <table> <column definition>
- D. Create a etc/db_schema_whitelist.json file in your module, add the column and run bin/magento setup:upgrade

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 28

You have been asked to display details from the customer's latest order on the customer's account dashboard (customer/account/). You create a new custom template to show the information.

How do you obtain an order repository so you can fetch an order?

- A. In your template, add the following: `$orderRepository = new OrderRepository();`
- B. In your block, add a method with the following: `return ObjectManager::getInstance()->get(OrderRepositoryInterface::class);`
- C. Create a view model and specify an OrderRepositoryInterface argument in the _construct method
- D. In your template, add the following: `$orderRepository=ObjectManager::getInstance()->get(OrderRepositoryInterface::class);`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

You got a notification about error that occurred on a production environment. The merchant gave you the error identifier.

How do you find the error message based on the identifier?

- A. An error is written to the var/log/exception.log file including the identifier
- B. The error is sent to the pre-configured error email with the identifier in the subject
- C. A file with a name matching the identifier is written to the var/report folder
- D. An error message is written to the database table error_log with an error_id field matching the identifier

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

You are building a new module to add extra functionality to the Magento application. You want to works with CustomerData the data stored on the client side. Where initialized sections Cart and Directory-data are on the server side via the classes?

- A. Magento\Checkout\Block\Cart and Magento\Checkout\Block\DirectoryData
- B. Magento\Checkout\CustomerData\Cart and Magento\Checkout\CustomerData\DirectoryData
- C. Magento\Checkout\Plugin\Cart and Magento\Checkout\Plugin\DirectoryData
- D. Magento\Checkout\Api\Cart and Magento\Checkout\Api\DirectoryData

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

You need to add a new column to the sales_shipment and the sales_shipment_grid tables. Other than utilizing the default addColumn methods, what way is automatic?

- A. Ensure your UpgradeSchema class extends CoreSetup and call \$this->addSalesColumns().
- B. Utilize the SalesSetup class' addAttribute method.
- C. On the ModuleDataSetupInterface, call \$setup->getSales()->addColumn().
- D. On the default EavSetup class, utilize the addColumn method.

Answer: B ([LEAVE A REPLY](#))

Valid AD0-E703 Dumps shared by Actual4test.com for Helping Passing AD0-E703 Exam! Actual4test.com now offer the **newest AD0-E703 exam dumps**, the Actual4test.com AD0-E703 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AD0-E703 dumps with Test Engine here:

https://www.actual4test.com/AD0-E703_examcollection.html (137 Q&As Dumps, **30%OFF**

Special Discount: **Freepdfdumps**)

NEW QUESTION: 32

Which three scopes can be used to set different System Configuration values in Magento? (Choose three.)

- A. Area
- B. Language
- C. Store View
- D. Website
- E. Store

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 33

You have created a module controller that responds to the following URL: /mycompany/product/load/id/123.

Which two methods will load the product model by ID as specified in the URL? (Choose two.)

- A. \Magento\Catalog\Model\ResourceModel\Product\Collection::load()->fetchById(\$id)
- B. \Magento\Catalog\Model\ResourceModel\Product\Collection::fetchItemById(\$id)
- C. \Magento\Catalog\Model\ResourceModel\Product::load(\$productModel, \$id)
- D. \Magento\Catalog\Api\ProductRepositoryInterface::getById(\$id)

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 34

\Magento\Sales\Model\Api\OrderRepositoryInterface::getList accepts a SearchCriteriaInterface to filter and sort information.

What class assists in creating an instance for SearchCriteriaInterface?

- A. \Magento\Backend\Api\SearchCriteriaGenerator
- B. \Magento\Sales\Model\Order\SearchCriteria
- C. \Magento\Framework\Api\SearchCriteriaBuilder
- D. \Magento\Framework\Api\SearchCriteriaFactory

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 35

As you are scanning folder in the vendor/module-catalog directory, you see a directory that is named Ui. What is this folder's purpose?

- A. It contains UI component data providers and component information.
- B. It contains the block PHP files that render HTML onto the frontend.
- C. It contains templates, CSS and JS pertinent to the module.
- D. It is not a normal folder and further investigation is necessary to determine the purpose.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 36

You have loaded an instance of \Magento\Catalog\Model\Product in the \$product variable. You know that the loaded product has the type configurable with four variations. These variations have the prices: \$10, \$12, \$12, \$15.

What will be the result of the `$product->getFinalPrice()` call?

- A. [10, 12, 15]
- B. [10, 12, 12, 15]
- C. 15
- D. 10

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 37

You see this code in `etc/adminhtml/routes.xml`:

```
<route id="mymodule" frontName="user-subscriptions">
```

```
<module name="MyCompany_MyModule" />
```

```
</route>
```

You have placed a controller in `Controller/Index/Subscribe.php`.

If you want to create layout XML instructions for this controller, what would be the layout XML's filename?

- A. `mymodule_index_subscribe.xml`
- B. `user_subscriptions_index_subscribe.xml`
- C. `mymodule_subscribe_[ACTION NAME].xml`
- D. `user_subscriptions_subscribe_[ACTION NAME].xml`

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 38

You are implementing a customization of the sales management within a module

`MyCompany_MySalesProcess`. You have created several event observers to add the custom functionality.

Each observer is a separate class, but they require some common functionality. How do you implement the common functionality in the event observers, keeping maintainability and testability in mind?

- A. You create a regular class implementing the common functionality as public static methods and call those from the observers.
- B. You create a regular class implementing the common functionality as public methods and use constructor injection to make them available to the observers.
- C. You create a trait with the common methods and use the trait in the observer classes.
- D. You create an abstract class `AbstractObserver` with the common methods and extend the observer classes from it.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 39

A merchant gives you the module `MyCompany_MyModule` to install.

How do you identify which REST endpoints are supported by the module?

- A. REST endpoints are declared in `etc/rest.xml`

B. Every public method of every interface in the Api folder automatically is exposed as a REST endpoint

C. REST endpoints are declared in etc/webapi.xml

D. REST endpoints are declared in etc/webapi_rest/di.xml

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 40

Assume that a customer's cart only includes one downloadable product.

What effect will it cause on the quote object?

A. The quote object will have a downloadable URL instead of an address

B. The quote object will not have any address

C. The quote object will not have a billing address

D. The quote object will not have shipping address

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 41

The module MyCompany_MyModule will add a new page to the admin interface at the URL path admin/mycompany/entity_grid.

How do you name the file containing the action controller class so the admin router matches the path to the class?

A. Controller/Adminhtml/Entity/Grid/Index.php

B. Controller/Adminhtml/Mycompany/Entity_Grid.php

C. Controller/Adminhtml/Mycompany/Entity/Grid.php

D. Controller/Adminhtml/Entity/Grid.php

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 42

You are building a new module to add extra functionality to the Magento application. What files are required?

A. registration.php

B. etc/module.xml

C. etc/config.xml

D. composer.json

E. Setup/InstallSchema.php

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 43

How do you pass an array ['one', 'two'] as a parameter to you block using the layout XML arguments directive?

A. Option D

B. Option C

C. Option B

D. Option A

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 44

What order operation is available in the My Account section in the storefront?

A. Invoice

B. Edit order

C. Reorder

D. Refund

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 45

How do you persist an entity to the database?

A. Calling the store() method on the entity's model

B. Calling the update() method on the entity's collection

C. Calling the save() method on the entity's repository

D. Calling the persist() method on the entity's repository

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 46

You are developing a new theme which inherits from the Magento_Luma theme.

How is this accomplished?

A. Add Magento/luma to theme.xml

B. Add Magento/luma to etc/view.xml

C. Run the CLI command bin/magento dev:theme:inherit Magento_Luma

D. Specify the parent theme in Magento admin > Design > Configuration

Answer: ([SHOW ANSWER](#))

Valid AD0-E703 Dumps shared by Actual4test.com for Helping Passing AD0-E703 Exam! Actual4test.com now offer the **newest AD0-E703 exam dumps**, the Actual4test.com AD0-E703 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AD0-E703 dumps with Test Engine here:

https://www.actual4test.com/AD0-E703_examcollection.html (137 Q&As Dumps, **30%OFF**

Special Discount: **Freepdfdumps**)

NEW QUESTION: 47

A module you are developing requires the addition of new routes that should be accessible in the store front.

Where do you define your module's frontName?

- A. etc/routes.xml
- B. etc/config.xml
- C. etc/frontend/config.xml
- D. etc/frontend/routes.xml

Answer: ([SHOW ANSWER](#))

Valid AD0-E703 Dumps shared by Actual4test.com for Helping Passing AD0-E703 Exam! Actual4test.com now offer the **newest AD0-E703 exam dumps**, the Actual4test.com AD0-E703 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AD0-E703 dumps with Test Engine here:

https://www.actual4test.com/AD0-E703_examcollection.html (137 Q&As Dumps, **30%OFF**

Special Discount: **Freepdfdumps**)