

Citrix.1Y0-241.v2021-11-29.q30

Exam Code:	1Y0-241
Exam Name:	Deploy and Manage Citrix ADC 13 with Traffic Management
Certification Provider:	Citrix
Free Question Number:	30
Version:	v2021-11-29
# of views:	1378
# of Questions views:	300
https://www.freepdfdumps.com/Citrix.1Y0-241.v2021-11-29.q30.html	

NEW QUESTION: 1

To protect an environment against Hash DoS attacks, which two configurations can a Citrix Administrator use to block all post requests that are larger than 10,000 bytes? (Choose two.)

- A.** > add policy expression expr_hashdos_prevention "http.REQ.METHOD.EQ(\"POST\") || http.REQ.CONTENT_LENGTH.GT(10000)"
> add responder policy pol_resp_hashdos_prevention expr_hashdos_prevention DROP NOOP
> bind responder global pol_resp_hashdos_prevention 70 END -type REQ_OVERRIDE
- B.** > add policy expression expr_hashdos_prevention "http.REQ.METHOD.EQ(\"POST\") || http.REQ.CONTENT_LENGTH.GT(10000)"
> add rewrite policy drop_rewrite expr_hashdos_prevention DROP
> bind rewrite global drop_rewrite 100 END -type REQ_OVERRIDE
- C.** > add policy expression expr_hashdos_prevention "http.REQ.METHOD.EQ(\"POST\") || http.REQ.CONTENT_LENGTH.GT(10000)"
> add responder policy pol_resp_hashdos_prevention expr_hashdos_prevention DROP NOOP
> bind responder global pol_resp_hashdos_prevention 100 END -type REQ_OVERRIDE
- D.** > add policy expression expr_hashdos_prevention "http.REQ.METHOD.EQ(\"POST \")&& http.REQ.CONTENT_LENGTH.GT(10000)"
> add rewrite policy drop_rewrite expr_hashdos_prevention DROP
> bind rewrite global drop_rewrite 100 END -type REQ_OVERRIDE
- E.** > add policy expression expr_hashdos_prevention "http.REQ.METHOD.EQ(\"POST\") || http.REQ.CONTENT_LENGTH.GT(10000)"
> add rewrite policy drop_rewrite expr_hashdos_prevention DROP
> bind rewrite global drop_rewrite 70 END -type REQ_OVERRIDE

```
F. > add policy expression expr_hashdos_prevention "http.REQ.METHOD.EQ("POST\n")&&\nhttp.REQ.CONTENT_LENGTH.GT(10000)"\n> add responder policy pol_resp_hashdos_prevention expr_hashdos_prevention DROP\nNOOP\n> bind responder global pol_resp_hashdos_prevention 70 END -type REQ_OVERRIDE
```

Answer: (SHOW ANSWER)

NEW QUESTION: 2

Scenario: A Citrix Administrator made changes to a Citrix ADC, deleting parts of the configuration and saving some new ones. The changes caused an outage that needs to be resolved as quickly as possible. There is no Citrix ADC backup.

What does the administrator need to do to recover the configuration quickly?

- A. Restart the Citrix ADC.
- B. Run highly availability (HA) file synchronization.
- C. Restore from the revision history.
- D. Run saved versus running configuration.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 3

Scenario: A Citrix Administrator suspects an attack on a load-balancing vServer (IP address 192.168.100.25).

The administrator needs to restrict access to this vServer for 10 minutes.

Which Access Control List (ACL) will accomplish this?

- A. add simpleacl rule1 DENY -srcIP 192.168.100.25 -TTL 600000
- B. add ns acl rule1 DENY -destIP 192.168.100.25 -TTL 600
- C. add simpleacl rule1 DENY -srcIP 192.168.100.25 -TTL 600
- D. add ns acl rule1 DENY -destIP 192.168.100.25 -TTL 600000

Answer: (SHOW ANSWER)

NEW QUESTION: 4

Which step can a Citrix Administrator take to use default compression policies?

- A. Enable compression on the associated bound services.
- B. Select the compression algorithm (gzip/deflate/identity).
- C. Bind the default compression policies to the vServer.
- D. Disable the Citrix ADC compression feature at a global level.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 5

A Citrix Administrator needs to confirm that all client certificates presented to the authentication vServer are valid until the year 2023.

Which expression can the administrator use to meet this requirement?

- A. CLIENT.SSL.CLIENT_CERT.VALID_NOT_AFTER.EQ(GMT2023)
- B. CLIENT.SSL.CLIENT_CERT.DAYS_TO_EXPIRE.EQ(2023)
- C. CLIENT.SSL.CLIENT_CERT.VALID_NOT_BEFORE.EQ(GMT2023)
- D. CLIENT.SSL.ORIGIN_SERVER_CERT.VALID_NOT_AFTER.EQ(GMT2023)

Answer: A (LEAVE A REPLY)

NEW QUESTION: 6

Scenario: A Citrix Administrator executed the following command in a global server load balancing (GSLB) environment:

```
set gslb site SiteB -triggerMonitor MEPDOWN
```

What will be the effect of this command on the default service monitoring behavior on a remote site?

- A. The service monitor is invoked only when Metric Exchange Protocol (MEP) connectivity has been lost between Site A and Site B.
- B. The service monitor is invoked only when Metric Exchange Protocol (MEP) has marked the service as DOWN.
- C. The state of the GSLB service will always be controlled by Metric Exchange Protocol (MEP).
- D. The service monitor will take precedence over Metric Exchange Protocol (MEP).

Answer: B (LEAVE A REPLY)

NEW QUESTION: 7

Scenario: A Citrix Administrator downloaded and deployed Citrix Application Delivery Management (ADM) in an environment consisting of six Citrix ADCs and 100 virtual servers. When viewing the Citrix ADM console, the administrator sees only 30 virtual servers.

Why is the administrator unable to see all 100 virtual servers?

- A. The Citrix ADC and Citrix ADM firmware versions are NOT the same.
- B. Citrix ADM is using a free license.
- C. Additional Citrix ADM systems need to be deployed to see all virtual servers.
- D. The nsroot passwords are NOT the same across all the Citrix ADCs.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 8

Scenario: A Citrix Administrator manages an environment that has three SSL websites, all serving the same content.

www.company.com

www.company.net

www.company.org

The administrator would like to consolidate the websites into a single, load-balanced SSL vServer.

What can the administrator bind to use a single SSL vServer?

- A. A multiple SAN certificate to a single SSL vServer
- B. A wildcard certificate to a single SSL vServer
- C. The certificate of each website to a single SSL vServer
- D. A wildcard certificate to a content-switching vServer

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 9

A Citrix Administrator needs to use a client's IP address as the source IP address for Citrix ADC-to-server connections.

Which Citrix ADC mode can the administrator use to meet this requirement?

- A. USIP
- B. Layer 3
- C. USNIP
- D. Layer 2

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 10

Scenario: A Citrix ADC MPX is using one of four available 10G ports. A Citrix Administrator discovers a traffic bottleneck at the Citrix ADC.

What can the administrator do to increase bandwidth on the Citrix ADC?

- A. Purchase another Citrix ADC MPX appliance.
- B. Plug another 10G Citrix ADC port into the router.
- C. Add two more 10G Citrix ADC ports to the network and configure VLAN.
- D. Add another 10G Citrix ADC port to the switch, and configure Link Aggregation Control Protocol (LACP).

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

What is the first thing a Citrix Administrator should develop when creating a server certificate for Citrix ADC to secure traffic?

- A. A certificate key-pair
- B. A private key
- C. A certificate revocation list (CRL)
- D. A certificate signing request (CSR)

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 12

The Citrix ADC SDX architecture allows instances to share _____ and _____. (Choose the two correct options to complete the sentence.)

- A. memory
- B. a physical interface
- C. a CPU
- D. the kernel

Answer: (SHOW ANSWER)

NEW QUESTION: 13

Scenario: A Citrix Administrator configured a responder policy as follows:

```
> add responder action Redirect_Act respondwith
```

```
"DIAMETER.NEW_REDIRECT(\"aaa://host.example.com\")"
```

```
> add responder policy Redirect_Pol "diameter.req.avp(264).value.eq(\"host1.example.net\n\")" Redirect_Act
```

```
> bind lb vServer vs1 -policyName Redirect_Pol -priority 10 -type REQUEST
```

What will be the effect of this configuration?

- A. Request originated from "host1.example.net" will be redirected to "host.example.com".
- B. Response originated from "host1.example.net" will be redirected to "host.example.com".
- C. Response originated from "host.example.net" will be redirected to "host1.example.com".
- D. Request originated from "host.example.net" will be redirected to "host1.example.com".

Answer: A (LEAVE A REPLY)

Explanation/Reference:

NEW QUESTION: 14

Which step can a Citrix Administrator take to use default compression policies?

- A. Select the compression algorithm (gzip/deflate/identity).
- B. Disable the Citrix ADC compression feature at a global level.
- C. Enable compression on the associated bound services.
- D. Bind the default compression policies to the vServer.

Answer: (SHOW ANSWER)

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/optimization/http-compression.html>

NEW QUESTION: 15

A Citrix Network Engineer informs a Citrix Administrator that a data interface used by Citrix ADC SDX is being saturated.

Which action could the administrator take to address this bandwidth concern?

- A. Add a second interface to each Citrix ADC VPX instance.
- B. Configure a failover interface set on each Citrix ADC VPX instance.
- C. Configure LACP on the SDX for the data interface.
- D. Configure LACP on the SDX for management interface.

Answer: (SHOW ANSWER)

NEW QUESTION: 16

Which two steps are necessary to configure global server load balancing (GSLB) service selection using content switching (CS)? (Choose two.)

- A. Bind the domain to the CS vServer instead of the GSLB vServer.
- B. Configure CS policies that designate a load-balancing vServer as the target vServer.
- C. Configure a CS vServer of target type GSLB.
- D. Bind the GSLB domain to the GSLB vServer.

Answer: B,C (LEAVE A REPLY)

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/global-server-load-balancing/how-to/configure-gslb-content-switch.html>

Valid 1Y0-241 Dumps shared by Actual4test.com for Helping Passing 1Y0-241 Exam! Actual4test.com now offer the **newest 1Y0-241 exam dumps**, the Actual4test.com 1Y0-241 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com 1Y0-241 dumps with Test Engine here:

https://www.actual4test.com/1Y0-241_examcollection.html (113 Q&As Dumps,

30%OFF Special Discount: Freepdfdumps)

NEW QUESTION: 17

A Citrix Administrator configured an external syslog server but is NOT seeing detailed TCP information?

What could be causing this?

- A. Log level is NOT enabled.
- B. TCP logging is NOT enabled.
- C. Log facility is NOT configured.
- D. User-defined audit log is NOT configured.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 18

Scenario: A Citrix Administrator configured a load-balancing vServer. The URL for this vServer is vpn.citrix.com. The backend server has the host name configured as server1.citrix.com.

The administrator needs to implement the policy to change the host name from vpn.citrix.com to server1.citrix.com, and vice versa.

Which does the administrator need to configure to meet this requirement?

- A. set transform action "host change" -priority 10 -reqUrlFrom "https://server1.citrix.com/*" -reqUrlInto

"https://vpn.citrix.com/*" -resUrlFrom "https://vpn.citrix.com/*" -resUrlInto
"https://server1.citrix.com/*"

B. set transform action "host change" -priority 10 -reqUrlFrom "https://vpn.citrix.com/*" -
reqUrlInto "https:// server1.citrix.com/*" -resUrlFrom "https://server1.citrix.com/*" -resUrlInto
"https://vpn.citrix.com/*"

C. set transform action "host change" -priority 10 -reqUrlFrom "https://server1.citrix.com/*"
-reqUrlInto

"https://vpn.citrix.com/*" -resUrlFrom "https://server1.citrix.com/*" -resUrlInto
"https://vpn.citrix.com/*"

D. set transform action "host change" -priority 10 -reqUrlFrom "https://vpn.citrix.com/*" -
reqUrlInto "https:// server1.citrix.com/*" -resUrlFrom "https://vpn.citrix.com/*" -resUrlInto
"https://server1.citrix.com/*"

Answer: D (LEAVE A REPLY)

NEW QUESTION: 19

Scenario: Users are trying to access https://cs.mycompany.com, but are receiving the error below:

HTTP 503 Service Unavailable

What can a Citrix Administrator change in the Citrix ADC configuration to fix this?

- A.** Bind the default load-balancing vServer.
- B.** Enable the content switching feature.
- C.** Bind a certificate.
- D.** Disable the spillover redirect URL.

Answer: (SHOW ANSWER)

NEW QUESTION: 20

A Citrix Administrator needs to configure a rate-limiting policy setting DNS requests to a threshold of 1,000 per second.

Which command does the administrator need to run to correctly configure this policy?

- A.** SYS.CHECK.LIMIT(<limit_identifier>)
- B.** SYS.CHECK.LIMIT(<limit_identifier>) || CONNECTION.IP.LIMIT(<limit_identifier>)
- C.** HTTP.REQ.LIMIT(<limit_identifier>)
- D.** SYS.CHECK.LIMIT(<limit_identifier>) || HTTP.REQ.LIMIT(<limit_identifier>)

Answer: A (LEAVE A REPLY)

NEW QUESTION: 21

Which two policies can a Citrix Administrator configure using only the advanced policy expression? (Choose two.)

- A.** DNS
- B.** Integrated caching
- C.** SSL

D. System

Answer: (SHOW ANSWER)

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/appexpert/policies-and-expressions/introduction-to-policies-and-exp/classic-and-advanced-policy.html>

NEW QUESTION: 22

Scenario: A Citrix Administrator needs to integrate LDAP for Citrix ADC system administration using current active directory (AD) groups. The administrator created the group on the Citrix ADC, exactly matching the group name in LDAP.

What can the administrator bind to specify the permission level and complete the LDAP configuration?

- A. Users to the group on the Citrix ADC
- B. An authentication, authorization, and auditing (AAA) action to the group
- C. A nested group to the new group
- D. A command policy to the group

Answer: D (LEAVE A REPLY)

NEW QUESTION: 23

Scenario: A Citrix Administrator configured a global server load balancing (GSLB) setup for internal and external users using the same host name. For internal users, cvad.citrite.net should go to the Citrix StoreFront site; for external users, it should connect to the Citrix ADC Gateway VPN site.

Which feature should the administrator configure to accomplish this?

- A. DNS View
- B. DNS Proxy
- C. DNS Record
- D. DNS Preferred Location

Answer: (SHOW ANSWER)

NEW QUESTION: 24

Scenario: While attempting to access web server that is load balanced by a Citrix ADC using HTTPS, a user receives the message below.

SSL/TLS error: You have not chosen to trust "Certificate Authority" the issuer of the server's security certificate.

What can a Citrix Administrator do to prevent users from viewing this message?

- A. Ensure that users have the certificate's private key.
- B. Ensure that users have the server certificate installed.
- C. Ensure that the server certificate is linked to its respective intermediate and root certificates.
- D. Ensure that users have the certificate's public key.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

Which two policies can a Citrix Administrator configure using only the advanced policy expression? (Choose two.)

- A. SSL
- B. System
- C. Integrated caching
- D. DNS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

A Citrix Administrator needs to confirm that all client certificates presented to the authentication vServer are valid until the year 2023.

Which expression can the administrator use to meet this requirement?

- A. CLIENT.SSL.CLIENT_CERT.VALID_NOT_AFTER.EQ(GMT2023)
- B. CLIENT.SSL.CLIENT_CERT.VALID_NOT_BEFORE.EQ(GMT2023)
- C. CLIENT.SSL.ORIGIN_SERVER_CERT.VALID_NOT_AFTER.EQ(GMT2023)
- D. CLIENT.SSL.CLIENT_CERT.DAYS_TO_EXPIRE.EQ(2023)

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/ssl/ssl-actions-and-policies/config-built-in-ssl-actions.html>

NEW QUESTION: 27

What is the effect of the "set cs vServer-CS-1 -redirectURL http://www.newdomain.com/mysite/" command?

- A. If the vServer-CS-1 encounters a high connection rate, then users will be redirected to http:// www.newdomain.com/mysite/.
- B. All the requests to vServer-CS-1 will be redirected to http://www.newdomain.com/mysite/.
- C. All the requests without URL path/mysite/ will be redirected to http://www.newdomain.com/mysite/.
- D. If the status of vServer-CS-1 is DOWN, then users will be redirected to http://www.newdomain .com/mysite/

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

A Citrix Administrator needs to configure a Citrix ADC high availability (HA) pair with each Citrix ADC in a different subnet.

What does the administrator need to do for HA to work in different subnets?

- A. Turn on Independent Network Configuration (INC) mode.
- B. Configure SyncVlan
- C. Turn on fail-safe mode.
- D. Turn on HA monitoring on all interfaces

Answer: A (LEAVE A REPLY)

NEW QUESTION: 29

A Citrix Administrator is creating a new SSL vServer and notices the ns_default_ssl_profile frontend SSL profile is automatically bound to the SSL vServer.

Which two actions can the administrator perform to change or remove the ns_default_ssl_profile_frontend SSL profile once it is enabled? (Choose two.)

- A. Create a separate SSL profile.
- B. Unbind the ns_default_ssl_profile_frontend SSL profile from the SSL vServer without binding a replacement SSL profile.
- C. Globally disable the ns_default_ssl_profile_frontend SSL profile.
- D. Unbind the default SSL profile and bind the newly created SSL profile.
- E. Globally unbind the ns_default_ssl_profile_frontend SSL.

Answer: (SHOW ANSWER)

NEW QUESTION: 30

Scenario: A Citrix Administrator manages an environment that has a Citrix ADC high availability (HA) pair running on two MPX appliances. The administrator notices that the state of the secondary Citrix ADC is 'Unknown'.

What is causing the secondary state to be 'Unknown'?

- A. The administrator made both Citrix ADCs primary.
- B. The remote procedure call (RPC) nodes are incorrectly configured.
- C. The synchronization on the secondary appliance is disabled.
- D. TCP port 22 is disabled between the primary and secondary ADCs.

Answer: B (LEAVE A REPLY)

Valid 1Y0-241 Dumps shared by Actual4test.com for Helping Passing 1Y0-241 Exam! Actual4test.com now offer the **newest 1Y0-241 exam dumps**, the Actual4test.com 1Y0-241 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com 1Y0-241 dumps with Test Engine here:

https://www.actual4test.com/1Y0-241_examcollection.html (113 Q&As Dumps,

30%OFF Special Discount: Freepdfdumps)