

Citrix.1Y0-241.v2022-09-21.q29

Exam Code:	1Y0-241
Exam Name:	Deploy and Manage Citrix ADC 13 with Traffic Management
Certification Provider:	Citrix
Free Question Number:	29
Version:	v2022-09-21
# of views:	874
# of Questions views:	290
https://www.freepdfdumps.com/Citrix.1Y0-241.v2022-09-21.q29.html	

NEW QUESTION: 1

Scenario: A Citrix Administrator manages an environment that has a Citrix ADC high availability (HA) pair running on two MPX appliances. The administrator notices that the state of the secondary Citrix ADC is 'Unknown'.

What is causing the secondary state to be 'Unknown'?

- A. The remote procedure call (RPC) nodes are incorrectly configured.
- B. The synchronization on the secondary appliance is disabled.
- C. The administrator made both Citrix ADCs primary.
- D. TCP port 22 is disabled between the primary and secondary ADCs.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

A Citrix Administrator needs to confirm that all client certificates presented to the authentication vServer are valid until the year 2023.

Which expression can the administrator use to meet this requirement?

- A. CLIENT.SSL.CLIENT_CERT.DAYS_TO_EXPIRE.EQ(2023)
- B. CLIENT.SSL.ORIGIN_SERVER_CERT.VALID_NOT_AFTER.EQ(GMT2023)
- C. CLIENT.SSL.CLIENT_CERT.VALID_NOT_BEFORE.EQ(GMT2023)
- D. CLIENT.SSL.CLIENT_CERT.VALID_NOT_AFTER.EQ(GMT2023)

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 3

Scenario: A Citrix Administrator is managing a Citrix Gateway with a standard Platform license and remote employees in the environment. The administrator wants to increase access by 3,000 users through the Citrix Gateway using VPN access.

Which license should the administrator recommend purchasing?

- A. Citrix Gateway Universal
- B. Citrix ADC Upgrade
- C. Citrix Gateway Express
- D. Citrix ADC Burst Pack

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which two steps are necessary to configure global server load balancing (GSLB) service selection using content switching (CS)? (Choose two.)

- A. Configure a CS vServer of target type GSLB.
- B. Bind the GSLB domain to the GSLB vServer.
- C. Configure CS policies that designate a load-balancing vServer as the target vServer.
- D. Bind the domain to the CS vServer instead of the GSLB vServer.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which mode does a Citrix Administrator need to configure to allow a Citrix ADC to control the packetforwarding function based on the route table lookups?

- A. Layer 2
- B. Layer 3
- C. USIP
- D. MBF

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 6

Which two steps are necessary to configure global server load balancing (GSLB) service selection using content switching (CS)? (Choose two.)

- A. Bind the domain to the CS vServer instead of the GSLB vServer.
- B. Configure CS policies that designate a load-balancing vServer as the target vServer.
- C. Configure a CS vServer of target type GSLB.
- D. Bind the GSLB domain to the GSLB vServer.

Answer: B,C ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/global-server-load-balancing/how-to/configure-gslb-content-switch.html>

NEW QUESTION: 7

A Citrix Network Engineer informs a Citrix Administrator that a data interface used by Citrix ADC SDX is being saturated.

Which action could the administrator take to address this bandwidth concern?

- A. Configure LACP on the SDX for management interface.
- B. Configure LACP on the SDX for the data interface.

- C. Configure a failover interface set on each Citrix ADC VPX instance.
- D. Add a second interface to each Citrix ADC VPX instance.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

Scenario: While using the GUI, a Citrix ADC MPX appliance becomes unresponsive. A Citrix Administrator needs to restart the appliance and force a core dump for analysis. What can the administrator do to accomplish this?

- A. Turn off the appliance using the power button.
- B. Use the reset button on the front of the appliance.
- C. Connect to a USB port to issue a restart command.
- D. Use the NMI button on the back of the appliance.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 9

Which two protocols would provide end-to-end data encryption, while allowing a Citrix ADC to optimize the responses? (Choose two.)

- A. SSL bridge protocol for the vServer
- B. SSL protocol for the vServer
- C. HTTP protocol for the vServer
- D. SSL protocol for the services
- E. HTTP protocol for the services
- F. SSL bridge protocol for the services

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Scenario: A Citrix Administrator configured a global server load balancing (GSLB) setup for internal and external users using the same host name. For internal users, cvad.citrite.net should go to the Citrix StoreFront site; for external users, it should connect to the Citrix ADC Gateway VPN site.

Which feature should the administrator configure to accomplish this?

- A. DNS Preferred Location
- B. DNS Proxy
- C. DNS View
- D. DNS Record

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 11

Scenario: A Citrix Administrator configured a load-balancing vServer. The URL for this vServer is vpn.citrix.com. The backend server has the host name configured as server1.citrix.com.

The administrator needs to implement the policy to change the host name from vpn.citrix.com to server1.citrix.com, and vice versa.

Which does the administrator need to configure to meet this requirement?

A. set transform action "host change" -priority 10 -reqUrlFrom "https://server1.citrix.com/*" -reqUrlInto

"https://vpn.citrix.com/*" -resUrlFrom "https://server1.citrix.com/*" -resUrlInto
"https://vpn.citrix.com/*"

B. set transform action "host change" -priority 10 -reqUrlFrom "https://vpn.citrix.com/*" -reqUrlInto

"https://server1.citrix.com/*" -resUrlFrom "https://vpn.citrix.com/*" -resUrlInto
"https://server1.citrix.com/*"

C. set transform action "host change" -priority 10 -reqUrlFrom "https://server1.citrix.com/*" -reqUrlInto

"https://vpn.citrix.com/*" -resUrlFrom "https://vpn.citrix.com/*" -resUrlInto
"https://server1.citrix.com/*"

D. set transform action "host change" -priority 10 -reqUrlFrom "https://vpn.citrix.com/*" -reqUrlInto

"https://server1.citrix.com/*" -resUrlFrom "https://server1.citrix.com/*" -resUrlInto
"https://vpn.citrix.com/*"

Answer: B (LEAVE A REPLY)

NEW QUESTION: 12

Scenario: A Citrix Administrator needs to improve website loading speed. End users are reporting slow GIF image rendering speeds as they scroll down a website, which affects overall page load time.

Which Citrix ADC feature can the administrator enable to improve website performance?

A. Domain sharding

B. Image lazy loading

C. Image optimization

D. Image shrink-to attributes

Answer: C (LEAVE A REPLY)

Explanation

NEW QUESTION: 13

A Citrix Administrator needs to configure a Citrix ADC high availability (HA) pair with each Citrix ADC in a different subnet.

What does the administrator need to do for HA to work in different subnets?

A. Configure SyncVlan

B. Turn on fail-safe mode.

C. Turn on HA monitoring on all interfaces

D. Turn on Independent Network Configuration (INC) mode.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which Citrix ADC monitor can a Citrix Administrator use to check the authentication service of the Active Directory (AD) domain controller?

- A.** A TCP monitor with the LDAP Base DN configured in the basic parameters.
- B.** A MYSQL-ECV monitor with the Base DN, Bind DN, Filter, Attribute, and Password parameters configured in the basic parameters
- C.** An LDAP monitor with the LDAP Script Name, Configured Base DN, Bind DN, Filter, Attribute and Password parameters in the basic parameters.
- D.** A ping monitor with the IP address of the AD domain controller in the special parameters

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 15

Scenario:

POLICY 1:

add rewrite action ACT_1 corrupt_http_header Accept-Encoding

add rewrite policy POL_1 HTTPS.REQ.IS_VALID ACT_1

POLICY 2:

add rewrite action ACT_2 insert_http_header Accept-Encoding "\"identity\""" add rewrite policy POL_2 "HTTP.REQ.IS_VALID " ACT_2 How can a Citrix Administrator successfully bind the above rewrite policies to the load-balancing vServer lb_vsrv so that POL_2 is evaluated after POL_1 is evaluated?

- A.** bind lb vServer lb_vsrv -policyName POL_1 -priority 90 -type REQUEST bind lb vServer lb_vsrv -policyName POL_2 -priority 100 -type REQUEST
- B.** bind lb vServer lb_vsrv -policyName POL_1 -priority 90 -gotoPriorityExpression NEXT -type REQUEST bind lb vServer lb_vsrv -policyName POL_2 -priority 100 -gotoPriorityExpression END -type REQUEST
- C.** bind lb vServer lb_vsrv -policyName POL_1 -priority 110 -gotoPriorityExpression NEXT -type REQUEST bind lb vServer lb_vsrv -policyName POL_2 -priority 100 -gotoPriorityExpression END -type REQUEST
- D.** bind lb vServer lb_vsrv -policyName POL_1 -priority 90 -gotoPriorityExpression END -type REQUEST bind lb vServer lb_vsrv -policyName POL_2 -priority 80 -gotoPriorityExpression NEXT -type REQUEST

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

How can a Citrix Administrator configure a rewrite policy to change the version of HTTP from 1.1 to 1.0 in every request?

- A.** >add rewrite action RW_ACT replace http.res.version "\"HTTPS/1.0\""

> add rewrite policy RW_POL true RW_ACT

B. >add rewrite action RW_ACT replace http.req.version "\"HTTPS/1.1\""

> add rewrite policy RW_POL true RW_ACT

C. >add rewrite action RW_ACT replace http.req.version "\"HTTPS/1.0\""

> add rewrite policy RW_POL true RW_ACT

D. >add rewrite action RW_ACT replace http.res.version "\"HTTPS/1.1\""

> add rewrite policy RW_POL true RW_ACT

Answer: B (LEAVE A REPLY)

Valid 1Y0-241 Dumps shared by Actual4test.com for Helping Passing 1Y0-241 Exam! Actual4test.com now offer the **newest 1Y0-241 exam dumps**, the Actual4test.com 1Y0-241 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com 1Y0-241 dumps with Test Engine here:
https://www.actual4test.com/1Y0-241_examcollection.html (113 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

Which step can a Citrix Administrator take to use default compression policies?

A. Select the compression algorithm (gzip/deflate/identity).

B. Disable the Citrix ADC compression feature at a global level.

C. Enable compression on the associated bound services.

D. Bind the default compression policies to the vServer.

Answer: A (LEAVE A REPLY)

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/optimization/http-compression.html>

NEW QUESTION: 18

What is the first thing a Citrix Administrator should develop when creating a server certificate for Citrix ADC to secure traffic?

A. A private key

B. A certificate revocation list (CRL)

C. A certificate signing request (CSR)

D. A certificate key-pair

Answer: (SHOW ANSWER)

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/ssl/how-to-articles/create-and-use-ssl-certificates-on-a-citrix-adc-appliance.html>

NEW QUESTION: 19

Scenario: A load-balancing vServer is configured to utilize the least bandwidth load-balancing method. A service attached to this vServer is brought into the effective state during production hours.

During the startup of a vServer, which load-balancing method is used by default?

- A. Least connections
- B. Least bandwidth
- C. Round-robin
- D. Custom load

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 20

Scenario: A Citrix Administrator manages an environment that has three SSL websites, all serving the same content.

www.company.com

www.company.net

www.company.org

The administrator would like to consolidate the websites into a single, load-balanced SSL vServer.

What can the administrator bind to use a single SSL vServer?

- A. A multiple SAN certificate to a single SSL vServer
- B. A wildcard certificate to a content-switching vServer
- C. The certificate of each website to a single SSL vServer
- D. A wildcard certificate to a single SSL vServer

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

Scenario: The Citrix Administrator of a Linux environment needs to load balance the web servers. Due to budget constraints, the administrator is NOT able to implement a full-scale solution.

What can the administrator purchase and install to load balance the web servers?

- A. Citrix ADC VPX
- B. Citrix ADC MPX
- C. Citrix ADC SDX
- D. Citrix ADC CPX

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 22

A Citrix Administrator needs to use a client's IP address as the source IP address for Citrix ADC-to-server connections.

Which Citrix ADC mode can the administrator use to meet this requirement?

- A. USIP

B. USNIP

C. Layer 2

D. Layer 3

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 23

What is the first thing a Citrix Administrator should develop when creating a server certificate for Citrix ADC to secure traffic?

A. A private key

B. A certificate signing request (CSR)

C. A certificate key-pair

D. A certificate revocation list (CRL)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 24

A Citrix Administrator configured global server load balancing (GSLB) for www.citrix.com, with two ADNS services named Citrix ADC 1 and Citrix ADC 2 in the setup.

Which record does the administrator need to add on the parent DNS server to delegate requests from www.citrix.com to Citrix ADC 1 and Citrix ADC 2?

A. Canonical Name (CNAME)

B. Address (A) record

C. Name Server (NS) record

D. Pointer Record (PTR)

Answer: ([SHOW ANSWER](#))

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/dns/configure-citrix-adc-adns-server.html>

NEW QUESTION: 25

A Citrix Administrator configured global server load balancing (GSLB) for www.citrix.com, with two ADNS services named Citrix ADC 1 and Citrix ADC 2 in the setup.

Which record does the administrator need to add on the parent DNS server to delegate requests from www.citrix.com to Citrix ADC 1 and Citrix ADC 2?

A. Name Server (NS) record

B. Canonical Name (CNAME)

C. Pointer Record (PTR)

D. Address (A) record

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 26

What is the effect of the "set cs vServer-CS-1 -redirectURL http://www.newdomain.com/mysite/" command?

- A.** All the requests without URL path/mysite/ will be redirected to <http://www.newdomain.com/mysite/>.
- B.** All the requests to vServer-CS-1 will be redirected to <http://www.newdomain.com/mysite/>.
- C.** If the status of vServer-CS-1 is DOWN, then users will be redirected to <http://www.newdomain.com/mysite/>.
- D.** If the vServer-CS-1 encounters a high connection rate, then users will be redirected to <http://www.newdomain.com/mysite/>.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 27

Scenario: A Citrix Administrator downloaded and deployed Citrix Application Delivery Management (ADM) in an environment consisting of six Citrix ADCs and 100 virtual servers. When viewing the Citrix ADM console, the administrator sees only 30 virtual servers.

Why is the administrator unable to see all 100 virtual servers?

- A.** Additional Citrix ADM systems need to be deployed to see all virtual servers.
- B.** Citrix ADM is using a free license.
- C.** The nsroot passwords are NOT the same across all the Citrix ADCs.
- D.** The Citrix ADC and Citrix ADM firmware versions are NOT the same.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

Scenario: After deploying a Citrix ADC in production, a Citrix Administrator notices that client requests are NOT being evenly distributed among backend resources. The administrator wants to change from the default load-balancing method to one that will help distribute the load more evenly.

Which load-balancing method would ensure that the server with the least amount of network utilization is receiving new connections?

- A.** Least connection
- B.** Least bandwidth
- C.** Least response time
- D.** Least packets

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/getting-started-with-citrix-adc/load-balancing.html>

NEW QUESTION: 29

When a Citrix ADC high availability (HA) pair failover occurs, by what method does the Citrix ADC communicate to the network switches and routers that IP-to-MAC address bindings have changed?

- A. Proxy ARP to update the network devices
- B. Gratuitous ARPs (GARPs) to update the network devices
- C. MAC-based forwarding (MBF) to update the routers
- D. Reverse ARP (RARP) to update the network devices

Answer: ([SHOW ANSWER](#))

Valid 1Y0-241 Dumps shared by Actual4test.com for Helping Passing 1Y0-241 Exam! Actual4test.com now offer the **newest 1Y0-241 exam dumps**, the Actual4test.com 1Y0-241 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com 1Y0-241 dumps with Test Engine here:

https://www.actual4test.com/1Y0-241_examcollection.html (113 Q&As Dumps,

30%OFF Special Discount: Freepdfdumps)