

CompTIA.SK0-005.v2023-01-19.q56

Exam Code:	SK0-005
Exam Name:	CompTIA Server+ Certification Exam
Certification Provider:	CompTIA
Free Question Number:	56
Version:	v2023-01-19
# of views:	957
# of Questions views:	560
https://www.freepdfdumps.com/CompTIA.SK0-005.v2023-01-19.q56.html	

NEW QUESTION: 1

A server technician installs a new NIC on a server and configures the NIC for IP connectivity. The technician then tests the connection using the ping command. Given the following partial output of the ping and ipconfig commands:

```
ipconfig /all

IPv4 address: 192.168.1.5
Subnet mask: 255.255.255.0
Default gateway: 192.168.1.1

pinging 192.168.1.1 with 32 bytes of data:

Request timed out
Reply from 192.168.1.1: bytes=32 time<1ms TTL=128
Request timed out
Reply from 192.168.1.1: bytes=32 time<1ms TTL=128
```

Which of the following caused the issue?

- A. DHCP misconfiguration
- B. Duplicate IP address
- C. Incorrect default gateway
- D. Incorrect routing table

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 2

A global organization keeps personnel application servers that are local to each country. However, a security audit shows these application servers are accessible from sites in other countries. Which of the following hardening techniques should the organization use to restrict access to only sites that are in the same country?

- A. Configure a firewall
- B. Close the unneeded ports
- C. Install a HIDS
- D. Disable unneeded services.

Answer: A ([LEAVE A REPLY](#))

Monitors Network Traffic

NEW QUESTION: 3

A server administrator has configured a web server. Which of the following does the administrator need to install to make the website trusted?

- A. PKI
- B. SSL
- C. LDAP
- D. DNS

Answer: ([SHOW ANSWER](#))

Reference:

<https://www.csoononline.com/article/3400836/what-is-pki-and-how-it-secures-just-about-everything-online.html>

NEW QUESTION: 4

A systems administrator is setting up a server on a LAN that uses an address space that follows the RFC 1918 standard. Which of the following IP addresses should the administrator use to be in compliance with the standard?

- A. 171.245.198.241
- B. 11.251.196.241
- C. 172.16.19.241
- D. 193.168.145.241

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 5

A server technician has been asked to upload a few files from the internal web server to the internal FTP server. The technician logs in to the web server using PuTTY, but the connection to the FTP server fails. However, the FTP connection from the technician's workstation is successful. To troubleshoot the issue, the technician executes the following command on both the web server and the workstation:

```
ping ftp.acme.local
```

The IP address in the command output is different on each machine. Which of the following is the MOST likely reason for the connection failure?

- A. A misconfigured hosts.allow file
- B. A misconfigured hosts.deny file
- C. A misconfigured hosts file
- D. A misconfigured firewall

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 6

Which of the following would a systems administrator implement to ensure all web traffic is secure?

- A. SSH
- B. SSL
- C. SMTP
- D. PGP

Answer: B ([LEAVE A REPLY](#))

Secure Sockets Layer (SSL): SSL and its successor Transport Layer Security (TLS) enable client and server computers to establish a secure connection session and manage encryption and decryption activities.

NEW QUESTION: 7

Alter rack mounting a server, a technician must install four network cables and two power cables for the server. Which of the following is the MOST appropriate way to complete this task?

- A. Install an Ethernet patch panel and a PDU to accommodate the network and power cables.
- B. Wire the four network cables and the two power cables through the cable management arm using appropriate-length cables.
- C. Use the longest cables possible to allow for adjustment of the server rail within the rack.
- D. Run the four network cables up the left side of the rack to the top of the rack switch. Run the two power cables down the right side of the rack toward the UPS.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

Following a recent power outage, a server in the datacenter has been constantly going offline and losing its configuration. Users have been experiencing access issues while using the application on the server. The server technician notices the data and time are incorrect when the server is online. All other servers are working. Which of the following would MOST likely cause this issue? (Choose two.)

- A. The server has a CMOS battery failure
- B. The servers do not have NTP configured
- C. The server has a malfunctioning LED panel
- D. The server has a faulty power supply

- E. The time synchronization service is disabled on the servers
- F. The server requires OS updates

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

An administrator is configuring a host-based firewall for a server. The server needs to allow SSH, FTP, and LDAP traffic. Which of the following ports must be configured so this traffic will be allowed? (Select THREE).

- A. 67
- B. 389
- C. 110
- D. 123
- E. 69
- F. 53
- G. 21
- H. 22

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

A system administrator has been alerted to a zero-day vulnerability that is impacting a service enabled on a server OS. Which of the following would work BEST to limit an attacker from exploiting this vulnerability?

- A. Closing open ports
- B. Installing the latest patches
- C. Enabling antivirus protection
- D. Enabling a NIDS

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

Which of the following documents would be useful when trying to restore IT infrastructure operations after a non-planned interruption?

- A. Service-level agreement
- B. Business continuity plan
- C. Business impact analysis
- D. Disaster recovery plan

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

A datacenter technician is attempting to troubleshoot a server that keeps crashing. The server runs normally for approximately five minutes, but then it crashes. After restoring the server to operation, the same cycle repeats. The technician confirms none of the configurations have

changed, and the load on the server is steady from power-on until the crash. Which of the following will MOST likely resolve the issue?

- A. Replacing the failing hard drive
- B. Restoring the server from the latest full backup
- C. Reseating any expansion cards in the server
- D. Reinstalling the heat sink with new thermal paste

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 13

A Linux administrator created a script that will run at startup. After successfully writing the script, the administrator received the following output when trying to execute the script:

```
Bash ./startup.sh:Permission denied
```

Which of the following commands would BEST resolve the error message?

- A. Chmod 466 startUp,sh
- B. Chmod 444 startup.sh
- C. Chmod +w startup.sh
- D. Chmod+x startup.sh

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 14

A server administrator is completing an OS installation for a new server. The administrator patches the server with the latest vendor-suggested software, configures DHCP, and verifies all network cables are properly connected in the IDF, but there is no network connectivity. Which of the following is the MOST likely reason for the lack of connectivity?

- A. The VLAN is improperly configured.
- B. The HIDS is preventing the connection.
- C. The DNS configuration is invalid.
- D. The OS version is not compatible with the network switch vendor.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 15

A systems administrator is attempting to connect via RDP to a server that is running Windows. However, the systems administrator cannot connect to the machine via RDP to reboot it and apply updates. Which of the following methods should be used to access the machine and perform a reboot if the server is not physically accessible?

- A. TCP/IP
- B. VNC/VPN
- C. ILO/iDRAC
- D. SSH/SCP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

Which of the following will correctly map a script to a home directory for a user based on username?

- A. \\server\users\$\username
- B. \\server\%username%
- C. \\server\FirstInitialLastName
- D. \\server\\$username\$

Answer: B (LEAVE A REPLY)

Reference:

[https://social.technet.microsoft.com/Forums/windows/en-](https://social.technet.microsoft.com/Forums/windows/en-US/07cfc73-796d-48aa-96a9-08280a1ef25a/)

[US/07cfc73-796d-48aa-96a9-08280a1ef25a/](https://social.technet.microsoft.com/Forums/windows/en-US/07cfc73-796d-48aa-96a9-08280a1ef25a/) mapping-home-directory-with-username-variable?forum=w7itprogeneral

Valid SK0-005 Dumps shared by Actual4test.com for Helping Passing SK0-005 Exam! Actual4test.com now offer the **newest SK0-005 exam dumps**, the Actual4test.com SK0-005 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com SK0-005 dumps with Test Engine here:

https://www.actual4test.com/SK0-005_examcollection.html (492 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 17

An administrator has attached an old SCSI JBOD to a server to recover archival data. However, the array will not mount to the server. Which of the following should the administrator check FIRST?

- A. Terminators are installed on each hard drive.
- B. Terminators are installed on the controller card and the array.
- C. Disk drivers are not installed on the server.
- D. SCSI BIOS needs to be updated.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 18

A server administrator needs to deploy five VMs, all of which must have the same type of configuration. Which of the following would be the MOST efficient way to perform this task?

- A. Snapshot a VM.
- B. Use a physical host.
- C. Perform a P2V conversion.
- D. Use a VM template.

Answer: (SHOW ANSWER)

Deploying a virtual machine from a template creates a virtual machine that is a copy of the template. The new virtual machine has the virtual hardware, installed software, and other properties that are configured for the template.

NEW QUESTION: 19

A server that recently received hardware upgrades has begun to experience random BSOD conditions. Which of the following are likely causes of the issue? (Choose two.)

- A. Overallocated memory
- B. Incompatible disk speed
- C. Incorrectly seated memory
- D. Data partition error
- E. Uninitialized disk
- F. Faulty memory

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

A systems administrator is investigating a server with a RAID array that will not boot into the OS. The administrator notices all the hard drives are reporting to be offline. The administrator checks the RAID controller and verifies the configuration is correct. The administrator then replaces one of the drives with a known-good drive, but it appears to be unavailable as well. Next, the administrator takes a drive out of the server and places it in a spare server, and the drive is available and functional. Which of the following is MOST likely causing the issue?

- A. The kernel is corrupt.
- B. The drives need to be reseated.
- C. The backplane has failed.
- D. Resources are misallocated.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 21

A server technician has received reports of database update errors. The technician checks the server logs and determines the database is experiencing synchronization errors. To attempt to correct the errors, the technician should FIRST ensure:

- A. the latest firmware was applied
- B. the correct firewall zone is active
- C. NTP is running on the database system
- D. the correct dependencies are installed

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

A technician is attempting to update a server's firmware. After inserting the media for the firmware and restarting the server, the machine starts normally into the OS. Which of the following should the technician do NEXT to install the firmware?

- A. Press F8 to enter safe mode
- B. Log in with an administrative account
- C. Boot from the media
- D. Enable HIDS on the server

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 23

A server administrator was asked to build a storage array with the highest possible capacity. Which of the following RAID levels should the administrator choose?

- A. RAID 6
- B. RAID 0
- C. RAID 1
- D. RAID 5

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 24

A technician is checking a server rack. Upon entering the room, the technician notices the fans on a particular server in the rack are running at high speeds. This is the only server in the rack that is experiencing this behavior. The ambient temperature in the room appears to be normal. Which of the following is the MOST likely reason why the fans in that server are operating at full speed?

- A. An incorrect fan size was inserted into the server, and the server has had to increase the fan speed to compensate.
- B. The server is utilizing more memory than the other servers, so it has increased the fans to compensate.
- C. A fan failure has occurred, and the other fans have increased speed to compensate.
- D. The server is in the process of shutting down, so fan speed operations have been defaulted to high.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 25

Which of the following is the BEST action to perform before applying patches to one of the hosts in a high availability cluster?

- A. Disable the heartbeat network.
- B. Fallback cluster services.
- C. Failover all VMs.
- D. Set the cluster to active-active.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

A technician has several possible solutions to a reported server issue. Which of the following BEST represents how the technician should proceed with troubleshooting?

- A. Determine whether there is a common element in the symptoms causing multiple problems.
- B. Make one change at a time and test.
- C. Perform a root cause analysis.
- D. Document the findings, actions, and outcomes throughout the process.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which of the following must a server administrator do to ensure data on the SAN is not compromised if it is leaked?

- A. Encrypt the host servers
- B. Encrypt the data that is leaving the SAN
- C. Encrypt the data at rest
- D. Encrypt all the network traffic

Answer: (SHOW ANSWER)

NEW QUESTION: 28

An administrator needs to perform bare-metal maintenance on a server in a remote datacenter. Which of the following should the administrator use to access the server's console?

- A. IP KVM
- B. VNC
- C. A crash cart
- D. RDP
- E. SSH

Answer: D ([LEAVE A REPLY](#))

Reference:

<https://phoenixnap.com/blog/what-is-bare-metal-server>

NEW QUESTION: 29

Which of the following is the MOST appropriate scripting language to use for a logon script for a Linux box?

- A. VBS
- B. Shell
- C. Java
- D. PowerShell
- E. Batch

Answer: (SHOW ANSWER)

Reference:

<https://redmondmag.com/articles/2016/02/09/logon-scripts-for-active-directory.aspx>

NEW QUESTION: 30

Users are experiencing issues when trying to access resources on multiple servers. The servers are virtual and run on an ESX server. A systems administrator is investigating but is unable to connect to any of the virtual servers. When the administrator connects to the host, a purple screen with white letters appears. Which of the following troubleshooting steps should the administrator perform FIRST?

- A. Reinstall the ESX server.
- B. Review the log files.
- C. Check the power supplies
- D. Reseat the processors.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 31

A recent power Outage caused email services to go down. A server administrator also received alerts from the datacenter's UPS.

After some investigation, the server administrator learned that each POU was rated at a maximum of 12A.

INSTRUCTIONS

Ensure power redundancy is implemented throughout each rack and UPS alarms are resolved. Ensure the maximum potential PDU consumption does not exceed 80% or 9.6A).

- a). PDU selections must be changed using the pencil icon.
- b). VM Hosts 1 and 2 and Mail Relay can be moved between racks.
- c). Certain devices contain additional details

Data Center Racks 1 and 2


The screenshot displays a data center rack management interface. At the top, there are two buttons: 'Show Question' and 'Reset All Answers'. Below the buttons, two racks are shown. Rack 1 is on the left, with PDU A at 13A MAX and PDU B at 6A MAX. It contains Rack Switch 1, VM Host 1, VM Host 2, Mail Relay, and SAN. Rack 2 is on the right, with PDU A at 5A MAX and PDU B at 0A MAX. It contains Rack Switch 2, Domain Controller, and two empty slots with question marks. A mouse cursor is over the first question mark. A large watermark 'CompTIA' and 'freedumps.com' is overlaid on the image.

Answer:

Data Center Racks 1 and 2

Show Question

Reset All Answers



Valid SK0-005 Dumps shared by Actual4test.com for Helping Passing SK0-005 Exam! Actual4test.com now offer the **newest SK0-005 exam dumps**, the Actual4test.com SK0-005 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com SK0-005 dumps with Test Engine here:

https://www.actual4test.com/SK0-005_examcollection.html (492 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 32


A systems administrator deployed a new web proxy server onto the network. The proxy server has two interfaces: the first is connected to an internal corporate firewall, and the second is connected to an internet-facing firewall. Many users at the company are reporting they are unable to access the Internet since the new proxy was introduced. Analyze the network diagram and the proxy server's host routing table to resolve the Internet connectivity issues.

INSTRUCTIONS

Perform the following steps:

1. Click on the proxy server to display its routing table.
2. Modify the appropriate route entries to resolve the Internet connectivity issue.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.



Proxy Server Routing Table

Destination	Netmask	Gateway	Interface
0.0.0.0	0.0.0.0	<div style="text-align: right;">▼</div> 192.168.3.0 192.168.4.0 192.168.1.1 192.168.2.0 192.168.1.0 192.168.4.1 192.168.2.1 0.0.0.0 192.168.3.1 255.255.255.0 192.168.3.2 255.255.255.0 192.168.3.2 192.168.2.2	<div style="text-align: right;">▼</div> 192.168.4.1 192.168.1.1 192.168.3.0 192.168.1.0 192.168.2.2 0.0.0.0 192.168.3.1 255.255.255.0 192.168.3.2 192.168.4.0 192.168.2.1 192.168.2.0
192.168.1.0	255.255.255.0	<div style="text-align: right;">▼</div> 192.168.3.0 192.168.4.0 192.168.1.1 192.168.2.0 192.168.1.0 192.168.4.1 192.168.2.1 0.0.0.0 192.168.3.1 255.255.255.0 192.168.3.2 255.255.255.0 192.168.3.2 192.168.2.2	<div style="text-align: right;">▼</div> 192.168.4.1 192.168.1.1 192.168.3.0 192.168.1.0 192.168.2.2 0.0.0.0 192.168.3.1 255.255.255.0 192.168.3.2 192.168.4.0 192.168.2.1 192.168.2.0

Answer:

Proxy Server Routing Table

Destination	Netmask	Gateway	Interface
0.0.0.0	0.0.0.0	192.168.3.0 192.168.4.0 192.168.1.1 192.168.2.0 192.168.1.0 192.168.4.1 192.168.2.1 0.0.0.0 192.168.3.1 255.255.255.0 192.168.3.2 192.168.2.2	192.168.4.1 192.168.1.1 192.168.3.0 192.168.1.0 192.168.2.2 0.0.0.0 192.168.3.1 255.255.255.0 192.168.4.0 192.168.2.1 192.168.2.0
192.168.1.0	255.255.255.0	192.168.3.0 192.168.4.0 192.168.1.1 192.168.2.0 192.168.1.0 192.168.4.1 192.168.2.1 0.0.0.0 192.168.3.1 255.255.255.0 192.168.3.2 192.168.2.2	192.168.4.1 192.168.1.1 192.168.3.0 192.168.1.0 192.168.2.2 0.0.0.0 192.168.3.1 255.255.255.0 192.168.4.0 192.168.2.1 192.168.2.0

NEW QUESTION: 33

A technician runs top on a dual-core server and notes the following conditions:

```
top -- 14:32:27, 364 days, 14 users load average 60.5 12.4 13.6
```

Which of the following actions should the administrator take?

- A. Schedule a mandatory reboot of the server
- B. Wait for the load average to come back down on its own
- C. Identify the runaway process or processes
- D. Request that users log off the server

Answer: D (LEAVE A REPLY)

Reference:

<https://www.tecmint.com/understand-linux-load-averages-and-monitor-performance/>

NEW QUESTION: 34

A company is reviewing options for its current disaster recovery plan and potential changes to it. The security team will not allow customer data to egress to non-company equipment, and the company has requested recovery in the shortest possible time. Which of the following will BEST meet these goals?

- A. A cold site
- B. A warm site
- C. A hot site
- D. Cloud recovery

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 35

A server is performing slowly, and users are reporting issues connecting to the application on that server. Upon investigation, the server administrator notices several unauthorized services running on that server that are successfully communicating to an external site. Which of the following are MOST likely causing the issue?

(Choose two.)

- A. SELinux is enabled on the server
- B. The server is infected with a virus
- C. Intrusion detection is enabled on the network
- D. Unnecessary services are disabled on the server
- E. Adware is installed on the users' devices
- F. The firewall rule for the server is misconfigured

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 36

A server administrator needs to harden a server by only allowing secure traffic and DNS inquiries. A port scan reports the following ports are open:

- A. 53
- B. 636
- C. 443
- D. 21
- E. 23
- F. 22

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 37

A technician is trying to determine the reason why a Linux server is not communicating on a network. The returned network configuration is as follows:

```
eth0: flags=4163<UP, BROADCAST,RUNNING,MULTICAST> mtu 1500
inet 127.0.0.1 network 255.255.0.0 broadcast 127.0.0.1
```

Which of the following BEST describes what is happening?

- A. The server is configured to use DHCP, but the DHCP server is sending an incorrect subnet mask
- B. The server is configured to use DHCP, but the DHCP server is sending an incorrect MTU setting
- C. The server is configured to use DHCP on a network that does not have a DHCP server
- D. The server is configured to use DHCP on a network that has multiple scope options

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 38

A USB drive has been purchased to move files between Windows, *nix, and Macintosh servers. Which of the following filesystems is the BEST choice to ensure the drive can read and be written to by all of the servers?

- A. ext2
- B. NTFS
- C. FAT32
- D. UFS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

A security analyst suspects a remote server is running vulnerable network applications. The analyst does not have administrative credentials for the server. Which of the following would MOST likely help the analyst determine if the applications are running?

- A. User account control
- B. Anti-malware
- C. A sniffer
- D. A port scanner

Answer: ([SHOW ANSWER](#))

Reference:

<https://www.sciencedirect.com/topics/computer-science/administrative-credential>

NEW QUESTION: 40

A datacenter in a remote location lost power. The power has since been restored, but one of the servers has not come back online. After some investigation, the server is found to still be powered off. Which of the following is the BEST method to power on the server remotely?

- A. Crash cart
- B. IP KVM
- C. RDP
- D. Out-of-band console

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 41

A server technician notices a server is very low on disk space. Upon inspecting the disk utilization, the technician discovers server logs are taxing up a large amount of space. There is no central log server. Which of the following would help free up disk space?

- A. Log rotation
- B. Log analysis
- C. Log shipping
- D. Log alerting

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 42

A server administrator has noticed that the storage utilization on a file server is growing faster than planned. The administrator wants to ensure that, in the future, there is a more direct relationship between the number of users using the server and the amount of space that might be used. Which of the following would BEST enable this correlation?

- A. Deduplication
- B. Compression
- C. Disk quotas
- D. Partitioning

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 43

Which of the following would be BEST to help protect an organization against social engineering?

- A. Recurring training and support
- B. Single sign-on
- C. More complex passwords
- D. An updated code of conduct to enforce social media

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 44

A company's IDS has identified outbound traffic from one of the web servers coming over port 389 to an outside address. This server only hosts websites. The company's SOC administrator has asked a technician to harden this server. Which of the following would be the BEST way to complete this request?

- A. Disable port 389 on the server
- B. Move traffic from port 389 to port 443
- C. Move traffic from port 389 to port 637
- D. Enable port 389 for web traffic

Answer: C ([LEAVE A REPLY](#))

Reference:

<https://www.auditmypc.com/tcp-port-637.asp>

[https://docs.microsoft.com/en-us/answers/QUESTION NO:s/66908/is-port-389-on-ad-in-anyway-used-or-required- when.html](https://docs.microsoft.com/en-us/answers/QUESTION%20NO:s/66908/is-port-389-on-ad-in-anyway-used-or-required-when.html)

NEW QUESTION: 45

A server administrator receives a report that Ann, a new user, is unable to save a file to her home directory on a server. The administrator checks Ann's home directory permissions and discovers the following:

`dr-xr-xr-- /home/Ann`

Which of the following commands should the administrator use to resolve the issue without granting unnecessary permissions?

- A. `chmod 777 /home/Ann`
- B. `chmod 666 /home/Ann`
- C. `chmod 711 /home/Ann`
- D. `chmod 754 /home/Ann`

Answer: D (LEAVE A REPLY)

Reference:

<https://linuxize.com/post/what-does-chmod-777-mean/>

NEW QUESTION: 46

A server administrator is configuring the IP address on a newly provisioned server in the testing environment. The network VLANs are configured as follows:

VLAN name	VLAN ID	Gateway IP address	Active switchports
Testing	10	192.168.10.1/24	2, 4, 6, 8, 10, 12, 14, 18
Production	20	192.168.20.1/24	3, 5, 7, 9, 11, 13, 15, 17
Administration	30	192.168.30.1/24	1, 24

The administrator configures the IP address for the new server as follows:

IP address: 192.168.1.1/24

Default gateway: 192.168.10.1

A ping sent to the default gateway is not successful. Which of the following IP address/default gateway combinations should the administrator have used for the new server?

- A. IP address: 192.168.1.2/24
Default gateway: 192.168.10.1
- B. IP address: 192.168.10.2/24
Default gateway: 192.168.10.1
- C. IP address: 192.168.10.3/24
Default gateway: 192.168.20.1
- D. IP address: 192.168.10.24/24
Default gateway: 192.168.30.1

Answer: A (LEAVE A REPLY)

Valid SK0-005 Dumps shared by Actual4test.com for Helping Passing SK0-005 Exam! Actual4test.com now offer the **newest SK0-005 exam dumps**, the Actual4test.com SK0-005 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com SK0-005 dumps with Test Engine here:

https://www.actual4test.com/SK0-005_examcollection.html (492 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 47

A user cannot save large files to a directory on a Linux server that was accepting smaller files a few minutes ago. Which of the following commands should a technician use to identify the issue?

- A. fdisk -l
- B. pvdisplay
- C. mount
- D. df -h

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 48

A company uses a hot-site, disaster-recovery model. Which of the following types of data replication is required?

- A. Application consistent
- B. Asynchronous
- C. Constant
- D. Incremental

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

A systems administrator is setting up a new server that will be used as a DHCP server. The administrator installs the OS but is then unable to log on using Active Directory credentials. The administrator logs on using the local administrator account and verifies the server has the correct IP address, subnet mask, and default gateway. The administrator then gets on another server and can ping the new server. Which of the following is causing the issue?

- A. Port 443 is not open on the firewall
- B. The server is experiencing a downstream failure
- C. The server is not joined to the domain
- D. The local hosts file is blank

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

A company deploys antivirus, anti-malware, and firewalls that can be assumed to be functioning properly. Which of the following is the MOST likely system vulnerability?

- A. Insider threat
- B. Open ports
- C. Worms
- D. Ransomware
- E. Two-person integrity

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 51

A server administrator has connected a new server to the network. During testing, the administrator discovers the server is not reachable via server but can be accessed by IP address. Which of the following steps should the server administrator take NEXT? (Select TWO).

- A. Check the DNS server.
- B. Check the default gateway.
- C. Check the route tables.
- D. Run the tracert command
- E. Run the ping command.
- F. Check the hosts file.

Answer: A,F ([LEAVE A REPLY](#))

NEW QUESTION: 52

A technician needs to provide a VM with high availability. Which of the following actions should the technician take to complete this task as efficiently as possible?

- A. Take a snapshot of the original VM
- B. Clone the original VM
- C. Convert the original VM to use dynamic disks
- D. Perform a P2V of the original VM

Answer: (SHOW ANSWER)

Reference:

https://forsenergy.com/en-us/virtual_help/html/1325909c-5878-4674-a152-3fd3d4e8e3c6.htm

NEW QUESTION: 53

A large number of connections to port 80 is discovered while reviewing the log files on a server. The server is not functioning as a web server. Which of the following represent the BEST immediate actions to prevent unauthorized server access? (Choose two.)

- A. Enable port forwarding on port 80
- B. Audit all group privileges and permissions
- C. Initialize a port scan on the server to identify open ports
- D. Run a checksum tool against all the files on the server
- E. Stop all unneeded services and block the ports on the firewall
- F. Install a NIDS on the server to prevent network intrusions

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 54

Users in an office lost access to a file server following a short power outage. The server administrator noticed the server was powered off. Which of the following should the administrator do to prevent this situation in the future?

- A. Use cable management
- B. Connect the server to a redundant network
- C. Connect the server to a KVM
- D. Connect the server to a UPS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

A user reports that a server is not accessible. A technician sees the following message on the server: PXE server not found. Which of the following should the technician attempt FIRST to resolve the issue?

- A. Eject the disk in the CD-ROM and reboot the server.
- B. Ensure the network cable is properly connected and reboot the server.
- C. Enter the BIOS and correct the boot sequence on the server.
- D. Power down the server and reseal the PCI cards.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

A server administrator has been creating new VMs one by one. The administrator notices the system requirements are very similar, even with different applications. Which of the following would help the administrator accomplish this task in the SHORTEST amount of time and meet the system requirements?

- A. Template
- B. System Restore
- C. Snapshot
- D. Deduplication

Answer: A ([LEAVE A REPLY](#))

Valid SK0-005 Dumps shared by Actual4test.com for Helping Passing SK0-005 Exam!
Actual4test.com now offer the **newest SK0-005 exam dumps**, the Actual4test.com SK0-005 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com SK0-005 dumps with Test Engine here:

https://www.actual4test.com/SK0-005_examcollection.html (492 Q&As Dumps, **30%OFF**

Special Discount: **Freepdfdumps**)

