

EMC.D-PDD-DY-23.v2024-12-13.q58

Exam Code:	D-PDD-DY-23
Exam Name:	Dell PowerProtect Data Domain Deploy 2023
Certification Provider:	EMC
Free Question Number:	58
Version:	v2024-12-13
# of views:	483
# of Questions views:	580
https://www.freepdfdumps.com/EMC.D-PDD-DY-23.v2024-12-13.q58.html	

NEW QUESTION: 1

A system administrator wants to configure the log level when configuring the protocol CIFS.

Which log level is set by default?

- A. 9
- B. 1
- C. 5
- D. 3

Answer: B (LEAVE A REPLY)

NEW QUESTION: 2

A backup administrator has enabled encryption on a PowerProtect DD appliance. They are attempting to change the passphrase.

What is a consideration when changing the passphrase?

- A. User with the Security role is sufficient to change the passphrase
- B. User with the Admin role is sufficient to change the passphrase
- C. File system must be enabled before changing the passphrase
- D. File system must be disabled before changing the passphrase

Answer: D (LEAVE A REPLY)

NEW QUESTION: 3

What does the system setup wizard require to set up a VTL on a PowerProtect DD system?

- A. WWPNs
- B. HBA
- C. Gateway IP
- D. DHCP

Answer: (SHOW ANSWER)

NEW QUESTION: 4

Which enterprise applications does the DDBEA agent support?

- A. Microsoft SQL, Sharepoint, and Exchange servers
- B. SAP with Oracle, IBM DB2, and Microsoft active directory
- C. Oracle, Microsoft Sharepoint, and Microsoft SQL
- D. IBM DB2, Microsoft SQL, and SAP HANA

Answer: D (LEAVE A REPLY)

NEW QUESTION: 5

What are the login credentials for the default iDRAC user on a new PowerProtect DD appliance?

- A. root/system serial number
- B. sysadmin/system serial number
- C. root/calvin
- D. sysadmin/changeme

Answer: A (LEAVE A REPLY)

NEW QUESTION: 6

What is a use case of BoostFS

- A. To enable snapshot on DD Boost data
- B. To protect applications that do not support DD Boost
- C. To increase DD Boost throughput
- D. To implement DD Boost over Fibre Channel

Answer: B (LEAVE A REPLY)

NEW QUESTION: 7

Refer to the exhibit.

To which shelf and port should SAS HBA slot 1 port B be connected?

- A. Shelf 01 BH
- B. Shelf 01 BE
- C. Shelf 04 BE
- D. Shelf 04 BH

Answer: D (LEAVE A REPLY)

NEW QUESTION: 8

What is a requirement to use the PowerProtect DD HA feature?

- A. Dual set of shared storage configuration
- B. A single set of shared storage
- C. Each head unit requires its own FS25 shelf

D. Head units and nodes require an active/active configuration

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 9

A customer's Power Protect DD system is full. No data can be written or deleted from the system Which two actions can the customer take to make capacity available on the system? (Select 2)

A. Remove core and autosupport files

B. Disable MTree replication

C. Restart the file system

D. Expire existing snapshots

E. Start file system cleaning

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

When using the DD VTL Tape Out to Cloud feature, which status will the tape report on the backup server once the tape is ready for long-term retention?

A. Offsite

B. Mountable

C. Nonmountable

D. Archived

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 11

A backup administrator needs to add capacity to a file system. After the installation of an ES40, they need to verify the total amount of data stored before data reduction.

Which command would be used to verify this information?

A. filesys show space

B. filesys status

C. filesys show summary

D. enclosure show summary

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

A PowerProtect DD appliance has been installed at a company's location for several months and has reached a steady state.

As a best practice, at what percentage of disk utilization should action be taken?

A. 60%

B. 80%

C. 95%

D. 70%

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 13

How many cloud units are supported on a PowerProtect DD appliance when using Dell EMC Cloud Tier, and what is the maximum capacity for each unit?

- A. Two units, each less than or equal to the active tier capacity
- B. Two units, each up to half the active tier capacity
- C. Four units, each up to half the active tier capacity
- D. Four units, each less than or equal to the active tier capacity

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 14

A customer needs to use DD Retention Lock Compliance to ensure that data integrity is maintained.

Which PowerProtect DD systems meet the customer's requirement?

- A. DD9400, DDVE, and DD9900
- B. DDVE, DD3300, and DD6900
- C. DD6900, DDVE, and DD9400
- D. DD3300, DD6900, and DD9400

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 15

What is the order of steps to configure DD Boost on a PowerProtect DD appliance?

Answer:

NEW QUESTION: 16

Which command allows a system administrator to monitor clients active in the past 15 minutes?

- A. nfs show stats
- B. nfs show active
- C. nfs show clients
- D. nfs show detailed-stats

Answer: B ([LEAVE A REPLY](#))

Valid D-PDD-DY-23 Dumps shared by Actual4test.com for Helping Passing D-PDD-DY-23 Exam! Actual4test.com now offer the **newest D-PDD-DY-23 exam dumps**, the Actual4test.com D-PDD-DY-23 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com D-PDD-DY-23 dumps with Test

NEW QUESTION: 17

Which command is used to start the initial CLI configuration wizard?

- A. config setup
- B. install config
- C. setup
- D. config

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 18

What is a requirement to configure the PowerProtect DD tape out to cloud feature?

- A. Tape Out to Cloud License
- B. Two cloud units
- C. DD VTL License
- D. Cloud Profile

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 19

What rule must be followed during an upgrade procedure with the FS25 expansion shelf?

- A. For high performance, the connections from a controller to FS25 shelves must be over FC cables
- B. FS25 shelf must be on the same chain with DS60
- C. FS25 shelf is cabled on a separate private chain
- D. If ES40 SAS shelves are on the same chain as an FS25, the maximum number of shelves on that chain is five

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

Which are two attributes of PowerProtect High Availability? (Select 2)

- A. single set of shared storage is used
- B. Power Protect DD nodes are configured in active active mode
- C. supported only on DD9900 systems
- D. PowerPotect DD nodes should have dual heads

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 21

A customer needs an upgrade on their DD6900 to use HA.

Which expansion shelf is required?

- A. ES25

- B. FS25
- C. DS60
- D. ES40

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 22

A storage administrator finished the zoning between the PowerProtect DD and the NetWorker backup server.

How can they verify that the zoning was completed properly and the server HBA are visible?

- A. scsitarget initiator show list
- B. scsitarget show initiator
- C. scsitarget show initiator list
- D. scsitarget initiator list

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 23

When using CIFS from a PowerProtect DD system, what should be changed on a Windows machine?

- A. CIFSTimeout to 3600 seconds
- B. SMBTimeout to 7200 seconds
- C. SESSTIMEOUT to 3600 seconds
- D. SESSTIMEOUT to 7200 seconds

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

What is the order of steps to configure DD Boost on the backup host?

Answer:

NEW QUESTION: 25

Which is required to store and manage archive data on a single PowerProtect DD appliance to comply with regulatory standards?

- A. Dell EMC Cloud Tier
- B. Encryption for Data at Rest
- C. Retention Lock Compliance
- D. Retention Lock Governance

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

Backup administrators have noticed slow backups on the AIX environment.

To fix the issue, what should the set large_send be for each NIC, and what should the NFS option be set to?

- A. yes and nfs_rfc1323=0
- B. no and nfs_rfc1323=1
- C. yes and nfs_rfc1323=1
- D. no and nfs_rfc1323=0

Answer: B (LEAVE A REPLY)

NEW QUESTION: 27

A PowerProtect DD appliance with two expansion shelves is being installed in a customer-provided rack.

When cabling the controller to the shelves, what is connected to the host port on the last shelf in the chain?

- A. Expansion port of the upstream shelf
- B. Host port of the controller
- C. Expansion port of the controller
- D. Host port of the downstream shelf

Answer: (SHOW ANSWER)

NEW QUESTION: 28

A company has SMT and VTL enabled on a PowerProtect DD appliance. They back up their data to virtual tape under a VTL pool named "finance".

Where is the backup data stored on the PowerProtect DD appliance?

- A. /data/col1/<tenatname>/vtl/finance
- B. /data/col1/vtl/finance
- C. /data/col1/finance
- D. /data/col1/<tenatname>/finance

Answer: (SHOW ANSWER)

NEW QUESTION: 29

An administrator has observed degraded read and write throughput performance with their CIFS share.

What can the administrator disable to address the issue?

- A. Restrict anonymous connection
- B. TCP window size
- C. Server Signing
- D. Log level

Answer: C (LEAVE A REPLY)

NEW QUESTION: 30

An organization uses tape libraries in their current backup infrastructure. They have purchased a PowerProtect DD system and plan to use VTL to move from physical tape. What is a consideration when configuring the tape size?

- A. Use multiple drives to write multiple streams
- B. Set retention periods for as long as possible
- C. Target multiple drives to write single stream
- D. Use larger tapes for multiple smaller datasets

Answer: (SHOW ANSWER)

NEW QUESTION: 31

An administrator is using a BoostFS agent running on both Linux and Microsoft Windows servers.

What is the benefit of using BoostFS?

- A. Backup window and replication improve
- B. More data compression
- C. Capacity efficiency
- D. Link aggregation with dynamic interface groups

Answer: D (LEAVE A REPLY)

Valid D-PDD-DY-23 Dumps shared by Actual4test.com for Helping Passing D-PDD-DY-23 Exam! Actual4test.com now offer the **newest D-PDD-DY-23 exam dumps**, the Actual4test.com D-PDD-DY-23 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com D-PDD-DY-23 dumps with Test Engine here: https://www.actual4test.com/D-PDD-DY-23_examcollection.html (165 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

An administrator is configuring an AWS S3 cloud unit on their DD9400.

Which certificate must be imported before adding the cloud unit?

- A. Baltimore CyberTrust Root CA
- B. GlobalSign Root R1
- C. GlobalSign Root R2
- D. S3 Flexible

Answer: A (LEAVE A REPLY)

NEW QUESTION: 33

When the PowerProtect DD system boots up for the first time, the CLI configuration wizard script does not start automatically.

Which command can be used to start the script manually?

- A. configure terminal
- B. setup config
- C. config setup
- D. config wizard

Answer: C (LEAVE A REPLY)

NEW QUESTION: 34

In a backup environment with PowerProtect DD VTL, which process is no longer needed?

- A. FC SAN Zoning
- B. Manage Backup catalog
- C. Shipping the tapes
- D. Manage tape library

Answer: C (LEAVE A REPLY)

NEW QUESTION: 35

Which command is used to check if NFS is enabled?

- A. nfs enable
- B. nfs status
- C. system show
- D. nfs show clients

Answer: (SHOW ANSWER)

NEW QUESTION: 36

A customer needs a backup system to locally protect 200 TB of mission-critical, post-comp data.

What should be used to back up the system?

- A. DD3300
- B. DDVE
- C. Cloud Tier
- D. DD6900
- E. DD6400

Answer: D (LEAVE A REPLY)

NEW QUESTION: 37

A backup administrator notices that the backups and replication are exceeding their backup window.

The system is also utilizing the DD Boost protocol.

They notice the system is experiencing slow performance and want to monitor performance in real-time.

Which command best accomplishes this task?

- A. system show stats interval 2

- B. system show performance
- C. ddbboost show stats
- D. ddbboost file-replication show stats

Answer: A (LEAVE A REPLY)

NEW QUESTION: 38

An administrator monitors the performance statistics of a PowerProtect DD appliance. Low disk-write rates are shown, and the network inbound traffic is high.

What is the most likely cause of this behavior?

- A. Disk failure
- B. Expired segments
- C. NVRAM failure
- D. Known segments

Answer: D (LEAVE A REPLY)

NEW QUESTION: 39

A backup administrator has enabled the Retention Lock feature on their PowerProtect DD appliance.

Over time, the administrator noticed an increase in file system utilization.

Upon further investigation, the administrator discovered expired files are still present on the appliance.

What is the most likely reason for this issue?

- A. Backup application failed to delete the file after expiration
- B. File system cleaning was disabled
- C. Retention Lock feature was disabled before the expiration date
- D. The time of the file was set below the minimum retention period

Answer: A (LEAVE A REPLY)

NEW QUESTION: 40

An administrator recognizes poor network performance when using CIFS shares from a PowerProtect DD system. The network link utilization is under 100%.

What is the most likely cause of this issue?

- A. TCP window size too large
- B. TCP timeout too large
- C. TCP timeout too small
- D. TCP window size too small

Answer: C (LEAVE A REPLY)

NEW QUESTION: 41

What is the maximum capacity for a DDVE?

- A. 64 TB

- B. 256 TB
- C. 128 TB
- D. 96 TB

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 42

A backup administrator is tasked with monitoring PowerProtect DD capacity metrics. The administrator is backing up 2 TB of data daily with a reduction rate at 5x. After data reduction, subsequent full backups compress down to 100 GB.

The initial backup requires 400 GB with a 10 percent increase in the data each day. Each incremental backup is 200 GB. After data reduction, each incremental backup is 20 GB. What is the weekly burn rate (GB) after four daily incremental backups and one weekly backup?

- A. 200
- B. 400
- C. 180
- D. 440

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 43

What needs to be configured when implementing LACP on a PowerProtect DD appliance to gain access to the underlying aggregated link connection?

- A. DD Boost Interface Groups
- B. Virtual network interface
- C. Physical network interface
- D. NIC Teams

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 44

What is a consideration for recalling the data from the cloud to the active tier?

- A. Recall is only performed for segments present in the active tier
- B. Recall is performed per file
- C. Recall does not check for existing data segments
- D. Recall is attempted even if no space is available

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

When selecting a PowerProtect DD model, which standard practices should be used to conservatively calculate capacity and throughput?

A. Capacity: First full backup + First incremental backup + (Weekly cycle * Number of weeks data is retained) Throughput: Size of average backup / Backup window time Allow for a minimum 20% buffer in both capacity and throughput

B. Capacity: First full backup + Incremental backups + (Weekly cycle * Number of weeks data is retained) Throughput: Size of largest backup / Backup window time Allow for a minimum 20% buffer in both capacity and throughput

C. Capacity: First full backup + Incremental backups + (Weekly cycle * Number of weeks data is retained) Throughput: Size of largest backup / Backup window time Allow for a minimum 10% buffer in both capacity and throughput

D. Capacity: First full backup + First incremental backup + (Weekly cycle * Number of weeks data is retained) Throughput: Size of average backup / Backup window time Allow for a minimum 10% buffer in both capacity and throughput

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

An administrator is scaling Cloud Tier for a DD9400 by adding a second cloud unit.

What is the required amount of metadata storage (TB)?

A. 120

B. 240

C. 300

D. 500

Answer: **B** ([LEAVE A REPLY](#))

Valid D-PDD-DY-23 Dumps shared by Actual4test.com for Helping Passing D-PDD-DY-23 Exam! Actual4test.com now offer the **newest D-PDD-DY-23 exam dumps**, the Actual4test.com D-PDD-DY-23 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com D-PDD-DY-23 dumps with Test Engine here: https://www.actual4test.com/D-PDD-DY-23_examcollection.html (**165** Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 47

What would the log view command display if no log name is specified?

A. audit.log

B. space.log

C. messages

D. debug/ddfs.info

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

During a normal workday an administrator notices poor performance (<1MB/s) in combination with poor global compression rate (<1x).

What metrics should be monitored to find the issue?

- A. Stream count, disk reconstruction, and replication
- B. NVRAM battery level, link utilization, and disk reconstruction
- C. Cleaning, NVRAM battery level, and link utilization
- D. Stream count, CPU utilization, and replication

Answer: D (LEAVE A REPLY)

NEW QUESTION: 49

What is the result of using the filesys clean skip schedule estimate-percent-used 30 days 10 command?

- A. Cleaning is run every 10 days using more than 30% system resources.
- B. Cleaning is run every 10 days when the system is over 30% capacity.
- C. Cleaning is run every 10 days using no more than 30% system resources.
- D. Cleaning is run every 10 days when the system is under 30% capacity.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 50

An engineer is deploying a new PowerProtect DD9900 system that includes ES40, DS60, and FS25 expansion shelves.

What should the engineer consider when cabling the hardware?

- A. The DS60 shelf should be cabled on a separate chain
- B. The FS25 shelf should be cabled on a separate chain
- C. The FS25 shelf must be fully populated
- D. The DS60 shelf must be populated with identical drives

Answer: B (LEAVE A REPLY)

NEW QUESTION: 51

Which are supported compression algorithms in DDOS?

- A. rle, lzw, and lz
- B. dsp, gz, and lz
- C. lz, gz, and gzfast
- D. bmp, lz, and gz

Answer: C (LEAVE A REPLY)

NEW QUESTION: 52

In a PowerProtect DD backup environment, what is used for writing to and reading from the backup targets in Veritas Backup Exec?

- A. Media Agents
- B. Master Server

C. Storage Node

D. Media Server

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 53

Which command is used to add storage to either the active or cloud tier?

A. storage add disks

B. enclosure add storage

C. storage add enclosure

D. storage add cloud

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 54

What rule must be followed during an upgrade procedure with the FS25 expansion shelf?

A. FS25 shelf must be on the same chain with DS60

B. FS25 shelf is cabled on a separate private chain

C. For high performance, the connections from a controller to FS25 shelves must be over FC cables

D. ES40 SAS shelves are on the same chain as an FS25, the maximum number of shelves on that chain is five

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 55

Which PowerProtect DD feature can be used if the existing backup solution is designed using a tape-based logic?

A. BoostFS

B. DD Retention Lock

C. DD VTL

D. DD Boost

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

Which three backup applications are supported by the PowerProtect DD VTL? (Select 3)

A. Quest vRanger

B. Dell PowerProtect Data Manager

C. Dell NetWorker

D. Veritas NetBackup

E. IBM Spectrum Protect

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

What is the Backup Data packet flow from the Amavar Client to the PowerProtect DD appliance?

- A. Through the Amavar Server and then to PowerProtect DD
- B. Through the Amavar Data Store and then to PowerProtect DD
- C. Through the Storage Node and then to PowerProtect DD
- D. Direct from the client to PowerProtect DD

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

Which component executes the read/write requests in a backup environment consisting of a PowerProtect DD appliance and IBM Spectrum Protect?

- A. Master Server
- B. Media Agent
- C. Spectrum Protect Server
- D. Media Server

Answer: B ([LEAVE A REPLY](#))

Valid D-PDD-DY-23 Dumps shared by Actual4test.com for Helping Passing D-PDD-DY-23 Exam! Actual4test.com now offer the **newest D-PDD-DY-23 exam dumps**, the Actual4test.com D-PDD-DY-23 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com D-PDD-DY-23 dumps with Test Engine here: https://www.actual4test.com/D-PDD-DY-23_examcollection.html (**165** Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)