

## EMC.D-UN-OE-23.v2026-04-06.q42

<b>Exam Code:</b>	D-UN-OE-23
<b>Exam Name:</b>	Dell Unity Operate 2023 Exam
<b>Certification Provider:</b>	EMC
<b>Free Question Number:</b>	42
<b>Version:</b>	v2026-04-06
<b># of views:</b>	128
<b># of Questions views:</b>	420
<a href="https://www.freepdfdumps.com/EMC.D-UN-OE-23.v2026-04-06.q42.html">https://www.freepdfdumps.com/EMC.D-UN-OE-23.v2026-04-06.q42.html</a>	

### NEW QUESTION: 1

A company needs to expand their dynamic pool by 5 TB. The current dynamic pool consists of 63 3.8 TB SSDs that are configured for RAID5 (4+1).

What is the minimum number of drives needed for the pool expansion?

- A. 1
- B. 7
- C. 6
- D. 5

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 2

Which are two characteristics of Dynamic Pools? (Select 2)

- A. Dynamic Pools are supported on all physical Dell Unity XT models.
- B. Four drives of spare space per 32 drives are used when creating a dynamic pool.
- C. They can only be Single Tiered on the HFA systems.
- D. All storage pools on the supported storage systems are dynamic pools by default.

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 3

A storage administrator wants to implement FAST Cache with a capacity of 1.6 TB to an existing Dell Unity XT 680 array.

How many drives must the administrator use to implement this configuration?

- A. 4
- B. 2
- C. 8
- D. 16

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 4**

What is a characteristic of the IP Packet Reflect feature running on a Dell Unity XT NAS Server?

- A. Feature can only be enabled when the NAS Server is created via the GUI
- B. Outbound packets use the same interface as the inbound packets
- C. Communications initiated by the array do not require route table lookups
- D. Feature can only be enabled when the NAS Server is created via UEMCLI

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 5**

What is the minimum requirement for a server to boot from a Dell Unity XT storage system using iSCSI?

- A. Hardware iSCSI HBA
- B. TOENIC
- C. CNA card
- D. iSCSI Software Initiator

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 6**

A storage administrator performs a monthly performance analysis of a Dell Unity XT storage array using CloudIQ insight reports. Three LUNs are set with a Host IO Limits policy. The administrator discovers that the throughput IOPS on one LUN (Test\_LUN) has increased by 1000 IOPS compared to the two previous months. What is the cause of the spike in IOPS?

- A. Test\_LUN was expanded by 100 GB and a Density-based Host IO limit policy was set for all three LUNs.
- B. Test\_LUN was expanded by 100 GB and a Density-based Host IO limit policy was set only for Test\_LUN.
- C. Host IO limit of Test LUN was edited and the limit was increased by 1000 IOPS.
- D. Another Absolute Host IO limit policy with additional 1000 IOPS was set on Test\_LUN.

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 7**

What is a consideration when expanding a dynamic pool?

- A. The minimum number of drives in a RAID 5 (4+1) RAID Group is 5.
- B. The maximum number of drives is 64 in a drive partnership group.
- C. The maximum number of drives is 16 in a RAID Group.
- D. The maximum number of slices in a private LUN is 256.

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 8**

A storage administrator has configured an SMB share with the Pool Automatic Deletion retention policy. With default settings applied, what will happen when the pool crosses 95%? A The default setting is that no snapshots will be deleted automatically.

- A. The Dell Unity system will delete snapshots until 85% pool space is reached.
- B. When the snapshot reaches 25% of the pool size, snapshots will be deleted until 20% of the pool size is reached.
- C. The Dell Unity system will only delete the oldest snapshot of the configured schedule.

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 9**

What operation is available only with synchronous replication sessions?

- A. Failback
- B. Planned Failover
- C. Resume
- D. Unplanned Failover

**Answer:** B ([LEAVE A REPLY](#))

#### **NEW QUESTION: 10**

What is a consideration when specifying a Dial Home suppression time for a Dell Unity XT storage array?

- A. Can be enabled at any time
- B. Can be lengthened or shortened
- C. The time zone where the array is located
- D. Should be set between 1 and 32 hours

**Answer:** D ([LEAVE A REPLY](#))

#### **NEW QUESTION: 11**

How does a Dell Unity XT array with dynamic pools rebuild failed drives?

- A. Invokes the hot spare associated with the pool
- B. Invokes the array global spare
- C. Uses spare space reserved within the pool
- D. Uses vault drive space until the failed drive is replaced

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 12**

What are two recommendations for configuring synchronous replication on a Dell Unity XT system? (Select 2)

- A. A maximum of 100 km (60 mi) distance
- B. Session RPO must be set to zero
- C. Latency below 10 milliseconds
- D. Dataset to be less than 100 TB

**Answer: A,C (LEAVE A REPLY)**

**NEW QUESTION: 13**

A storage administrator is tasked with creating a DR solution for block and file storage resources. The company has multiple regional and international sites containing a mix of Dell Unity XT and Dell Unity VSA systems.

What are considerations for the storage administrator when creating the DR solution?

**A.** Asynchronous replication ensures zero data loss to the remote replica in disaster conditions.

File storage resources can be replicated synchronously and asynchronously.

**B.** Asynchronous replication over long-distance does not impact latency.

Asynchronous replication ensures zero data loss to the remote replica in disaster conditions.

**C.** Synchronous remote replication should be restricted to within 161 km (100 mi) between sites to keep latency below 10 milliseconds.

Block storage resources can be replicated synchronously and asynchronously.

**D.** Synchronous remote replication should be restricted to within 100 km (62 mi) between sites to keep latency below 10 milliseconds.

File and block storage resources can be replicated synchronously and asynchronously.

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 14**

Drag and Drop Question

What is the correct order of steps for the Synchronous Replication Creation Process?

DELL EMC

freepdfdumps.com

Create Replication Interfaces

Create Replication Connection

Select storage resource to replicate

Define replication settings.

Create the session.

**Answer:**

Steps	Correct order
	Create Replication Interfaces
	Create Replication Connection
	Select storage resource to replicate
	Define replication settings.
	Create the session.

**NEW QUESTION: 15**

Which three service tasks require the SP to be in Service Mode? (Select 3)

- A. Reboot SP.
- B. Enable SSH.
- C. Replace certain hardware components.
- D. Reinitialize the storage system.
- E. Reimage an SP.

**Answer: C,D,E (LEAVE A REPLY)**

**NEW QUESTION: 16**

A system administrator must mount a datastore using NFSv4 with Kerberos NFS Owner authentication. Which permission level must be applied to NFS datastore?

- A. Read-only
- B. Read/write, enable Root
- C. Read/write
- D. Full

**Answer: B (LEAVE A REPLY)**

**Valid D-UN-OE-23 Dumps** shared by Actual4test.com for Helping Passing D-UN-OE-23 Exam! Actual4test.com now offer the **newest D-UN-OE-23 exam dumps**, the Actual4test.com D-UN-OE-23 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com D-UN-OE-23 dumps with Test Engine here:

Special Discount: **Freepdfdumps**)

**NEW QUESTION: 17**

What pathing options do Dell Unity XT systems support to provide a host with Fibre Channel access to block storage?

A Multipath and Single Path only

A. Single Path, Multipath, and Alternate Path

B. Alternate and Multipath only

C. Single Path and Alternate only

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 18**

A storage administrator performs a monthly performance analysis of a Dell Unity XT storage array using CloudIQ insight reports. Three LUNs are set with a Host IO Limits policy The administrator discovers that the throughput IOPS on one LUN (Test\_LUN) has increased by 1000 IOPS compared to the two previous months What is the cause of the spike in IOPS?

A. Test\_LUN was expanded by 100 GB and a Density-based Host IO limit policy was set only for Test\_LUN.

B. Host IO limit of Test LUN was edited and the limit was increased by 1000 IOPS.

C. Another Absolute Host IO limit policy with additional 1000 IOPS was set on Test\_LUN.

D. Test\_LUN was expanded by 100 GB and a Density-based Host IO limit policy was set for all three LUNs.

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 19**

Drag and Drop Question

What is the correct sequence of steps for the synchronous replication process on a Dell Unity XT system?

Source Acknowledgement to the Host

Write Replication to Destination

Destination Acknowledgement

Host Writes to Source

Initial Copy

Create Destination Resource and WILs

**Answer:**

Steps	Correct sequence
	Create Destination Resource and WILs
	Initial Copy
	Host Writes to Source
	Write Replication to Destination
	Destination Acknowledgement
	Source Acknowledgement to the Host

**NEW QUESTION: 20**

A storage administrator must provide maximum remote protection of file storage between Dell Unity XT 380F systems.

How many NAS server replication sessions are supported?

- A. 64
- B. 90
- C. 50
- D. 128

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 21**

What are considerations when configuring a Proxy NAS server?

- A. The server must be created on the same SP as the replicated NAS server.
- B. Different access protocols may be used as the replicated NAS server.
- C. The server can be created on either SP regardless of where the replicated NAS server resides.
- D. The server must match source NAS server interfaces.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 22**

Which operation can be performed from the FAST VP settings section in the Unisphere Settings window?

- A. Modify data relocation schedule at the system level.
- B. Exclude pool from the data relocation schedule.
- C. Enable scheduled data relocation for a specific pool.
- D. View the data relocation progress between tiers.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 23**

What is the recommended configuration for iSCSI connections to ensure continuous access to the Dell Unity XT storage system in the event of a failover?

- A. Create iSCSI interfaces on network ports on different SPs that are combined into a FSN logical device.
- B. Set up iSCSI interfaces on the same port of each SP and configure advanced static routes for the interfaces.
- C. Set up iSCSI interfaces on the same port of each SP and leverage the host-based multi-pathing software.
- D. Create iSCSI interfaces on different network ports on the same SP that are combined into a link aggregation.

Answer: C ([LEAVE A REPLY](#))

**NEW QUESTION: 24**

An administrator initially created a Thin Provisioned file system (FS) on a Dell Unity XT. They now want to change that FS to Thick Provisioned.

What is a consideration?

- A. Convert the FS from Thin to Thick through Unisphere.
- B. Unmap/Unmount the FS and change FS properties.
- C. Unmap/unmount the FS and use the Initial Configuration Wizard.
- D. The FS cannot be changed from Thin to Thick.

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 25**

From which storage resources can a thin clone be created?

- A. VMFS datastore and vVol datastore
- B. File system and thin LUN
- C. Thin LUN and consistency group
- D. File system and VMFS datastore

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 26**

An administrator made writes to the storage resource using Redirect on Write architecture. What is the size of slices that are allocated from the parent pool?

- A. 256 MB
- B. 8 KB
- C. 64 KB
- D. 64 MB

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 27**


What is a consideration when configuring automated software downloads on a Dell Unity XT storage array?

- A. Firewall port 9443 must be open.
- B. VASA must be enabled.
- C. Two-way SRS must be implemented on the system.
- D. One-way SRS must be implemented on the system.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 28**

Refer to the exhibit. Which ports are used to connect DAEs to a Unity XT storage array?



- A. 1
- B. 3
- C. 2
- D. 4

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 29**

A storage administrator must enable NAS service for a Dell Unity XT380 equipped with 12 16-Gbps FC front-end ports. The data center network has only 10 Gbps Ethernet SFP+ ports available. How many 10 Gbps Ethernet SFP+ ports can be added to the existing system?

- A. 0
- B. 8
- C. 4
- D. 16

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 30**

What are two features of a Dell UnityVSA Professional Edition license?

- A. Applicable for Test and Development environments.
- B. Professional Edition is covered by Dell support.
- C. Supports UnityVSA Dual-SP HA deployment.
- D. 4 TB maximum capacity

**Answer: B,C** ([LEAVE A REPLY](#))

**NEW QUESTION: 31**

A storage administrator needs to test a new version of an application loaded on a secondary host. The administrator must use existing data contained on a LUN provisioned from a Dell Unity XT to a primary host. Which approach satisfies the requirement and provides space efficiency?

- A. Create an Asynchronous Replication session for the LUN.  
Configure access to the replica LUN for the secondary host.  
Attach the secondary host.
- B. Create a Snapshot of the LUN.  
Configure LUN access for the secondary host.  
Attach the Snapshot to the secondary host.
- C. Create a Synchronous Replication session for the LUN.  
Configure access to the replica LUN for the secondary host.  
Attach the secondary host.
- D. Create a Snapshot of the LUN.  
Configure secondary host connectivity to Dell Unity XT.  
Attach the Snapshot to the secondary host.

**Answer: B** ([LEAVE A REPLY](#))

**Valid D-UN-OE-23 Dumps** shared by Actual4test.com for Helping Passing D-UN-OE-23 Exam! Actual4test.com now offer the **newest D-UN-OE-23 exam dumps**, the Actual4test.com D-UN-OE-23 exam **questions have been updated** and **answers have been corrected** get

the **newest** Actual4test.com D-UN-OE-23 dumps with Test Engine here:

[https://www.actual4test.com/D-UN-OE-23\\_examcollection.html](https://www.actual4test.com/D-UN-OE-23_examcollection.html) (88 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps)**

**NEW QUESTION: 32**

A storage team requires NFS datastores to be configured for their virtualized environment. The Dell Unity XT storage array must provision an NFS datastore to the ESXi hosts and manage storage-related tasks. Which two configurations must be completed to achieve these requirements? (Select 2)

- A. Register the ESXi host.
- B. Create NFS-enabled NAS server.
- C. Configure a capacity profile for a storage pool.
- D. Create NFS datastores after scanning the host for new storage.

**Answer: B,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 33**

On a Dell Unity XT file system asynchronous replication session, how many system Snapshots are required to support replication?

- A. 8
- B. 2
- C. 4
- D. 1

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 34**

Which is a characteristic of FLR once it is enabled on a file system?

- A. It cannot be disabled.
- B. The compliance clock can be changed.
- C. The auto delete cannot be modified.
- D. The auto lock cannot be modified.

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 35**

Which is a valid session state for synchronous replication on Dell Unity XT?

- A. Committed
- B. Active
- C. Not Active
- D. Consistent

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 36**

A storage administrator needs to connect a new iSCSI host to a Dell Unity XT array. Which I/O modules support host iSCSI connectivity?

- A. 10 GbE Base-T only
- B. 25 GbE optical only
- C. 10 GbE Base-T and 25 GbE optical
- D. 16 Gb/s FC and 25 GbE optical

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 37**

A system engineer must provision one storage pool to include 14 Extreme Performance Drives, 6 Performance Drives, and 9 Capacity Drives. During the creation process in Unisphere, they notice that the Performance Tier is grayed out and shows only two unused drives.

What is the cause of this issue?

- A. Drives must be reseated.
- B. System drives are not allowed in the storage pool.
- C. Unity Management Software requires a refresh.
- D. Drive Firmware must be updated.

**Answer:** B ([LEAVE A REPLY](#))

#### **NEW QUESTION: 38**

A storage administrator has added multiple resources to a single density-based Host I/O Limit policy for the following storage resources:

- LUN A:25GB
- LUN B:25 GB
- LUN C:50 GB
- Density-Based Limit:20 IOPS

What is the total IOPS set by this policy?

- A. 500
- B. 60
- C. 1000
- D. 2000

**Answer:** D ([LEAVE A REPLY](#))

#### **NEW QUESTION: 39**

A storage administrator attempts to restart the Management Server to resolve Unisphere issues, but is unable to do so.

What is the cause of this issue?

- A. SP is in Maintenance mode.
- B. Only one SP is in Service mode.
- C. SP is in Reset and Hold mode
- D. Both SPs are in Service mode

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 40**

A storage administrator is performing a planned failover of an asynchronous replication. What option should they select to ensure that all data is available at the destination?

- A. Failover on the source array
- B. Failover with sync on the destination array
- C. Failover on the destination array
- D. Failover with sync on the source array

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 41**

What does the Dell Unity XT system do after a NAS Server starts outbound traffic to an external service?

- A. Selects interfaces based on advanced static routes
- B. Creates an active interface buffer cache in DRAM
- C. Uses the active production interface
- D. Uses Packet Reflect for outbound communication

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 42**

What is the role of protocol endpoints in Dell Unity XT VMware storage provisioning?

- A. Enable polarized host connectivity on a VMware stretched cluster environment.
- B. Establish a data path between the ESXi host and the respective vVol datastores.
- C. Provide a write consistent view to the host when accessing multiple VMware datastores.
- D. Manage host IO workload balance between multiple paths to the VMware datastores.

**Answer: B ([LEAVE A REPLY](#))**

**Valid D-UN-OE-23 Dumps** shared by Actual4test.com for Helping Passing D-UN-OE-23 Exam! Actual4test.com now offer the **newest D-UN-OE-23 exam dumps**, the Actual4test.com D-UN-OE-23 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com D-UN-OE-23 dumps with Test Engine here:

[https://www.actual4test.com/D-UN-OE-23\\_examcollection.html](https://www.actual4test.com/D-UN-OE-23_examcollection.html) (88 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps)**