

EMC.DES-6332.v2022-01-15.q48

Exam Code:	DES-6332
Exam Name:	Specialist - Systems Administrator, VxRail Appliance Exam
Certification Provider:	EMC
Free Question Number:	48
Version:	v2022-01-15
# of views:	1229
# of Questions views:	480
https://www.freepdfdumps.com/EMC.DES-6332.v2022-01-15.q48.html	

NEW QUESTION: 1

What are all the activities that can be performed from the Node Information panel of the VxRail Manager Physical back view of a VxRail E series node?

- A. Add Disks Shut down Toggle Chassis LED
- B. Replace Disks Shut down
- C. Toggle Chassis LED
Add Disks Toggle Disk LEDs
- D. Replace Disks
Shut down

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

What is the minimum recommended number of hosts in a vSAN cluster for FTT = 2 and FTM = Erasure Coding?

- A. 7
- B. 4
- C. 6
- D. 5

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 3

Which VxRail model series supports only hybrid disks?

- A. S Series
- B. E Series
- C. P Series
- D. G series

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

What is the minimum number of nodes required to build a VxRail 4 5 cluster?

- A. 3
- B. 5
- C. 4
- D. 2

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 5

Dell EMC VxRail All-Flash nodes have been deployed in a Stretched Cluster configuration. A storage policy has been configured with:

- * PFTT = 1
- * SFTT = 0
- * FTM = Default

What protection will a VMDK have with this storage policy?

- A. RAID 1 cross-site
RAID 5 locally
- B. No cross-site protection
RAID 1 locally
- C. RAID 1 cross-site
RAID 1 locally
- D. RAID 1 cross-site
No local protection

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference: <http://virtualization24x7.blogspot.com/2017/08/what-is-pftt-and-sftt-in-vmware-vsan-66.html>

NEW QUESTION: 6

Which software-defined storage is used by VxRail?

- A. Dell EMC FlexOS
- B. VMware vSAN
- C. VMwareWols
- D. Dell EMC ScaleIO

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which user interface provides remote power control (power on and power off) for VxRail E Series nodes?

- A. iDRAC
- B. IPM/BMC

- C. VxRail Manager
- D. VMware vSphere Web Client

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 8

When using a vSAN storage policy with FTT = 1 and FTM = Mirroring, how many witness components exist for a VMDK?

- A. 2
- B. 0
- C. 3
- D. 1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Which user interface provides remote power control (power on and power off) for VxRail E Series nodes?

- A. VxRail Manager
- B. iDRAC
- C. VMware vSphere Web Client
- D. IPMI/BMC

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

What is the minimum number of nodes required to build a VxRail 4 5 cluster?

- A. 2
- B. 5
- C. 3
- D. 4

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 11

An environment has two VxRail clusters with the following hardware configuration:

* Cluster-A is using FTT = 2 and FTM = Erasure Coding

* Cluster-B is using FTT = 2 and FTM = Mirroring

A 100 GB VM is planned to be vMotioned from Cluster-A to Cluster-B

How much more vSAN capacity is consumed in Cluster-B than in Cluster-A?

- A. 150 GB
- B. 100 GB
- C. 0 GB: consumption is unchanged
- D. 167 GB

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

An environment has two VxRail clusters with the following hardware configuration:

* Cluster-A is using FTT = 2 and FTM = Erasure Coding

* Cluster-B is using FTT = 2 and FTM = Mirroring

A 100 GB VM is planned to be vMotioned from Cluster-A to Cluster-B

How much more vSAN capacity is consumed in Cluster-B than in Cluster-A?

A. 150 GB

B. 167 GB

C. 100 GB

D. 0 GB: consumption is unchanged

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 13

A VxRail administrator has been asked to configure fault domains for an All-Flash VxRail cluster. The application VMs must be able to tolerate two failures and use capacity as efficiently as possible.

What is the minimum number of fault domains that must be configured?

A. 5

B. 6

C. 7

D. 4

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

You are checking the overall health of the VxRail vSAN environment. Which VMware interface are you using?

A. vSphere Client

B. Host Client

C. Update Manager

D. vSphere Web Client

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 15

A company intends to deploy VxRail for their heavy database workloads on Oracle 11G. Which type of VxRail nodes should be recommended?

A. P Series

B. E Series

C. S Series

D. V Series

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

In a VxRail appliance, which task is performed using VxRail Manager?

- A. Manage VxRail users and roles
- B. Create storage pools
- C. Remediate health events
- D. Perform software upgrade

Answer: D ([LEAVE A REPLY](#))

Valid DES-6332 Dumps shared by Actual4test.com for Helping Passing DES-6332 Exam! Actual4test.com now offer the **newest DES-6332 exam dumps**, the Actual4test.com DES-6332 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com DES-6332 dumps with Test Engine here:

https://www.actual4test.com/DES-6332_examcollection.html (122 Q&As Dumps, **30%OFF**

Special Discount: [Freepdfdumps](#))

NEW QUESTION: 17

In a VxRail appliance, which task is performed using VxRail Manager?

- A. Perform software upgrade
- B. Manage VxRail users and roles
- C. Remediate health events
- D. Create storage pools

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

What VxRail Manager activities can be performed by a user with the VMware Administrator role'?

- A. Build, Manage, and Expand Cluster only
- B. Build, Manage, Expand, and Shutdown Cluster Manage vSAN settings
- C. Build, Manage, and Expand Cluster Manage HA, DRS, and vSAN settings
- D. Build, Manage, Expand, and Shutdown Cluster only

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 19

As a VxRail administrator, you must determine how long the rebuild will take after experiencing a hardware failure in the cluster. Where could you locate this information in the vSphere Web Client?

- A. Monitor > vSAN > Virtual Objects
- B. Monitor > vSAN > Resyncing Components
- C. Monitor > vSAN > Health

D. Monitor > vSAN > Physical Disks

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

What is a consideration when choosing between vSphere Encryption and vSAN Encryption?

A. vSphere Encryption applies to the entire vSAN datastore

vSAN Encryption is on a per VM basis.

B. vSphere Encryption does not support deduplication and compression

vSAN Encryption allows deduplication and compression

C. vSphere Encryption addresses fears of media theft

vSAN Encryption addresses fears of a rogue admin

D. vSphere Encryption is for data-at-rest

vSAN Encryption is for data-in-flight

Answer: ([SHOW ANSWER](#))

Explanation/Reference: https://www.dellemc.com/content/dam/uwaem/production-design-assets/pl-pl/events/forum/2017/presentations/modern_infrastructure_CS3.pdf

NEW QUESTION: 21

Which VMware feature will restart the VM on a different host when the original host fails?

A. Fault Tolerance

B. vMotion

C. High Availability

D. Distributed Resource Scheduler

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 22

There is a request to add two new disks to an existing VM residing on a VxRail vSAN that you manage One disk is 250 GB and the other is 500 GB The VM is using the vSAN default storage policy.

How many vSAN objects will be created?

A. 6

B. 2

C. 3

D. 9

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 23

What are the vSAN storage policy settings applied to the VxRail Manager VM during initial setup*?

A. Primary level of failures to tolerate = 1 Failure tolerance method = Erasure coding Object space reservation (%) = 100

- B. Primary level of failures to tolerate = 2 Failure tolerance method = Mirroring
- C. Primary level of failures to tolerate = 1 Failure tolerance method = Mirroring Object space reservation (%) = 50
- D. Primary level of failures to tolerate = 1 Object space reservation (%) = 100

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 24

When needed, the vSAN might also break large objects into multiple components. What is the maximum size of a component?

- A. 63 GB
- B. 127 GB
- C. 255 GB
- D. 511 GB

Answer: C ([LEAVE A REPLY](#))

Explanation/Reference: <https://digitalthoughtdisruption.com/2019/03/16/performance-tuning-your-vsant-environment/>

NEW QUESTION: 25

Which level of data protection can be configured across sites in a VxRail Stretched Cluster?

- A. RAID1
- B. RAID 1/0
- C. RAID 5
- D. RAID 6


Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 26

Match each management component with its characteristic

Management Component	Characteristic
Host Client	Full vCenter functionality
vSphere Client	HTML5-based
Platform Services Controller	Responsible for user authentication
vSphere Web Client	Used when not connected to vCenter

Answer:



NEW QUESTION: 27

VxRail 4.5.200 has been deployed with the VxRail deployed vCenter. What is the name of the vCenter datacenter for the newly deployed VxRail cluster?

- A. VxRail-Virtual-SAN'
- B. Datacenter name used during deployment
- C. Marvin-Datacenter'
- D. VxRail-Datacenter'

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 28

Which VxRail model is a 1U form factor per node?

- A. G Series
- B. S Series
- C. P Series
- D. E Series

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 29

Which tool is used to deploy VxRail?

- A. vRealize Operations Manager
- B. vCenter Server
- C. VxRail Manager
- D. Mobile Build Server

Answer: C ([LEAVE A REPLY](#))


Explanation/Reference: <https://www.dell.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/docu86660.pdf>

NEW QUESTION: 30

What is the correct order of steps to create a VM for a new project using vSAN and VxRail?



Answer:



NEW QUESTION: 31

What are all the activities that can be performed from the Node Information panel of the VxRail Manager Physical back view of a VxRail E series node?

- A. Toggle Chassis LED
Add Disks Toggle Disk LEDs
- B. Replace Disks Shut down
- C. Replace Disks
Shut down
- D. Add Disks Shut down Toggle Chassis LED

Answer: B (LEAVE A REPLY)

Valid DES-6332 Dumps shared by Actual4test.com for Helping Passing DES-6332 Exam! Actual4test.com now offer the **newest DES-6332 exam dumps**, the Actual4test.com DES-6332 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com DES-6332 dumps with Test Engine here:

https://www.actual4test.com/DES-6332_examcollection.html (122 Q&As Dumps, **30%OFF**)

Special Discount: Freepdfdumps)

NEW QUESTION: 32

A VxRail administrator wants to rename the VxRail cluster and the VxRail vSAN datastore What is the recommended method to make these changes?

- A. Refer to the VMware vSphere and vSAN documentation Follow the steps detailed in the VMware documentation
- B. Use SolVe to generate the relevant procedures Follow the steps detailed in the procedures
- C. Renaming the objects is not permitted Rebuild the cluster with the desired names
- D. Refer to the VxRail Appliance Administration Guide Follow the steps detailed in the guide

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 33

What is a consideration when planning for node expansion of an existing 4-node All-Flash Dell EMC VxRail

4 5 2xx cluster?

- A. New nodes can be hybrid or All-Flash
- B. vSphere Web Client is used to perform the expansion procedure
- C. New nodes must be identical to the existing nodes
- D. Expansion procedure is performed by Dell EMC or a Dell EMC partner

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 34

A VxRail has been configured with the VxRail-deployed vCenter Server option Which service VMs can be optionally hosted on the VxRail cluster?

- A. VxRail Manager vCenter Server and Platform Services Controller
- B. VxRail Manager and Secure Remote Services/VE
- C. vCenter Server, Platform Services Controller, and Secure Remote Services/VE
- D. vRealize Log Insight and Secure Remote ServicesA/E

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 35

What are the vSAN storage policy settings applied to the VxRail Manager VM during initial setup?

- A. Primary level of failures to tolerate = 1
Failure tolerance method = Erasure coding
Object space reservation (%) = 100
- B. Primary level of failures to tolerate = 1
Object space reservation (%) = 100
- C. Primary level of failures to tolerate = 1
Failure tolerance method = Mirroring
Object space reservation (%) = 50
- D. Primary level of failures to tolerate = 2
Failure tolerance method = Mirroring

Answer: C ([LEAVE A REPLY](#))

Explanation

Explanation/Reference: <https://wuchikin.wordpress.com/2018/03/28/dell-emc-vxrail-vmware-virtual-san-stretched-cluster/>

NEW QUESTION: 36

Which VxRail model supports 25 Gb NICs?

- A. S570
- B. G560F
- C. E460
- D. G410

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

There is a request to add new disks to an existing VM residing on a VxRail vSAN that you manage. One disk is

250 GB. The VM is using the vSAN default storage policy.

How many vSAN objects will be created?

- A. 9
- B. 2
- C. 3
- D. 6

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 38

As an administrator, you are asked to view the health of the vSAN on the VxRail cluster. You select the VxRail cluster in the Navigation panel in vCenter.

Under which tab could you run the vSAN health check?

- A. Monitor
- B. Hosts
- C. Datastores
- D. vSAN

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

An application consisting of two VMs must be kept on two separate hosts.

Which VMware feature would enable this?

- A. Distributed Resource Scheduler
- B. High Availability
- C. Storage vMotion
- D. Fault Tolerance

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 40

Using VxRail Manager, what information can you find under the physical health view?

- A. Cluster ID, PSNT, Model and Temperature
- B. PSNT, Operational Status, Health State, and Memory
- C. Model, Temperature, Memory, and Health State
- D. Cluster ID, Connected Health State, and Operational Status

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 41

What is the limit of locally cached managed storage included in the CloudArray Virtual Edition license packaged with a VxRail system?

- A. 1 TB
- B. 5 TB
- C. 10 TB
- D. 15 TB

Answer: (SHOW ANSWER)

Explanation/Reference: <https://www.dell.com/en-us/collaterals/unauth/technical-guides-support-information/products/converged-infrastructure/h15844-vxrail-4-0-vc-enter-server-pg.pdf>
(5)

NEW QUESTION: 42

What VxRail Manager activities can be performed by a user with the VMware Administrator role?

- A. Build, Manage, Expand, and Shutdown Cluster only
- B. Build, Manage, and Shutdown Cluster
Manage vSAN settings
- C. Build, Manage, and Expand Cluster
Manage HA, DRS, and vSAN settings
- D. Build, Manage, and Expand Cluster only

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 43

Which VxRail model series supports only hybrid disks?

- A. P Series
- B. E Series
- C. G series
- D. S Series

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 44

A user has three G Series nodes in a VxRail cluster. They are planning to add five additional G Series nodes.

How much additional rack is required to accommodate the new nodes?

- A. 1U
- B. 2U
- C. 5U
- D. 10U

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

https://www.academia.edu/36442394/VxRail_Appliance_Technical_Overview_Student_Guide

NEW QUESTION: 45

A company intends to deploy VxRail for their heavy database workloads on Oracle 11G. Which type of VxRail nodes should be recommended?

- A. E Series
- B. S Series
- C. P Series
- D. V Series

Answer: C ([LEAVE A REPLY](#))

Explanation/Reference: <https://www.dell.com/lt/business/p/vmware-vxrail/pd>

NEW QUESTION: 46

As a VxRail administrator you have been asked to configure vSAN fault domains After selecting the VxRail cluster, where would you navigate to in vCenter to accomplish this task?

- A. Configure > vSAN > Configuration Assist > Fault Domains & Stretched Cluster
- B. Configure > vSAN > Disk Management > Fault Domains & Stretched Cluster
- C. Configure > vSAN > General > Fault Domains & Stretched Cluster
- D. Configure > vSAN > Fault Domains & Stretched Cluster

Answer: A ([LEAVE A REPLY](#))

Valid DES-6332 Dumps shared by Actual4test.com for Helping Passing DES-6332 Exam! Actual4test.com now offer the **newest DES-6332 exam dumps**, the Actual4test.com DES-6332 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com DES-6332 dumps with Test Engine here:

https://www.actual4test.com/DES-6332_examcollection.html (122 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 47

An administrator attempts to add an S Series node to a Gen 2 VxRail cluster and the build fails What is a possible reason for this failure?

- A. Quanta and Dell nodes cannot be mixed in the same cluster

- B. IP address pool has no more free addresses
- C. Hybrid and Flash nodes cannot be mixed in the same cluster
- D. Loudmouth process needs to be restarted

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

The VxRail administrator has been given the task of migrating the current production environment to a VxRail cluster with external block storage. The VMs must remain online during the migration. Which VMware feature can be used?

- A. High Availability
- B. VMware Converter Software
- C. Storage vMotion
- D. vMotion

Answer: C ([LEAVE A REPLY](#))

Valid DES-6332 Dumps shared by Actual4test.com for Helping Passing DES-6332 Exam! Actual4test.com now offer the **newest DES-6332 exam dumps**, the Actual4test.com DES-6332 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com DES-6332 dumps with Test Engine here:

https://www.actual4test.com/DES-6332_examcollection.html (122 Q&As Dumps, **30%OFF**)

Special Discount: **Freepdfdumps**)