

Fortinet.NSE7_SDW-7.0.v2023-08-07.q17

Exam Code:	NSE7_SDW-7.0
Exam Name:	Fortinet NSE 7 - SD-WAN 7.0
Certification Provider:	Fortinet
Free Question Number:	17
Version:	v2023-08-07
# of views:	1094
# of Questions views:	170
https://www.freepdfdumps.com/Fortinet.NSE7_SDW-7.0.v2023-08-07.q17.html	

NEW QUESTION: 1

Which are three key routing principles in SD-WAN? (Choose three.)

- A. SD-WAN rules have precedence over ISDB routes.
- B. By default, SD-WAN rules are skipped if the best route to the destination is not an SD-WAN member.
- C. FortiGate performs route lookups for new sessions only.
- D. By default, SD-WAN members are skipped if they do not have a valid route to the destination.
- E. Regular policy routes have precedence over SD-WAN rules.

Answer: B,D,E (LEAVE A REPLY)

NEW QUESTION: 2

Which two statements are correct when traffic matches the implicit SD-WAN rule? (Choose two.)

- A. Traffic does not match any of the entries in the policy route table.
- B. The `sdwan_service_id` flag in the session information is 0.
- C. All SD-WAN rules have the default setting enabled.
- D. Traffic is load balanced using the algorithm set for the `v4-ecmp-mode` setting.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 3

Which two performance SLA protocols enable you to verify that the server response contains a specific value?

(Choose two.)

- A. icmp
- B. twamp
- C. dns
- D. http

Answer: (SHOW ANSWER)

NEW QUESTION: 4

In a hub-and-spoke topology, what are two advantages of enabling ADVPN on the IPsec overlays? (Choose two.)

- A. It enables spokes to bypass the hub during shortcut negotiation.
- B. It provides direct connectivity between spokes by creating shortcuts.
- C. It enables spokes to establish shortcuts to third-party gateways.
- D. It provides the benefits of a full-mesh topology in a hub-and-spoke network.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which two settings can you configure to speed up routing convergence in BGP? (Choose two.)

- A. link-down-failover
- B. holdtime-timer
- C. update-source
- D. set-route-tag

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Exhibit.

```
id=20010 trace_id=1402 func=print_pkt_detail line=5658 msg="vd-root:0 received a
packet(proto=6, 10.1.10.1:52490->42.44.50.10:443) from port3. flag [.], seq 1213725680,
ack 1169005655, win 65535"
id=20010 trace_id=1402 func=resolve_ip_tuple_fast line=5669 msg="Find an existing
session, id-00001ca4, original direction"
id=20010 trace_id=1402 func=fw_forward_dirty_handler line=447 msg="Denied by quota
check"
```

Which conclusion about the packet debug flow output is correct?

- A. The number of concurrent sessions for 10.1.10.1 exceeded the maximum number of concurrent sessions configured in the traffic shaper, and the packet was dropped.
- B. The packet size exceeded the outgoing interface MTU.
- C. The number of concurrent sessions for 10.1.10.1 exceeded the maximum number of concurrent sessions configured in the firewall policy, and the packet was dropped.
- D. The total number of daily sessions for 10.1.10.1 exceeded the maximum number of concurrent sessions configured in the traffic shaper, and the packet was dropped.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

Refer to the exhibit.

Which algorithm does SD-WAN use to distribute traffic that does not match any of the SD-WAN rules?

- A. All traffic from a source IP is sent to the most used interface.
- B. All traffic from a source IP to a destination IP is sent to the same interface.

- C. All traffic from a source IP to a destination IP is sent to the least used interface.
- D. All traffic from a source IP is sent to the same interface.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 8

Refer to the exhibit.

FortiGate has multiple dial-up VPN interfaces incoming on port1 that match only FIRST_VPN. Which two configuration changes must be made to both IPsec VPN interfaces to allow incoming connections to match all possible IPsec dial-up interfaces? (Choose two.)

- A. Specify a unique peer ID for each dial-up VPN interface.
- B. Configure the IKE mode to be aggressive mode.
- C. Use unique Diffie Hellman groups on each VPN interface.
- D. Use different proposals are used between the interfaces.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 9

Refer to the exhibit.

The device exchanges routes using IBGP.

Which two statements are correct about the IBGP configuration and routing information on the device?

(Choose two.)

- A. You can run the get router info routing-table database command to display the additional paths.
- B. Each BGP route is three hops away from the destination.
- C. additional-path is enabled.
- D. ibgp-multipath is disabled.

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 10

Which components make up the secure SD-WAN solution?

- A. Application, antivirus, and URL, and SSL inspection
- B. Telephone, ISDN, and telecom network.
- C. Datacenter, branch offices, and public cloud
- D. FortiGate, FortiManager, FortiAnalyzer, and FortiDeploy

Answer: D (LEAVE A REPLY)

NEW QUESTION: 11

Refer to the exhibit.

An administrator is troubleshooting SD-WAN on FortiGate. A device behind branch1_fgt generates traffic to the 10.0.0.0/8 network. The administrator expects the traffic to match SD-WAN rule ID 1 and be routed over T_INET_0_0. However, the traffic is routed over T_INET_1_0.

Based on the output shown in the exhibit, which two reasons can cause the observed behavior?
(Choose two.)

- A. The traffic matches a regular policy route configured with T_INET_1_0 as the outgoing device.
- B. T_INET_1_0 has a lower route priority value (higher priority) than T_INET_0_0.
- C. T_INET_0_0 does not have a valid route to the destination.
- D. T_INET_1_0 has a higher member configuration priority than T_INET_0_0.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

Which two protocols in the IPsec suite are most used for authentication and encryption? (Choose two.)

- A. Security Association (SA)
- B. Internet Key Exchange (IKE)
- C. Encapsulating Security Payload (ESP)
- D. Secure Shell (SSH)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

Refer to the exhibit, which shows the IPsec phase 1 configuration of a spoke.

What must you configure on the IPsec phase 1 configuration for ADVPN to work with SD-WAN?

- A. You must disable idle-timeout.
- B. You must enable auto-discovery-sender.
- C. You must set ike-version to 1.
- D. You must enable net-device.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which are two benefits of using CLI templates in FortiManager? (Choose two.)

- A. You can configure interfaces as SD-WAN members without having to remove references first.
- B. You can reference meta fields.
- C. You can configure FortiManager to sync local configuration changes made on the managed device, to the CLI template.
- D. You can configure advanced CLI settings.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Which two statements about SD-WAN central management are true? (Choose two.)

- A. The objects are saved in the ADOM common object database.
- B. It does not support meta fields.
- C. It uses templates to configure SD-WAN on managed devices.
- D. It supports normalized interfaces for SD-WAN member configuration.

Answer: A,C (LEAVE A REPLY)

Explanation

Normalized interfaces are not supported for SD-WAN templates. You can create multiple SD-WAN zones and add interface members to the SD-WAN zones. You must bind the interface members by name to physical interfaces or VPN

interfaces.<https://docs.fortinet.com/document/fortigate/7.0.0/sd-wan-new-features/794804/new-sd-wan-template->

NEW QUESTION: 16

Refer to the exhibits.

Exhibit A

Exhibit B -

Exhibit A shows the configuration for an SD-WAN rule and exhibit B shows the respective rule status, the routing table, and the member status.

The administrator wants to understand the expected behavior for traffic matching the SD-WAN rule.

Based on the exhibits, what can the administrator expect for traffic matching the SD-WAN rule?

- A. The traffic will be routed over T_MPLS_0.
- B. The traffic will be load balanced across all three overlays.
- C. The traffic will be routed over T_INET_1_0.
- D. The traffic will be routed over T_INET_0_0.

Answer: A (LEAVE A REPLY)

Valid NSE7_SDW-7.0 Dumps shared by Actual4test.com for Helping Passing NSE7_SDW-7.0 Exam! Actual4test.com now offer the **newest NSE7_SDW-7.0 exam dumps**, the Actual4test.com NSE7_SDW-7.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NSE7_SDW-7.0 dumps with Test Engine here: https://www.actual4test.com/NSE7_SDW-7.0_examcollection.html (70 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

Two hub-and-spoke groups are connected through a site-to-site IPsec VPN between Hub 1 and Hub 2. The administrator configured ADVPN on both hub-and-spoke groups.

Which two outcomes are expected if a user in Toronto sends traffic to London? (Choose two.)

- A. Traffic from Toronto to London triggers the dynamic negotiation of a direct site-to-site VPN.
- B. The first packets from Toronto to London are routed through Hub 1 then to Hub 2.
- C. London generates an IKE information message that contains the Toronto public IP address.
- D. Toronto needs to establish a site-to-site tunnel with Hub 2 to bypass Hub 1.

Answer: (SHOW ANSWER)

Valid NSE7_SDW-7.0 Dumps shared by Actual4test.com for Helping Passing NSE7_SDW-7.0 Exam! Actual4test.com now offer the **newest NSE7_SDW-7.0 exam dumps**, the Actual4test.com NSE7_SDW-7.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NSE7_SDW-7.0 dumps with Test Engine here: https://www.actual4test.com/NSE7_SDW-7.0_examcollection.html (**70 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)