

## Fortinet.NSE7\_SDW-7.2.v2024-10-17.q40

<b>Exam Code:</b>	NSE7_SDW-7.2
<b>Exam Name:</b>	Fortinet NSE 7 - SD-WAN 7.2
<b>Certification Provider:</b>	Fortinet
<b>Free Question Number:</b>	40
<b>Version:</b>	v2024-10-17
<b># of views:</b>	1377
<b># of Questions views:</b>	400
<a href="https://www.freepdfdumps.com/Fortinet.NSE7_SDW-7.2.v2024-10-17.q40.html">https://www.freepdfdumps.com/Fortinet.NSE7_SDW-7.2.v2024-10-17.q40.html</a>	

### NEW QUESTION: 1

In a hub-and-spoke topology, what are two advantages of enabling ADVPN on the IPsec overlays? (Choose two.)

- A. It provides direct connectivity between spokes by creating shortcuts.
- B. It enables spokes to bypass the hub during shortcut negotiation.
- C. It enables spokes to establish shortcuts to third-party gateways.
- D. It provides the benefits of a full-mesh topology in a hub-and-spoke network.

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 2

Refer to the exhibits.

Exhibit A -

Exhibit B -

Exhibit A shows a site-to-site topology between two FortiGate devices: branch1\_fgt and dc1\_fgt.

Exhibit B shows the system global and system settings configuration on dc1\_fgt.

When branch1\_client establishes a connection to dc1\_host, the administrator observes that, on dc1\_fgt, the reply traffic is routed over T\_INET\_0\_0, even though T\_INET\_1\_0 is the preferred member in the matching SD-WAN rule.

Based on the information shown in the exhibits, what configuration change must be made on dc1\_fgt so dc1\_fgt routes the reply traffic over T\_INET\_1\_0?

- A. Disable allow-subnet-overlap under config system settings.
- B. Disable tp-session-without-syn under config system settings.
- C. Enable auxiliary-session under config system settings.
- D. Enable snat-route-change under config system global.

**Answer:** C ([LEAVE A REPLY](#))

### NEW QUESTION: 3

Which components make up the secure SD-WAN solution?

- A. Application, antivirus, and URL, and SSL inspection
- B. FortiGate, FortiManager, FortiAnalyzer, and FortiDeploy
- C. Datacenter, branch offices, and public cloud
- D. Telephone, ISDN, and telecom network.

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 4**

Which CLI command do you use to perform real-time troubleshooting for ADVPN negotiation?

- A. get router info routing-table all
- B. diagnose debug application ike
- C. diagnose vpn tunnel list
- D. get ipsec tunnel list

**Answer:** ([SHOW ANSWER](#))

IKE real-time debug - useful when debugging ADVPN shortcut messages and spoke-to-spoke negotiations.

- \* diagnose debug console timestamp enable
- \* diagnose vpn ike log filter clear
- \* diagnose vpn ike log filter mdst-addr4 <ip.of.hub> <ip.of.spoke>
- \* diagnose debug application ike -1
- \* diagnose debug enable

**NEW QUESTION: 5**

Which two statements reflect the benefits of implementing the ADVPN solution to replace conventional VPN topologies? (Choose two.)

- A. It provides direct connectivity between all sites by creating on-demand tunnels between spokes.
- B. It dynamically assigns cost and weight between the hub and the spokes, based on the physical distance.
- C. It ensures that spoke-to-spoke traffic no longer needs to flow through the tunnels through the hub.
- D. It creates redundant tunnels between hub-and-spokes, in case failure takes place on the primary links.

**Answer:** A,C ([LEAVE A REPLY](#))

**NEW QUESTION: 6**

Refer to the exhibits.

Exhibit A -

Exhibit B -

Exhibit A shows the traffic shaping policy and exhibit B shows the firewall policy.

The administrator wants FortiGate to limit the bandwidth used by YouTube. When testing, the administrator determines that FortiGate does not apply traffic shaping on YouTube traffic. Based on the policies shown in the exhibits, what configuration change must be made so FortiGate performs traffic shaping on YouTube traffic?

- A. Individual SD-WAN members must be selected as the outgoing interface on the traffic shaping policy.
- B. Application control must be enabled on the firewall policy.
- C. Destination internet service must be enabled on the traffic shaping policy.
- D. Web filtering must be enabled on the firewall policy.

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 7**

Refer to the exhibit.

The exhibit shows the SD-WAN rule status and configuration.

Based on the exhibit, which change in the measured latency will make T\_MPLS\_0 the new preferred member?

- A. When T\_INET\_0\_0 has a latency of 250 ms.
- B. When T\_N1PLS\_0 has a latency of 80 ms.
- C. When T\_INET\_0\_0 and T\_MPLS\_0 have the same latency.
- D. When T\_MPLS\_0 has a latency of 100 ms.

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 8**

Which two statements about SLA targets and SD-WAN rules are true? (Choose two.)

- A. SD-WAN rules use SLA targets to check if the preferred members meet the SLA requirements.
- B. When configuring an SD-WAN rule, you can select multiple SLA targets of the same performance SLA.
- C. SLA targets are used only by SD-WAN rules that are configured with Lowest Cost (SLA) or Maximize Bandwidth (SLA) as strategy.
- D. Member metrics are measured only if an SLA target is configured.

**Answer: A,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 9**

Refer to the exhibit.

Which statement explains the output shown in the exhibit?

- A. FortiGate performed standard FIB routing on the session.
- B. FortiGate will not re-evaluate the session following a firewall policy change.
- C. FortiGate used 192.2.0.1 as the gateway for the original direction of the traffic.
- D. FortiGate must re-evaluate the session due to routing change.

**Answer: ([SHOW ANSWER](#))**

The snat-route-change option is enabled by default. This option enables FortiGate to re-evaluate the routing table and select a new egress interface if the next hop IP address changes. This option only applies to sessions in the dirty state. Sessions in the log state are not affected by routing changes.

**NEW QUESTION: 10**

Which diagnostic command can you use to show the configured SD-WAN zones and their assigned members?

- A. diagnose sys sdwan service
- B. diagnose sys sdwan member
- C. diagnose sys sdwan zone
- D. diagnose sys sdwan interface

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 11**

The SD-WAN overlay template helps to prepare SD-WAN deployments. To complete the tasks performed by the SD-WAN overlay template, the administrator must perform some post-run tasks. What are three mandatory post-run tasks that must be performed? (Choose three.)

- A. Assign a branch\_id metadata variable to each branch device.
- B. Create policy packages for branch devices.
- C. Assign an sdwan\_id metadata variable to each device (branch and hub).
- D. Configure routing through overlay tunnels created by the SD-WAN overlay template.
- E. Configure SD-WAN rules.

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 12**

What are two advantages of using an IPsec recommended template to configure an IPsec tunnel in a hub-and-spoke topology? (Choose two.)

- A. VPN monitor tool provides additional statistics for tunnels defined with an IPsec recommended template.
- B. FortiManager automatically installs IPsec tunnels to every spoke when they are added to the FortiManager ADOM.
- C. IPsec recommended template guides the administrator to use Fortinet recommended settings.
- D. IPsec recommended template ensures consistent settings between phase1 and phase2

**Answer:** B,C ([LEAVE A REPLY](#))

According to the SD-WAN 7.2 Study Guide, IPsec recommended templates are designed to simplify the configuration of IPsec tunnels in a hub-and-spoke topology. They have the following advantages:

\* FortiManager automatically installs IPsec tunnels to every spoke when they are added to the FortiManager ADOM. This reduces the manual effort and ensures that all spokes have the same configuration.

\* IPsec recommended template guides the administrator to use Fortinet recommended settings, such as encryption algorithms, key lifetimes, and dead peer detection. This ensures optimal performance and security of the IPsec tunnels.

### **NEW QUESTION: 13**

Exhibit.

Which conclusion about the packet debug flow output is correct?

- A.** The total number of daily sessions for 10.1.10.1 exceeded the maximum number of concurrent sessions configured in the traffic shaper, and the packet was dropped.
- B.** The packet size exceeded the outgoing interface MTU.
- C.** The number of concurrent sessions for 10.1.10.1 exceeded the maximum number of concurrent sessions configured in the traffic shaper, and the packet was dropped.
- D.** The number of concurrent sessions for 10.1.10.1 exceeded the maximum number of concurrent sessions configured in the firewall policy, and the packet was dropped.

**Answer: C** ([LEAVE A REPLY](#))

In a Per-IP shaper configuration, if an IP address exceeds the configured concurrent session limit, the message

"Denied by quota check" appears. SD-WAN 7.0 Study Guide page 287

### **NEW QUESTION: 14**

Refer to the exhibits.

Exhibit A

Exhibit B

Exhibit A shows an SD-WAN event log and exhibit B shows the member status and the SD-WAN rule configuration.

Based on the exhibits, which two statements are correct? (Choose two.)

- A.** Port2 has a lower latency than port1.
- B.** FortiGate updated the outgoing interface list on the rule so it prefers port2.
- C.** Port2 has the highest member priority.
- D.** SD-WAN rule ID 1 is set to lowest cost (SLA) mode.

**Answer: A,B** ([LEAVE A REPLY](#))

### **NEW QUESTION: 15**

Which two performance SLA protocols enable you to verify that the server response contains a specific value?

(Choose two.)

- A.** http
- B.** icmp
- C.** twamp
- D.** dns

**Answer: A,D** ([LEAVE A REPLY](#))

Performance SLA (Service Level Agreement) protocols are used in SD-WAN to monitor the quality and performance of various network services. The two protocols that specifically allow for verifying a specific value in the server response are:

\* HTTP (Hypertext Transfer Protocol): HTTP is the foundation of data communication on the World Wide Web. It allows for fetching resources, such as HTML documents. You can configure an HTTP performance SLA to send specific requests (e.g., GET or POST) and then check if the response body contains a particular string or value. This is useful for validating web server functionality and content delivery.

\* DNS (Domain Name System): DNS is responsible for translating domain names into IP addresses. A DNS performance SLA can be set up to query a specific domain and verify that the returned IP address or other DNS record values match what is expected. This helps ensure proper name resolution and accessibility of resources.

### NEW QUESTION: 16

Which two conclusions for traffic that matches the traffic shaper are true? (Choose two.)

- A. The traffic shaper drops packets if the bandwidth exceeds 6250 Kbps.
- B. The traffic shaper drops packets if the bandwidth is less than 2500 Kbps.
- C. The measured bandwidth is less than 100 Kbps.
- D. The traffic shaper limits the bandwidth of each source IP to a maximum of 6250 Kbps.

Answer: ([SHOW ANSWER](#))

**Valid NSE7\_SDW-7.2 Dumps** shared by Actual4test.com for Helping Passing NSE7\_SDW-7.2 Exam! Actual4test.com now offer the **newest NSE7\_SDW-7.2 exam dumps**, the Actual4test.com NSE7\_SDW-7.2 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NSE7\_SDW-7.2 dumps with Test Engine here: [https://www.actual4test.com/NSE7\\_SDW-7.2\\_examcollection.html](https://www.actual4test.com/NSE7_SDW-7.2_examcollection.html) (101 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

### NEW QUESTION: 17

What are two benefits of using the Internet service database (ISDB) in an SD-WAN rule? (Choose two.)

- A. The ISDB applies rules to traffic from specific sources, based on application type.
- B. The ISDB is dynamically updated and reduces administrative overhead.
- C. The ISDB requires application control to maintain signatures and perform load balancing.
- D. The ISDB contains the IP addresses and port ranges of well-known internet services.

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 18

What are two benefits of using forward error correction (FEC) in IPsec VPNs? (Choose two.)

- A. FEC improves reliability of noisy links.
- B. FEC supports hardware offloading.
- C. FEC can leverage multiple IPsec tunnels for parity packets transmission.
- D. FEC transmits parity packets that can be used to reconstruct packet loss.

**Answer: A,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 19**

Refer to the exhibit.

Based on the exhibit, which two statements are correct about the health of the selected members? (Choose two.)

- A. FortiGate can offload the traffic that is subject to passive monitoring to hardware.
- B. During passive monitoring, FortiGate can't detect dead members.
- C. After FortiGate switches to active mode, FortiGate never fails back to passive monitoring.
- D. FortiGate passively monitors the member if TCP traffic is passing through the member.

**Answer: B,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 20**

Refer to the exhibit.

The device exchanges routes using IBGP.

Which two statements are correct about the IBGP configuration and routing information on the device?

(Choose two.)

- A. You can run the get router info routing-table database command to display the additional paths.
- B. additional-path is enabled.
- C. Each BGP route is three hops away from the destination.
- D. ibgp-multipath is disabled.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 21**

Exhibit.

The exhibit shows the output of the command diagnose sys sdwan health-check status collected on a FortiGate device. Which two statements are correct about the health check status on this FortiGate device? (Choose two.)

- A. The health-check VPN\_PING orders the members according to the lowest jitter.
- B. The interface T\_INET\_1 missed one SLA target.
- C. There is no SLA criteria configured for the health-check Level3\_DNS.
- D. The interface T\_INET\_0 missed three SLA targets.

**Answer: A,C ([LEAVE A REPLY](#))**

According to the FortiGate / FortiOS 6.4.2 Administration Guide, the health check status command displays the status of the health check probes for each SD-WAN member interface. The output includes the following information:

- \* state: the current state of the interface, either alive or dead
- \* packet-loss: the percentage of packets lost during the health check
- \* latency: the average round-trip time in milliseconds
- \* jitter: the variation in latency
- \* mos: the mean opinion score, a measure of voice quality
- \* bandwidth: the available bandwidth in kilobits per second for each direction (up, down, bi)
- \* sla map: a bitmap that indicates which SLA criteria are met or failed Based on the exhibit, the following statements are correct:
  - \* The health-check VPN\_PING orders the members according to the lowest jitter. This means that the interface with the lowest jitter value is listed first, followed by the next lowest, and so on<sup>1</sup>. In the exhibit, the order is T\_MPLS, T\_INET\_1, and T\_INET\_0.
  - \* There is no SLA criteria configured for the health-check Level3\_DNS. This means that the health check does not use any SLA parameters to determine the state of the interface<sup>2</sup>. In the exhibit, the sla map value is 0x0 for both port1 and port2, indicating that no SLA criteria are applied.

#### **NEW QUESTION: 22**

Which two statements about the SD-WAN zone configuration are true? (Choose two.)

- A. You can delete the default zones.
- B. The service-sla-tie-break setting enables you to configure preferred member selection based on the best route to the destination.
- C. An SD-WAN member can belong to two or more zones.
- D. The default zones are virtual-wan-link and SASE.

**Answer: B,D (LEAVE A REPLY)**

#### **NEW QUESTION: 23**

Which two statements are true about using SD-WAN to steer local-out traffic? (Choose two.)

- A. You must configure each local-out feature individually, to use SD-WAN.
- B. By default, FortiGate does not check if the selected member has a valid route to the destination.
- C. FortiGate does not consider the source address of the packet when matching an SD-WAN rule for local-out traffic.
- D. By default, local-out traffic does not use SD-WAN.

**Answer: A,D (LEAVE A REPLY)**

#### **NEW QUESTION: 24**

Which two statements are correct when traffic matches the implicit SD-WAN rule? (Choose two.)

- A. The sdwan\_service\_id flag in the session information is 0.

- B. All SD-WAN rules have the default setting enabled.
- C. Traffic does not match any of the entries in the policy route table.
- D. Traffic is load balanced using the algorithm set for the v4-ecmp-mode setting.

**Answer: (SHOW ANSWER)**

sdwan\_service\_id is 0 = match SD-WAN implicit rule, study guide 7.0 page 120, 7.2 page 149  
SD-WAN rules internally are interpreted as a Policy route, so when the traffic doesn't match with any policy route, it will be flowing by implicit policy.

**NEW QUESTION: 25**

Refer to the exhibit.

Which configuration change is required if the responder FortiGate uses a dynamic routing protocol to exchange routes over IPsec?

- A. type must be set to static.
- B. mode-cfg must be enabled.
- C. add-route must be disabled.
- D. exchange-interface-ip must be enabled.

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 26**

Which action fortigate performs on the traffic that is subject to a per-IP traffic shaper of 10 Mbps?

- A. FortiGate guarantees a minimum of 10 Mbps of bandwidth to each source IP address.
- B. Fortigate limits each source ip address to a maximum bandwidth of 10 Mbps.
- C. FortiGate shares 10 Mbps of bandwidth equally among all source IP addresses.

RIAS

- D. FortiGate applies traffic shaping to the original traffic direction only.

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 27**

What is the route-tag setting in an SD-WAN rule used for?

- A. To indicate the routes for health check probes.
- B. To indicate the members that can be used to route SD-WAN traffic.
- C. To indicate the destination of a rule based on learned BGP prefixes.
- D. To indicate the routes that can be used for routing SD-WAN traffic.

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 28**

What are two benefits of choosing packet duplication over FEC for data loss correction on noisy links?

(Choose two.)

- A. Packet duplication uses smaller parity packets which results in less bandwidth consumption.
- B. Packet duplication supports hardware offloading.

- C. Packet duplication does not require a route to the destination.
- D. Packet duplication can leverage multiple IPsec overlays for sending additional data.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 29**

Which two interfaces are considered overlay links? (Choose two.)

- A. LAG
- B. IPsec
- C. Physical
- D. GRE

Answer: B,D ([LEAVE A REPLY](#))

**NEW QUESTION: 30**

Refer to the exhibit, which shows the IPsec phase 1 configuration of a spoke.

What must you configure on the IPsec phase 1 configuration for ADVPN to work with SD-WAN?

- A. You must disable idle-timeout.
- B. You must enable net-device.
- C. You must enable auto-discovery-sender.
- D. You must set ike-version to 1.

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 31**

Which SD-WAN setting enables FortiGate to delay the recovery of ADVPN shortcuts?

- A. idle-timeout
- B. auto-discovery-shortcuts
- C. link-down-failover
- D. hold-down-time

Answer: ([SHOW ANSWER](#))

**Valid NSE7\_SDW-7.2 Dumps** shared by Actual4test.com for Helping Passing NSE7\_SDW-7.2 Exam! Actual4test.com now offer the **newest NSE7\_SDW-7.2 exam dumps**, the Actual4test.com NSE7\_SDW-7.2 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NSE7\_SDW-7.2 dumps with Test Engine here: [https://www.actual4test.com/NSE7\\_SDW-7.2\\_examcollection.html](https://www.actual4test.com/NSE7_SDW-7.2_examcollection.html) (101 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

**NEW QUESTION: 32**

Refer to the exhibit.

An administrator used the SD-WAN overlay template to prepare an IPsec configuration for a hub-and-spoke SD-WAN topology. The exhibit shows the installation preview for one FortiGate device. In the exhibit, which statement best describes the configuration applied to the FortiGate device?

- A.** It is a hub device. It can send ADVPN shortcut offers.
- B.** It is a spoke device that establishes dynamic IPsec tunnels to the hub. The subnet range is 10.10.128.0/23.
- C.** It is a spoke device that establishes dynamic IPsec tunnels to the hub. It can send ADVPN shortcut requests.
- D.** It is a hub device and will automatically discover the spoke devices that are in the SD-WAN topology.

**Answer: C (LEAVE A REPLY)**

According to the SD-WAN 7.2 Study Guide, the SD-WAN overlay template simplifies the configuration of IPsec tunnels in a hub-and-spoke topology. The template defines the following parameters:

- \* type: dynamic for spokes, static for hubs
- \* interface: the WAN interface to use for the IPsec tunnel
- \* network-overlay: enable for spokes, disable for hubs
- \* network-id: a unique identifier for each spoke
- \* auto-discovery-sender: enable for hubs, disable for spokes
- \* auto-discovery-receiver: enable for spokes, disable for hubs

Based on the exhibit, the FortiGate device has the following configuration:

- \* type: dynamic
- \* interface: port1
- \* network-overlay: enable
- \* network-id: 5
- \* auto-discovery-sender: disable
- \* auto-discovery-receiver: enable

Therefore, the FortiGate device is a spoke that establishes dynamic IPsec tunnels to the hub. It also has the network-overlay and auto-discovery-receiver options enabled, which means it can send ADVPN shortcut requests to other spokes when it receives a shortcut offer from the hub

### **NEW QUESTION: 33**

Exhibit.

The exhibit shows VPN event logs on FortiGate. In the output shown in the exhibit, which statement is true?

- A.** There are no IPsec tunnel statistics log messages for ADVPN cuts.
- B.** There is one shortcut tunnel built from master tunnel T\_MPLS\_0.
- C.** The VPN tunnel T\_MPLS\_0 is a shortcut tunnel.
- D.** The master tunnel T\_INET\_0 cannot accept the ADVPN shortcut.

**Answer: B (LEAVE A REPLY)**

VPN event logs record the status of VPN tunnels, such as the establishment, termination, or failure of a tunnel.

The output includes the following information:

- \* logid: the log ID number
- \* type: the log type, either traffic or event
- \* subtype: the log subtype, either vpn or ipsec
- \* level: the log level, either error, warning, or notice
- \* vd: the virtual domain name
- \* logdesc: the log description
- \* msg: the log message
- \* action: the log action, such as tunnel-up, tunnel-down, or tunnel-stats
- \* remip: the remote IP address
- \* locip: the local IP address
- \* remport: the remote port number
- \* locport: the local port number
- \* outintf: the outgoing interface name
- \* cookies: the IKE SA cookies
- \* user: the user name
- \* group: the user group name
- \* useralt: the alternative user name
- \* xauthuser: the XAuth user name
- \* authgroup: the XAuth user group name
- \* assignip: the assigned IP address
- \* vpntunnel: the VPN tunnel name
- \* tunnellip: the tunnel loopback IP address
- \* tunnelid: the tunnel ID number
- \* tunneltype: the tunnel type, either ipsec or ssl
- \* duration: the tunnel duration in seconds
- \* sentbyte: the number of bytes sent
- \* rcvdbyte: the number of bytes received
- \* nextstat: the next statistics interval in seconds
- \* advpnsc: the ADVPN shortcut flag, either 0 or 1

Based on the exhibit, the following statement is true:

\* There is one shortcut tunnel built from master tunnel T\_MPLS\_0. This means that the VPN tunnel T\_MPLS\_0 is a master tunnel that can send ADVPN shortcut offers to other spokes, and the VPN tunnel T\_MPLS\_0\_0 is a shortcut tunnel that is built from the master tunnel T\_MPLS\_01. In the exhibit, the

\* log action for T\_MPLS\_0 is tunnel-up, and the log action for T\_MPLS\_0\_0 is shortcut-up. The advpnsc flag for T\_MPLS\_0 is 0, indicating that it is not a shortcut tunnel, while the advpnsc flag for T\_MPLS\_0\_0 is 1, indicating that it is a shortcut tunnel.

**NEW QUESTION: 34**

Which are three key routing principles in SD-WAN? (Choose three.)

- A. FortiGate performs route lookups for new sessions only.
- B. Regular policy routes have precedence over SD-WAN rules.
- C. SD-WAN rules have precedence over ISDB routes.
- D. By default, SD-WAN members are skipped if they do not have a valid route to the destination.
- E. By default, SD-WAN rules are skipped if the best route to the destination is not an SD-WAN member.

**Answer: B,D,E ([LEAVE A REPLY](#))**

Study Guide 7.2, pages 125, 129, 151

**NEW QUESTION: 35**

Which are two benefits of using CLI templates in FortiManager? (Choose two.)

- A. You can configure FortiManager to sync local configuration changes made on the managed device, to the CLI template.
- B. You can configure advanced CLI settings.
- C. You can configure interfaces as SD-WAN members without having to remove references first.
- D. You can reference meta fields.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 36**

Which three matching traffic criteria are available in SD-WAN rules? (Choose three.)

- A. Type of physical link connection
- B. URL categories
- C. Application signatures
- D. Source and destination IP address
- E. Internet service database (ISDB) address object

**Answer: C,D,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 37**

Refer to the exhibit.

Which conclusion about the packet debug flow output is correct?

- A. The original traffic exceeded the maximum packets per second of the outgoing interface, and the packet was dropped.
- B. The original traffic exceeded the maximum bandwidth of the outgoing interface, and the packet was dropped.
- C. The original traffic exceeded the maximum bandwidth configured in the traffic shaper, and the packet was dropped.
- D. The reply traffic exceeded the maximum bandwidth configured in the traffic shaper, and the packet was dropped.

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 38**

Refer to the exhibit.

Which statement about the role of the ADVPN device in handling traffic is true?

- A. This is a spoke that has received a query from a remote hub and has forwarded the response to its hub.
- B. Two hubs, 10.0.1.101 and 10.0.2.101, are receiving and forwarding queries between each other.
- C. Two spokes, 192.2.0.1 and 10.0.2.101, forward their queries to their hubs.
- D. This is a hub that has received a query from a spoke and has forwarded it to another spoke.

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 39**

Refer to the exhibits.

Exhibit A -

Exhibit B -

Exhibit A shows the SD-WAN performance SLA and exhibit B shows the SD-WAN member status, the routing table, and the performance SLA status.

If port2 is detected dead by FortiGate, what is the expected behavior?

- A. Port2 becomes alive after three successful probes are detected.
- B. FortiGate removes all static routes for port2.
- C. The administrator manually restores the static routes for port2, if port2 becomes alive.
- D. Host 8.8.8.8 is reachable through port1 and port2.

**Answer: B (LEAVE A REPLY)**

This is due to Update static route is enable which removes the static route entry referencing the interface if the interface is dead

**NEW QUESTION: 40**

Refer to the exhibits.

Exhibit A

Exhibit B

Exhibit A shows the source NAT (SNAT) global setting and exhibit B shows the routing table on FortiGate.

Based on the exhibits, which two actions does FortiGate perform on existing sessions established over port2, if the administrator increases the static route priority on port2 to 20? (Choose two.)

- A. FortiGate flags the sessions as dirty.
- B. FortiGate updates the gateway information of the sessions with SNAT so that they use port1 instead of port2.
- C. FortiGate continues routing the sessions with no SNAT, over port2.
- D. FortiGate performs a route lookup for the original traffic only.

**Answer: B,C (LEAVE A REPLY)**

**Valid NSE7\_SDW-7.2 Dumps** shared by Actual4test.com for Helping Passing NSE7\_SDW-7.2 Exam! Actual4test.com now offer the **newest NSE7\_SDW-7.2 exam dumps**, the Actual4test.com NSE7\_SDW-7.2 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NSE7\_SDW-7.2 dumps with Test Engine here: [https://www.actual4test.com/NSE7\\_SDW-7.2\\_examcollection.html](https://www.actual4test.com/NSE7_SDW-7.2_examcollection.html) (**101 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)