

HP.HPE0-J68.v2021-10-27.q40

Exam Code:	HPE0-J68
Exam Name:	HPE Storage Solutions
Certification Provider:	HP
Free Question Number:	40
Version:	v2021-10-27
# of views:	1859
# of Questions views:	400
https://www.freepdfdumps.com/HP.HPE0-J68.v2021-10-27.q40.html	

NEW QUESTION: 1

Which statement describes HPE StoreVirtual Network RAID functionality?

- A. Redundancy is managed on a per-volume basis.
- B. With Network RAID 10+2 data is striped and mirrored across two or more storage systems.
- C. Network RAID 10 requires an even number of storage nodes.
- D. Volumes remain available if an odd number of nodes are available.

Answer: A (LEAVE A REPLY)

Redundancy is managed on a per volume basis to improve storage utilization and to remove any single point of failure.

NEW QUESTION: 2

A customer needs to be manually map out preferred paths within a multi-switch fabric, based on application ,priority ,and topology, while allowing failover to a non-preferred path if the preferred path fails, Which B-series FC switch functionality should be used to provide this?

- A. Quality of services
- B. Enhanced group management
- C. Frame filtering
- D. Traffic isolation Zones

Answer: D (LEAVE A REPLY)

NEW QUESTION: 3

Which storage tool in the storage assessment foundry provide data protection analysis?

- A. NinjaCrawler
- B. Ninja Stars
- C. Ninja Thin
- D. Ninja protected+ (318)

Answer: D (LEAVE A REPLY)

NEW QUESTION: 4

A customer uses Recovery manager central for Vmware (RMC-V). They need to ability to perform granular recovery of application item directly from backups...Which solution integrates with RMC-V to provide the desired requirements?

- A. Veeam Backup & Replication
- B. Netbackup
- C. StoreOnce cloudbank
- D. CommVault

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 5

A customer has a large deployment of HPE Synergy compute modules, HPE 3PAR StoreServ storage, and HPE StoreOnce systems in a single data center. They are concerned about the risk of data loss due to site disaster.

What is the reason to propose HPE CloudBank?

- A. To improve RPO/RTO objectives by automating snapshot-based integrating between 3PAR and StoreOnce.
- B. To easily move workloads to AWS or Azure in the event of site disaster.
- C. To leverage 3PAR snapshots and utilize StoreOnce recovery capabilities to minimize data loss and downtime.
- D. To regularly send backups to the cloud for the purposes of DR protection.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 6

Which HPE 3PAR StoreServ feature allows a host to continue I/O uninterrupted during a firmware upgrade?

- A. Peer Persistence
- B. Persistent Ports
- C. Persistent Memory
- D. Persistent Cache

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

Which built-in HPE 3PAR StoreServ technology reduces database transaction logs response time?

- A. Thin Deduplication
- B. Adaptive Flash Cache
- C. Express Writes
- D. Thin provisioning

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

Which 3PAR storeServ feature allow to host to continue I/O uninterrupted during a firmware update?

- A. Persistent port (96)
- B. Peer persistence
- C. Persistent Memory

Answer: ([SHOW ANSWER](#))

D Persistent Cache

NEW QUESTION: 9

Which resource provides configurations for HPE tested and referenced configurations in a software-defined storage environment?

- A. HPE Storage Sizer
- B. One Config Advanced
- C. NinjaStars
- D. StoreVirtual VSA Ready Nodes

Answer: D ([LEAVE A REPLY](#))

HPE StoreVirtual VSA Ready Nodes-HPE tested reference configurations on HPE ProLiant servers that address typical virtualization and remote office use cases, and deployment of converged solutions.

NEW QUESTION: 10

How does HPE StoreVirtual DSM for windows enhanced Microsoft windows native MPIO?

- A. It automatically combines HPE thin provisioning and volume migration technology
- B. It automatically create an I/O path to each storage system in the cluster
- C. It automatically adjusts the availability bandwidth between the switch and the array
- D. It automatically adjusts transfer block

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 11

You are adding a new host for an HPE 3PAR StoreServ proof-of-concept .In addition to the host name ,What is the minimum information that is required to create a host profile?

- A. Host MAC
- B. Host WWN
- C. Host Persona
- D. Host set

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 12

A customer asks for a 50 TB disk-based backup solution with deduplication. They also need additional storage for test/dev purposes.

Which single HPE storage platform can you present to the customer that will meet both of their needs?

- A. HPE Nimble SF series
- B. HPE StoreEasy Gateway
- C. HPE StoreOnce
- D. HPE Nimble CS series

Answer: A ([LEAVE A REPLY](#))

HPE quick specs , they also offer the flash-optimized performance needed to run development/test, QA, and analytics workloads on your backup data-plus production workloads when needed.

NEW QUESTION: 13

What advantage does the Unified API that is part of HPE's composable strategy provide?

- A. infrastructure lifecycle managed with standard programming code
- B. single portal for managing servers, networking, and storage
- C. write-back capability and instant cable warmth
- D. dedicated object storage platform

Answer: B ([LEAVE A REPLY](#))

Unified API provides a single interface to discover, search, inventory, configure, provision, update, and diagnose the Composable Infrastructure. A single line of code enables full infrastructure programmability and can provision the infrastructure required for an application.

NEW QUESTION: 14

A customer with an HPE 3PAR StoreServ needs to upgrade their aging backup solution to a more advanced solution using snapshots and deduplication.

Which HPE products would meet the customer's needs? (Choose two.)

- A. HPE StoreOnce
- B. HPE 3PAR Remote Copy
- C. HPE Recovery Manager Central
- D. HPE 3PAR File Persona
- E. HPE StoreEver

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

A customer has deployed an HPE 3PAR StoreServ 8400 with two nodes and three additional disk enclosure .They want to expand the solution with two additional nodes and three additional disk enclosure ..What must you do to expand the customers solution?

- A. The new nodes and enclosure must be placed in an adjacent racks
- B. The existing nodes need to be take Offline

- C. The system should be updated to the latest supported OS before the hardware expansion
- D. The new disks must be imported before the new nodes can be added

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

A customer is looking for a centralized file-sharing solution that can provide print services in addition to 15TB of storage.

Which solution component should you recommend?

- A. NAS
- B. FC switch
- C. FC-based array
- D. Disk enclosure with integrated SAS switch

Answer: ([SHOW ANSWER](#))

Valid HPE0-J68 Dumps shared by Actual4test.com for Helping Passing HPE0-J68 Exam! Actual4test.com now offer the **newest HPE0-J68 exam dumps**, the Actual4test.com HPE0-J68 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com HPE0-J68 dumps with Test Engine here: https://www.actual4test.com/HPE0-J68_examcollection.html (285 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

You are advising a customer on a new backup strategy to deploy HPE StoreOnce.

What should you recommend to ensure the best storage utilization and performance?

- A. size solution for a single backup device
- B. consolidate activity windows for housekeeping tasks
- C. combine management and backup Ethernet traffic
- D. use separate backup targets for different data types

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18


A customer run several HPE 3PAR storeserv system in their environment using data rest encryption .The customer needs to add an HPE 3PAR Storeserv 8000system to the storage pool and an external key manager for all systems.. What is the requirement for this solution?

- A. Data on the existing HPE 3PAR storeserv array must be decrypted and re-encrypted with new keys
- B. HPE ESKM FIPS mode must be disabled by the administrator
- C. All drives of the new HPE 3PAR storeserv array must be self-encrypting
- D. Boot server for the existing 3PAR storeserv array must be replaced with self-encrypting drive

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 19

Exhibit:



Which fabric design is shown?

- A. cascaded
- B. core-edge
- C. single fabric
- D. meshed

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 20

A customer need to server 40TB via file protocols including SMB and FTP to a board range of client operating system in one location .security protocol dictate that data must be encrypted with FIPS 140-2 compliance. Which HPE storage solution you recommend?

- A. HPE XP7 storage with encryption ready disk adapters
- B. HPE 3PAR 8200 using self-encrypting drive with 3PAR file persona
- C. HPE MSA 2052 storage with HPE StoreEasy 3850 Gateway
- D. HPE StoreOnce 5500with data in flight encryption .

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 21

When using a HPE 3 PAR Storeserv array to enable a user to apply array-based data services to specific application and VM's. What is the benefit of implementing VM-level gradually of Volts?

- A. Performing is accelerated by detecting and moving the most frequently -accessed VMs into the fast class tier

B. Performance is accelerated by leveraging the deduplication capabilities built into the storage ASIC

C. Efficiency is maintained by reclaiming space from deleted or migrated VMs using capabilities built into the storage ASIC

D. Data sprawls eliminated by performing the migration functions at the array level using 3PAR HPE Dynamic Optimization

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 22

After a performance analysis, a customer plan to reorganize his adaptive Flash cache (AFC) configuration and want to raise it from 256 to 768GB. Which action is needed to take advantage of the new AFC configuration?

A. Remove flash cache for all VVS then run create Flash cache

B. Run tunesys after raising the AFC to take advantage of the additional space

C. Remove the old AO configuration and recreate a new one

D. Increase current AFC configuration to reflect the additional space

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 23

A customer need a backup solution to their virtualized environment .The backup solution must be agentless ,hypervise independent and integrated with HPE storage solutions. The solution must support Nimble snapshot and replication management. What products meets the customer requirement?

A. Veem Backup and Replication

B. Micro Focus Data Protector

C. HPE storeOnce Recovery manager central

D. Commvault Simpana Intellisnap

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 24

A customer's growing environment has a mix of HPE 3PAR StoreServ 8200 with 10K HDD, HPE 3PAR StoreServ 9450, and HPE 3PAR StoreServ 2080D with 3 tiers of storage deployed in the same data center.

The customer needs to optimize performance by being able to move workloads to the most appropriate array as needed.

Which solution enables the customer to achieve this goal?

A. HPE Smart SAN to provide autonomic federated management.

B. HPE OneView to automate cpg migration based on user defined policies.

C. HPE 3PAR Remote Copy in a Synchronous Long Distance topology.

D. HPE 3PAR Peer Motion with SSMC to manage storage federation.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 25

Match the type of storage found in today's market to the HPE storage solution optimized for that capacity?

- A. StoreVirtual - Block
- B. MSA - Block
- C. StoreEasy - File
- D. Nimble - Block
- E. HPE 3PAR StoreServ - Block
- F. Scalability - Object

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 26

A customer wants to expand his cascaded B-series based SAN but is concerned about latencies within the SAN backend. You recommend changing the topology to a full mesh.

Which switch feature will ensure that the latencies in the backend are at the lowest possible level?

- A. LACP
- B. NPIV
- C. VSF
- D. FSPF

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 27

You are designing a solution that will have a new HPE Synergy frame and an HPE 3PAR StoreServ 8200 storage array with only the built-in ports. This new environment must keep the infrastructure within the data center to a minimum.

Which interconnect module will achieve this goal?

- A. Virtual Connect SE 40Gb F8 Module
- B. Synergy 20Gb Interconnect Link Module
- C. Synergy 25-50Gb F8 Switch Module
- D. 6125G/XG Ethernet Blade Switch

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 28

A customer needs to store a large amount of unstructured data that must be queried quickly.

Which type of storage meets the customer's needs?

- A. object
- B. flash
- C. file
- D. hash

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

Which 3PAR storeServ feature allow to host to continue I/O uninterrupted during a firmware update?

- A. Persistent Memory
- B. Persistent port (96)
- C. Peer persistence

Answer: ([SHOW ANSWER](#))

D Persistent Cache

NEW QUESTION: 30


Which protocols are currently used in the front end by HPE 3PAR StoreServ systems? (Choose two.)

- A. Infiniband
- B. NVMe
- C. iSCSI
- D. SAS
- E. FC

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 31

Exhibit:



The customer has upgraded the first of their two HPE StoreServ 8200to the latest inform OS storage configuration to support oracle database volume to utilize HPE 3PAR compression . Based on the analysis of the array .what would be your suggestion to implement the requested change?

- A. Install the catalyst agent on the oracle server to enable inline compression on the selected VV
- B. Consider adding another node pair for compression to work efficiently
- C. Configure the source-side the compression to offload compression to the Host
- D. Balance the workloads between the arrays to have enough headroom for compression

Answer: ([SHOW ANSWER](#))

Valid HPE0-J68 Dumps shared by Actual4test.com for Helping Passing HPE0-J68 Exam! Actual4test.com now offer the **newest HPE0-J68 exam dumps**, the Actual4test.com HPE0-J68 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com HPE0-J68 dumps with Test Engine here: https://www.actual4test.com/HPE0-J68_examcollection.html (285 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

Which feature enables a non-disruptive environment where host-based multi-pathing software is not affected in the event of a firmware upgrade?

- A. HPE 3PAR Access Guard
- B. HPE 3PAR Persistent Ports
- C. HPE 3PAR Persistent Cache
- D. HPE 3PAR MPIO

Answer: B (LEAVE A REPLY)

NEW QUESTION: 33

A customer need to update the local sever at each of their branches keep up with the increasing demand for High-performance storage. The customer cannot afford to move to SAN at each state. Which HPE storage technology can increase performance for this customer?

- A. SmartCache
- B. Persistent Cache
- C. Adaptive Flash Cache
- D. Smart Path

Answer: A (LEAVE A REPLY)

NEW QUESTION: 34

You are planning an upgrade to a customer's existing HPE 3PAR StoreServ 8200 to include 4-port 16Gb FC adapters. The servers are zoned to see the storage via four paths. The customer is concerned about storage availability during the upgrade.

Which statement is correct about performing this upgrade?

- A. The MPIO service will do a failover, and the servers will continue to have access via two paths.
- B. As long as MEM driver is installed on VMware vSphere, no path failures are seen.
- C. Windows servers require host explorer is installed to ensure MPIO is unaffected.
- D. When NPIV is enabled, the HPE 3PAR Port persistence will show all four paths to the servers.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 35

A customer is a cloud service provider with infrastructure powered by HPE 3PAR Storeserv 9000. The customer is concerned about their ability to ensure the quality of service and protect their tenants from unpredictable bursts of I/O from other tenants. What should you recommend to your customer?

- A. Use priority optimization to enable service level for workloads
- B. Use virtual domain to automatically set multi-tenant policies
- C. Use dynamic optimization to automatically manage quality of service
- D. Use adaptive optimization to optimize service level automatically

Answer: A (LEAVE A REPLY)

NEW QUESTION: 36

What allows volume level data to be copied between an HPE 3PAR and an HPE store Virtual VSA?

- A. Recovery Manager central
- B. HPE 3PAR Remote Copy
- C. Store virtual Peer motion
- D. StoreServ Peer Motion

Answer: A (LEAVE A REPLY)

NEW QUESTION: 37

Which storage sizing tool, designed for HPE 3PAR StoreServ, can be used to determine whether customers qualify for the Get Thin Guarantee Program?

- A. NinjaProtected
- B. NinjaStars
- C. NinjaCrawler
- D. StoreVista

Answer: A (LEAVE A REPLY)

By performing a free NinjaProtected backup assessment, HPE and its partners can demonstrate how customers can reduce the amount of backup data they need to store by 95%-guaranteed (HPE StoreOnce Get Protected Guarantee Program)

NEW QUESTION: 38

You are presenting a Nimble solution based on CS3000 hardware to a customer. Which support advantage will be provided with this solution (select two)

- A. Infosight handles the work of 1st and 2nd level support specialist Infosight offers predictive analytics and integration into HPE support center using insight Online.
- B. Customers only have to deploy a service processor for automating support tasks.
- C. Customers always interact with a 3rd level support engineer, when needed
- D. Infosight performs firmware and software updates without additional administrative support.

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 39

You are planning a single-site Nimble solution with iSCSI connectivity. Two 10GbE SFP+ dual port NICs are included in the configuration. You designed an Intelligent Resilient Framework (IRF) stack with HPE FlexFabric 5900CP switches.

Which statement is correct when discussing the IRF limits for this configuration?

- A. In an IRF stack with storage connectivity, the 40GbE ports cannot be used.
- B. When connecting an iSCSI storage to an IRF stack, a minimum of four 10GbE ports must be used per switch.
- C. The used IRF ports for iSCSI traffic have to be configured as 10GbE converged ports.
- D. A maximum of two switches can be used in an IRF stack when connecting storage.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 40

Which type of networking switch handles both Ethernet and fibre channel traffic?

- A. Director
- B. Virtual
- C. Converged
- D. Edge

Answer: C ([LEAVE A REPLY](#))

Valid HPE0-J68 Dumps shared by Actual4test.com for Helping Passing HPE0-J68 Exam! Actual4test.com now offer the **newest HPE0-J68 exam dumps**, the Actual4test.com HPE0-J68 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com HPE0-J68 dumps with Test Engine here: https://www.actual4test.com/HPE0-J68_examcollection.html (285 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)