

## HP.HPE6-A70.v2022-04-26.q63

<b>Exam Code:</b>	HPE6-A70
<b>Exam Name:</b>	Aruba Certified Mobility Associate Exam
<b>Certification Provider:</b>	HP
<b>Free Question Number:</b>	63
<b>Version:</b>	v2022-04-26
<b># of views:</b>	1886
<b># of Questions views:</b>	630
<a href="https://www.freepdfdumps.com/HP.HPE6-A70.v2022-04-26.q63.html">https://www.freepdfdumps.com/HP.HPE6-A70.v2022-04-26.q63.html</a>	

### NEW QUESTION: 1

A company wants to provide wireless access for visitors with their Aruba solution. Which configuration feature enables the guest to access the wireless network without authentication?

- A. redirection of guests to an external captive portal that provides encryption services
- B. addition of custom rules to control access for unauthenticated guests
- C. use of internal captive portal with authentication
- D. use of internal captive portal with email registration

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 2

A company plans to deploy a Mobility Master (MM). The MM will manage 50 Mobility Controller (MC) appliances that will control a total of 700 APs, and 10 Virtual Mobility Controllers (VMCs) that will control a total of 200 APs.

How many MM licenses does the company require?

- A. 60
- B. 210
- C. 900
- D. 960

**Answer:** D ([LEAVE A REPLY](#))

Explanation

Starting with ArubaOS 8.0.1, the MM license is required to terminate devices (controllers or APs) on Mobility Master. If the Mobility Master does not have sufficient MM licenses and an AP fails to obtain a license, that AP can get an IP address and connect to its controller, but will not broadcast an SSID.

### NEW QUESTION: 3

A company has an Aruba solution. The company wants to host a guest login portal with this solution, and the login portal must give guests the option to create their own login accounts. How can a network administrator help meet these criteria?

- A. Choose the Internal captive portal with email registration option for the guest WLAN.
- B. Disable authentication in the captive portal profile for the guest WLAN.
- C. Choose ClearPass or the other external captive portal option for the guest WLAN.
- D. Make sure to create a guest provisioning account for the guest WLAN.

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 4**

A network administrator examines a list of 2.4GHz clients with low performance in the Mobility Master (MM) dashboard. Which property for a client should pose a concern as a potential performance issue?

- A. Max speed of 72Mbps
- B. SNR of 18
- C. Radio PHY of HT 20MHz
- D. Usage of 10 MB

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 5**

A customer has a large campus that requires 400 Aruba 335 APs to support a total of 20,000 wireless users and 12Gbps of traffic. Although the customer wants two controllers for redundancy, each controller must be able to support all of the APs and users on its own.

Which Aruba Mobility Controller models meet the customer requirements and DO NOT unnecessarily exceed them?

- A. Aruba 7240 controllers
- B. Aruba 7210 controllers
- C. Aruba 7030 controllers
- D. Aruba 7024 controllers

**Answer:** B ([LEAVE A REPLY](#))

#### **NEW QUESTION: 6**

A company has a Mobility Master (MM)-based solution with an employee WLAN. Several users report that they can connect to the WLAN, but they cannot access all of the resources that they should.

Where should the network administrator look in the MM interface to find the roles to which these users are actually assigned?

- A. Dashboard > Clients
- B. Configuration > WLANs > Profiles > AAA Profile
- C. Dashboard > Security

D. Configuration > Policies & Roles

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 7**

Refer to the exhibit.

Client	Health(%)	IP Address	Bond	Radio PHY	Client PHY	Device	Role	Forward Mode
employee	48	10.1.51.150	2.4 GHz	HT 2D MHz	HT 2D MHz	Unknown	guest	Tunnel

The exhibit shows output from a Mobility Master (MM) dashboard. What does the health status indicate?

- A. The maximum data rate that 802.11ac supports is about twice as high as the data rate the client uses.
- B. It takes the AP about twice as long to send data to the client as expected if all transmissions succeeded.
- C. About half of the heartbeats the client sends reaches the Mobility Manager (MM).
- D. The client device only complies with about half of the rules in the endpoint health policy.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 8**

What is the minimum space between channels in the 2.4GHz range to prevent overlap?

- A. 7 channels
- B. 1 channel
- C. 3 channels
- D. 5 channels

Answer: D ([LEAVE A REPLY](#))


**NEW QUESTION: 9**

Refer to the exhibits.

Exhibit 1



Exhibit 2



A company has an Aruba solution. Client 1 is assigned to the users1 role, and client 2 is assigned to the users2 role. The exhibits show current firewall rules for those roles. The network1 alias used to be 10.1.1.0/24, but the network administrator now changes the network1 alias to 172.16.1.0/24. Client 1 and Client 2 both send a packet destined to 172.16.1.10.

How does the firewall handle these packets?

- A. It denies both packets.
- B. It permits the packet from Client 1 and denies the packet from Client 2.
- C. It permits both packets.
- D. It denies the packet from Client 1 and permits the packet from Client 2.

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 10**

Refer to the exhibit.

Usage	Mobility Master Licenses		Controller Licenses				
	AP	PEF	RF Protect	ACR	WEbCC	MM	VMC
Global License Pool	1/32	0/32	0/32	0/0	0/0	2/500	0/0
Building1	0	0	0	0	0	0	0

Based on the exhibit, what is the maximum number of APs that this Mobility Master (MM) solution can support?

- A. 0
- B. 1
- C. 32
- D. 500

**Answer:** [\(SHOW ANSWER\)](#)

Explanation/Reference:

**NEW QUESTION: 11**

A company wants to provide wireless access for guests with their Aruba solution. Which configuration feature requires the customer to purchase PEFNG licenses?

- A. provision of DHCP services to unauthenticated guests
- B. addition of custom rules to control access for authenticated guests
- C. customization of the internal captive portal login page
- D. redirection of guests to an external captive portal

**Answer:** [B \(LEAVE A REPLY\)](#)

**NEW QUESTION: 12**

A network administrator wants to assign an authentication server group to the WPA2-Enterprise WLAN.

Which profile should the administrator modify?

- A. Virtual AP
- B. L2 Authentication
- C. SSID
- D. AAA

**Answer:** [D \(LEAVE A REPLY\)](#)

**NEW QUESTION: 13**

A network administrator needs to create an Aruba firewall rule that permits wireless users to receive DHCP settings when they first connect to the Aruba solution. What are the correct source and destination aliases for the rule?

- A. source = user and destination = any
- B. source = user and destination = user
- C. source = any and destination = any
- D. source = any and destination = user

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 14**

A company has an Aruba solution. The company wants to support a guest WLAN with the internal captive portal, but the company also wants to develop their own custom portal pages.

What correctly describes the level of customization that the internal captive portal supports?

- A. The internal captive portal must use the default pages without modification, and administrators cannot upload pages developed externally.
- B. Administrators can modify the default internal captive portal pages, but cannot upload pages developed externally.
- C. Administrators can modify the default internal captive portal pages or upload pages developed externally.
- D. The internal captive portal must use the default pages without modification, but administrators can upload pages developed externally.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 15**

A company has an Aruba solution. The company wants to support a guest WLAN with the internal captive portal, but the company also wants to develop their own custom portal pages.

What correctly describes the level of customization that the internal captive portal supports?

- A. The internal captive portal must use the default pages without modification, but administrators can upload pages developed externally.
- B. Administrators can modify the default internal captive portal pages or upload pages developed externally.
- C. The internal captive portal must use the default pages without modification, and administrators cannot upload pages developed externally.
- D. Administrators can modify the default internal captive portal pages, but cannot upload pages developed externally.

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 16**

A customer has a large campus that requires 400 Aruba 335 APs to support a total of 10,000 wireless users and

12Gbps of traffic. Although the customer wants two controllers for redundancy, each controller must be able to support all of the APs and users on its own.

Which Aruba Mobility Controller models meet the customer requirements and DO NOT unnecessarily exceed them?

- A. Aruba 7210 controllers
- B. Aruba 7024 controllers
- C. Aruba 7030 controllers
- D. Aruba 7240 controllers

Answer: A ([LEAVE A REPLY](#))

**Valid HPE6-A70 Dumps** shared by Actual4test.com for Helping Passing HPE6-A70 Exam! Actual4test.com now offer the **newest HPE6-A70 exam dumps**, the Actual4test.com HPE6-A70 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com HPE6-A70 dumps with Test Engine here:

[https://www.actual4test.com/HPE6-A70\\_examcollection.html](https://www.actual4test.com/HPE6-A70_examcollection.html) (133 Q&As Dumps, **30%OFF**

Special Discount: **Freepdfdumps**)

**NEW QUESTION: 17**

Refer to the exhibit.

Usage	Mobility Master Licenses			Controller Licenses			
	AP	PEF	RF Protect	ACR	WEbCC	MM	VMC
⊖ Global License Pool	1/32	0/32	0/32	0/0	0/0	2/500	0/0
⊕ Building1	0	0	0	0	0	0	0

Based on the exhibit, what is the maximum number of APs that this Mobility Master (MM) solution can support?

- A. 1
- B. 500
- C. 0
- D. 32

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 18**

What is one difference between how administrators can use the Mobility Master (MM) Interface as compared to the AirWave Management Platform?

- A. MM shows trends for the past several minutes, while AirWave shows historical data.
- B. MM shows user and role information associated with clients, while AirWave does not.
- C. AirWave shows trends for the past several minutes, while MM shows historical data.
- D. AirWave shows the current signal level for the client connection, while MM does not show RF statistics.

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 19**

A network administrator examines a list of 2.4GHz clients with low performance in the Mobility Master (MM) dashboard. Which property for a client should pose a concern as a potential performance issue?

- A. Max speed of 72Mbps
- B. Usage of 10 MB
- C. Radio PHY of HT 20MHz
- D. Goodput data rate of 12 Mbps

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 20**

Refer to the exhibit.

**Exam\_Employee**   **General**   **VLANs**   **Security**   **Access**

Name (ssid): Exam\_Employee

Primary usage:  Employee  Guest

Select AP Groups

Broadcast on:  default  Public Areas

Forwarding mode: Tunnel

Broadcast SSID: No

What describes the behavior for this WLAN?

- A. No APs broadcast the SSID. Clients can connect to the WLAN on APs in the default group only.
- B. No APs broadcast the SSID. Clients cannot connect to the WLAN until administrators activate it.
- C. APs in the default group broadcast the SSID. Clients can connect to the WLAN on APs in the default group only.
- D. APs in the default group broadcast the SSID. Clients can connect to the WLAN on APs in any group.

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 21**

What is the difference between how a network administrator can monitor clients in the Mobility (MM) interface and in the AirWave Management Platform?

- A. AirWave shows trends for the past several minutes, while MM shows longer trends.
- B. AirWave combines information from more sources, such as RADIUS authenticating servers and APs.
- C. MM shows user and role information associated with clients, while AirWave does not.
- D. AirWave shows the current signal level for the client connection, while MM does not show RF statistics.

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 22**

What is required for a WLAN that uses WPA2-Enterprise security?

- A. RADIUS server or servers
- B. a Web server to host a login portal
- C. a policy to allow unauthenticated users to receive RADIUS
- D. a shared password to secure access to the WLAN

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 23**

A company has an Aruba solution with a guest WLAN named exam\_guest. A network administrator creates the guest WLAN with the wizard and does not change any of the default roles. The authentication server does not send particular role assignments for authorized users. The company wants to deny guests access to specific IP ranges after the guest authenticates. For which role should the administrator create the rule to deny this traffic?

- A. guest
- B. authorized
- C. exam\_guest-guest-logon
- D. guest-logon

**Answer: D ([LEAVE A REPLY](#))**

Explanation/Reference:

**NEW QUESTION: 24**

A network administrator needs to configure firewall rules for three roles:

- \* Finance
- \* Sales
- \* Employee

Several rules apply to both the Employee and Sales roles, but not to the Finance role. What is the simplest way to configure these rules?


- A. Apply these rules as a subnet-based policy, and then ensure that only Employee and Sales users are assigned IP addresses in that subnet.
- B. Create a policy with these rules, and then apply that policy to the Employee and Sales roles.
- C. Select either the Employee or Sales role, and then configure these rules within the global policy.
- D. Define the Employee and Sales roles as internal roles, and then configure the rules as global rules for internal users.

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 25

Refer to the exhibits.

Exhibit 1




The screenshot shows the configuration page for 'Exam\_Employee' in the 'General' tab. The configuration includes:

- Name (ssid): Exam\_Employee
- Primary usage:  Employee  Guest
- Select AP Groups: [Dropdown menu]
- Broadcast on:  default  PublicAreas
- Forwarding mode: Tunnel
- Broadcast SSID: Yes

A watermark 'freedumps.com' and the HP logo are visible over the interface.

Exhibit 2



Network administrators use the Aruba Mobility Master (MM) wizard to create a WLAN and do not manually alter any of the profiles for that WLAN. The exhibits show some of the settings for the WLAN. Some wireless users cannot successfully connect to the WLAN. Network administrators attempt to connect on their own machines with a test account, and the connection is successful. They attempt to connect with the same account on user clients, and the connection fails.


Which issue could prevent authentication from completing correctly?

- A. The user clients have unauthorized MAC addresses, so the RADIUS server rejects the authentication even though the username and password are correct.
- B. The RADIUS server has reached the maximum number of RADIUS clients that it can support, so it rejects new wireless clients.
- C. Some access points (APs) are not configured as clients on the RADIUS server, so user clients connected to them cannot authenticate.
- D. The user clients do not trust the RADIUS server certificate and are configured not to prompt users to trust new certificates.

**Answer: D** ([LEAVE A REPLY](#))

#### NEW QUESTION: 26

Refer to the exhibit.



A network administrator sets up the Exam\_Employees WLAN on an Aruba solution with a default role of guest, as shown in the exhibit. To which users does the guest role apply?

- A. users who have connected to the SSID, but have not yet attempted authentication
- B. users who successfully authenticate and are assigned to the default role by the RADIUS server
- C. users who successfully authenticate and are not assigned a different role by the RADIUS server
- D. users who fail authentication

**Answer: C (LEAVE A REPLY)**

Explanation/Reference:

#### NEW QUESTION: 27

Which Aruba controller supports a maximum of 512 APs?

- A. Aruba 7210
- B. Aruba 7010
- C. Aruba 7240
- D. Aruba 7030


**Answer: A (LEAVE A REPLY)**

#### NEW QUESTION: 28

Exhibit 1



Exhibit 2



A company has an Aruba Mobility Master (MM)-based solution and needs a new WLAN for the corporate campus. A network administrator completes the creation of this WLAN, as shown in Exhibit 1. When administrators try to test a connection to the WLAN, the WLAN does not show up in the list of WLANs on the client. The administrator can see the WLAN in the list, as shown in Exhibit 2.

What is the error?

- A. The WLAN is configured at a lower level in the Managed Network hierarchy.
- B. The WLAN is configured as a hidden SSID.
- C. The configuration is not deployed.
- D. The Mobility Master (MM) does not have an active PEFNG license.

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 29**

Which task can an Aruba Air Monitor (AM) perform?

- A. Analyze wireless traffic patterns at the application level.
- B. Optimize RF through the AP channel and transmit power plans.
- C. Help to detect rogue APs in the environment.
- D. Analyze RF signals to determine the cause of non-802.11 interference.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 30**

A network administrator wants to implement MAC filtering for the wireless network of a local financial firm to ensure that only employees can access the wireless network. What is a potential weakness of this solution?

- A. Many popular clients do not have the capability to connect to WLANs that use MAC filters.
- B. Authorized MAC addresses are visible in plaintext in the air and can be easily spoofed.
- C. MAC filters cannot be applied with WPA2 encryption.
- D. MAC filters offer no protection against authorized users who try to connect unauthorized devices.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 31**

Refer to the exhibits.

Exhibit 1

The screenshot shows a network configuration page for 'Exam\_Guest' with tabs for 'General', 'VLANs', 'Security', and 'Access'. The 'VLANs' tab is active, showing a dropdown menu for 'VLAN:' set to 'guest'. Below this is a 'Hide VLAN details' link and a 'Named VLANs' table. The table lists three VLANs: 'employee' (ID 51), 'guest' (ID 99), and an unnamed VLAN (ID 1,55). A large watermark 'freepdfdumps.com' is overlaid on the table. Below the table is a '+' icon and another 'Named VLANs' table with columns: ID, IPV4 ADDRE..., IPV6 ADDRE..., ENABLE NAT, PORT MEM..., ADMIN STATE, OPERATION..., and DHCP SETTI... The row for ID 99 shows: --, --, --, Enabled, --, Enabled, N/A, None.

NAME	ID{S}
employee	51
guest	99
--	1,55

ID	IPV4 ADDRE...	IPV6 ADDRE...	ENABLE NAT	PORT MEM...	ADMIN STATE	OPERATION...	DHCP SETTI...
99	--	--	Enabled	--	Enabled	N/A	None

Exhibit 2




Exhibit 3



A network administrator creates a guest WLAN on an Aruba Mobility Manager (MM). The exhibits show some of the settings for the WLAN. The administrator does not change the policies for those roles.

How does the firewall control guest clients when they first connect to the WLAN?

- A. It permits them to send any DHCP traffic and DNS and web traffic to the Internet. It redirects web traffic destined to the private network to a login portal.
- B. It permits them to send any DHCP and DNS traffic, and it redirects all web traffic to a login portal.
- C. It permits them to send any DHCP and RADIUS traffic. It redirects all web traffic destined to the Internet to a login portal and drops web traffic destined to the private network.
- D. It does not permit them to send any traffic until they are authenticated.

**Answer: B (LEAVE A REPLY)**

**Valid HPE6-A70 Dumps** shared by Actual4test.com for Helping Passing HPE6-A70 Exam! Actual4test.com now offer the **newest HPE6-A70 exam dumps**, the Actual4test.com HPE6-A70 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com HPE6-A70 dumps with Test Engine here:

[https://www.actual4test.com/HPE6-A70\\_examcollection.html](https://www.actual4test.com/HPE6-A70_examcollection.html) (133 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps)**

**NEW QUESTION: 32**

What is one difference between captive portal authentication and 802.1X authentication?

- A. 802.1X authentication is typically implemented without encryption, while captive authentication is often combined with WPA or WPA2.

- B.** 802.1X authentication occurs at Layer 2, while captive portal authentication occurs at Layer 3.
- C.** 802.1X authentication must use an LDAP server, while captive portal authentication can use a RADIUS server or an LDAP server.
- D.** 802.1X authentication always authenticates the wireless client, while captive portal authentication always authenticates the wireless user.

**Answer: B** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 33**

A network administrator creates a user account on an Aruba Mobility Master (MM) with the guest-provisioning role. Which task does this user have the rights to perform?

- A.** create guest user accounts
- B.** set up portal pages
- C.** monitor guest clients
- D.** create guest WLANs

**Answer: A** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 34**

An Aruba Mobility Master (MM)-based solution has two Virtual MM nodes, a primary and a backup node.

The solution must support 30 Virtual Mobility Controllers (VMCs) that will support a total of 960 APs.

Which VMC licenses meet the needs and DO NOT unnecessarily exceed them?

- A.** one 50 VMC license (MC-VA-50)
- B.** two 1000 VMC licenses (MC-VA-1000)
- C.** two 50 VMC licenses (MC-VA-50)
- D.** one 1000 VMC license (MC-VA-1000)

**Answer: D** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 35**

A WLAN in an Aruba Mobility Master (MM)-based solution uses WPA2-Enterprise security. This WLAN currently authenticates users to Active Directory (AD), and users log in with their Windows domain credentials.

Network administrators now want to authenticate the Windows clients as well, based on the client Computer Names.

What should the administrator do on MM to achieve this goal?

- A.** Set up MAC Authentication on the WLAN.
- B.** Set up Machine Authentication on the WLAN.
- C.** Import the computer names from AD to the MM internal database.
- D.** Bind individual Mobility Controllers (MCs) to AD at the device level.

**Answer: B** ([LEAVE A REPLY](#))

Explanation/Reference:

**NEW QUESTION: 36**

Refer to the exhibit.

**Exam\_Employee** General VLANs Security Access

Name (ssid): Exam\_Employee

Primary usage:  Employee  Guest

Select AP Groups

Broadcast on:  default  Public Areas

Forwarding mode: Tunnel

Broadcast SSID: No

What describes the behavior for this WLAN?

- A. No APs broadcast the SSID. Clients can connect to the WLAN on APs in the default group only.
- B. No APs broadcast the SSID. Clients cannot connect to the WLAN until administrators activate it.
- C. APs in the default group broadcast the SSID. Clients can connect to the WLAN on APs in any group.
- D. APs in the default group broadcast the SSID. Clients can connect to the WLAN on APs in the default group only.

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 37**

Which type of authentication server should administrators select to authenticate users to a ClearPass server?

- A. Windows
- B. TACACS+
- C. LDAP
- D. RADIUS

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 38**

A company has a Mobility Master (MM)-based solution. There is a hardware issue with the MM appliance, and, as result, all connectivity is lost between the appliance and the network. The network manager is concerned about how this will impact licensing.

How will the Mobility Controller (MC) be affected?

- A. The MC contacts Aruba Activate and uses the licensing limits defined there.
- B. The MC loses all licenses and cannot support APs or clients.
- C. The MC maintains only licenses that have been locally installed on it.
- D. The MC maintains its current licenses for 30 days.

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 39**

A company currently uses Instant APs (IAPs), all managed by a virtual controller. The company expects to double in size without the next 18 months. The network manager wants to purchase additional APs to service the increased traffic load. The network manager also wants to deploy a Mobility Controller (MC) to manage all APs.

How should the network administrator adapt the current IAPs to a controlled architecture?

- A. Manage both the MCs and IAP clusters with a Mobility Master (MM).
- B. Convert the IAPs to Campus APs controlled by the new MCs.
- C. Manage both the MCs and IAP clusters with Aruba Central.
- D. Configure the IAPs to establish CPsec tunnels to the new MCs.

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 40**

A network administrator configures this policy:

```
ip access-list session Guest
  user any svc-dhcp permit
  user any network 10.0.0.0 255.0.0.0 deny
  user any any permit
```

Users to which this policy applies are unable to receive IP addresses with DHCP. How should the administrator fix the issue?

- A. Change user to any in the user any svc-dhcp permit rule.
- B. Remove the deny rule from the policy.
- C. Use the correct service alias in the user any svc-dhcp permit rule.
- D. Move the user any svc-dhcp permit rule to the bottom of the list.

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 41**

Which class of controller is more appropriate in a branch installation with up to 64 APs?

- A. 7030

- B. 7210
- C. 7008
- D. 7205

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 42**

An Aruba solution runs ArubaOS 8 and uses a mobility master architecture. Which feature can network administrators use to balance wireless devices across APs on different channels?

- A. ARM
- B. Client Match
- C. AppRF
- D. AirMatch

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 43**

Refer to the exhibit.



A network administrator needs to specify a RADIUS server for an employee WLAN on an Aruba solution.

What must the administrator enter in the Shared key field?

- A. the password configured for RADIUS clients on the RADIUS server
- B. the password defined for authorized wireless clients on the RADIUS server and also distributed to authorized wireless clients
- C. the password configured in a user account with administrative rights on the RADIUS server
- D. the password defined as the preshared key for the WLAN on the Mobility Master (MM) and on authorized wireless clients

**Answer: A** ([LEAVE A REPLY](#))

**NEW QUESTION: 44**

For which use case should network administrators set up Aruba access points (APs) as multi-zone APs?

- A. The company requires high availability for its wireless services, and APs must be able to be controlled by more than one Mobility Controller (MC) in case a controller fails.
- B. The company has multiple small branch offices where APs at each branch office must forward internet traffic locally and corporate traffic over a secure tunnel to a centralized Mobility Controller (MC).
- C. The company has some devices that support both 5GHz and 2.4GHz, and the APs must operate in both frequency bands.
- D. The company has a Mobility Manager (MM)-based solution that requires APs to terminate to multiple controllers that reside in different administrative domains.

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 45**

How does WPA2 protect wireless user traffic in the air?

- A. It provides both data integrity and privacy with AES.
- B. It provides data integrity with AES and no data privacy.
- C. It provides data integrity with TKIP and data privacy with AES.
- D. It provides data privacy with TKIP and no data integrity.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 46**

Which IEEE standard provides the highest transmission rates in the 5.0GHz frequency band?

- A. 802.11ac
- B. 802.11a
- C. 802.11n
- D. 802.11g

**Answer: ([SHOW ANSWER](#))**


**Valid HPE6-A70 Dumps** shared by Actual4test.com for Helping Passing HPE6-A70 Exam! Actual4test.com now offer the **newest HPE6-A70 exam dumps**, the Actual4test.com HPE6-A70 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com HPE6-A70 dumps with Test Engine here:

[https://www.actual4test.com/HPE6-A70\\_examcollection.html](https://www.actual4test.com/HPE6-A70_examcollection.html) (133 Q&As Dumps, **30%OFF**)

**Special Discount: [Freepdfdumps](#)**)

#### **NEW QUESTION: 47**

Refer to the exhibit.



Which role must AP1 play?

- A. Mesh Point AP
- B. Instant AP (IAP)
- C. Remote AP (RAP)
- D. Mesh Portal AP

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 48**

Refer to the exhibit.

The screenshot shows a configuration page for 'Exam\_Employees' with tabs for 'General', 'VLANs', 'Security', and 'Access'. The 'Security' tab is selected. On the left, a vertical slider indicates security levels: 'More Secure' at the top and 'Less Secure' at the bottom. The 'Enterprise' level is selected, with 'Personal' and 'Open' also visible. The main configuration area includes:

- Key Management:** WPA-2 Enterprise (dropdown menu)
- Auth servers:** A box with a plus sign (+) for adding servers.
- Reauth interval:** 86400 (input field) and sec. (dropdown menu)
- Machine authentication:** Disabled (dropdown menu)
- Blacklisting:** Disabled (dropdown menu)

Network administrators need to set up a WLAN that uses WPA2 encryption and authenticates users with a preshared key (PSK) that is the same for all users. Administrators do not see where they should specify the option for the preshared key.

What should the administrators do?

- A. Configure an L3 authentication profile after the WLAN wizard is complete
- B. Click Personal in the slide bar.
- C. Click the + icon in the Authentication server section
- D. Return to the first page in the wizard and select the guest option

**Answer: B (LEAVE A REPLY)**

### NEW QUESTION: 49

Refer to the exhibits.

Exhibit 1



Exhibit 2

Client	Health(%)	IP Address	Band	Radio PHY	Client PHY	Device	Role	Forward Mode
d8:50:e60:f3:6e:bd	98	192.168.99.2	5GHz	VHT 80 MHz	VHT 80 MHz	Unknown	exam_g...t-logon	Tunnel

A company has a Mobility Master (MM)-based solution with a guest WLAN. Users can connect to the WLAN, but they receive the error shown browser rather than see login page. Exhibit 2 shows the status for one of the guest clients.

What is one issue that could cause the errors described?

- A. The firewall blocks DHCP traffic between the guest clients and the DHCP server.
- B. The DHCP pool for guests does not assign users a DNS server address.
- C. The Captive Portal is not enabled for the role to which these clients are assigned.
- D. The MM and Mobility Controllers (MCs) have invalid certificates.

**Answer: B (LEAVE A REPLY)**

### NEW QUESTION: 50

A network administrator configures an Aruba Mobility Master (MM)-based solution to provide wireless access to employees. The solution must meet these criteria:

- \* Authenticate users to a network RADIUS server
- \* Enforce different Aruba firewall rules based on the user department

How can the administrator meet these criteria in the simplest way?

- A.** Create multiple zones on the MM. Assign different departments and sets of firewall policies to different zones.
- B.** Have the RADIUS server send different roles for users in different departments. Apply role-based firewall policies.
- C.** Create a different WLAN and SSID for each department. Apply different firewall policies to each WLAN.
- D.** Have the RADIUS server assign users in different departments to different VLANs. Apply firewall policies based on IP ranges.

**Answer: B** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 51**

A company has an Aruba solution that is monitored by AirWave. Several users have recurring connectivity and performance issues with their wireless clients.

How can network administrators use AirWave to monitor these clients more easily?

- A.** Specify the clients as Watched Clients and view the tables and graphs for these clients.
- B.** Run Device Summary reports and filter for the client MAC addresses within the report.
- C.** Click the Down icon in the Airwave banner to quickly see a list of issues with client connections.
- D.** Use the Client > Tags windows to tag the client for periodic checks and analysis.

**Answer: (**[SHOW ANSWER](#)**)**

#### **NEW QUESTION: 52**

A network administrator creates an employee WLAN on an Aruba solution that uses WLAN WPA2-Enterprise security and an external RADIUS server. When the administrator tests the WLAN, the test client receives limited connectivity and cannot access any resources, but the RADIUS server shows that the user authenticated successfully.

What should the administrator check as a possible source of this issue?

- A.** the certificate on the RADIUS server
- B.** the firewall role and policy that apply to this user
- C.** the connectivity between the Master Controller (MC) for the client and the RADIUS server
- D.** the connectivity between the AP that the client is associated to and the MC

**Answer: B** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 53**

Refer to the exhibit.



The exhibit shows output from a Mobility Master (MM) dashboard. What is a valid reason for the administrator to click the akamai square under applications?

- A. to see the break down for only roles, destinations, WLANs and devices that use this application
- B. to download a report about the usage of this application over time
- C. to create filter rules in order to control wireless user access to this application
- D. to see more details about this application, such as a list of aggregated sessions

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 54**

Refer to the exhibits.

Exhibit 1

The screenshot shows the configuration page for 'Exam\_Guest' in the HP Mobility Master. The 'VLANs' tab is selected, and the 'VLAN' dropdown is set to 'guest'. The 'Named VLANs' table is as follows:

Name	ID(S)
employee	51
guest	99
--	1,55

Below the table is a '+' icon to expand the view. The 'VLAN IDs' table shows details for ID 99:

ID	IPV4 ADDRE...	IPV6 ADDRE...	ENABLE NAT	PORT MEM...	ADMIN STATE	OPERATION...	DHCP SETTI...
99	--	--	Enabled	--	Enabled	N/A	None

Exhibit 2





Exhibit 3



A network administrator creates a guest WLAN on an Aruba Mobility Manager (MM). The exhibits show some of the settings for the WLAN. The administrator does not change the policies for those roles.


How does the firewall control guest clients when they first connect to the WLAN?

- A. It permits them to send any DHCP traffic and DNS and web traffic to the Internet. It redirects web traffic destined to the private network to a login portal.
- B. It does not permit them to send any traffic until they are authenticated.
- C. It permits them to send any DHCP and RADIUS traffic. It redirects all web traffic destined to the Internet to a login portal and drops web traffic destined to the private network.
- D. It permits them to send any DHCP and DNS and it redirects all web traffic to a login portal.

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 55**

Refer to the exhibit.



What is a valid way to help the APs discover devices that can control them?

- A. Set up an Aruba Central subscription, and ensure that APs can reach the Internet.
- B. Enable CPSec, and ensure the Mobility Master (MM) and Mobility Controllers (MCs) trust the Aruba certificates installed on the APs at the factory.
- C. Map the Mobility Controller (MC) IP addresses to the aruba-master name on the network DNS server.
- D. Specify the Mobility Master (MM) IP address in DHCP option 43 on the network DHCP server.

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 56

A network administrator has installed PEF licenses in the global pool of a Mobility Master (MM) solution.

When the administrator tries to configure roles and policies, an error indicates that the PEF licenses must be installed.

What should the administrator do to correct this issue?

- A. Ensure the PEF licenses were installed at the Managed Network and not at the MM level.
- B. Enable the PEF feature in the Global Usage window.
- C. Activate the PEF licenses through an Aruba Activate account.
- D. Enable Building 1 as a local license pool.

**Answer:** B ([LEAVE A REPLY](#))

#### NEW QUESTION: 57

A company plans to deploy a Mobility Master (MM) solution with two MM nodes. The MM solution will manage 10 Mobility Controller (MC) appliances that will control a total of 400 APs.

How should the network administrator install the AP licenses?

- A. 40 AP licenses on the MM and no licenses on the MC
- B. 400 AP licenses on the MM and no licenses on the MC
- C. 800 AP licenses on the MM and 40 AP licenses on each MC
- D. 800 AP licenses on each MC and no licenses on the MC

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 58**

Which Mobility Master (MM) dashboard should an administrator access to view a list of rogue and interfering APs?

- A. Network
- B. Security
- C. Potential issues
- D. Performance

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 59**

What is a requirement for the Dashboard > Traffic Analysis window on the Aruba Mobility Master (MM) to show data?

- A. The solution must have active PEFNG licenses.
- B. Firewall policies must include application filtering rules.
- C. Airmatch and ClientMatch must be enabled.
- D. WLANs must use the decrypt-tunnel forwarding option.

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 60**

A company has many 7220 controllers in its Aruba wireless architecture. A network administrator wants to use the Traffic Analysis dashboard in order to monitor which type of applications is being used by wireless users.

What is required for this implementation?

- A. Firewall policies must include application filtering rules.
- B. Airmatch and ClientMatch must be enabled.
- C. The solution must have active PEFNG licenses.
- D. WLANs must use the decrypt-tunnel forwarding option.

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 61**

A company has an Aruba solution. A network administrator wants to prevent wireless users from accessing shopping web sites with a bad reputation.

What should the administrator set up to deny such traffic?

- A. firewall application rules
- B. an AppRF engine

- C. firewall access control rules that specify HTTP and HTTPS services
- D. application filters in the Traffic Analysis dashboard

**Answer: A (LEAVE A REPLY)**

**Valid HPE6-A70 Dumps** shared by Actual4test.com for Helping Passing HPE6-A70 Exam! Actual4test.com now offer the **newest HPE6-A70 exam dumps**, the Actual4test.com HPE6-A70 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com HPE6-A70 dumps with Test Engine here:

[https://www.actual4test.com/HPE6-A70\\_examcollection.html](https://www.actual4test.com/HPE6-A70_examcollection.html) (133 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps)**

### NEW QUESTION: 62

A network manager wants to implement an Aruba wireless solution that accommodates 802.1X with EAP-TLS.

All wireless users will utilize Active Directory (AD) accounts to authenticate.

Which device will the authenticator forward the authentication requests to in this type of solution?

- A. APs
- B. Mobility Master (MM)
- C. RADIUS server
- D. Mobility Controller (MC)

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 63

Refer to the exhibit.



A network administrator adds a global rule in the area shown in the exhibit. Where does the global rule take effect?

- A. It immediately applies only to the guest role and other roles, as part of the first policy applied to the role.
- B. It immediately applies to the guest role and other roles, as part of the first policy applied to the role.
- C. It immediately applies only to the guest role, as part of the final policy applied to the role.

Administrators cannot apply the rule to other roles.

**D.** It immediately applies to the guest role and other roles, as part of the final policy applied to the role.

**Answer:** ([SHOW ANSWER](#))

**Valid HPE6-A70 Dumps** shared by Actual4test.com for Helping Passing HPE6-A70 Exam! Actual4test.com now offer the **newest HPE6-A70 exam dumps**, the Actual4test.com HPE6-A70 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com HPE6-A70 dumps with Test Engine here:

[https://www.actual4test.com/HPE6-A70\\_examcollection.html](https://www.actual4test.com/HPE6-A70_examcollection.html) (133 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps**)