

Hitachi.HH0-110.v2024-01-29.q78

Exam Code:	HH0-110
Exam Name:	Hitachi Data Systems Storage Foundations - Enterprise Exam
Certification Provider:	Hitachi
Free Question Number:	78
Version:	v2024-01-29
# of views:	599
# of Questions views:	780
https://www.freepdfdumps.com/Hitachi.HH0-110.v2024-01-29.q78.html	

NEW QUESTION: 1

A customer wants to connect a new storage system as external storage to a VSP using Universal Volume Manager. What are two required configuration steps? (Choose two.)

- A. Create a new Path Group.
- B. Create a 4 GB cache partition.
- C. Cable or zone the external ports to initiator ports.
- D. Map LUNs on the external storage system.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

What is the minimum number of BED pairs required for a VSP?

- A. 2
- B. 1
- C. 4
- D. 0

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

What is a primary component of Hitachi Virtual Partition Manager?

- A. Cache Logical Partition
- B. Disk Logical Partition
- C. Cache Physical Partition
- D. Port Logical Partition

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

A customer has prepared TrueCopy scripts and now wants to create the first replication pairs in an Open Systems environment. Which two steps must be completed before issuing TrueCopy commands? (Choose two.)

- A. Configure HORCM files.
- B. Configure external ports.
- C. Install RAID Manager CCI.
- D. Ensure that the S-Vols are visible to a host.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 5

A customer wants to increase the virtualization ratio of servers in the data center using Hitachi Compute Blade hardware. Which additional virtualization technology could they use in parallel to virtualizing these physical servers with increased security and performance?

- A. Citrix Xen Server
- B. LPAR (Logical PARTitioning) Feature
- C. VMware ESXi
- D. VMware VDI (Virtual Desktop Infrastructure)

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 6

Which two storage management tasks does the Hitachi Device Manager GUI support for the VSP? (Choose two.)

- A. Create pools.
- B. Virtualize volumes.
- C. Generate replication scripts.
- D. Create RAID Groups.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 7

A database administrator (DBA) is deploying a new Oracle database on a VSP using Hitachi Dynamic Provisioning (HDP) volumes. To save space, the DBA will align their Oracle allocation size to match the size of HDP pages. Which allocation size should be used?

- A. 1024 KB
- B. 42 MB
- C. 256 KB
- D. 64 MB

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

A customer has a ShadowImage pair that is currently suspended and the P-Vol is corrupted. They perform a quick restore. When can they safely start using the data on the P-Vol?

- A. after the bitmap is transferred and dirty tracks are marked
- B. after the difference data is copied from the S-Vol to the P-Vol
- C. after the P-Vol and S-Vol swap CU:LDEV numbers
- D. after all of the data is copied from the S-Vol to the P-Vol

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Which Hitachi Dynamic Link Manager load balancing algorithm should be used for sequential I/O?

- A. Extended Least I/O
- B. Round Robin
- C. Priority Path
- D. Auto Path

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

A customer has a 100 GB DP-Vol that is 70% consumed and does not expect the amount data to increase. They would like to replicate this volume using ShadowImage to a new DP Pool that can be over subscribed. What is the minimum amount of capacity required for the new HDP Pool?

- A. 160 GB
- B. 35 GB
- C. 100 GB
- D. 80 GB

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 11

A customer is deploying a new OLTP database on a VSP that will have a high performance requirement. They are considering using SSD flash drives, but would like to avoid putting the entire database on SSD. SAS drives will be sufficient for the majority of the workload. Which Hitachi technology should be used to simplify the management of this dynamic workload across SSD and SAS tiers?

- A. Hitachi Dynamic Provisioning
- B. Hitachi Tiered Storage Manager
- C. Hitachi Dynamic Tiering
- D. Hitachi Universal Volume Manager

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

A business that generates large amounts of sensitive data has an IT system combining mainframe and Open-Systems applications. They need a storage solution offering highly secure data storage with minimal performance impact and costs, and consistent with their green data center policy. Which three VSP storage system features meet these requirements? (Choose three.)

- A. VSP Virtual Storage Directors have a built in encryption capability.
- B. VSP offers encryption capabilities to Open-Systems and mainframe applications.
- C. VSP encryption creates no measurable increase in heat output or energy consumption.
- D. VSP reduces capital cost by removing the need for discrete encryption devices.
- E. VSP can encrypt data in cache before de-staging to disk.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 13

What is the minimum number of disks supported on a VSP?

- A. 4
- B. 0
- C. 16
- D. 8

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which two actions are needed when configuring TrueCopy replication on a VSP? (Choose two.)

- A. Set ports on the RCU to Initiator.
- B. Set ports on the MCU to Initiator.
- C. Add an MCU.
- D. Add an RCU.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 15

Your customer reports an application performance issue on a server connected to a VSP. How would Hitachi Tuning Manager help them to determine if there is a problem in the storage system?

- A. It automatically generates reports about potential I/O bottlenecks.
- B. It provides the ability to differentiate storage I/O information from the total I/O.
- C. It provides the ability to provision unused free space from the array.
- D. It automatically isolates SAN I/O from total I/O.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 16

What is the function of the SMU on the Hitachi NAS Platform 3100 and 3200?

- A. It performs the network protocol processing.
- B. It performs FC and SCSI command processing.
- C. It is a dedicated appliance for management.
- D. It runs the System Monitoring Utility.

Answer: C ([LEAVE A REPLY](#))

Valid HH0-110 Dumps shared by Actual4test.com for Helping Passing HH0-110 Exam! Actual4test.com now offer the **newest HH0-110 exam dumps**, the Actual4test.com HH0-110 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com HH0-110 dumps with Test Engine here:

https://www.actual4test.com/HH0-110_examcollection.html (164 Q&As Dumps,

30%OFF Special Discount: Freepdfdumps)

NEW QUESTION: 17

A customer has a VSP with an AMS2100 and a USP V virtualized as external storage. They are deploying Hitachi Device Manager to provide "single pane of glass" management. What are two other benefits of using Hitachi Device Manager? (Choose two.)

- A. Manage Hitachi Dynamic Provisioning pools.
- B. Provide a common CLI.
- C. Migrate data online.
- D. Provide performance data.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 18

A company is implementing storage virtualization and must create three copies of their database to run complex data mining tasks. The company wants to use external storage to create a cost effective solution which does not limit reliability or performance. What is the correct solution for the company?

- A. Use TrueCopy to create Point-in-Time (PiT) copies of the data on a VSP.
- B. Use Universal Volume Manager and ShadowImage to create PiT copies of the data on the external storage system.
- C. Use Universal Replicator and ShadowImage to create PiT copies of the data on the external storage system.
- D. Use Copy-on-Write Snapshot to create copies of the data on a VSP with SATA drives.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 19

Your customer wants to use an external authentication server for Hitachi Storage Navigator for VSP. Which two protocols can be used? (Choose two.)

- A. Kerberos
- B. LDAP
- C. TACACS
- D. RADIUS

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 20

You are configuring Fibre Channel ports to be used for TrueCopy on a VSP. Which two actions must be performed? (Choose two.)

- A. Set the MCU ports as Initiators.
- B. Set the RCU ports as Targets.
- C. Set the RCU ports as RCU-Targets.
- D. Set the MCU ports as MCU-Targets.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 21

A customer actively uses Hitachi Device Manager and Tuning Manager. They would like to have a consolidated view of their configuration and performance data which would allow them to optimize their storage utilization. Which Hitachi product would address this request?

- A. Hitachi Storage Manager
- B. Hitachi Tiered Storage Manager
- C. Hitachi Command Director
- D. Hitachi Capacity Reporter

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

A customer is implementing a new OLTP database on a VSP that is expected to have a fluctuating workload. It will be a large database with expected storage hot-spots. Which three advantages does Hitachi Dynamic Tiering have over Hitachi Dynamic Provisioning for this customer? (Choose three.)

- A. efficient use of high performance drives
- B. granular data movement across tiers
- C. ability to over-provision storage
- D. space efficiency by "de-duping" identical pages
- E. dynamic relocation of pages based on access

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 23

A customer's VSP is showing symptoms of slow response during critical business periods. The storage manager decides to use Hitachi Performance Monitor to address the problem. Which three Hitachi Performance Monitor functions will assist the customer? (Choose three.)

- A. long range data collection
- B. LDEV workload analysis
- C. server HBA throughput monitoring
- D. cache workload redistribution
- E. SAN workload monitoring

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 24

What are two key features in Storage Navigator for VSP? (Choose two.)

- A. task management
- B. integration with Hitachi Tiered Storage Manager
- C. wizards for common tasks
- D. ability to manage multiple VSP storage arrays

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 25

Which two Storage Navigator operations can be performed on the VSP? (Choose two.)

- A. mapping LDEVs to an Open Systems environment
- B. creating concatenated RAID Groups
- C. defining LDEV paths in a mainframe environment
- D. setting port topology on Hitachi Enterprise storage arrays

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 26

A company has been experiencing application downtime due to mismanagement of storage resources. They need to implement a storage management program that adequately reports on the infrastructure. Which two benefits will they receive by using Hitachi Device Manager? (Choose two.)

- A. They will obtain reports on switch utilization.
- B. They will obtain reports on host storage allocation.
- C. They will obtain reports on array back-end performance.
- D. They will obtain reports on storage system utilization.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which two operations are available with Storage Navigator for VSP? (Choose two.)

- A. Display the LUN mount point on the server side.

- B. Run Storage Navigator Modular 2 for externally attached AMS2000.
- C. Give a specific name to Logical Devices (LDEVs).
- D. Activate the encryption feature with no hardware add-on.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 28

Which two replication functions can be performed using Hitachi Device Manager? (Choose two.)

- A. Create BCM configuration files.
- B. Generate replication scripts.
- C. View pair status.
- D. Create HORCM configuration files.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

What are two core functions of Hitachi Tuning Manager? (Choose two.)

- A. Provides Array Group performance information to Tiered Storage Manager.
- B. Polls the storage arrays for any new configuration data.
- C. Uses Replication Manager to tune replication performance.
- D. Uses Device Manager for configuration information.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 30

A storage administrator wants to script a TrueCopy operation in an Open Systems environment. Which two components are required? (Choose two.)

- A. Command Device
- B. RAID Manager CCI
- C. replication.conf file
- D. Storage Navigator 2

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 31

A company needs to improve their SLAs and simplify management of their storage environment. The company will use their VSP to achieve these requirements. One of the data warehouse applications needs access to the most recent order data at multiple times during the day for billing and data mining. Which product should be used to create the online copy of the OLTP database?

- A. Universal Replicator
- B. Copy-on-Write Snapshot
- C. ShadowImage
- D. TrueCopy

Answer: ([SHOW ANSWER](#))

Valid HH0-110 Dumps shared by Actual4test.com for Helping Passing HH0-110 Exam! Actual4test.com now offer the **newest HH0-110 exam dumps**, the Actual4test.com HH0-110 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com HH0-110 dumps with Test Engine here:
https://www.actual4test.com/HH0-110_examcollection.html (**164** Q&As Dumps,
30%OFF Special Discount: **Freepdfdumps**)

NEW QUESTION: 32

Which component interconnects the DKCs within a VSP?

- A. Back-End Director (BED)
- B. Virtual Storage Director (VSD)
- C. Fibre Switch (FSW)
- D. Grid Switch (GSW)

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 33

Which primary benefit is gained by implementing Hitachi Command Director within an environment consisting of servers virtualized by VMware?

- A. Hitachi Command Director enables Device Manager to manage VMware's Distributed Resource Scheduler for all .vmdks residing on an AMS2000 and/or VSP system.
- B. Hitachi Command Director can correlate virtual machine to storage LDEV reporting.
- C. Hitachi Command Director allows all externalized platforms behind a VSP to access the VStorage API for Array Integration (VAAI).
- D. Hitachi Command Director can be embedded within VirtualCenter to provide a single management console for both virtual machine and storage management.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

What is the purpose of Hitachi Universal Replicator?

- A. It maintains a consistent copy of data.
- B. It migrates data from competitive arrays.
- C. It migrates data between VSP and AMS storage systems.
- D. It creates synchronous copies of data.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

After adding CLPRs to a VSP, you want to migrate resources from the existing CLPRs to

the new CLPRs. Which two resources will be eligible for migration? (Choose two.)

- A. an interleaved parity group
- B. a DP Pool
- C. a single Logical Device
- D. an external parity group

Answer: (SHOW ANSWER)

NEW QUESTION: 36

What is a reason for using cache logical partitioning?

- A. to dedicate an amount of cache to a specific port
- B. to dedicate shared memory slots to a specific workload
- C. to dynamically adjust cache allocation to defined partitions
- D. to dedicate an amount of cache to specific parity groups

Answer: D (LEAVE A REPLY)

NEW QUESTION: 37

What are two features of Hitachi Dynamic Link Manager (HDLM)? (Choose two.)

- A. An HDLM server can be used to manage and monitor multiple HDLM instances.
- B. HDLM can be used to detect intermittent path errors.
- C. HDLM can be used to monitor the performance within a SAN.
- D. HDLM can be used to setup a high availability SAN environment.

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 38

A customer is implementing a Hitachi High-Performance NAS solution. Which three protocols can be used to make the data available to the clients? (Choose three.)

- A. HTTP
- B. CIFS
- C. FTP
- D. FCoE
- E. NFS

Answer: B,C,E (LEAVE A REPLY)

NEW QUESTION: 39

Which two components connect to the VSP HiStar-E Network? (Choose two.)

- A. Virtual Storage Director (VSD)
- B. Data Cache Adapter (DCA)
- C. Cache Switch (CSW)
- D. Virtual Shared Memory (VSM)

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 40

A company is implementing a new storage management solution. They have four data centers located in different countries. Because of regulatory concerns, local administrators should be able to access VSP systems in other countries. Which two benefits will they receive by using Hitachi Device Manager? (Choose two.)

- A. It allows centralized storage performance monitoring.
- B. It can be used to restrict users to a subset of resources.
- C. It provides logical groups to align storage management by business function.
- D. It integrates switch and storage system management.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

What are two valid Hitachi Data Ingestor (HDI) configuration options? (Choose two.)

- A. as a single node
- B. as a VMware appliance
- C. as a Hyper-V appliance
- D. as a n+1 cluster

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 42

A customer has a ShadowImage pair that is currently suspended and the P-Vol is corrupted. They perform a quick restore. When can they safely start using the data on the P-Vol?

- A. after the difference data is copied from the S-Vol to the P-Vol
- B. after all of the data is copied from the S-Vol to the P-Vol
- C. after the P-Vol and S-Vol swap CU:LDEV numbers
- D. after the bitmap is transferred and dirty tracks are marked

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

What are two reasons for using cache partitioning? (Choose two.)

- A. to dedicate shared memory slots
- B. to optimize storage resources for applications
- C. to re-assign cache resource driven by policies
- D. to limit cache available to external storage

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 44

Which three benefits will Hitachi Content Platform offer to a customer looking to store their e-mails, records and images? (Choose three.)

- A. fixed content storage

- B. policy driven archiving
- C. WORM document storage
- D. CIFS file serving
- E. hierarchical data migration

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

What are two key features of Hitachi Tuning Manager? (Choose two.)

- A. capacity and performance monitoring, reporting and analysis
- B. forecasting future I/O usage
- C. tracking and reporting infrastructure changes
- D. optimization of storage volumes for host attachment

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 46

Which three replication products does Hitachi Business Continuity Manager manage? (Choose three.)

- A. Hitachi Universal Replicator z/OS
- B. Hitachi ShadowImage z/OS
- C. Hitachi TrueCopy Extended Distance z/OS
- D. Hitachi TrueCopy z/OS
- E. Hitachi Copy-on-Write Snapshot z/OS

Answer: A,B,D ([LEAVE A REPLY](#))

Valid HH0-110 Dumps shared by Actual4test.com for Helping Passing HH0-110 Exam! Actual4test.com now offer the **newest HH0-110 exam dumps**, the Actual4test.com HH0-110 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com HH0-110 dumps with Test Engine here:
https://www.actual4test.com/HH0-110_examcollection.html (**164** Q&As Dumps,
30%OFF Special Discount: **Freepdfdumps**)

NEW QUESTION: 47

A customer has installed Hitachi Replication Manager in an Open Systems environment. Which registered source provides Replication Manager with its configuration information?

- A. a host running the RAID Agent
- B. a Device Manager server
- C. a host running the Replication Manager Host Agent
- D. a host running the Device Manager Host Agent

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

A customer wants to manage ShadowImage pairs on a VSP using Hitachi Replication Manager. Which two conditions must be met? (Choose two.)

- A. A Hitachi Device Manager Host Agent must be installed on the pair management server.
- B. HORCM instances must be manually started.
- C. The P-Vol and S-Vol must be mapped to a Host Group.
- D. A Journal Volume must be mapped to the pair management server.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 49

A customer has expressed a need for rack servers in their new Oracle environment because they require at least two PCIe slots per physical server. They also would like to reduce the amount of physical rack space that is used per server. Which Hitachi compute product would you provide?

- A. Hitachi Compute Rack 220
- B. Hitachi Compute Blade 2000
- C. Hitachi Logical Partitioning Feature
- D. Hitachi Compute Blade 320

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which two functions does HiTrack provide on a VSP system? (Choose two.)

- A. report errors
- B. new configuration data download from the support center
- C. remote access to user data
- D. call home (incidental and periodic)

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 51

A customer needing a global solution that will respond to their data protection, archival and restore needs decides on Hitachi Data Protection Suite. Which three benefits will this provide? (Choose three.)

- A. serverless compliance
- B. disaster recovery management
- C. hierarchical storage management
- D. continuous data replication
- E. agentless archiving

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 52

A storage administrator wants to script a TrueCopy operation in an Open Systems environment. Which two components are required? (Choose two.)

- A. Storage Navigator 2
- B. RAID Manager CCI
- C. replication.conf file
- D. Command Device

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 53

A company is using Hitachi Tiered Storage Manager to manage multiple storage systems configured as external storage to a VSP. Which two benefits does Hitachi Tiered Storage Manager provide? (Choose two.)

- A. It has the ability to migrate to LDEVs that are larger than the source.
- B. It provides non-disruptive, completely transparent data migration.
- C. It automatically populates storage tiers using Hitachi Device Manager profiles.
- D. It interfaces with Hitachi Device Manager to create storage tiers based on CIM profiles.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

A customer requires their data to be synchronized between the local and remote arrays at all times. Which fence level would you set when creating the P-Vol/S-Vol pairs?

- A. status
- B. data
- C. async
- D. never

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

A customer is using Hitachi Universal Replicator as a disaster recovery solution. The replication traffic is increasing, requiring more journal capacity. How can the journal capacity be increased?

- A. Suspend the pairs and add Open-V LDEVs to the Journal Group.
- B. Suspend the pairs and add 3390-3 LDEVs to the Journal Group.
- C. Dynamically add 3390-3 LDEVs to the Journal Group.
- D. Dynamically add Open-V LDEVs to the Journal Group.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 56

What are three valid VSP RAID disk configurations? (Choose three.)

- A. RAID5 - 4D+1P

- B. RAID0 - 4D
- C. RAID5 - 7D+1P
- D. RAID6 - 6D+2P
- E. RAID1 - 2D+2D

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 57

You want to use Hitachi Replication Manager in an Open Systems environment. Which two actions must be performed? (Choose two.)

- A. Install Replication Manager Agent.
- B. Install Hitachi Device Manager.
- C. Install RAID Manager CCI.
- D. Install Configuration File Loader (CFL).

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 58

Your customer wants a Hitachi discovery solution that will search across multiple platforms. Which three are supported by Hitachi Data Discovery Suite (HDDS)? (Choose three.)

- A. NetApp filer
- B. HCP
- C. Celerra filer
- D. HNAS filer
- E. Isilon

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 59

You want to use Hitachi Replication Manager in a Windows environment. Which two actions must be performed? (Choose two.)

- A. Install the Configuration File Loader.
- B. Install RAID Manager/CCI.
- C. Install the Hitachi Command Suite.
- D. Install the Replication Manager Agent.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 60

A customer wants to create 10 rotating point-in-time copies of their data and are concerned with the implementation costs. Which Hitachi replication product should they use?

- A. ShadowImage
- B. Copy-on-Write Snapshot
- C. Universal Replicator

D. TrueCopy

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 61

A storage administrator wants to script in-band TrueCopy commands on a Linux server with FC HBAs. Which two components are required? (Choose two.)

A. RAID Manager/CCI

B. a Command Device

C. Storage Navigator

D. Business Continuity Manager

Answer: A,B ([LEAVE A REPLY](#))

Valid HH0-110 Dumps shared by Actual4test.com for Helping Passing HH0-110 Exam! Actual4test.com now offer the **newest HH0-110 exam dumps**, the Actual4test.com HH0-110 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com HH0-110 dumps with Test Engine here:

https://www.actual4test.com/HH0-110_examcollection.html (164 Q&As Dumps,

30%OFF Special Discount: Freepdfdumps)

NEW QUESTION: 62

A customer is implementing a NAS solution. How do the servers obtain access to the application data stored on the NAS device?

A. FC over SAN

B. FC over LAN

C. IP over LAN

D. iSCSI over SAN

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 63

You want to perform a volume migration using Hitachi Tiered Storage Manager. Which two are valid migration targets? (Choose two.)

A. Resource Group

B. Storage Tier

C. Migration Group

D. DP Pool

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 64

In the event of a power failure, what happens to the cache on a VSP?

- A. The built-in UPS batteries preserve all data in cache.
- B. The cache is de-staged to a System Disk.
- C. The built-in UPS batteries preserve only write pending data.
- D. The cache is de-staged to the Data Cache Adapter SSDs.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 65

What are two specific features of the Grid Switches (GSW) of the VSP HiStar-E Network?
(Choose two.)

- A. 24 full duplex ports available
- B. 4 GB of local memory available
- C. cross-connected to each other
- D. high speed cross-connects provided

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

What is the allocation size and unit used by Hitachi Dynamic Provisioning on a VSP?

- A. 1024 KB slot
- B. 64 MB chunk
- C. 16 MB stripe
- D. 42 MB page

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

Which command can be used to provision storage on a VSP?

- A. jpcctrl
- B. raidcom
- C. auhgmap
- D. dlnkmgr

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 68

A customer has migrated some basic LDEVs to DP-Vols from a new DP Pool. After discarding zero data, these V-Vols finally appear to only use 50% of the DP Pool pages. With a VSP, what could be done to improve the page usage rate of this DP Pool?

- A. Use Storage Navigator for VSP to shrink the DP pool.
- B. Use Hitachi Device Manager to disassociate the V-Vols from the DP Pool.
- C. Use Storage Navigator for VSP to perform a zero page reclaim on the V-Vols.
- D. Use Hitachi Device Manager to shrink the Pool Volumes.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 69

What are two features of Hitachi Dynamic Link Manager (HDLM)? (Choose two.)

- A. HDLM can be used to setup redundant paths in a SAN.
- B. HDLM can be used to monitor LDEV migrations.
- C. HDLM can be used to detect intermittent path errors.
- D. HDLM can be used to monitor the performance within a SAN.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 70

A customer wants to use Hitachi Dynamic Tiering on a VSP. What is required before using the product?

- A. RAID Manager CCI
- B. Dynamic Provisioning license
- C. Hitachi Tiered Storage Manager
- D. Storage Navigator

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 71

You are recommending a Hitachi Data Ingestor (HDI) solution to your customer for their remote offices. Which two features describe an HDI? (Choose two.)

- A. It migrates content to a HCP and maintains local link to content.
- B. It migrates content to a HNAS and maintains local link to content.
- C. It uses remote storage provided by HCP.
- D. It uses remote storage provided by HNAS.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 72

A business that generates large amounts of sensitive data has an IT system combining mainframe and Open-Systems applications. They need a storage solution offering highly secure data storage with minimal performance impact and costs, and consistent with their green data center policy. Which three VSP storage system features meet these requirements? (Choose three.)

- A. VSP Virtual Storage Directors have a built in encryption capability.
- B. VSP offers encryption capabilities to Open-Systems and mainframe applications.
- C. VSP reduces capital cost by removing the need for discrete encryption devices.
- D. VSP can encrypt data in cache before de-staging to disk.
- E. VSP encryption creates no measurable increase in heat output or energy consumption.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 73

When using Copy-on-Write Snapshot, what is the final pair status after the pool has become 100 percent full?

- A. SMPL
- B. PFUE
- C. PSUS
- D. PSUE

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 74

A company is implementing storage virtualization and must create three copies of their database to run complex data mining tasks. The company wants to use external storage to create a cost effective solution which does not limit reliability or performance. What is the correct solution for the company?

- A. Use Copy-on-Write Snapshot to create copies of the data on a USP V.
- B. Use Universal Replicator and ShadowImage to create PiT copies of the data on an AMS2300.
- C. Use TrueCopy to create Point-in-Time (PiT) copies of the data on a USP VM.
- D. Use Universal Volume Manager and ShadowImage to create PiT copies of the data on an AMS2300.

Answer: [D \(LEAVE A REPLY\)](#)

NEW QUESTION: 75

What is specific to Hitachi Storage Capacity Reporter regarding the collection of host capacity and utilization reports?

- A. Only Windows hosts require an agent.
- B. Agents are not required for any host.
- C. Only Linux/Unix hosts require an agent.
- D. An agent is required on the host.

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 76

A customer wants to virtualize a new SATA modular storage array and must ensure that virtualizing the new array will have no affect on internal Tier 1 applications. What should the customer do?

- A. Configure additional initiator ports for the new storage.
- B. Create a system logical partition for the Tier 1 application.
- C. Install additional RAID Groups for the Tier 1 applications.
- D. Create a cache logical partition for the new storage.

Answer: [D \(LEAVE A REPLY\)](#)

Valid HH0-110 Dumps shared by Actual4test.com for Helping Passing HH0-110 Exam! Actual4test.com now offer the **newest HH0-110 exam dumps**, the Actual4test.com HH0-110 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com HH0-110 dumps with Test Engine here:

https://www.actual4test.com/HH0-110_examcollection.html (164 Q&As Dumps,

30%OFF Special Discount: Freepdfdumps)

NEW QUESTION: 77

A VSP customer is deploying a new Hitachi Dynamic Provisioning pool. They require the highest availability for a sequential read workload. Which RAID type should the customer use?

- A. RAID 5 (3+1)
- B. RAID 6 (6+2)
- C. RAID 0 (8+0)
- D. RAID 10 (2+2)

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 78

A customer has two AMS2100 systems attached as external storage to a VSP. After attaching a third AMS2100 to the VSP, they are unable to discover any new capacity. What is causing the problem?

- A. The External storage license on the AMS2100 has been exceeded.
- B. The Tiered Storage Manager licensed capacity has been exceeded.
- C. Some of the AMS2100 volumes are larger than 4 TB.
- D. The Basic Operating System licensed capacity has been exceeded.

Answer: D ([LEAVE A REPLY](#))

Valid HH0-110 Dumps shared by Actual4test.com for Helping Passing HH0-110 Exam! Actual4test.com now offer the **newest HH0-110 exam dumps**, the Actual4test.com HH0-110 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com HH0-110 dumps with Test Engine here:

https://www.actual4test.com/HH0-110_examcollection.html (164 Q&As Dumps,

30%OFF Special Discount: Freepdfdumps)