

Huawei.H12-711_V3.0.v2022-05-30.q104

Exam Code:	H12-711_V3.0
Exam Name:	HCIA-Security V3.0
Certification Provider:	Huawei
Free Question Number:	104
Version:	v2022-05-30
# of views:	1922
# of Questions views:	1040
https://www.freepdfdumps.com/Huawei.H12-711_V3.0.v2022-05-30.q104.html	

NEW QUESTION: 1

In the Client-Initiated VPN configuration, it is generally recommended to plan the address pool and headquarters network address as different network segments, otherwise you need to turn on the proxy forwarding function on the gateway device.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Gratuitous ARP can be used to detect if _____ address conflicts, and it can also refresh the MAC address table of the switch.

- A. IP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

"Caesar Password" is mainly encrypted by using a stick of specific specifications.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 4

In which of the following scenarios does the firewall generate a server map table? (Multiple choice)

- A. ASPF is deployed on the firewall and the traffic of the multi-channel protocol is forwarded
- B. NAT Server is deployed on the firewall
- C. If the firewall generates a session table, it will generate a Server-map table
- D. Security policies are deployed on the firewall and traffic is released

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

Regarding the description of the buffer overflow attack, which of the following options are correct?
(Multiple choice)

- A. Buffer overflow attacks are application layer attacks
- B. Buffer overflow attack is one of the common methods in the behavior of attacking software systems
- C. Buffer overflow attack exploits the flaws in the memory operation of the software system to run the attack code with high operating authority
- D. Buffer overflow attacks have nothing to do with operating system vulnerabilities and architecture

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 6

Regarding Client-Initialized L2TP VPN, which of the following statements is wrong?

- A. The LNS device receives the user's L2TP connection request, and can verify the user based on the user name and password
- B. Remote users do not need to install VPN client software
- C. After remote users access the Internet, they can directly initiate an L2TP tunnel connection request to the remote LNS through the client software
- D. LNS assigns private IP addresses to remote users

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which of the following information is not the backup content included in the status information backup in dual-system hot backup?

- A. IPv4 Session Table
- B. NAPT related entries
- C. IPSEC tunnel
- D. Routing table

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 8

Which protocols below can guarantee the confidentiality of data transmission? (Multiple Choice)

- A. HTTPS
- B. Telnet
- C. FTP
- D. SSH

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Please match the following information security risks with information security incidents one by one.

Physical security risks	Enterprise server permissions are loosely set
Information security management risk	Infected panda burning incense
Information access risk	Fire destroyed equipment in the computer room
Application risk	Talk to people about leaking company secrets

Answer:

Physical security risks	Information access risk
Information security management risk	Physical security risks
Information access risk	Application risk
Application risk	Information security management risk

NEW QUESTION: 10

When configuring the security policy, _____ can control the flow based on the user.

A. Services and applications

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

The SSL VPN routing mode determines the route of the message sent by the client. In the _____ mode, no matter what resource is accessed, the data will be intercepted by the virtual network card and forwarded to the virtual gateway for processing.

A. Network expansion

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

Intrusion Prevention System (IPS) is a defense system that can block intrusions in real time

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

Which of the following mechanisms are used to implement MAC flooding attacks? (Multiple choice)

- A. ARP learning mechanism
- B. The forwarding mechanism of the switch
- C. Limit on the number of MAC entries
- D. MAC learning mechanism of the switch

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which of the following is not a file format for saving certificates supported by USG6000 series devices?

- A. PEM
- B. PKCS#
- C. DER
- D. PKCS#12

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

NAT technology can realize data secure transmission by encrypting data.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

Which of the following options belong to the same characteristics of windows system and LINUX system? (Multiple choice)

- A. Support multiple terminal platforms
- B. Support graphical interface operation
- C. Support multitasking
- D. Open-source system

Answer: A,B,C ([LEAVE A REPLY](#))

Valid H12-711_V3.0 Dumps shared by Actual4test.com for Helping Passing H12-711_V3.0 Exam! Actual4test.com now offer the **newest H12-711_V3.0 exam dumps**, the Actual4test.com H12-711_V3.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H12-711_V3.0 dumps with Test Engine here: https://www.actual4test.com/H12-711_V3.0_examcollection.html (466 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 17

Security technology has different methods in different technical levels and fields. Which of the following devices can be used for network layer security protection? (Multiple choice)

- A. Firewall
- B. Vulnerability scanning device
- C. Anti-DDoS device
- D. IPS/IDS device

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 18

Huawei USG firewall VRRP notification message is a multicast message, so each firewall in the backup group must be able to achieve direct layer 2 intercommunication

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 19

Regarding the description of the advanced settings of the windows firewall, which of the following options are wrong? (Multiple choice)

- A. When setting the pushstack rules, both the local port and the remote port can be restricted
- B. When setting the popstack rules, only the local port can be restricted, but the remote port cannot be restricted
- C. When setting the pushstack rules, only the local port can be restricted, but the remote port cannot be restricted
- D. When setting the popstack rules, both the local port and the remote port can be restricted

Answer: (SHOW ANSWER)

NEW QUESTION: 20

Regarding the description of the intrusion prevention system (IPS), which of the following is wrong?

- A. The IDS device needs to be linked to the firewall to block the intrusion
- B. IPS devices cannot be deployed in bypass mode in the network
- C. IPS equipment can be connected in series at the network boundary and deployed online

D. Once the IPS device detects the intrusion, it can block it in real time

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 21

Regarding the firewall security policy, the following items are correct?

A. By default, the security policy can control unicast messages, broadcast messages and multicast messages

B. By default, the security policy can control multicast

C. By default, the security policy only controls unicast packets.

D. By default, the security policy can control unicast packets and broadcast packets.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 22

In the security assessment method, the purpose of security scanning is to use scanning analysis and assessment tools to scan the target system in order to find relevant vulnerabilities and prepare for attacks

A. True

B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

Which of the following descriptions of the VGMP protocol is wrong?

A. VGMP adds multiple VRRP backup groups on the same firewall to a management group, and the management group manages all VRRP backup groups in a unified manner

B. By default, when the standby end does not receive the hello message sent by the opposite end for three hello message cycles, it will consider the opposite end to be faulty and switch itself to the Active state.

C. VGMP group devices in Active state will periodically send hello messages to the opposite end, and the standby end is only responsible for listening to hello messages and will not respond

D. VGMP uniformly controls the switching of the status of each VRRP backup group to ensure that the status of all VRRP backup groups in the management group is consistent.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 24

Social engineering is a kind of harmful means such as deception and harm through psychological traps such as psychological weakness, instinctual reaction, curiosity, trust, and greed of the victim.

A. FALSE

B. TURE

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 25

Social engineering is a method of deceiving and hurting victims through psychological traps such as psychological weakness, instinctual reaction, curiosity, trust, and greed.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 26

ASPF (Application Specific Packet Filter) is a packet filtering technology based on the application layer and implements a special security mechanism through the server-map table.

Regarding ASPF and server-map tables, which of the following are correct? (Multiple choice)

- A. ASPF can dynamically create server-map tables
- B. ASPF monitors the messages in the communication process
- C. ASPF dynamically allows multi-channel protocol data to pass through the server-map table
- D. The five-tuple server-map table entry implements a function similar to the session table

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which of the following options does not belong to the five-tuple range?

- A. Source IP
- B. Destination IP
- C. Source MAC
- D. Destination port

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 28


About SSL VPN technology, which of the following statement is wrong?

- A. SSL VPN requires dial client
- B. SSL VPN technology is perfect for NAT traversal scenarios
- C. SSL VPN technology expands the network range of enterprises
- D. Encryption of SSL VPN technology only takes effect on the application layer

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 29

As shown in the figure is an application scenario of a NAT server, when using the web configuration method for this configuration. Which of the following statements is correct? (Multiple choice)



- A. When configuring the interzone security policy, set the source security zone to DMZ and the target security zone to Untrust
- B. When configuring the interzone security policy, you need to set the source security zone to Untrust and the target security zone to DMZ
- C. When configuring NAT Server, the internal address is 10.1.1.2 and the external address is 200.10.10.1
- D. When configuring NAT Server, the internal address is 200.10.10.1 and the external address is 10.1.1.2.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

Which of the following sequence for incident response management is correct?

1 Detection 2 Report 3 Mitigation 4 Summarize experience 5 Repair 6 Recovery 7 Response

- A. 1-7-3-2-6-5-4
- B. 1-2-3-7-6-5-4
- C. 1-3-2-7-6-5-4
- D. 1-3-2-7-5-6-4

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

When configuring user single sign-on, the mode of receiving PC messages is adopted, and the authentication process has the following steps:

1. The visitor's PC executes the login script and sends the user login information to the AD monitor
2. The firewall extracts the corresponding relationship between the user and IP from the login information and adds it to the online user table
3. The AD monitor connects to the AD server to query login user information, and forwards the queried user information to the firewall
4. The visitor logs in to the AD domain, and the AD server returns a login success message to the user and delivers the login script. Which of the following is the correct order?

- A. 1-4-3-2
- B. 1-2-3-4
- C. 3-2-1-4
- D. 4-1-3-2

Answer: D ([LEAVE A REPLY](#))

Valid H12-711_V3.0 Dumps shared by Actual4test.com for Helping Passing H12-711_V3.0 Exam! Actual4test.com now offer the **newest H12-711_V3.0 exam dumps**, the Actual4test.com H12-711_V3.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H12-711_V3.0 dumps with Test Engine here: https://www.actual4test.com/H12-711_V3.0_examcollection.html (**466** Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 32

Which of the following are functions of address translation technology? (Multiple choice)

- A. Address translation can make many hosts in the internal LAN share an IP address to surf the Internet
- B. Address translation can enable internal network users (private IP addresses) to access the Internet
- C. Address translation can handle encrypted IP headers
- D. Address translation can shield users on the internal network and improve the security of the internal network

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

In the process of using the digital envelope, which of the following information will be encrypted? (Multiple choice)

- A. User data
- B. Recipient's public key
- C. Symmetric key
- D. Receiver's private key

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 34

What is the warning level for major cybersecurity incidents that occur?

- A. Red warning
- B. Orange warning
- C. Yellow warning
- D. Blue warning

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

Regarding VPN, which of the following statements is wrong?

- A. The emergence of VPN technology allows employees on business trips to remotely access the internal server of the enterprise
- B. VPN technology is a technology that multiplexes logical channels on actual physical lines
- C. Virtual private network has lower cost than dedicated line
- D. VPN technology must involve encryption technology

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 36

Regarding the command to view the number of security policy matches, which of the following is correct?

- A. count security-policy hit
- B. display firewall session table
- C. display security-policy all
- D. display security-policy count

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

Because the server is a kind of computer, we can use our personal computer as a server in the enterprise.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

The results seen through display ike sa are as follows. Which of the following statements is wrong?

```
current ike sa number: 1
-----
connection-id  peer      vpn  flag  phase  IPSEC
-----
0x1f1          2.2.2.1  0    RD|ST v1:1    IPSEC 0x60436dc4

flag meaning
RD--READY ST--STAYALIVE RL--REPLACED FD--FADING TO--TIMEOUT
```

- A. The neighbor address is 2.2.2.1
- B. IKE SA has been established

- C. IPSec SA has been established
- D. IKE uses the V1 version

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 39

The vulnerabilities that have not been discovered are 0 day vulnerabilities

- A. False
- B. True

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 40

In practical applications, asymmetric encryption is mainly used to encrypt user data.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 41

Which of the following types of attacks are DDos attacks?

- A. Snooping scan attack
- B. Special message attack
- C. Malformed message attack
- D. Traffic attacks

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 42

In the USG series firewall, you can use the _____ function to provide a well-known application service for the non-knowledge port.

- A. Long connection
- B. Packing filter
- C. Mac and IP address binding
- D. Port mapping


Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 43

Drag the stages of cybersecurity emergency response on the left into the box on the right, and arrange them from top to bottom in the order of execution.



Answer:



NEW QUESTION: 44

Regarding the description of the intrusion detection system, which of the following is wrong?

- A. The immersion detection system can be linked with firewalls and switches, becoming a powerful "assistant" of the firewall, and better and more precise control of traffic access between domains
- B. Intrusion detection system includes all software and hardware systems used for intrusion detection
- C. Once the intrusion detection system finds any behavior that violates the security policy or the system has traces of being attacked, it can implement blocking operations

D. The intrusion detection system can dynamically collect a large amount of key information through the network and computer, and can analyze and judge the current state of the entire system environment in time

Answer: C (LEAVE A REPLY)

NEW QUESTION: 45

On the USG series firewall, after configuring the web redirection, the the authentication page cannot pop up. Which item below does not belong to the cause?

- A. The port number of the authentication page service is set to 8887
- B. Unenable WEB authentication function
- C. Unconfigured authentication policy or authentication policy configuration error
- D. Browser SSL version is not matched with the firewall authentication page SSL version

Answer: A (LEAVE A REPLY)

NEW QUESTION: 46

The host firewall is mainly used to protect the host from attacks and intrusions from the network.

- A. False
- B. True

Answer: B (LEAVE A REPLY)

Valid H12-711_V3.0 Dumps shared by Actual4test.com for Helping Passing H12-711_V3.0 Exam! Actual4test.com now offer the **newest H12-711_V3.0 exam dumps**, the Actual4test.com H12-711_V3.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H12-711_V3.0 dumps with Test Engine here: https://www.actual4test.com/H12-711_V3.0_examcollection.html (**466 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 47

Which of the following description is wrong about the digital fingerprint in the digital signature?

- A. The receiver needs to use the sender's public key to unlock the digital signature and get the digital fingerprint.
- B. The receiver will use the sender ' s public key to calculate the generated data fingerprint and compare it with the received digital fingerprint.
- C. Digital fingerprints are also called information digests.
- D. It is the data obtained by the sender after calculating the plaintext information through the HASH algorithm.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 48

Which of the following is not the business scope of the National Internet Emergency Response Center?

- A. Emergency handling of security incidents
- B. Provide security evaluation services for government departments, enterprises and institutions
- C. Cooperate with other organizations to provide training services
- D. Early warning and notification of security incidents

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

Which of the following descriptions about dual-system hot backup is wrong?

- A. The active preemption function is enabled by default
- B. Whether it is a Layer 2 or Layer 3 interface, whether it is a business interface or a heartbeat interface, it needs to be added to the security zone
- C. The dual-system hot backup function requires license support
- D. The preemption delay is 60s by default

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 50

In response to network security incidents, remote emergency response is generally taken first. If the problem cannot be solved for the customer through remote access, after the customer confirms, it will be transferred to the local emergency response process.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 51

The firewall imports users locally, and supports importing user information in _____ format files and database dbm files to the local device.

- A. CSV

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

Which of the following is the default backup mode of dual-machine hot backup?

- A. Fast session backup
- B. Configuration of the active and standby FW after the device restarts
- C. Manual batch backup
- D. Automatic backup

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 53

Drag the steps of electronic forensics on the left into the box on the right to summarize, and arrange them from top to bottom in the order of execution.

Preservation of evidence	
Follow up	
Get evidence	
Analyze the evidence	

Answer:

Preservation of evidence	Get evidence
Follow up	Preservation of evidence
Get evidence	Analyze the evidence
Analyze the evidence	Follow up

NEW QUESTION: 54

Which of the following options belong to international organizations related to information security standardization? (Multiple choice)

- A. Wi-Fi Alliance Wi-Fi
- B. International Telecommunication Union (ITU)
- C. International Organization for Standardization (ISO)
- D. International Electrotechnical Commission (IEC)

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 55

Which of the following options are malicious programs? (Multiple choice)

- A. Worms
- B. Vulnerabilities

- C. Viruses
- D. Trojan Horse

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

Which of the following options belong to the function of SSL VPN? (Multiple choice)

- A. WEB rewrite
- B. File sharing
- C. User authentication
- D. Port scan

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

Regarding IKE SA, which of the following descriptions is wrong?

- A. The encryption algorithm used in user data packets is determined by IKE SA
- B. IKE SA is two-way
- C. IKE SA serves for IPSec SA
- D. IKE is an application layer protocol based on UDP

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 58

Digital envelope refers to the data obtained after the sender uses the receiver's _____ to encrypt the symmetric key.

- A. Public key

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 59

When an information security incident occurs, the priority is to adopt _____ emergency response to provide customers with technical technical support.

- A. MPDRR

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 60

NAPT technology can implement a public IP address for multiple private network hosts.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 61

In the USG series firewall system view, the device configuration will be restored to the default configuration after the reset saved-configuration command is executed, and it will take effect without other operations.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

Valid H12-711_V3.0 Dumps shared by Actual4test.com for Helping Passing H12-711_V3.0 Exam! Actual4test.com now offer the **newest H12-711_V3.0 exam dumps**, the Actual4test.com H12-711_V3.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H12-711_V3.0 dumps with Test Engine here: https://www.actual4test.com/H12-711_V3.0_examcollection.html (**466 Q&As Dumps, 30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 62

About the description of the Windows firewall, which of the following statements are correct? (Multiple Choice)

- A. Windows firewall can change the notification rule in the closed state
- B. Windows firewalls can only allow or prohibit preset programs or features and programs installed on the system, and cannot customize the release rules in accordance with protocols or port numbers.
- C. If in the process of setting up the Windows firewall, the Internet cannot be accessed, you can quickly restore the firewall to the initial state using the restored default value function.
- D. Windows firewall not only allows or prohibits preset programs or features and programs installed on the system, but also support to customize the release rules in accordance with protocols or port numbers.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 63

In the USG system firewall, you can use which function to provide well-known application services for non-well-known ports?

- A. MAC and IP address binding
- B. Port mapping
- C. Packet filtering
- D. Long connection

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 64

Which of the following options are harmful to traffic-based attacks? (Multiple choices)

- A. Data is stolen
- B. Server down
- C. The webpage has been tampered with
- D. The network is down

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 65

Which of the following is not a requirement for firewall dual-machine hot backup?

- A. The firewall software version is consistent
- B. The interface type and number used are consistent
- C. The firewall interface IP addresses are consistent
- D. The firewall hardware models are consistent

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

Which of the following statement is wrong about the L2TP VPN of Client-Initialized?

- A. After the remote user access the Internet, the L2TP tunnel connection request can be initiated directly from the remote LNS through the client software.
- B. The remote users do not need to install VPN client software
- C. LNS assign private IP addresses for remote users.
- D. The LNS device receives the user's L2TP connection request, and the user can be verified according to the username and password.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 67

Regarding Client-Initiated VPN, which of the following statements are correct? (Multiple choice)

- A. A tunnel is established between each access user and LNS
- B. Each tunnel carries multiple L2TP sessions and PPP connections
- C. Each tunnel carries multiple L2TP sessions and one PPP connection
- D. Each tunnel carries only one L2TP session and PPP connection

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

Using the _____ method of the web proxy, the virtual gateway encrypts the real URL that the user wants to access and can adapt to different terminal types.

- A. Web rewriting

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 69

Regarding the comparison between windows and linux, which of the following statements is wrong?

- A. Windows is open source, you can do whatever you want
- B. It is difficult for new linux users to get started, and some learning and guidance are needed.
- C. Windows can be compatible with most software and play most games
- D. Linux is an open source code, you can do whatever you want

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 70

Regarding the description of TCP/IP protocol stack packet decapsulation, which of the following is correct? (Multiple Choice)

- A. After the application layer receives the data message, the application layer information is stripped after parsing, and the final user data displayed is exactly the same as the data sent by the sender host
- B. After the transport layer (TCP) receives the data message, the transport layer information is stripped after parsing, and the upper layer processing protocol is known based on the parsing information, such as UDP
- C. The data message is first transmitted to the data link layer. After parsing, the data link layer information is stripped, and the network layer information is known based on the analysis information, such as IP
- D. After the network layer receives the data message, the network layer information is stripped after parsing, and the upper layer processing protocol is known based on the parsing information, such as HTTP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

The SIP protocol uses SDP messages to establish a session, and the SDP message contains a remote address or multicast address

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

Which of the following options belongs to the Layer 2 VPN technology?

- A. GRE VPN
- B. IPSec VPN
- C. L2TP VPN
- D. SSL VPN

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 73

Which of the following does not belong to the classification of cybersecurity incidents?

- A. Major cybersecurity incidents

- B. General cybersecurity incidents
- C. Special cybersecurity incidents
- D. Major cybersecurity incidents

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 74

Security policy conditions can be divided into multiple fields, such as source address, destination address, source port, destination port, etc. These fields have an "and" relationship, that is, only the information in the message and all fields If they all match, it is considered to have hit this strategy.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 75

After the company ' s network administrator has configured dual-system hot backup, he can view VRRP and other information through commands, and get the following information

HRP_M<FWA>

Gigabit Ethernet 0/0/3 Virtual Router 1

State: Master

Virtual IP: 10.3.0.3

Master IP: 10.3.0.1

Priority Run: 120

Priority Config: 100

Master Priority: 120

Preempt: YES Delay Time: 0s

Timer Run: 60s

Timer Config: 60s

Auth type: NONE

Virtual MAC: 0000-5e00-0101

Check TIL: YES

Config type: vgrp Vrrp

Backup-forward : disabled

Create time : 2020-03-17 17:35:54UTC+08:02

Last change time: 2020-03-22 16:01:56 UTC+08:02

Type in the blank space to view the command is _____

- A. display vmp

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 76

When the user uses the session authentication method to trigger the firewall's built-in Portal authentication, the user does not actively perform identity authentication, first performs business access, and the device pushes "redirect" to the authentication page.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

Valid H12-711_V3.0 Dumps shared by Actual4test.com for Helping Passing H12-711_V3.0 Exam! Actual4test.com now offer the **newest H12-711_V3.0 exam dumps**, the Actual4test.com H12-711_V3.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H12-711_V3.0 dumps with Test Engine here: https://www.actual4test.com/H12-711_V3.0_examcollection.html (**466 Q&As Dumps, 30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 77

Regarding the description of the Windows log event type, which of the following is correct?
(Multiple Choice)

- A. Failure audit event refers to a failure of security login attempts, such as failure when a user view accesses a network drive, is recorded as a failure audit event.
- B. When the disk space is insufficient, it will be recorded as a "information event".
- C. Error events usually refer to the loss of functionality and data. For example, a service cannot be loaded as a system boot, an error event is generated.
- D. Warning event refers to an event that the application, driver or service is successful.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 78

The leakage of personal information belongs to the destruction of the _____ characteristics of the information.

- A. Confidential

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 79

As shown in the figure, when using Client-Initiated VPN to establish L2TP VPN, which of the following is the end point of PPP packets?



- A. LNS
- B. LAC
- C. Server
- D. Access users

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 80

The online scenario of internal users in the enterprise is shown in the figure. The user online process is as follows:

1. After the authentication is passed, the USG allows the connection to be established
2. The user accesses the internet and enters http://1.1.1.1
3. USG push authentication interface
4. The user successfully accesses http://1.1.1.1, and the device creates a session table
5. The user enters the correct user name and password

Which of the following is the correct process sequence?



- A. 2->3->5->1->4
- B. 2->3->1->5->4
- C. 2->5->3->1->4
- D. 2->1->3->5->4

Answer: (SHOW ANSWER)

NEW QUESTION: 81

Normally, the port used by the FTP active mode server for data transmission is the TCP () port.

- A. 20

Answer: (SHOW ANSWER)

NEW QUESTION: 82

In information security protection, commonly used security products include firewalls, Anti-DDos equipment, and IPS/IDS equipment

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 83

Drag the early warning levels of the network security emergency response on the left into the box on the right, and arrange them from top to bottom in order of severity.

Orange alert	
Yellow alert	
Red alert	
Blue alert	

Answer:

Orange alert	Red alert
Yellow alert	Orange alert
Red alert	Yellow alert
Blue alert	Blue alert

NEW QUESTION: 84

Match the following survey methods and descriptions one by one

Operational investigation	Civil investigations usually do not involve internal employees and external consultants
Criminal investigation	Mainly used to investigate the organization's computing facilities, such as whether there are performance problems, configuration problems, etc., mainly used to analyze the problem, no special rigorous evidence is required
Civil investigation	Regulatory investigations are carried out by government agencies, and may violate the law in the organization
Regulatory investigation	Investigations by law enforcers for illegal acts

Answer:

Operational investigation	Civil investigation
Criminal investigation	Operational investigation
Civil investigation	Regulatory investigation
Regulatory investigation	Criminal investigation

NEW QUESTION: 85

Regarding the source of electronic evidence, which of the following descriptions is wrong?

- A. Database operation records and operating system logs are electronic evidence related to computers
- B. Movies and TV series are electronic evidence related to network technology.
- C. The operating system logs, e-mail, and chat records can all be used as the source of electronic evidence.

D. Fax information and mobile phone recordings are electronic evidence related to communication technology.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

When NAT Server is configured on the USG system firewall, a server-map table will be generated. Which of the following is not included in the table?

- A. Destination port number
- B. Source IP
- C. Protocol number
- D. Destination IP

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 87

Which of the following is a remote authentication method? (Multiple Choice)

- A. LLDP
- B. HWTACACS
- C. RADIUS
- D. Local

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 88

In order to obtain criminal evidence, it is necessary to master the intrusion tracking technology. Which of the following description of the tracking technology is correct? (Multiple choice)

- A. Shallow mail behavior analysis can realize the analysis of sending IP address, sending time, sending frequency, number of recipients, shallow email headers and other information
- B. The packet recording technology inserts tracking data into the tracked IP packet, thereby marking the packet on each router mentioned.
- C. Link detection technology determines the source of the attack information by testing the network connection between routers
- D. Data packet marking technology records data packets on the router, and then uses data drilling technology to extract information about the source of the attack

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 89

Regarding NAT address translation, which of the following statements is wrong?

- A. Some application layer protocols carry IP address information in the data, and when NAT is performed on them, the IP address information in the upper layer data must be modified
- B. For some non-TCP, UDP protocols (such as ICMP, PPTP), NAT conversion is not possible
- C. Address conversion can provide FTP, WWW, Telnet and other services outside the local area network according to the needs of users

D. Configure the NAT address pool in the source NAT technology, you can configure only one IP address in the address pool

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 90

On Huawei USG series firewalls, the default security policy does not support modification.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 91

User authentication is the authentication of the client's identity by the SSL virtual gateway, including: _____, server authentication, certificate anonymous authentication and certificate challenge authentication.

A. Local authentication

Answer: A ([LEAVE A REPLY](#))

Valid H12-711_V3.0 Dumps shared by Actual4test.com for Helping Passing H12-711_V3.0 Exam! Actual4test.com now offer the **newest H12-711_V3.0 exam dumps**, the Actual4test.com H12-711_V3.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H12-711_V3.0 dumps with Test Engine here: https://www.actual4test.com/H12-711_V3.0_examcollection.html (**466 Q&As Dumps, 30%OFF**

Special Discount: [Freepdfdumps](#))

NEW QUESTION: 92

When the firewall upgrades the signature database and virus database online through the security service center, the firewall must first be able to connect to the Internet, and secondly, the correct DNS address must be configured.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 93

What protection levels are included in TCSEC standard? (Multiple Choice)

A. Verification Protection

B. Passive Protection

C. Self-protection

D. Forced Protection

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 94

Which of the following is not part of the digital certificate?

- A. Public key
- B. Private key
- C. Issuer
- D. Validity period

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 95

The tunnel addresses at both ends of the GRE tunnel can be configured as addresses of different network segments.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 96

Which of the following is not a key technology of anti-virus software?

- A. Self-protection
- B. Shelling technology
- C. Real-time update virus database
- D. Format the disk

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 97

Which types can be divided into according to the shape of servers? (Multiple Choice)

- A. Rackline server
- B. Tower server
- C. Blade server
- D. x86 server

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 98

Which of the following attacks is not a network attack?

- A. Smurf attack
- B. ICMP attack
- C. MAC address spoofing attack
- D. IP spoofing attack

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 99

Security technology has different methods in different technical levels and fields. Which of the following devices can be used for network layer security protection? (Multiple choice)

- A. IPS/IDS equipment
- B. Anti-DDoS equipment
- C. Firewall
- D. Vulnerability scanning equipment

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 100

Which of the following data does the digital signature technology encrypt to obtain a digital signature?

- A. Recipient's public key
- B. User data
- C. The sender's public key
- D. Digital fingerprint

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 101

Which attack below does not belong to a special packet attack?

- A. Super ICMP Packet Attack
- B. ICMP unreachable packet attack
- C. IP address scan attack
- D. ICMP redirection packet attack

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 102

The role of antivirus software and host firewall is the same.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 103

Which item stipulates that "spam should be detected and protected at key network nodes, and the upgrade and update of the spam protection mechanism should be maintained"?

- A. Border protection
- B. Centralized control
- C. Malicious code prevention
- D. Communication transmission

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 104

Which of the following is the status information that can be backed up by the HRP (Huawei Redundancy Protocol) protocol? (Multiple Choice)

- A. Dynamic blacklist
- B. Routing table
- C. Conference table
- D. ServerMap entry

Answer: A,C,D ([LEAVE A REPLY](#))

Valid H12-711_V3.0 Dumps shared by Actual4test.com for Helping Passing H12-711_V3.0 Exam! Actual4test.com now offer the **newest H12-711_V3.0 exam dumps**, the Actual4test.com H12-711_V3.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H12-711_V3.0 dumps with Test Engine here: https://www.actual4test.com/H12-711_V3.0_examcollection.html (**466** Q&As Dumps, **30%OFF**

Special Discount: [Freepdfdumps](#))