

# Huawei.H13-624\_V5.5.v2025-08-11.q301

<b>Exam Code:</b>	H13-624_V5.5
<b>Exam Name:</b>	HCIP-Storage V5.5
<b>Certification Provider:</b>	Huawei
<b>Free Question Number:</b>	301
<b>Version:</b>	v2025-08-11
<b># of views:</b>	105
<b># of Questions views:</b>	3010
<a href="https://www.freepdfdumps.com/Huawei.H13-624_V5.5.v2025-08-11.q301.html">https://www.freepdfdumps.com/Huawei.H13-624_V5.5.v2025-08-11.q301.html</a>	

## NEW QUESTION: 1

The storage device generates a fault alarm. Which of the following methods cannot collect storage system faults?

information( )

- A. Check all events
- B. Export system data
- C. Check the zone configuration
- D. Check the warning information

**Answer: C (LEAVE A REPLY)**

## NEW QUESTION: 2

Regarding the multi-NameNode concurrency characteristics of Huawei's distributed storage products, which of the following statements are correct ( )

- A. Avoid metadata service interruption caused by traditional HDFS NameNode switching
- B. Multiple Active NameNodes provide metadata services, real-time consistent data among multiple nodes
- C. The number of files supported by multiple Active NameNodes is no longer restricted by the memory of a single node
- D. Multi-directory metadata operations multi-node full concurrency

**Answer: A,B,C,D (LEAVE A REPLY)**

## NEW QUESTION: 3

Among the following software features of OceanStor 9000, which feature can provide file system snapshots?

- A. InfoLocker
- B. InfoEqualizer
- C. InfoStamper

D. InfoProtector

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 4**

In the Huawei disaster recovery solution, the correct description of the synchronous remote replication sequence is:

1. The primary storage array writes I/O data to the primary LUN and sends IO to the secondary LUN
2. 2. The host sends IO to the main storage array.
3. 3. The main storage array returns a successful write message to the host.
4. Write IO data to the master and slave LUNs.

A. 1-2-4->3->2

B. 2-1-4~3

C. 3->2-1->4

D. 1-2->3->4

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 5**

Which node types does Huawei OceanStor 9000 support?

A. P36

B. C36

C. P25

D. P12

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 6**

In a Oceanstor 9000 system, the total number of nodes is 10, and the data protection level that can be configured for it can be: (multiple choice)

A. 6+3

B. 6+4

C. 4+5

D. 6+5

**Answer: A,B ([LEAVE A REPLY](#))**

**NEW QUESTION: 7**

The deduplication types supported by the Huawei OceanStor integrated backup solution are: (multiple choice)

A. Source end deduplication

B. Target end deduplication

C. Global deduplication

D. Parallel deduplication

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 8**

Multiple choice The description about the analysis and adjustment of the Oceanstor 9000 system NAS server parameters is wrong: (multiple choice)

- A. ocenstor 9000 NFS transfer block size is 32KB by default
- B. If the data block transmitted by NFS is very large, it may increase the number of business interactions
- C. If the NFS transmission data block is very small, it may increase the number of business interactions.
- D. ocenstor 9000 NFS transmission block size defaults to 1MB

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 9**

Large Internet company A plans to purchase Huawei's all-flash storage series to protect its key business.

Which of the following products

Products to choose from

- A. OceanStor 2800 v5
- B. OceanStor Dorado 6800 v6
- C. OceanStor Dorado 5600 v6
- D. OceanStor 9000

**Answer: B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 10**

In the Oceanstor 9000 storage system, which of the following system resources can be controlled by the InfoAllocator feature?

- A. user group
- B. storage space
- C. number of files
- D. user

**Answer: B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 11**

Which one of the following descriptions of WushanSQL is wrong?

- A. All business data in Wushan SQL are redundantly stored in different storage nodes in duplicate
- B. Wushan SQL needs to be coordinated through the control module to complete large-scale data processing
- C. In Wushan SQL, business data is scattered on multiple physical nodes, and data analysis tasks are pushed to the node where the data is located for execution

D. Each node in Wushan SQL shares system resources such as CPU, memory, and storage with each other

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 12**

(single choice) Among the following OceanStor 9000 software features, which feature can provide file system snapshots?

- A. InfoStamper
- B. InfoLocker
- C. InfoEqualize
- D. InfoProtector

**Answer: A (LEAVE A REPLY)**

#### **NEW QUESTION: 13**

Single choice Which of the following is the correct power-on sequence of the Huawei Oceanstor 9000 big data storage system?

- A. Cabinet>Switch>Node>KVM
- B. cabinet->KM->switch>node
- C. Cabinet>Node>KM->Switch
- D. Cabinet> Switch>) KM> Node

**Answer: D (LEAVE A REPLY)**

#### **NEW QUESTION: 14**

The following description of the backup domain of the OceanStor backup solution is wrong:

- A. Can include 1 or more CommServe backup management nodes
- B. Can include one or more media agents (MediaAgent)
- C. Can include one or more intelligent data agents (iDataAgent)
- D. Can include 1 or more clients

**Answer: A (LEAVE A REPLY)**

#### **NEW QUESTION: 15**

Multiple choice A large Internet company A purchased Huawei hyper-converged storage multiple choice to build an IT infrastructure platform. Which of the following can be applied Scenes()

- A. Container
- B. Virtualization
- C. Database
- D. Desktop Cloud

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 16**

In the "Oceanstor 9000 Network Diagram", what type of switch b should be?

- A. CE6800
- B. IS5023
- C. S5700

**Answer: C (LEAVE A REPLY)**

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (**62 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)

#### **NEW QUESTION: 17**

Engineer A finds an abnormality in the storage during the daily inspection, and calls the Huawei technical support hotline for help, and technical support instructs engineer A Complete the collection of information of the business host. The operating system of the business host is Linux, which of the following collected commands are correct ( )

- A. Execute the rpm -qa|grep UltraPath command to check whether the multipath software is completely installed. If the system displays the UltraPath Relevant information indicates that it has been installed
- B. Execute the upadmin show upconfig command to view the multipath configuration
- C. Execute the upadmin show vlan command to query all or specified virtual disk information
- D. Execute service firewall stop to turn off the firewall

**Answer: A,B,C (LEAVE A REPLY)**

#### **NEW QUESTION: 18**

Regarding the global deduplication technology adopted by the block service, which descriptions are correct for multiple choices ( )

- A. Filter data that is not highly repetitive through the opportunity table
- B. The fingerprint table has a small memory footprint, which can support the deduplication of a larger capacity system
- C. The fingerprint of the data block enters the opportunity table count first, and only the same data block is written to the threshold multiple times before it can enter the fingerprint table to perform deduplication
- D. The distributed storage space is huge. In order to reduce the memory space consumption of the fingerprint table, the mechanism of the fingerprint opportunity table is introduced

**Answer: A,B,C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 19**

A storage cluster has five C72 nodes. The front and back 10CF networking mode is adopted. In the hybrid deployment of distributed system services and pairs For storage services, the number of IP addresses that need to be planned for the front-end business network is:

- A. 61
- B. 71
- C. 81
- D. 91

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 20**

Single choice Huawei Oceanstor 9000 FRU replacement tool does not support the replacement of which of the following modules or devices?

- A. IO module
- B. power module
- C. Replace the hard disk online
- D. cable

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 21**

Single choice Which one of the following statements about unpacking and inspection is incorrect?

- A. When unpacking and inspecting the goods, the engineering supervisor can unpack and count the goods separately
- B. If the goods are inconsistent with the packing list, the unpacked equipment should be transferred indoors for proper storage
- C. If there are errors or shortages during unpacking and inspection, please fill in the "Cargo Error Feedback Form" and feedback to the local office

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 22**

When you need to uninstall Huawei UltraPath host multipathing software, which one of the following operations is correct?

- A. After stopping the host service read and write, immediately execute the UltraPath uninstall command
- B. In the iscsi business environment, delete the disk mapping on the host first, and then disconnect all the connections of the host iscsi initiator.

Finally execute the UltraPath uninstall command

**C.** In the FC service environment, after disconnecting all FC host physical ports, execute the UltraPath uninstall command

**Answer:** ([SHOW ANSWER](#))

### **NEW QUESTION: 23**

Multiple choice The description about the analysis and adjustment of the CIFS transmission size of the Oceanstor 9000 system is wrong: (multiple choice)

**A.** CIFS transfer block size refers to the size of CIFS file sharing in a single service request between the IP client and Oceanstor 9000.

The size of the data block

**B.** To adjust the transmission block size, you need to adjust the client and Oceanstor9000 at the same time.

Small value shall prevail

**C.** Analyze the file size ratio that needs to be stored in Oceanstor 9000 to obtain the storage file model, and then select an appropriate size Numerical value

**D.** Since the parameter value in Oceanstor 9000 has been set to the minimum value by default, it is only necessary to adjust the parameter value of the client to the target value.Nominal value

**Answer:** B,D ([LEAVE A REPLY](#))

### **NEW QUESTION: 24**

Colleagues customized Huawei dual-active disaster recovery solutions for customers. Customers already have a set of OceanStor S5500TV2 and a set of third-party systems. In the storage system, the two sets of equipment are placed in two data centers to implement active-active disaster recovery. The solution:

**A.** Not feasible. The active/standby disaster recovery solution requires at least a set of OceanStor V3 storage.

**B.** Not feasible. The active and standby disaster recovery solution requires at least a storage system of OceanStor 5300 V3 and above.

**C.** Feasible, the storage device meets the requirements of the active-active disaster recovery solution.

**Answer:** A ([LEAVE A REPLY](#))

### **NEW QUESTION: 25**

When using Huawei OceanStor Toolkit V100R001 to perform the inspection operation, which one of the following is not included in the inspection wizard? ()

**A.** Select check item

**B.** Set inspection strategy

**C.** Export inspection strategy

**D.** Select equipment

**Answer:** C ([LEAVE A REPLY](#))

**NEW QUESTION: 26**

Which of the following options belong to the enhanced features of Huawei InfoTurbo:  
(multiple choice)

- A. SMB3 Multichannel
- B. NFS protocol enhancement
- C. Smart pre-reading
- D. Fixed pre-reading

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 27**

The metadata in the Oceanstor 9000 object storage is mirrored to achieve redundancy between nodes. Each copy is an independent and complete Copy to improve the security of metadata and the parallel way of metadata Performance

- A. True
- B. False

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 28**

Back Question Mode Answer Mode Which of the following authentication methods are supported by CIFS?

- A. LADP domain
- B. Local authentication
- C. Global authentication
- D. AD domain answer

**Answer: B,C,D (LEAVE A REPLY)**

**NEW QUESTION: 29**

An enterprise purchased a distributed storage system, which contains 50 nodes. Engineer C is Before deployment, plan and design the installation and deployment of the storage system, and follow the recommended reference configuration. When planning the network configuration, you need to plan Use aggregation switches.

- A. True
- B. False

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 30**

The backup software architecture of the ceanStor backup solution includes: (multiple choice)

- A. Backup management node
- B. Backup business node

- C. Client
- D. Backup media

**Answer: A,B,C (LEAVE A REPLY)**

### NEW QUESTION: 31

In the Huawei hybrid flash storage series storage system, which of the following is the wrong description of the relationship between the logical ports of IP drift?

- A. Multiple bonding ports can be configured on one Ethernet port
- B. Multiple logical ports can be configured on one bonded port
- C. Multiple bonded ports can be configured on 1 VLAN
- D. Ethernet port. Multiple VLANs can be configured on it

**Answer: C (LEAVE A REPLY)**

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (62 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

### NEW QUESTION: 32

On the storage device, through which of the following configurations, the alarm information can be saved to the designated FIP server ()

- A. Alarm dump
- B. Email notification
- C. Configure Syslog notification
- D. Configure SNMP

**Answer: A (LEAVE A REPLY)**

### NEW QUESTION: 33

In the following options, the description of the bucket (Bucket) is incorrect.

- A. Bucket lifecycle management refers to the configuration of rules to realize that the bucket will be automatically deleted after a certain period of time The function of the object without client intervention.
- B. Bucket is a kind of container used to store objects. It can be regarded as a directory that can be accessed through the Internet.
- C. Buckets and Containers have similar functions, and both can be accessed through the network.
- D. Buckets support nesting, thus avoiding a hierarchical container structure.

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 34**

Which of the following options does not belong to the single-spot structure of FusionStorage.

- A. Back-end storage network
- B. Tenant Network
- C. Management network
- D. Cluster storage network

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 35**

Differential backup is performed once a day, and the storage period of full backup and backup data is 4 weeks, regardless of deduplication, redundancy ratio, replication, etc. Which value should the required back-end capacity be no less than?

- A. 5280GB
- B. 5940GB
- C. 4280GB
- D. 4940GB

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 36**

The characteristics of cross-domain unified management of data backup include: (multiple choice)

- A. Fault isolation
- B. Centralized management
- C. Client integration
- D. Manual synchronization

**Answer: A,C,D (LEAVE A REPLY)**

**NEW QUESTION: 37**

The remote replication feature is mainly used in disaster recovery and backup scenarios. Which of the following statements about the remote replication feature is correct:

- A. If the disaster recovery solution requires RPO=0, it is recommended to use synchronous remote replication.
- B. The remote replication slave LUN can be mapped to the host in advance. When the primary L-end fails, it can save business recovery time.
- C. During the remote replication process, if the replication link fails suddenly, the slave L data will be unavailable.
- D. The peak bandwidth of asynchronous replication is higher than that of synchronous replication.

**Answer: A,B (LEAVE A REPLY)**

**NEW QUESTION: 38**

Single selection In the Huawei OceanStor 9000 storage system, when a current Pair is in a split state, Which of the following statements is incorrect?

- A. When the Pair is resynchronized, the difference data and the synchronized data that have not been copied to the secondary directory due to the split operation during the last synchronization Resynchronize as needed.
- B. At this time, the master-slave relationship of the two directories specified by Pair remains unchanged.
- C. Pair split occurs. The possible cause is a temporary link abnormality or network bandwidth expansion.

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 39**

The LUN size relationship between production storage and disaster recovery storage configuration remote replication is: the capacity of the secondary LUN is greater than or equal to the capacity of the primary LUN.

- A. True
- B. False

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 40**

Which of the following multiple-choice types are included in Huawei's scale-out file storage nodes?

- A. High-performance storage nodes
- B. Data processing node
- C. Data storage node
- D. Large-capacity archive node

**Answer: A,D (LEAVE A REPLY)**

**NEW QUESTION: 41**

Single selection Huawei's converged storage has the function of parallel and fast data reconstruction. Data fragments are scattered in the resource pool. After a hard disk fails, the Automatic and parallel reconstruction within the entire resource pool, only the actual data is reconstructed, and no separate hot spare disk is required.

- A. True
- B. False

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 42**

Which of the following descriptions of the software components of the Huawei OceanStor 9000 product is correct?

- A. InfoAllocator controls the user's use of storage space by capacity or number of files
- B. InfoStamper supports creating a snapshot of the root directory
- The C.ceanstor9000 system defaults to load in a round-robin manner
- C. NDMP backup requires license support

**Answer: A (LEAVE A REPLY)**

#### NEW QUESTION: 43

In the five-step method of disaster recovery plan design, which is the correct sequence of the following steps in the design process?

- A. Compatibility confirmation->Network design->Storage capacity and tolerance#Disaster tolerance function design->Disaster tolerance solution selection->Disaster bandwidth calculation
- B. Compatibility confirmation#>Network design#Storage capacity and tolerance->Disaster belt-curtain computing->Disaster tolerance solution selection->Disaster tolerance function design
- C. Disaster recovery plan selection #> compatibility confirmation # storage capacity and disaster tolerance bandwidth calculation -> network design ->Disaster tolerance function design
- D. Disaster recovery solution selection-#>Network design #Storage capacity and tolerance #>Disaster bandwidth calculation ->Compatibility confirmation ->Disaster tolerance function design

**Answer: B,C (LEAVE A REPLY)**

#### NEW QUESTION: 44

The quota types supported by OceanStor9000 InfoAllocator are:

- A. File quota
- B. Mandatory quota
- C. Calculate quota
- D. Capacity quota

**Answer: A,D (LEAVE A REPLY)**

#### NEW QUESTION: 45

What are the correct statements about Huawei OceanStor 18810 V5 products ( )

- A. Huawei OceanStor 18810 v5 supports FC single link upgrade without host multipath perception
- B. Huawei OceanStor18810 v5 supports controller 4 cups and 3 functions
- C. SmartMatrix3.0 supported by Huawei OceanStor 18810 v5 can make Cache mirror Image and business pressure are more balanced

D. Huawei OceanStor 18810 v5 supports front-end and back-end shared interface cards, using a fully interconnected hardware framework Structure

**Answer: A,C,D (LEAVE A REPLY)**

#### NEW QUESTION: 46

Backup can be regarded as a low-level disaster tolerance. Backup is the basis of disaster tolerance. Disaster tolerance can replace backup.

A. Paving error

B. True

**Answer: (SHOW ANSWER)**

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (62 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

#### NEW QUESTION: 47

In the special single-selection feature of Huawei OceanStr Hybrid Flash Storage SmartQuota, the system will check the configuration for every I/O operation.

The amount of used capacity and the number of files, plus the incremental capacity and files of this operation, will it exceed the hard quota? If it exceeds, then operate Failure, otherwise the operation is successful.

A. Wrong

B. True

**Answer: B (LEAVE A REPLY)**

#### NEW QUESTION: 48

Huawei storage products provide data center active-active solutions based on HyperMetro. By classifying services, Part of the business is dominated by data center A, and data center B is hot standby, and some of the businesses are dominated by data center B, and data center B For hot standby, in order to achieve the effect of dual-active.

A. False

B. True

**Answer: A (LEAVE A REPLY)**

#### NEW QUESTION: 49

Hyper-convergence is a data center architecture that can uniformly collect computing capacity, file storage, memory, and network, and is like a public entity.

Independent management.

A. False

B. True

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 50**

During data backup, in order to save space, single-selection data may be deduplicated, such as repeated data block A and For block B, only one copy of data is physically saved, and the index corresponding to block A or B will be deleted.

A. False

B. True

**Answer: A (LEAVE A REPLY)**

#### **NEW QUESTION: 51**

Huawei Distributed Storage Block Service provides a snapshot mechanism to save the state of the user's data volume at a certain point in time In the future, it can be used to export data and restore data later.

A. True

B. False

**Answer: A (LEAVE A REPLY)**

#### **NEW QUESTION: 52**

OceanStor9000 supports clients with different protocols to access the same directory or file at the same time.

E.g. Windows client

Client (CIFS protocol), Linux client (NFS protocol), Mac OS X client (CIFS protocol or NFS protocol)

A. True

B. Wrong

**Answer: A (LEAVE A REPLY)**

#### **NEW QUESTION: 53**

multiple choices. The possible causes of common business failures in the Huawei Oceanstor 9000 storage system include: (multiple choices)

A. Abnormal connection with external authentication server

B. Client setting is abnormal

C. protocol exception

D. File system is abnormal

**Answer: A,B,C,D (LEAVE A REPLY)**

**NEW QUESTION: 54**

PCIe protocol components include:

- A. Physical layer
- B. Session layer
- C. Data Exchange Layer

**Answer: A,B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 55**

Regarding target deduplication, which option is incorrect in the following description?

- A. Can not save transmission bandwidth.
- B. Target end deduplication is equivalent to post-processing deduplication (Post-procesig).
- C. The data block is transferred from the source end to the target end, and the deduplication operation is performed on the target end.
- D. Does not occupy the resources of the source.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 56**

Single-choice N8000 provides fencing function to avoid the occurrence of split brain. What is the incorrect description of fencing function below?

One item?

- A. Monitor GAB. Well check the changes of cluster members
- B. guarantees a single view of cluster members
- C. Automatically restore the master node after an exception occurs in the cluster
- D. Without single-cluster control. Prevent multiple nodes from accessing shared storage with the volume manager

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 57**

In Huawei all-flash storage, if the storage device generates a fault alarm, it needs to be repaired before it can be corrected.

Work often.

- A. True
- B. False

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 58**

Which one of the following is incorrect about the Huawei Oceanstor 9000 CIFS share configuration statement?

- A. After Guest is checked, users do not need to enter a user name and password when accessing the shared directory on the client

**B.** After the mandatory signature is checked, the client will be forced to use the signature function. If the client is not set to start state, then Oceanstor9000 will reject the client's data access request

**C.** When oplock (Opportunistic locking) is enabled, the file will be cached locally before being sent to the shared storage, which is helpful To improve client access efficiency

**D.** After Notify is enabled, a client's change operation in a directory cannot be accessed by other users who are accessing this directory and its parent.

Directory client awareness

**Answer: D (LEAVE A REPLY)**

#### **NEW QUESTION: 59**

The recommended scenarios for installing iDA in a virtual machine are: (multiple choice)

**A.** The storage is directly connected to the virtual machine

**B.** The storage is directly connected to the ESXi host

**C.** The virtual machine contains a large database

**D.** There are a lot of files in the virtual machine

**Answer: A,C,D (LEAVE A REPLY)**

#### **NEW QUESTION: 60**

In the HyperMetro dual-active data center solution, the following statement about the static priority of the arbitration and split-brain prevention mode is incorrect.

Which one is it?

**A.** When a non-priority site fails, the LUN on the priority site continues to provide services, and the LUN on the non-priority site stops providing services.

**B.** When an inter-array link failure occurs, the LUNs on the priority site continue to provide services, and the LUNs on the non-priority site stop providing services.

**C.** When the priority site array fails, the non-priority site automatically takes over the active-active service.

**D.** When the priority site array is actively powered off for maintenance, the non-priority site array immediately takes over all active-active services and the services will not be interrupted.

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 61**

The first description of the following commands for network detection on the switch side:

The display Inter command can be used to view interface statistics.

Check whether the switch records packet loss on the interface. The second description:

display logbuf, if discarding, pay attention to the back-end networking Whether there is a loop.

**A.** Both descriptions are correct

**B.** The first one is wrong, the second one is correct

C. The first one is correct, the second one is wrong

D. Both are wrong

**Answer: A (LEAVE A REPLY)**

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (62 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

**NEW QUESTION: 62**

Multi-choice Hua is what node types does Oceanstor 9000 (V100R001C30) support?

A. cn2

B. P25

C. c36

D. P36

E. PI2

**Answer: A,B,C,D,E (LEAVE A REPLY)**

**NEW QUESTION: 63**

Huawei's end-to-end active-active data center solution is divided into 6 layers, the six layers are:

A. Storage layer, session layer, application layer, network layer, transport layer and security layer

B. Storage layer, session layer, application layer, network layer, transport layer and physical layer

C. Storage layer, computing layer, application layer, network layer, transport layer and physical layer

D. Storage layer, computing layer, application layer, network layer, transport layer and security layer

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 64**

A company purchases two sets of Huawei horizontally extended file storage, which are deployed in the production data center and the disaster recovery data center. The storage administrator needs to To create a replication zone channel between two storage systems, which of the following option descriptions is correct ( )

- A. The remote replication pair between the two clusters will correspond to their respective replication zone channels
- B. The authentication and flow control of the remote replication communication link are completed through different channels
- C. Only one replication zone channel is allowed to be created between two storage system clusters
- D. The replication zone channel is a set of communication links established in the same replication zone of the master and slave storage systems

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 65**

Designed FlashLink technology. Which of the following statements are correct for the cold and hot data diversion technology ()

- A. Synchronously execute independent partitions of different types of data in the controller and the SSD disk
- B. Effectively reduce in-disk garbage collection
- C. Metadata and data are stored in separate partitions
- D. The controller automatically senses the data layout in the SSD disk

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 66**

What is the incorrect description of the features of Huawei OceanStor 9000 InfoTier and related concepts?

- A. The hard disks of all nodes in the node pool are of the same type
- B. The node types in the node pool do not have to be the same
- C. InfoTier features correspond to different file pool strategies through different levels
- D. The number of nodes in the node pool is limited, including at least 3 nodes and at most 20 nodes

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 67**

Multiple choices of Huawei OceanStor 9000. Which of the following designs can improve the reliability of the system? (Multiple choices)

- A. metadata mirroring
- B. N+M data protection
- C. Automatic failure detection and automatic data recovery
- D. Data scrub

**Answer: A,B,C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 68**

Regarding the characteristics of Huawei's hybrid flash storage block service, which of the following statements is correct ()

- A. HyperSnap: Local data protection for complete copies
- B. SmartMigration: incremental local data protection
- C. HhyperCopy: Data protection between devices
- D. HyperReplication: Disaster recovery protection between data centers

**Answer: A,C,D (LEAVE A REPLY)**

#### **NEW QUESTION: 69**

In the OceanStor V3 storage system, when the data status of the slave LUN is in which state, remote replication supports users to perform Master-slave switching operation?  
(multiple choice)

- A. Consistent
- B. Synchronized
- C. Synchronization
- D. Initial synchronization

**Answer: A,B (LEAVE A REPLY)**

#### **NEW QUESTION: 70**

What is the automatic load balancing method that Huawei OceanStor 9000 InfoEqualizer supports by default for single selection?

- A. round robin
- B. By node throughput
- C. By node comprehensive load
- D. Number of connections by node

**Answer: A (LEAVE A REPLY)**

#### **NEW QUESTION: 71**

LLD (Low Level Design, detailed design) is to clarify the scope and scope of the network design based on the determined target network architecture.

Function deployment plan: The specific design content includes the interaction process of the important business that the customer pays attention to within the scope of the contract, and all the business is in each network element Function allocation, design of peripheral docking relationship of network elements, docking requirements and compliance with specifications, quantitative calculation of docking resources.

- A. True
- B. Wrong

**Answer: A (LEAVE A REPLY)**

#### **NEW QUESTION: 72**

The SmartQoS technology of Huawei OceanStor all-flash storage supports the creation of tenant-level QoS control and documentation.

Software system QoS control, the two controls can take effect at the same time, forming a two-level QoS control.

A. True

B. False

**Answer: A (LEAVE A REPLY)**

### NEW QUESTION: 73

To ensure data reliability, an enterprise established a remote replication pair between the master LUN at site A and the slave LUN at site B. The following In the statement about the data relationship between the Pair status and the master-slave LUN, which options are correct ()

A. If the engineer manually disconnects the Pair relationship between the master LUN and the slave LUN, then the Pair running status is "split" and the master LUN Data replication between and from the LUN is suspended

B. When the Pair status is "synchronizing", the slave LUN cannot be read or written at this time

C. If the link used for remote replication is disconnected or the primary or secondary LUN of remote replication fails, the Pair operating status will be "split"

D. "When the Pair running status is "Normal", it means that the data of the primary LUN and the secondary LUN are successfully synchronized.

**Answer: A,B,D (LEAVE A REPLY)**

### NEW QUESTION: 74

What is the main difference between using synchronous remote replication and asynchronous remote replication in the Huawei disaster recovery solution?

A. RTO

B. RPO

C. Copy link

D. Availability of disaster recovery data

**Answer: B (LEAVE A REPLY)**

### NEW QUESTION: 75

Which of the following statements are correct regarding the snapshot LUN of Huawei hybrid flash storage devices ()

A. When the snapshot is just created, the data in the COW space is the source data

B. After the snapshot is activated, when the application server has a data write request to the source LUN, it directly writes to the snapshot LUN

C. When the snapshot is just created, the data in the COW space is empty

D. After the snapshot is activated, when the application server has a data write request to the source LUN, the copy before write process is executed first

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 76**

The big data service supports the use of the resource statistics function of the file system, and which file system resources can be statistically checked Inquiry()

- A. The size of the file system
- B. Number of files in the file system
- C. The block size of the file system
- D. File types in the file system

**Answer:** ([SHOW ANSWER](#))

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (62 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

#### **NEW QUESTION: 77**

In the Huawei backup solution, Server-Free backup networking involves snapshot technology, which component initiates the snapshot creation Build order.

- A. Production and storage
- B. Backup media
- C. Media server
- D. Backup proxy client

**Answer:** D ([LEAVE A REPLY](#))

#### **NEW QUESTION: 78**

Multiple choices Which of the following are correct in the description of the CIFS protocol? (Multiple choices)

- A. Windows platform file sharing agreement
- B. Transfer data based on TCP protocol
- C. Linux platform file sharing protocol
- D. Transfer data based on UDP protocol

**Answer:** A,B ([LEAVE A REPLY](#))

#### **NEW QUESTION: 79**

The customer put forward the requirement of RPO=0 and RTO=0, and the colleague chose to single-select the primary and standby synchronous remote replication disaster recovery plan.

Case:

- A. Can't meet customer requirements RPO>0
- B. Can not meet customer requirements, RTO>0
- C. Can not meet customer requirements RPO>0 and RTO>0.
- D. Able to meet customer requirements.

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 80**

Which of the following descriptions about the backup integration plan is correct: (multiple choice)

- A. Only 1 backup agent is supported
- B. Support report management
- C. Support deduplication
- D. Support fine-grained recovery

**Answer: B,C,D (LEAVE A REPLY)**

#### **NEW QUESTION: 81**

Which of the following storage nodes will configure an SSD as a multi-select read cache by default (multi-select)

- A. P25
- B. CT72
- C. C36
- D. P12

**Answer: A,D (LEAVE A REPLY)**

#### **NEW QUESTION: 82**

When purchasing a storage device, the available capacity is less than the actual hard disk capacity. Which of the following possible reasons is correct ( )

- A. Data occupation
- B. Hot spare space occupied
- C. Coffer disk occupancy
- D. RAID verification data occupies storage

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 83**

The object storage services provided by OceanStor9000 (compatible with single-select Amazon S3 and OpenStack Swift) are all A unified RESTful API is provided externally, and the client can access storage nodes through STfulAPI to realize data storage.

- A. True
- B. False

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 84**

In the HyperMetro active-active data center solution, you need to configure the active-active domain before configuring the dual-single-selection active-active pair.

The active-active domain is a logical concept, which can include two sets of storage arrays and quorum servers that need to create active-active relationships.

- A. True
- B. False

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 85**

Multiple selections The customer value of the InfoEqualizer feature of Huawei Oceanstor 9000 (C30) is reflected in: (multiple selections)

- A. Oceanstor 9000 automatically senses failures and adjusts services to other normal nodes, thereby improving the reliability of client service access
- B. Allow the client to use the domain name to access Oceanstor 9000, and the client operator does not need to know the specific IP address of each visit. Simplified Management operations, thereby reducing management costs
- C. This feature is a basic feature, no need to buy a license, saving cost
- D. Oceanstor 9000 can distribute requests to relatively idle nodes according to the current business load smart address of each node, thereby improving Improved client access performance

**Answer: A,B,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 86**

Which of the following descriptions of InfoRevive are correct:

- A. The InfoRevive feature is not only applied to video surveillance scenarios, but also to other media industry such as TV stations.
- B. The InfoRevive feature provided by OceanStor9000 supports video monitoring when the faulty node /disk exceeds the upper limit of redundancy.  
The continuous type of control business has no effect.
- C. After the read fault-tolerant mode is turned on, when a fault occurs in the system and exceeds the configured redundancy upper limit, the number of all damaged video files can be rescued and read according to.
- D. After the read and write fault tolerance mode is turned on, when a fault occurs in the system and exceeds the configured redundancy upper limit, a certain percentage of the damaged ones can be rescued and read Video file data, and can continue to write to the file.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 87**

Back question mode, answer mode, single select a company to create a file system for its real-time chat business, and timed and fast According to this, every time the storage system generates a new snapshot, it will automatically use the snapshot

- A. False
- B. True

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 88**

The initial data capacity of an application is 500GB. The backup frequency is 1 full backup every week, 6 additional backups, full backup and additional backup The data retention period is 4 weeks, and the redundancy ratio is 20%. Then the back-end storage capacity for

4 weeks is:

- A. 5256GB.
- B. 3504GB.
- C. 4380GB.
- D. 3320GB.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 89**

How does the InfoScanner feature send the single-selected file path that needs to be checked and killed to the disease prevention?

Poison proxy server

- A. Deduplication
- B. Concurrency
- C. Polling
- D. Snapshot

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 90**

Multi-selection Which of the following functions can be achieved by the Oceanstor 9000 administrator through the nfollocator feature (multi-selection)

- A. Statistics and view users
- B. Manage and monitor users
- C. Reasonably plan users

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 91**

What are the system debug log levels of eReplication? (multiple choice)

- A. Debug
- B. Warning
- C. Important
- D. Run
- E. Error

**Answer: A,B,D,E (LEAVE A REPLY)**

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (62 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

#### **NEW QUESTION: 92**

Which of the following descriptions of the C72 node management interface is correct: (multiple choice)

- A. When the C72 node and the non-C72 node are deployed in a mixed manner, the C72 node can be selected to provide an independent management network port.
- B. When C72 nodes and non-C72 nodes are mixed deployment and object storage services are applied, the object storage management node must be deployed to provide independent Establish the management network port on the node.
- C. When deploying a storage cluster, you need to configure a separate IP address for the NICO interface on the c72 node interface board in the cluster
- D. OceanStor 9000 cluster only has C72 nodes, and the number of C72 nodes is greater than or equal to 3.

The A control module of the first 3 nodes  
NICo provides management interface

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 93**

When designing a backup plan, if the application is not in the compatibility list, it cannot be backed up.

- A. False
- B. True

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 94**

(multiple choice) The network file sharing protocols supported by the NAS system mainly include:

- A. NTFS
- B. CIFS
- C. NFS
- D. FAT32

**Answer: B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 95**

What are the advantages of parallel data deduplication: (multiple choice)

- A. High performance
- B. High reliability
- C. Large scale

**Answer: A,B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 96**

In Huawei distributed storage, SCSI volumes with multiple mount points are called shared volumes, and iSCSI volumes are all shared volumes. In order to support Shared volume backup capability, block service also supports snapshots of shared volumes, and the snapshot process of shared volumes is the same as that of ordinary volumes.

- A. False
- B. True

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 97**

(multiple choice) The basic principles of daily maintenance of big data storage systems include:

- A. Use the resources and software provided by the original manufacturer
- B. Reserve spare parts on site for timely replacement in case of failure
- C. Develop a reliable backup plan

**Answer: A,B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 98**

Which of the following storage units does the Huawei N8000 cluster NAS system use?

- A. S2600T
- B. S550T
- C. S2200T
- D. S6800T

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 99**

If the Huawei N8000 clustered NAS system has 4 engine nodes and each node has 4 service network ports, you need to plan How many virtual IPs?

- A. 18
- B. 16
- C. 15
- D. 17

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 100**

Among Huawei's many disaster recovery solutions, which of the following scenarios can eReplication be used? (multiple choice)

- A. Primary and standby disaster recovery
- B. 3DC
- C. Data center active-active
- D. Local high availability

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 101**

In order to improve the reliability of its important business, an enterprise deployed in a data center room A and room B With regard to the local active-active solution, which of the following statements is correct about this solution:

- A. The arbitration server must use the host in computer room A or computer room B
- B. Computer room A and computer room B need to be in the same fault domain
- C. The network types from the same business host to two active-active storage devices can be different
- D. The active-active replication network in the two-machine room simultaneously carries data synchronization and heartbeat information between storage systems Sync and other various data

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 102**

Among the following multiple-choice statements about concepts related to the HyperReplication feature, which options are correct ()

- A. Synchronization refers to the process of copying data from the slave LUN to the master LUN
- B. Pair refers to the data replication relationship between the master LUN and the slave LUN
- C. Split refers to the suspension of data synchronization from the primary LUN to the secondary LUN
- D. Consistency group refers to the collection of Pairs associated with multiple businesses

**Answer: A,B,C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 103**

It is a necessary step to create a consistency group in Huawei's active-standby disaster recovery solution.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 104**

Multiple choices The business characteristics of Huawei Oceanstor 9000NFS are correct: (multiple choices for this question)

- A. Compatible with multiple operating systems, can realize file resource sharing in a heterogeneous network environment
- B. can realize load balancing according to business and node status, and data access is evenly distributed in the cluster
- C. Oceanstor 9000 supports NFSv3 and v4 protocols
- D. Provide shared services externally in a cluster mode, and nodes can monitor each other's service status
- E. After node B fails, the client business connected to this node quickly switches to other nodes to take over, and the business is not interrupted

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 105**

(Judgment) FusionStorage Block uses a unique data block slicing technology and data based on DHT Hash The routing algorithm can evenly distribute the data of the volume to the fault domain of a larger resource pool, so that each volume can obtain a larger IOPS and MBPS performance also makes the load of each hardware resource relatively balanced.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

**NEW QUESTION: 106**

Single choice Which one of the following statements about preparing the N8500 before configuration is incorrect?

- A. Cluster NAS engine node has completed hardware installation and connection
- B. Clustered NAS engine service network port configuration is completed, not connected to the client service network
- C. cluster NAS5|The engine heartbeat network port is correctly connected to the heartbeat network
- D. The clustered NAS engine is correctly powered on. The indicator status shows normal

**Answer: B (LEAVE A REPLY)**

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (62 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

**NEW QUESTION: 107**

The following description of the cache in Huawei OceanStor 9000

Which one is wrong?

- A.** The second level cache is used to cache the hot data of this node. At the same time cache the hot data of the same node and other nodes
- B.** The second-level cache is composed of SSD disks, if there is no SSD disk in the node, there is no second-level cache
- C.** The first level cache is the read cache of the storage node, and the location of the global cache is in the first level cache
- D.** The telegram cache (NVDIMM) is mainly used as a write cache.

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 108**

Huawei Distributed Storage Object Service provides finely controlled Qos capabilities, providing tenants, buckets Other TPS and bandwidth granular service quality control can precisely control which operations ( )

- A.** LIST
- B.** DELETEB. GET
- C.** PUT

**Answer: A,B,C (LEAVE A REPLY)**

**NEW QUESTION: 109**

During the processing of Huawei's distributed block service IO stack, the block service of the EDS node writes the data for the write request.

Into the cache, the read request is first hit in the index, if it is not hit, it is read from the cache

- A.** True
- B.** False

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 110**

Send a control command through the backup server, first take a snapshot (or other similar operations) of the data volume that needs to be backed up, Make a copy, then use the backup server to mount the snapshot volume, and use the backup server to back up the data on this volume to the backup On the device. What type of backup networking is described in the above workflow?

- A. Server-Free
- B. LAN-Free
- C. Server-Less
- D. LAN-Base

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 111**

Through Huawei OceanStor 9000 Device Manager, we can view the real-time OPS performance indicators of the system

- A. True
- B. False

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 112**

The following description of the Huawei OceanStor backup solution, which one is wrong

- A. The backup software can back up data to tape for offline archiving.
- B. Compared with disaster recovery, the recovery granularity of backup is finer, files can be used as the recovery level, and multiple recovery versions can be made.
- C. If the format of the source data and the backup data are the same, the backup data can be directly read and written by the host.

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 113**

In the following statement about the implementation principle of file system snapshots, which options are wrong to select multiple options ( )

- A. File system snapshot is a copy of data generated by the source file system at a certain point in time
- B. When creating a file system snapshot, because the snapshot is stored in a new location, the write operation will affect Storage LUN write performance
- C. The core technology of file system snapshot implementation is ROW
- D. After the file system snapshot is created successfully, if the file system user wants to access the snapshot, he must The snapshot directory must be remounted to be accessible

**Answer: B,D (LEAVE A REPLY)**

**NEW QUESTION: 114**

In the Huawei disaster recovery solution, which of the following distances can be selected as a single option Synchronous remote replication technology?

- A. #600km
- B. #900km
- C. #1000km
- D. #100km

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 115**

The basic principles of daily maintenance of big data storage systems include:

- A. Reserve spare parts on site for timely replacement in case of failure
- B. Develop a reliable backup plan
- C. Use the resources and software provided by the original manufacturer

**Answer: A,B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 116**

In a multi-user multimedia on-demand service application, users use different code streams. This application is doing background N8500 cluster IAS storage. When planning storage system LUNs, the prefetch strategies that should be selected are:

- A. Variable prefetch
- B. smart prefetch
- C. fixed prefetch
- D. No prefetch

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 117**

Single-choice Oceanstor 9000's wiselink and smartconnect technologies are different, which one of the following?

- A. IP filter function between nodes
- B. Domain name design and zone management
- C. Rebalance function I
- D. Domain name resolution function

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 118**

IOPS is a key indicator to measure storage performance. Which of the following options will not affect the storage system's performance IOPS ( )

- A. Hot spare space size
- B. IO features
- C. RAID level
- D. Hard disk type

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 119**

In the VMware environment, the single-choice scenario where VADP cannot be used for backup is:

- A. VMDK
- B. Thin Disk
- C. Thick Disk
- D. The storage is directly connected to the virtual machine

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 120**

Regarding Huawei hybrid flash storage, which of the following statements is correct ()

- A. Support integration of SAN and NAS
- B. Support NFS, CIFS protocol
- C. Support HTTP and FTP protocols
- D. Support iSCSI, FC protocol

**Answer: A,B,C,D (LEAVE A REPLY)**

**NEW QUESTION: 121**

To access the object storage service (compatible with the OpenStack Swift interface), which of the following types of servers must be authenticated by the user.

- A. KEYSTONE
- B. AD
- C. RBAC
- D. LDAP

**Answer: A (LEAVE A REPLY)**

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (62 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

**NEW QUESTION: 122**

Which one of the following descriptions about the unified namespace is incorrect?

- A. Each file sharing directory is a subdirectory of the namespace

**B.** A unified name space provides users with a unified storage resource pool to achieve centralized management and allocation of storage space.

**C.** The namespace is automatically created when OceanStor 9000 is started, and its name is consistent with the system naming.

**D.** As the root directory of the entire system, the namespace cannot be shared or accessed. Only the subdirectories below it can be shared and accessed.

**Answer: D (LEAVE A REPLY)**

#### **NEW QUESTION: 123**

Single selection If customers want to buy a Huawei storage for video surveillance and backup and archive data services, which indicator is recommended to choose Choose the right Huawei storage device?

**A.** IOPS

**B.** Band width

**C.** Delay

**D.** CPU utilization

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 124**

In the following description of the asynchronous remote replication of the OceanStor V3 storage array, which one is wrong?

**A.** During asynchronous remote replication, after the master LUN write I/O is successful, the master array returns the write I/O success to the host.

**B.** After creating an asynchronous remote replication relationship, you need to do an initial synchronization.

**C.** When adding a secondary LUN for asynchronous remote replication, the system automatically creates and activates the snapshot of the primary and secondary LUNs.

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 125**

In a relatively large backup domain, using the Simpana backup software, you can set up multiple cs, load sharing, and improve efficiency.

Rate.

**A.** True

**B.** False

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 126**

Single-choice Which one of the following descriptions about the trembling characteristics of Huawei Oceansor 9000 is incorrect?

**A.** Quota can be set based on users

- B. Support setting quotas on files
- C. quota is set based on user group
- D. Support setting quotas for file directories

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 127**

Which feature can provide file system snapshot features?

- A. NfoProtector
- B. InfolLocker
- C. InfoStamper
- D. InfoEqualizer

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 128**

Colleagues customize active-active disaster recovery solutions for customers. The customer already has a third-party storage system and plans to purchase a new OceanStor In 5300 V3, the two sets of equipment are placed in two data centers to implement active-active disaster recovery. The solution:

- A. Not feasible. The active-active disaster recovery solution requires at least two sets of OceanStor V3 storage.
- B. Not feasible. The active-active disaster recovery solution only supports Huawei storage and does not support third-party storage.
- C. Feasible, the storage device meets the requirements of the self-sufficient active-active disaster recovery solution.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 129**

In the Huawei OceanStor backup solution, if the retention time and retention cycle of backup data are configured to be 13 days and 2, respectively, The actual backup is a 3-day cycle, so how many days are the data retained?

- A. 26
- B. 4
- C. 6
- D. 13

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 130**

Which is the wrong description about the synchronous remote replication of the OceanStor V3 storage array?

- A. The impact of synchronous remote replication on the host's write IO performance has nothing to do with the distance between the master and slave sites.

- B.** Synchronous remote replication can support one master LUN to simultaneously replicate to two slave LUNs.
- C.** After the master and slave LUN write I/O are successful, the master array returns the write I/O success to the host.
- D.** The master array writes I/O write data to the master LUN and sends it to the slave LUN.

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 131**

Which options are correct in the following statements about remote replication consistency groups ()

- A.** Different remotely replicated LUNs in a consistency group can be located on different working controllers
- B.** All remote replication slave LUNs must be in the same remote storage system
- C.** Only the primary storage system supports adding remote replication on the system to the consistency group
- D.** The remote replication in the consistency group must be the same replication mode

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 132**

Multiple choices, which of the following descriptions of the Huawei Oceanstor 9000 product system is correct? (multiple choices)

- A.** MDS service is responsible for managing the metadata of the file system
- B.** DS service is responsible for storing the file data of the system, but not the storage of metadata
- C.** system are responsible for providing MDS services, and some nodes are responsible for providing DS services
- D.** CMS service is responsible for device management of the physical nodes of the cluster  
Some nodes in

**Answer: A,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 133**

(Judgment) The InfoLocker feature of OceanStor 9000 can be used to meet the business scenario of one write and multiple read.

- A.** False
- B.** True

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 134**

Single choice Which of the following options is incorrect for the description of the metadata of the Oceanstor 9000 storage system?

- A. The metadata on each node is a complete and independent copy
- B. Oceanstor 900 metadata is stored in a mirrored way
- C. The mirroring method does not provide the system's access rate to metadata
- D. The purpose of mirror storage is to improve the security of metadata

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 135**

In a backup structure with a primary backup domain and multiple branch backup domains, the following description is wrong:

- A. Each branch backup domain operates independently, and the connection network failure with the main backup domain does not affect the backup job of the branch backup domain.
- B. Register the remote client as an unconfigured client in the primary backup domain. The clients can be hidden and grouped.
- C. The main backup domain actively collects metadata of each branch backup domain on a regular basis.

After the connection network between the branch backup domain and the main backup domain is interrupted and restored, Metadata transmission can be automatically repaired.

- D. Integrate multiple branch backup domains into one primary backup domain, and centrally view the operation reports of each backup domain in the primary backup domain.

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 136**

There are two businesses A and B in the storage system of an Internet company. resource. This leads to longer time for other businesses. Among them, business A is a transaction processing application, B business is an analytical query application, Need to ensure the immediate response of A business. In order to solve this problem, the engineer assigned that the QOS of the A service is higher than the service.

- A. False
- B. True

**Answer: (SHOW ANSWER)**

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (62 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

**NEW QUESTION: 137**

When selecting storage devices, if the business requires a single hard disk IOPS greater than 3000, which of the following hard disk types can be selected select()

- A. NL SAS HDD
- B. NVMe SSD
- C. SAS HDD
- D. SAS SSD

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 138**

The following statements about Thin lun and multi-select Thick LUN of Huawei Oceanstor storage are wrong:

- A. Both Thick LUN and Thin LUN need to be configured with initial capacity
- B. Both Thick LUN and Thin LUN can be configured in the same storage pool
- C. Both ThickLUN and Thin LUN can be greater than or equal to the available capacity of the storage pool where they are located
- D. Both Thick Lun and Thin LUN can be created in batches

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 139**

In an OceanStor 9000 system, the total number of nodes is 10, and the data protection levels that can be configured for it can be:

- A. 6+4
- B. 6+3
- C. 6+5
- D. RAID1

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 140**

A vendor's distributed storage system was put into operation for 100 days, running 24 hours a day. 10th day A failure occurred at noon, and it took 1 hour to recover from the failure. A failure occurred in the morning of the 25th day, and it took 4 hours to recover from the failure. 80th One failure occurred in the morning, and it took 1 hour to recover from the failure. The availability of the software system is ()

- A. 0.9925
- B. 0.9975000000000001
- C. 0.9725
- D. 0.9775

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 141**

Regarding the storage layer data replication disaster recovery technology, which of the following statements is correct?

- A. Reduce the impact on server performance: Compatibility requirements are relatively high, and options are small.
- B. Less investment and good compatibility. Affect server performance.
- C. Mature technology, large selection area, small connection distance limit, and high stability.
- D. Install dedicated data replication software on the server.

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 142**

(single choice) The network connection is required before the initial configuration of the big data system. The networking of Huawei OceanStor 9000 does not include:

- A. Front-end business network
- B. Management network
- C. Back-end storage network
- D. Heartbeat network

**Answer: D (LEAVE A REPLY)**

#### **NEW QUESTION: 143**

Regarding the switches used in the Huawei Oceanstor 9000 system, which of the following options are correct?

- A. S5700/S5352C switches provide GE access
- B. The CE6810 switch provides 10GE/GE access.
- C. IS5023 switch provides IB access
- D. The switches used in the configuration of the Oceanstor 9000 storage system include CE6810, S5752 /S5352 and IS5023.

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 144**

When configuring primary and secondary disaster recovery, which of the following conditions must be met for the LUNs on the primary and secondary arrays?

- A. The size of the secondary LUN must be greater than or equal to the primary LUN.
- B. The backup side needs to be configured with the same type of hard disk, and the size of the backup side LUN must be greater than or equal to the primary side LUN.
- C. The backup side needs to be configured with the same RAID level, and the size of the backup side LUN must be the same as that of the primary side LUN.
- D. Only the size of the backup LUN and the primary LUN are the same.

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 145**

After testing, the bandwidth of the two data centers of the customer is 155Mbit/s, the peak write bandwidth of an application is 9.8MB/s, and the average The write bandwidth is 300KB/s, the average write I/O size is 4KB., and the bandwidth utilization rate is 70%. Colleagues choose active and standby synchronous remote replication for disaster recovery Scheme, the scheme:

- A. Not feasible. The primary and standby synchronous remote replication disaster recovery solution requires that the bandwidth utilization rate must be >80%.
- B. Not feasible, 200Mbit/s is required to calculate the bandwidth.
- C. Feasible, because the conditions meet the requirements of the primary and standby synchronous remote replication disaster recovery program.
- D. Not feasible. The primary and standby synchronous remote replication disaster recovery solution requires that the write I/O size must be less than 2KB.

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 146**

Regarding the split of remote replication, which of the following statements is correct?

- A. Splitting can be performed on both the master and slave end arrays
- B. After executing the split on the master array, it is necessary to execute the split on the slave array again
- C. Splitting can only be performed on the slave array
- D. Splitting can only be performed on the main-end array

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 147**

In a city, if the Municipal Public Security Bureau needs to regularly archive the video surveillance within the jurisdiction of each police station, in such an application In the scenario, if the solution provided by Oceanstor 9000VIRC30 is adopted, which of the following node types should be recommended for customers?

- A. P24 node
- B. P72 node
- C. P12 node
- D. P36 node
- E. C36 node

**Answer: E ([LEAVE A REPLY](#))**

**NEW QUESTION: 148**

Which of the following options does not belong to the characteristics of the distributed storage big data service solution single-choice solution ()

- A. High performance support EC, better than native HDFS 3.0
- B. Distributed NameNode

- C. Integrated deployment, storage and calculation are configured in proportion
- D. EC mechanism that is truly fully compatible with native HDFS semantics

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 149**

(single choice) In Huawei OceanStor 9000, which of the following is not an authentication method supported by NFS sharing?

- A. Local user authentication
- B. Client IP address/host name authentication
- C. LDAP authentication
- D. NIS authentication

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 150**

Back-to-back mode, answer mode, which completes the coding and decoding work in the FCoE protocol, is the following single-choice layer Second-rate.

- A. FC-3
- B. FC-0
- C. Ethernet
- D. FC-2

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 151**

A customer uses Huawei Oceanstor 9000 to store its massive files. In order to facilitate sharing among multiple departments, a Dedicated catalog. After running for a period of time, the storage resources became tense, analyze the reason is that some departments are overused

Oceanstor9000, so the customer can limit the use of space by setting quotas on the directories of these departments To ensure that other departments can use Oceanstor 9000 storage resources normally

- A. True
- B. False

**Answer: ([SHOW ANSWER](#))**

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps

with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html)  
(62 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

**NEW QUESTION: 152**

A bank's production center and disaster recovery center use Huawei's hyper-converged storage, and replication between sites. The link is recommended to be within 3000 KM, the minimum connection bandwidth is not less than two-way 10 Mbps, and the average write bandwidth of the replication volume is less than that of remote replication bandwidth.

- A. False
- B. True

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 153**

Single choice Which one of the following statements about the features of oceanstor 9000 InfoLocker is incorrect?

- A. WORM clock can only be set once, and no more changes are allowed after the setting is successful
- B. When a directory is configured as the WORM root directory, all subdirectories, new directories and new files of the directory will automatically obtain the parent directory WORM attributes
- C. WORM file can be modified and deleted
- D. WORM-protected submission method only supports automatic submission of

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 154**

The QoS characteristics of object services. For applications with different priorities, different buckets can be configured, and the TPS of the bucket can be controlled through QoS.

As well as the allocation of bandwidth resources; for VIP tenants and ordinary tenants in the same system, different QoS strategies can be configured to ensure high-quality The quality of service for advanced tenants.

- A. Wrong
- B. True

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 155**

(single choice) Among the following OceanStor 9000 software features, which feature can provide file system snapshots?

- A. InfoLocker
- B. InfoProtector

C. InfoStamper

D. InfoEqualize

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 156**

Regarding the read cache process of Huawei's distributed storage multi-level cache technology, which of the following read hits is the priority ()

A. Memory Write Cache

B. Memory Read Cache

C. SSD Read Cache

D. SSD Write Cache

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 157**

The game live broadcast platform A uses Huawei's all-flash storage to protect its business. Designed FlashLink technology. Which of the following statements are correct for writing the ROW scores in large block order

A. Multiple discrete data blocks are aggregated into a continuous

B. Big data blocks Big data blocks are sequentially written to the SSD

C. The controller perceives the data layout in the SSD

D. One-segment large block sequential write makes full use of SAS bandwidth to reduce garbage collection

**Answer: A,B,C (LEAVE A REPLY)**

**NEW QUESTION: 158**

An enterprise storage device generates a fault alarm. After Engineer A arrives at the customer site, he prepares to collect storage The storage equipment information is passed to R&D for further analysis. What collection methods can Engineer A use to collect information ()

A. Use DeviceManagerl to collect logs and alarms

B. Collect storage system configuration data through the command line

C. Configure the public network IP for the storage, let R&D log in directly to collect information

D. Install SmartKit software to collect information

**Answer: A,B,D (LEAVE A REPLY)**

**NEW QUESTION: 159**

The Oceanstor 9000 big data storage system includes multiple subsystems. Which subsystem is used for file storage?

A. Management subsystem

B. FusionInsightHadoop

C. WushanSQL

D. WushanFS

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 160**

When Huawei Oceanstor 9000 is used in large file scenarios, we should focus on its OPS,

A. True

B. False

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 161**

The InfoTier feature stores files in different classifications according to the difference of file attributes. Which options are not the basic list that constitutes a classification?

Bit()

A. Storage pool

B. Node pool

C. Disk domain

D. Disk Group

**Answer: A,C (LEAVE A REPLY)**

**NEW QUESTION: 162**

Huawei Oceanstor 9000 integrates the hard disk resources of all nodes through DFS to provide a unified external name space.

A. True

B. Wrong

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 163**

Which of the following options belong to the function of the CMS cluster? (multiple choice)

A. Log collection

B. Monitoring and management

C. Firmware upgrade

D. Alarm report

**Answer: A,B,D (LEAVE A REPLY)**

**NEW QUESTION: 164**

Huawei's HypeMetro active-active disaster recovery supports heterogeneous storage, so a single Third-party storage certified by Huawei is used to form active-active through HypeMetro.

A. False

B. True

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 165**

The disaster recovery system can copy business data to a local or remote data center for protection.

Heng is not all data damage/ Loss can be recovered, which of the following data damage cannot be recovered by the disaster recovery system? (multiple choice)

- A. Virus attack
- B. Business data center is paralyzed
- C. Hard disk failure
- D. Human misoperation

**Answer: A,D (LEAVE A REPLY)**

**NEW QUESTION: 166**

The minimum number of nodes required for an OceanStor9000 cluster deployment is:

- A. 2
- B. 3
- C. 4
- D. 5

**Answer: A (LEAVE A REPLY)**

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (62 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

**NEW QUESTION: 167**

Single-choice NFS is a method to realize disk file sharing between Unix systems. It supports A system protocol for data in the server disk.

- A. True
- B. wrong

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 168**

OceanStor9000 supports clients of different protocols to access the same directory or file at the same time. E.g Windows client (CIFS protocol), Linux client (NFS protocol), Mac OS X client (CIFS protocol or NFS protocol).

- A. True
- B. False

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 169**

A customer unit purchased 9 OceanStor9000 storage nodes. When planning and deploying, it requires any three hard disks and one storage node to fail, which does not affect the integrity of the data, and the overall storage space utilization rate is not less than 80%. Proportioning Is:

- A. 6+3
- B. 8+1
- C. 16+3:1
- D. 6+3: 1

**Answer:** C ([LEAVE A REPLY](#))

#### **NEW QUESTION: 170**

When a user uses Systemreporter to analyze his production equipment and selects Oceanstor 9000, he finds some nodes in a certain partition The CPU utilization rate exceeds 80%, but the average CPU utilization rate is about 50%. In addition, it is found that the read and write bandwidth of a node has always been kept at a constant level. More than 80% of the performance specifications, while other nodes are below 60%. In this scenario, which load balancing strategy is recommended?

- A. Round Robin
- B. Comprehensive negative answer by node
- C. By CPU utilization
- D. By node throughput

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 171**

In the following statement about the features of Huawei SmartQuota, which options are correct to choose ()

- A. The resource usage can be reminded to resource users through alarms and events
- B. The main function of SmartQuota is to facilitate system administrators to manage the storage resources of resource users
- C. SmartQuota supports two storage types: block storage and file storage
- D. You can limit the resource usage of a single directory, user, and user group

**Answer:** A,B,C,D ([LEAVE A REPLY](#))

#### **NEW QUESTION: 172**

Possible causes of common business failures of the Huawei OceanStor 9000 storage system include:

- A. Client setting is abnormal
- B. protocol exception
- C. File system is abnormal
- D. Abnormal connection with external authentication server

**Answer: A,B,C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 173**

A company deployed multiple block service applications on the same Huawei distributed storage device, including daily backups, database organization, and ticketing.

According to periodic settlement, the administrator finds that these services will extremely consume system resources during a certain period of time. If it occurs during working hours, it will affect other interactive businesses. Administrators use QoS features to limit the consumption of storage resources by these services according to their occurrence time period.

Avoid affecting production business or interactive business. Administrators should consider which resources to restrict ()

- A. Bandwidth
- B. CPU
- C. IOoPS
- D. Memory

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 174**

When planning and designing storage solutions, if customers pay attention to the satisfaction of performance, which of the following aspects should be planned and designed ()

- A. Hard disk type
- B. Number of hard disks
- C. Network bandwidth
- D. RAID level

**Answer: A,B,C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 175**

During the offline upgrade of Huawei Oceanstor 9000 software version, there will be a single selection of interrupt service operation, and the service interruption time depends on the upgrade.

execution time

- A. False
- B. True

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 176**

A storage cluster has five P36 nodes, using the front and back 10GE networking mode. The front-end service network provides two 10GE interfaces.

When deploying distributed file system services and object storage services in a mixed manner, the number of IP addresses that need to be planned for the front-end business network is:

- A. 41
- B. 21
- C. 31
- D. 11

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 177**

Multiple selection When accessing the Windows client of the Huawei Oceanstor 9000 cluster, which aspects of the client can be adjusted To improve access performance? (multiple choice)

- A. TCP parameter adjustment
- B. Support Jumbo Frame
- C. Bdirty\_bytes parameter adjustment
- D. CIFS read and write size settings

**Answer: A,B,D (LEAVE A REPLY)**

**NEW QUESTION: 178**

In Huawei's local high-availability solution, if the HyperMirror feature is adopted, which feature must also be used to correct the difference?

The structure stores the entire column to create a mirror.

- A. Smartvirtualization
- B. HirperReplication
- C. HyperMitror
- D. HyperClone

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 179**

On the basis of inheriting the high reliability design of OceanStor storage system, HyperMetro has newly designed some solutions Case-level high-reliability technology maximizes the reliability of the storage active-active solution.

HyperMetro's high-reliability technology is mainly reflected in

Which of the following? (multiple choice)

- A. Cross-site cluster
- B. Arbitration to prevent split brain
- C. Cross-site data real-time mirroring

D. Cross-site bad block repair

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 180**

In the synchronous remote replication of Huawei hybrid flash storage, the primary LU and the secondary LUN can be in the same array.

Column.

A. True

B. False

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 181**

Based on the characteristics of big data, Huawei distributed storage can adopt a single-select Scale-out architecture and use general-purpose server hardware to provide large data.

According to the storage platform.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (62 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

**NEW QUESTION: 182**

An OceanStor 9000 storage system consisting of 6 P36 nodes, which of the following are composed of?

(multiple choice)

A. IPNI management network

B. wushan file system business management network

C. Back-end storage network

D. Front-end business network

Answer: B,C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 183**

Implementation engineer A checks the interface module of Huawei hybrid flash storage OceanStor18000, which of the following statements are correct of()

- A. The interface type does not support 12GB SAS shared expansion module
- B. Support GE and 10 GE electrical interface modules according to port type
- C. Interface type supports 8 Gb Smart IO interface module
- D. The interface type supports 8Gb, 16Gb FC interface modules

**Answer: B,D (LEAVE A REPLY)**

#### **NEW QUESTION: 184**

After Huawei Distributed Storage enables the object deduplication function, the system will automatically find duplicate objects globally.

And only keep one copy of the same object and delete the redundant duplicate data. The original duplicate data is replaced with a single copy that points to the reservation.

A copy of the reference.

- A. True
- B. False

**Answer: A (LEAVE A REPLY)**

#### **NEW QUESTION: 185**

Which of the following application scenarios does not belong to the typical application scenario of Huawei hybrid flash storage?

- A. Disaster recovery application
- B. High-density virtual machine applications
- C. Multimedia applications with capacity requirements above the EB level
- D. Automatic hierarchical storage application

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 186**

The game live broadcast platform uses Huawei's all-flash storage FlashLink many-core technology to ensure its business. For the many core technologies Which of the following describes the scene of the controller partitioned by CPU ()

- A. Read and write I/O and other I/O are deployed in different groups to avoid mutual interference
- B. Identify the hot and cold data in the system, improve the performance of garbage collection through the cooperation of the SD disk and the controller, and extend the use of the SD disk life
- C. vnode and CPU are bound to reduce the overhead of cross-CPU scheduling and cross-CPU transmission
- D. A request is continuously executed on the same core and a lock-free design is implemented to avoid frequent multi-core switching

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 187**

The OceanStor backup solution architecture includes three parts: the central site, branch sites, and remote backup sites.

Only the backup system can be deployed at the backup site, not the production system.

- A. True
- B. False

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 188**

In the Huawei Oceanstor 9000 storage system, when a certain InfoReplicator is in a split state, the following statement Which one is incorrect?

- A. At this time, the master-slave relationship of the two directories specified by Pair remains unchanged
- B. After the Pair is resynchronized, the difference data and the synchronized amount that have not been copied to the secondary directory due to the split operation in the last synchronization need to be Seek synchronization
- C. Pair split occurs, the possible cause is temporary link abnormality or network bandwidth expansion

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 189**

The intelligent load balancing technology in Huawei's distributed storage supports partitions, and each partition can be set independently.

Established domain name and load balancing strategy.

- A. True
- B. False

**Answer:** A ([LEAVE A REPLY](#))

**NEW QUESTION: 190**

(multiple choice) The value of Huawei OceanStor 9000 InfoTier is reflected in:

- A. Improve system storage performance and realize intelligent data management.
- B. It can ensure the system's response speed to hot data access and improve the storage performance of the entire system.
- C. Realize automatic file migration according to the corresponding relationship between file attributes and different storage devices, reducing the cost and complexity of manual management.
- D. Comprehensively utilize the cost advantages of different storage media to effectively reduce deployment and maintenance costs.

**Answer:** A,B,C,D ([LEAVE A REPLY](#))

**NEW QUESTION: 191**

Which one of the following statements about synthetic full backup is wrong? (single choice)

- A. Since the full backup is generated on the backup server, there is no pressure on the application server.
- B. On the backup server or media server, combine the previous full backup and other incremental or differential backups to generate a full backup.
- C. The recovery time is longer than the full backup time.
- D. The backup space occupied is as large as the full backup.

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 192**

In Oceanstor 9000, if a hard disk is offline for 15 minutes, the data on the hard disk will be restored as follows: system.

Calculate the data on the hard disk and restore these data to other normal hard disks.

- A. True
- B. False

**Answer:** A ([LEAVE A REPLY](#))

**NEW QUESTION: 193**

Which of the following types of data storage and management options are the NAS systems focused on?

- A. Continuous data block
- B. File data
- C. Small messages
- D. Large chunks of data

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 194**

Which of the following technologies can be used to manage secure access to the N8500 NFS share? (multiple choice)

- A. NIS
- B. AD
- C. LDAP
- D. Homedir

**Answer:** A,C ([LEAVE A REPLY](#))

**NEW QUESTION: 195**

The block service provides a linked clone mechanism and supports the creation of multiple snapshots based on a cloned volume. Each snapshot volume has just been created The data content at the time of arrival is consistent with the data content in the clone volume,

and subsequent modifications to the clone volume will not affect the original snapshot and other clones roll.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

#### NEW QUESTION: 196

Which item should be in the correct order?

A. acbab

B. babcb

C. abcba

D. bcbab

Answer: ([SHOW ANSWER](#))

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (62 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

#### NEW QUESTION: 197

Through Huawei OceanStor9000 Device Manager, we can view the real-time OPS performance indicators of the system.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

#### NEW QUESTION: 198

For the description of Huawei Oceanstor9000 products, which of the following options is incorrect?

A. Oceanstr 9000 provides flexible and seamless expansion of 3-288 nodes

B. Oceanstr 9000 adopts non-comprehensive symmetrical architecture

C. Oceanstor 9000 system adopts fully interconnected and fully redundant networking mode

D. Oceanstor 9000 adopts distributed cluster architecture, no single point of failure

Answer: B ([LEAVE A REPLY](#))

#### NEW QUESTION: 199

The customer has a third-party storage system and wants to build a local high-availability solution for the storage system, and plans to purchase OceanStor 5600 V3. And only purchase the HyperMirror license, this plan:

- A. Not feasible, HyperMirror needs to combine HyperClone features to achieve local high availability of heterogeneous storage systems.
- B. Not feasible, HyperMirror needs to combine HyperCopi features to achieve local high availability of heterogeneous storage systems.
- C. Not feasible, HyperMirror needs to combine SmartVirtualization features to achieve local high availability of heterogeneous storage systems.
- D. Feasible, the conditions meet the local high availability requirements.

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 200**

The value of Huawei Oceanstor 9000infoTier is reflected in: (multiple choice)

- A. Realize automatic file migration according to the corresponding relationship between file attributes and different storage devices, reducing the cost and complexity of manual management
- B. Take full advantage of the cost advantages of different storage media to effectively reduce deployment and maintenance costs
- C. Improve system storage performance and realize intelligent data management
- D. can ensure the system's response speed to hot data access and improve the storage performance of the entire system

**Answer: A,B,C,D (LEAVE A REPLY)**

#### **NEW QUESTION: 201**

The creation of logical ports is based on physical Ethernet ports, bonded ports or VLANs, and is mainly used for business operations. At the same time, need Designate the main port, when the main port fails, the service will be taken over by the failover port

- A. False
- B. True

**Answer: A (LEAVE A REPLY)**

#### **NEW QUESTION: 202**

Which of the following features cannot improve the performance of Huawei's hybrid flash storage products?

- A. SmartVirtualization
- B. SmartCache
- C. SmartPartition
- D. SmartTier

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 203**

The Persistence layer of Huawei's distributed storage provides single-select persistence storage capabilities, EC and multiple copies capabilities.

PlogClient provides the append only access capability of Plog.

- A. True
- B. False

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 204**

Single choice When the Oceanstor 9000 street leveling strategy switch is turned off, when expanding the node, delete or disable the node, add hard disks, and hard disks.

Failure and slow disk scenarios. The system does not generate a balancing task, but if the node is deleted and the balancing strategy switch is turned on, the system will automatically finish Into data balance.

- A. False
- B. True

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 205**

Multiple choice The health status of the Huawei Oceanstor 9000 system cluster includes: (multiple choice)

- A. Downgrade
- B. is damaged
- C. normal
- D. failure Part

**Answer: A,B,C,D (LEAVE A REPLY)**

**NEW QUESTION: 206**

(multiple choice) OceanStor 9000 adopts Erasure code technology to protect data. If a site has 6 nodes, And the customer wants to ensure that the data can be recovered even if three disks are broken in one strip, the redundancy protection levels that can be adopted are:

- A. 6+3
- B. 12+3:1
- C. 4+2
- D. 4+3:1

**Answer: B,D (LEAVE A REPLY)**

**NEW QUESTION: 207**

An enterprise purchased a set of Huawei hybrid flash storage system, and multi-selected plans to configure NAS services to facilitate file storage and Sharing, which of the following options are correct in planning and design ()

- A. The financial department has high data security requirements and can restrict the account access rights of non-financial department personnel
- B. Regular application software can be set to be accessible by every account
- C. The access clients of each department must be in the same network segment with the NAS sharing service IP of the storage device
- D. NAS is based on file system sharing and has nothing to do with storage pools, so there is no need to consider the configuration of storage pools

**Answer: A,B,C (LEAVE A REPLY)**

#### **NEW QUESTION: 208**

The following options do not belong to the advantages brought by the global cache:

- A. Improve cache space utilization
- B. Improve cache data access hit rate
- C. Improve system safety and reliability
- D. Improve overall system performance

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 209**

Single-select Erasure code redundancy technology used by Oceanstor 9000, which supports higher reliability and More flexible redundancy strategy, the following is the principle of Erasure code N+M, which one describes the wrong thing?

- A. When data is written, it is cut into N data blocks with the same size
- B. For every N consecutive data blocks, M check blocks are calculated through the Erasure Code algorithm ( $M < N$ )
- C. check blocks ( $M < N$ )
- D. In Erasure code storage mode, the system supports up to N hard drives

**Answer: D (LEAVE A REPLY)**

#### **NEW QUESTION: 210**

Multiple choice Internet company A uses Huawei's hyper-converged infrastructure to build the company's information platform, which significantly improves the reliability of the platform.

Which of the following options reflects this feature ()

- A. Support dual-active, support zero business interruption
- B. Support asynchronous replication, short RPO time
- C. Compatible with mainstream backup software in the industry
- D. Factory Preset

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 211

In the Huawei dual-active disaster recovery solution, which of the following are necessary components?

(multiple choice)

- A. UltraPath
- B. HyperMetro
- C. Quorum server
- D. HyperMirror

**Answer: A,B,C (LEAVE A REPLY)**

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (**62 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)

### NEW QUESTION: 212

When planning and designing storage projects, which of the following are more basic stages ()

- A. Research phase
- B. Conceptual design stage
- C. Physical design stage
- D. Outline design stage

**Answer: A,B,C,D (LEAVE A REPLY)**

### NEW QUESTION: 213

The Huawei Oceanstor 9000 InfoTier file pool policy will determine the storage location of files created and when files are re-striped.

Which one of the following statements about the file pool strategy is incorrect?

- A. The default strategy can be modified
- B. The relationship between the strategy parameter combinations is "or"
- C. The default policy has the lowest priority
- D. Supports configuration of up to 128 file pool policy responses

**Answer: B (LEAVE A REPLY)**

### NEW QUESTION: 214

Synchronous remote replication can be used for disaster recovery in the same city. Single-select FC link is recommended. Asynchronous remote replication can be used for remote disaster recovery.

In order to reduce costs, it is recommended to use an IP link.

**A.** True

**B.** False

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 215**

In the master-backup disaster recovery plan, the applications that can be protected by RD currently include:

(multiple choice)

**A.** Oracle

**B.** SQL Server

**C.** FusionSphere

**D.** VMware

**Answer: A,B,C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 216**

The following description of the hardware features of OceanStor9000 is wrong:

**A.** P25 is a high-performance storage node device with a height of 2U, used in OPS-intensive application scenarios, with 25 pre-services Hard disk slots and 2 rear 2.5-inch operating system hard disk slots.

**B.** All types of storage nodes support inserting an SSD disk in slot 0 as a read cache to improve system read performance.

**C.** When the IB switch is used in the OceanStor 9000 network, the server can be equipped with a 2-port IB network card, providing two 40GE QSPP+ Ethernet optical interface, used to connect to the IB switch.

**D.** C72 is a large-capacity archive node device with a height of 4U. It is used in large-capacity application scenarios. It has 72 service hard disk slots and 4 Operating system hard disk slots.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 217**

The following descriptions of the software features of the OceanStor 9000 system are correct:

**A.** file system supports a maximum of 40PB.

**B.** supports thin provisioning and non-thin provisioning.

**C.** Data self-healing, the maximum recovery speed is up to 1TB/hour.

**D.** Each node has exclusive use of this node's cache.

**Answer: A,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 218**

When using Huawei OceanStor BCManagereReplication to configure primary and secondary disaster recovery, which of the following operations is not necessary of?

- A. Create a protection group
- B. Configure the site
- C. Configure the host group
- D. Add storage devices and hosts

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 219**

About the machine of Oceanstor 9000's 10GE networking solution

Cabinet configuration description, the following statement is wrong: (multiple choice)

- A. Nodes are placed in the cabinet first from top to bottom
- B. The management switch is recommended to be placed in the basic cabinet
- C. Huawei provides tools to assist in calculating the power consumption of the system. In actual projects, the total power consumption of each component in the computer cabinet should be Line deployment
- D. The back-end business network switch is recommended to be placed in the expansion cabinet

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 220**

Single Choice Company A plans to adopt hyper-convergence to realize the rapidly changing information needs of the enterprise. The following items are the architectural features of hyper-convergence ()

- A. Data-centric Scale-Up architecture
- B. Computing-centric Scale-Up architecture
- C. Business-centric Scale-Out architecture
- D. Data-centric Scale-Out architecture

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 221**

C72 is "a large-capacity archive node device with a height of 4U, but it can also be fully equipped with 272 SAS disks to accommodate one Some scenarios with relatively high performance and capacity requirements.

- A. False
- B. True

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 222**

The game live broadcast platform A uses Huawei's all-flash storage to protect its business, and the storage system uses a storage system designed for flash memory.

FlashLink technology. Regarding the many-core technology, which of the following statements are correct

- A.** Through many-core technology, storage device performance can increase linearly with the number of CPUs and cores
- B.** Read and write I/O and other I/O are deployed in different groups to avoid mutual interference
- C.** vnode is bound to the CPU to reduce the overhead of cross-CPU scheduling and cross-CPU transmission
- D.** A request is continuously executed on the same core and a lock-free design is implemented to avoid frequent multi-core switching

**Answer: A,B (LEAVE A REPLY)**

#### **NEW QUESTION: 223**

What are the necessary components included in the architecture of the N8000NAS system? (multiple choice)

- A.** Disk array
- B.** Data sharing network equipment
- C.** NAS engine
- D.** FC switch

**Answer: A,B,C (LEAVE A REPLY)**

#### **NEW QUESTION: 224**

The following describes the characteristics of which kind of backup networking

1. Occupy larger existing network bandwidth.
2. The backup performance is limited.
3. It has a certain impact on the host application.

- A.** Server-Less
- B.** LAN-Free
- C.** LAN-Base
- D.** Server-Free

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 225**

An enterprise's business data is stored in two data centers, and storage devices from different vendors are deployed.

The SmartVirtualization feature can be used to host and create original LUNs on heterogeneous storage systems in each data center eDevLUN, and then create an asynchronous remote replication between the eDevLUN and the local LUN on the Huawei storage system at another site to achieve Data disaster recovery between sites.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

#### NEW QUESTION: 226

Among the following backup media, the ones that support data deduplication are: (multiple choice)

A. FusionStorage

B. N8500

C. OceanStor6800 V3

D. S2600 V3

Answer: ([SHOW ANSWER](#))

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (62 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

#### NEW QUESTION: 227

Parallel deduplication is highly reliable. The built-in failover capability enables uninterrupted backup operations, Even if one node is unavailable in the grid, the remaining nodes can continue to work and take over the backup. The failed node is automatically repaired in the background, and then add Enter the network to continue working.

A. False

B. True

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 228

The importance of business systems A, B, and C of an enterprise are high, medium, and low respectively. It is feasible for strategic planning according to the following description Yes: (multiple choice)

A. The backup frequencies of systems A, B, and C can be: 1 full backup every 4 hours, 1 full backup every week, 1 additional backup a day, and 1 monthly backup.

Full-time

B. System A has the longest retention period of backup data.

C. The retention periods of the backup data of systems A, B, and C can be: 20 days, 3 months, and 1 day, respectively.

D. System C has the longest retention period for backup data.

**Answer: A,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 229**

In the Huawei backup solution, Server-Free backup networking involves snapshot technology, which component initiates the snapshot creation Build order.

- A. Media server
- B. Backup media
- C. Production storage
- D. Backup proxy client

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 230**

Huawei Oceanstor 9000 (30) infoEqualizer function is restricted by license, including dynamic application name, static Domain name and partition function, support scheduling load in polling mode

- A. False
- B. True

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 231**

In the following statement about the SmartQuota feature of Huawei OceanStor all-flash storage, which options are correct (

- A. Update resource usage and quota check during I/O
- B. Support resource management and control on the Dtree directory
- C. When creating a quota for an object, the capacity soft quota, capacity hard quota, file soft quota and file At least one of the four hard quotas needs to be configured
- D. Dtree directory additionally records resource usage and quota limit metadata information

**Answer: A,B,C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 232**

The application scenarios of Huawei Oceanstor 9000InfoReplicator feature include: (multiple choice)

- A. Data distribution
- B. Data access from the end
- C. Business disaster recovery

**Answer: A,B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 233**

Adjust the TCP parameters of LINUX clients accessing Huawei Oceanstor 9000 cluster to improve access performance.

Under the network, it is recommended to increase the size of the TCP sending and receiving buffer area to the following value, net.ipv4.tcp\_rmem='4000000 8000000 16000000'net.ipv4+tcp\_wmem='4000000 8000000 16000000'

A. False

B. True

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 234**

Which of the following storage nodes will configure an SSD as a read cache by default:  
(multiple choice)

A. C72

B. P25

C. P12

D. C36

**Answer: B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 235**

Backup networking LAN-Base is one of the most common networking methods. Its advantages include:

(multiple choices

A. Make full use of the existing network and save costs.

B. Does not affect the performance of the production host.

C. Both control data and backup data are transmitted through the business network.

D. Good backup performance.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 236**

In the file system backup scenario, under the premise of satisfying the backup window and making full use of bandwidth, try to ensure that the backup strategy is independent and timely.

Between the separation.

A. False

B. True

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 237**

The production center has 2080GB of data, which needs to be backed up to the disaster recovery center.

The backup window is 6 hours, no deduplication, bandwidth The utilization rate is 0.8.

At least how much bandwidth is needed to meet this backup requirement.

- A. A.49.28MB/s
- B. C.98.56MB/s
- C. B.61.6MB/s
- D. D.123.2MB/s

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 238**

DME supports active operation and maintenance based on the AI&Policy Engine. After selecting the DME platform, which of the following options can be completed ()

- A. Performance check and forecast
- B. Availability check and forecast
- C. Configuration check
- D. Capacity check and forecast

**Answer: A,B,C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 239**

You can use the InfoLocker feature of Oceanstor 9000 to meet the business scenario of one write and multiple read

- A. True
- B. False

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 240**

Which of the following options describes the Pusi onStorage typical deployment plan correctly: (multiple choice)

- A. When deploying only FusionStorage file or object storage services, the number of nodes is at least 3.

And supports DSS, OMS and

File or object storage components are merged and deployed.

- B. When deploying FusionStorage block, file, or object storage services at the same time, the number of nodes must be at least 8, and FSM must be deployed On block storage nodes, OMS and DSS components are evenly distributed to other nodes.

- C. When deploying only FusionStorage block storage service, the number of nodes is at least 5, and supports DSS, OMS and block storage components Merge deployment.

- D. When FusionStorage file and object storage services are deployed at the same time, the number of nodes is at least 5, and supports DSS, OMS and Fusion deployment of file or object storage components.

**Answer: A,B,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 241**

Single choice A Huawei Oceanstor 9000 group site. 6 C72 nodes are configured, and the NC0 of some of the nodes should be connected Manage the network?

- A. 5
- B. 4
- C. 6
- D. 3

Answer: ([SHOW ANSWER](#))

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (62 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

#### NEW QUESTION: 242

The transmission protocol used by the management network of the object storage service (compatible with OpenStack Swift) is:

- A. HTTP
- B. HTML
- C. HTTPS
- D. POP3

Answer: A ([LEAVE A REPLY](#))

#### NEW QUESTION: 243

The IntoTier feature is also called automatic hierarchical storage, which stores files on storage devices with the same performance according to file attributes, and Realize the automatic migration of files between storage devices.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

#### NEW QUESTION: 244

In a customer scenario, the front-end uses a GE network and the back-end uses a 10GE network. The following options use the corresponding interface The correct way is:

- A. A0-0 and B3-1 are connected to the front-end GE network, and A0-1 and B3-0 are connected to the back- end 10GE network
- B. A0-0 and B3-0 are connected to the front-end GE network A0-1 and B3-1 are connected to the back-end 10GE network

C. A0-0 and A01 are connected to the back-end 10GE network, and B3-0 and B3-1 are connected to the front-end GE network

D. A0-0 and A0-1 are connected to the front-end GE network, and B3-0 and B3-1 are connected to the back-end 10GE network

**Answer: C (LEAVE A REPLY)**

#### NEW QUESTION: 245

A colleague is working on a dual-active disaster recovery plan. By testing the arbitration server to the storage system at both ends, the bandwidth is 4Mbit/s, and the delay is 4Mbit/s.

RTT#40ms, and packet loss rate#1%, then this scheme:

A. Not feasible, because the active-active disaster tolerance bandwidth must not be less than 10Mbit/s.

B. Not feasible, because the packet loss rate of active-active disaster recovery must be #0.1%.

C. Feasible, because it meets the conditions of the active-active disaster recovery plan.

D. Not feasible, because the delay of active-active disaster recovery RTT#120ms

**Answer: B (LEAVE A REPLY)**

#### NEW QUESTION: 246

In the Huawei storage system, which of the following statements about rolling back HyperCDP are correct ()

A. In order to ensure data consistency, the host business needs to be suspended before HyperCDP is rolled back

B. HyperCDP needs to be in the active state to perform the rollback operation

C. For a source LUN with multiple HyperCDPs, multiple HyperCDPs can be executed at the same time HyperCDP rollback operation

D. When the source LUN of HyperCDP is also the primary LUN or secondary LUN of remote replication, you need to The HyperCDP rollback operation can only be performed after the remote replication pair status becomes "split"

**Answer: (SHOW ANSWER)**

#### NEW QUESTION: 247

The phone is accessing the LINUX client of the Oceanstor 9000 cluster, which can appropriately reduce the number of concurrent NFS on the client.

To improve access performance

A. True

B. wrong

**Answer: B (LEAVE A REPLY)**

#### NEW QUESTION: 248

A company purchased a set of Huawei distributed storage, and used QoS flow control technology to control user I/O when deploying block services.

Control, which mechanism can be used to manage the I/O queue ()

- A. Data bucket
- B. File bucket
- C. Token bucket
- D. Object bucket

**Answer: A,B,C,D (LEAVE A REPLY)**

#### **NEW QUESTION: 249**

(multiple choice) The daily inspection performance indicators of the big data storage system include:

- A. memory utilization
- B. CPU utilization
- C. Disk utilization
- D. node throughput

**Answer: A,B,C,D (LEAVE A REPLY)**

#### **NEW QUESTION: 250**

The data capacity of site A is 2000GB. The data capacity of site B is 3000GB. The data of site B is remotely replicated.

If it is saved to site A, the back-end storage capacity required by site A is (the re-deletion ratio is 3):

- A. 2000GB.
- B. 5000GB.
- C. 3000GB.
- D. 900GB.

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 251**

After purchasing Huawei's all-flash storage devices, when planning the basic storage business, which of the following options must be planned ()

- A. Storage pool capacity
- B. Disk domain
- C. LUN capacity
- D. Number of LUNs

**Answer: A,B,C,D (LEAVE A REPLY)**

#### **NEW QUESTION: 252**

Single selection In the Huawei Oceanstor 9000 system, which of the following functions or parameters will be disabled will affect the InfoTier function?

- A. Notify function
- B. Access time tracking
- C. signature function

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 253**

Regarding the HyperMetro static priority arbitration mode, the correct one is:

- A. When the priority site array fails, the non-priority site will automatically take over the active-active service.
- B. The static priority mode has higher reliability than the quorum server mode.
- C. When the priority site array is powered off for maintenance, the non-priority site array immediately takes over all active-active businesses The business will not be interrupted.
- D. When an inter-array link failure occurs, or a non-priority site fails, the LUN on the priority site continues Services will continue to be provided, and LUNs at non-priority sites will cease to provide services.

**Answer: A,C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 254**

In the Huawei dual-active disaster recovery solution, which of the following situations must use Fibre Channel connection?

- A. The distance between the two data centers is greater than 25 kilometers and the number of optical fiber connections is less than 4 pairs
- B. The distance between the two data centers is less than 25 kilometers and the number of fiber connections is less than 4 pairs
- C. The distance between the two data centers is less than 25 kilometers and the number of fiber connections is more than 4 pairs
- D. The distance between the two data centers is more than 25 kilometers and the number of fiber connections is more than 4 pairs

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 255**

In the feature of Huawei Oceanstor 9000InfoReplicator. Pair is a data replication relationship, which describes data replication The source and destination of the, the following statement about the state transition of the Pair is incorrect (multiple choice)

- A. When the InfoReplicator configuration is destroyed, the status of the Pair becomes "Invalid"
- B. When the abnormal link recovers and the recovery strategy is manual, the status of the Pair will be migrated to "synchronizing"
- C. In the case of Pair failure, its status includes recovery, invalidation, synchronization, split

**Answer: A,B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 256**

Multi-choice An Oceanstor 9000 storage system consisting of 6 P36 nodes. Which of the following parts is made up? (Multi-choice)

- A. back-end storage network
- B. Front-end business network
- C. IPM management network
- D. Wushan file system business management network

Answer: ([SHOW ANSWER](#))

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (62 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

**NEW QUESTION: 257**

Regarding the networking of the Huawei Oceanstor 9000 system, which of the following option descriptions is correct?

- A. To meet the management requirements, only the first three nodes of the cluster need to be connected to the management network
- B. Whether it is a front-end business network or a back-end storage network, it is recommended to use two switches to connect all nodes to achieve redundancy
- C. The front-end business network switches can be stacked, but the back-end storage network switches are not recommended for stacking
- D. Only the storage node needs to be connected to the management network, and other devices do not need to be connected to the management network

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 258**

Where is the shared mapping table of HyperSnap stored?

- A. COW Data
- B. Cow Meta
- C. Source LUN
- D. Snapshot LUN

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 259**

The multi-choice InfoEqualizer feature supports partition setting of load balancing strategies, which options are optional methods for configuring load balancing strategies Mode()

- A. By CPU usage
- B. Throughput by node
- C. Number of connections by node
- D. Round Robin

**Answer: A,B,C,D (LEAVE A REPLY)**

#### **NEW QUESTION: 260**

The customer needs RTO=0 and RPO=0 for the application business, which disaster recovery scheme should be used?

- A. Active and standby
- B. 3DC
- C. Cloud disaster tolerance
- D. Double live

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 261**

When an asynchronous remote replication relationship is established between the primary volume of the primary site and the secondary volume of the remote slave site, an initial synchronization is initiated.

After the synchronization is completed, the data status from the volume becomes complete, and then which of the following procedures is followed to complete the periodic data synchronization ()

- A. After the write request data is written to the main volume, immediately respond to the completion of the host write
- B. When the master volume synchronizes data with the slave volume, read the data of the snapshot of the master volume and copy it to the slave volume
- C. The master volume receives write requests from the production host
- D. Generate synchronous snapshots of the primary and secondary volumes

**Answer: A,B,C (LEAVE A REPLY)**

#### **NEW QUESTION: 262**

The CSI plug-in auxiliary service provided by the Kubernetes community is implemented based on the CSI specification, Deploy on all K8s nodes, complete volume creation/delete, mapping/unmapping, mounting/unmounting and other operations.

- A. True
- B. False

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 263**

Which of the following are Huawei's intra-city disaster recovery solutions? (multiple choice)

- A. Active and standby disaster recovery solutions
- B. Active-Active DC solution
- C. Geo-Redundant solution
- D. Local high-availability solution

**Answer: A,B (LEAVE A REPLY)**

**NEW QUESTION: 264**

In the Huawei Oceanstor 9000 software architecture, the distributed object storage layer is built on the basis of the distributed file storage layer.

- A. False
- B. True

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 265**

The HyperLock (WORM) feature of Huawei Storage enables the single-selection of files to be written only once, cannot be written repeatedly, and is not allowed to be modified, deleted, or renamed.

- A. True
- B. False

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 266**

When selecting the type of data backup, which option is wrong in the following description?

- A. If there are only cumulative incremental backups in the schedule, but no full backups, when performing cumulative incremental backups for the first time, all files will be backed up.  
Pieces.
- B. It is recommended to use a combination of three backup types: full backup, differential incremental backup, and cumulative incremental backup.
- C. If the backup strategy is full backup combined with differential incremental backup, after a system failure, if you want to restore to the most recent data, then It is necessary to restore the data of the last full backup and all differential incremental backups after the full backup.
- D. Differential incremental can save storage space to the greatest extent, and the backup window is small.

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 267**

Huawei all-flash storage devices need to be planned and multi-selected before deployment. Which of the following options are required for storage networking To plan ()

- A. Heartbeat network
- B. Business networking
- C. IP address
- D. Management network

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 268**

An enterprise uses Huawei OceanStor hybrid flash storage for multi-selection storage. In order to facilitate management, the administrator uses SmartQuota The technology creates different Quota Trees on the root directory for departments A, B, and C to use separately. Regarding setting quota types, which of the following The statement is correct ()

- A. You can set user quotas on Quota Tree
- B. You can set catalog quota on Quota Tree
- C. User group quota can be set on Quota Tree
- D. You can set the default catalog quota on Quota Tree

**Answer: A,B,C (LEAVE A REPLY)**

#### **NEW QUESTION: 269**

Huawei Oceanstor 9000 FTP service features include: (multiple choice for this question)

- A. Compatible with multiple operating systems
- B. The unit of FTP sharing is a directory, and the shared directory can be accessed by multiple clients
- C. It can provide the status of business nodes to achieve load balancing, and data access is evenly distributed in the cluster.
- D. Provide shared services externally in a cluster mode, and nodes can monitor each other's service status

**Answer: A,B,C,D (LEAVE A REPLY)**

#### **NEW QUESTION: 270**

Which of the following statements about snapshots is correct

- A. Snapshot is the newly written data
- B. Snapshot data can only be read by the host and cannot be changed
- C. Snapshot refers to a consistent data copy of source data at a certain point in time
- D. Snapshot is a physical copy of the complete source data

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 271**

Single-select Oceanstor 9000 restricts file storage and re-striping through the InfoTier water level threshold.

When configuring InfoTier

Select Spill over, other parameters default, which of the following statements is correct?

- A. When the used space accounts for 90% of the total storage space of the node pool, data can still be written to the node pool
- B. When the used space accounts for 90% of the total storage space of the node pool, the system reports an insufficient capacity alarm
- C. When the used space accounts for 85% of the total storage space of the node pool, data can still be written to the node pool
- D. When the used space accounts for 859% of the total storage space of the node pool, the system reports a read-only alarm

**Answer:** ([SHOW ANSWER](#))

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (**62 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)

#### **NEW QUESTION: 272**

What are the advantages of Huawei's scale-out file storage over traditional NAS storage multi-choice systems?

- A. Multi-node cluster, load balancing, global cache, providing strong performance
- B. Scalable scale-out engine architecture
- C. Fast failover, the failure of a single node in the cluster does not affect the business
- D. The engine cluster is followed by SAN storage, and the SAN storage can be heterogeneous storage

**Answer:** **A,B,C** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 273**

The items that do not belong to the DFS adaptation single-selection layer software module in OceanStor9000 are: (single-selection)

- A. PVS
- B. OBS
- C. CA
- D. MDS

**Answer:** **B** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 274**

Oceanstor 9000 adopts Erasure code technology to protect multiple selection data. If a period has 7 nodes, And if the customer wants the disk utilization to reach at least 70%, the available redundancy protection levels are: (multiple choice)

- A. 6+4
- B. 12+2:1
- C. 6+1
- D. 4+2

**Answer: B,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 275**

What are the factors that affect the performance of the Huawei Oceanstor 9000 client?  
(Multiple choice)

- A. business application characteristics
- B. Related feature configuration
- C. business network
- D. Oceanstor 900 hardware configuration

**Answer: A,B,C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 276**

The following single-choice descriptions that do not belong to the features of the horizontally extended file storage function are:

- A. Supports integration with FusionInsight Hadoop/Cloudera Hadoop packaged by open source Hadoop components, allowing users to Users can easily build an enterprise-level big data analysis platform.
- B. Distributed metadata management, supports linear expansion of 3~4000 nodes.
- C. Provide object storage service, compatible with Amazon S3 interface and compatible with OpenStack Swif interface.
- D. Self-developed distributed file system OceanStor DFS supports massive unstructured data storage and realizes a global unified namespace.

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 277**

In the storage planning and design process, which of the following is not part of the business single selection planning process ()

- A. Capacity planning
- B. Network planning
- C. Basic business
- D. Value-added features

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 278**

The cascading replication disaster recovery solution establishes a cascading replication relationship for the storage devices used by the business to achieve intra-city disaster recovery + remote disaster recovery, with little impact on the performance of the production center.

A. True

B. False

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 279**

(multiple choice) Which of the following is correct in IDC's description of the characteristics of big data?

A. Velocity-speed

B. Variety-Diversity

C. Value-value density

D. Volume

**Answer: A,B,C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 280**

Single choice, the underlying virtualization of the N8000 cluster NAS system is realized through the VxVM component. The virtual objects managed by VxVM are: VM Disk, Disk Group, Subdisk, Pick, which one of the following explanations is correct?

A. N8000 is based on the file system level the snapshot provided by the

B. File system snapshots use copy-on-write (copy-on-write technology), and share partition or volume storage with other file sets space The snapshot provided by

C. document N8000 is based on the file system level checkpoint

D. N8000 cluster file system VxM is a non-journal file system that can support files above 2T

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 281**

Regarding the application of the InfoStamper feature, which of the following multiple options are correct ( )

A. When the file data in the source directory is accidentally deleted, overwritten or invaded by a virus or other non-physical media When it is damaged, it can be restored through the files in the snapshot directory before the time of the failure.

B. Snapshot avoids data loss caused by 2 failures, and supports fault-tolerant processing of comprehensive failure sub-health disks

C. The anti-virus server reads files through snapshots, checks and kills viruses, and isolates them

D. After the remote replication task is started, snapshots are created regularly at the set time interval, and then the snapshot time The data is synchronized to the slave, and only

the incremental data between the current snapshot and the previous snapshot needs to be copied each time

**Answer:** ([SHOW ANSWER](#))

### **NEW QUESTION: 282**

Multiple single-selection A multinational company has a huge business, with customer business data scattered in multiple locations, and the distance between locations is greater than 1000 km. Should Enterprises hope to centrally manage the backup data of each site so that users can analyze and analyze all data without affecting normal business.

Mining: If any business site suffers a disaster, the enterprise can take over the business and perform data recovery. In this case, the company should choose Which disaster recovery backup plan ()

- A.** Central disaster recovery and backup plan, synchronous remote replication is selected between the business site and the central site
- B.** Two-site three-center solution, asynchronous remote replication is selected between each site
- C.** Central disaster recovery and backup plan, asynchronous remote replication is selected between the business site and the central site
- D.** Two-site three-center solution, synchronous remote replication is selected between each site

**Answer:** **A** ([LEAVE A REPLY](#))

### **NEW QUESTION: 283**

(single choice) Which of the following is the correct power-on sequence of the Huawei OceanStor 9000 big data storage system?

- A.** Cabinet-->Switch-->Node--->KVM
- B.** Cabinet-->KVM-->Switch--->Node
- C.** Cabinet-->Switch-->KVM--->Node
- D.** Cabinet-->Node-->KVM--->Switch

**Answer:** **C** ([LEAVE A REPLY](#))

### **NEW QUESTION: 284**

Single-select the incorrect description of the Huawei Oceanstor 9000 software module-item

- A.** MDS (MetaData Service) manages the metadata of the file system, each node of the system can store all metadata
- B.** Snapshots, tiered storage, remote replication and other value-added features are provided by the PVS module
- C.** CA (Chent Agent) is responsible for the semantic analysis of application protocols such as NFS/CIFS /FTP, and sends it to the underlying module for processing
- D.** OBS (Object-Based Store) is the file system metadata and

File data provides reliable object storage function

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 285**

Through the Huawei Oceanstor 9000 DeviceManager, the administrator can quickly complete the initialization; the initialization configuration items include (: multiple select)

- A. InfoEqualizer (client connection load balancing feature) function settings
- B. Alarm email and SMS notification function settings
- C. Super administrator password modification
- D. External FNS server information settings
- E. System time zone and NTP settings

**Answer: A,B,C,D,E (LEAVE A REPLY)**

**NEW QUESTION: 286**

Which of the following is not a component that must be single-selected in the architecture of the NAS system?

- A. Accessible disk array
- B. File system
- C. Access to the business interface of the file system
- D. Access to the business interface of the file system

**Answer: (SHOW ANSWER)**

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (62 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

**NEW QUESTION: 287**

Multi-selection After launching Oceanstor 9000 deployment, the deployment tool interface prompts "Unsuccessful connection".

The possible reasons are: (multiple-selection)

- A. The deployment tool and deploy version do not match
- B. The network connection between nodes is unstable
- C. deploy process does not exist

**Answer: B,C (LEAVE A REPLY)**

**NEW QUESTION: 288**

What is wrong about the concept description of object storage service (compatible with OpenStack Swift interface) among the following options:

- A.** Container is a kind of container for storing objects, which can be regarded as a directory that can be accessed through the network.
- B.** Account is the owner and manager of the resource. Use Account to add, delete, check, and configure the Container Attributes and other operations can also be performed on Objects such as uploading, downloading, and querying.
- C.** Container supports nesting, thus avoiding a hierarchical container structure.
- D.** Object is an object, that is, data, which can be regarded as a file that can be accessed through the network.

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 289**

Huawei's hyper-converged storage adopts a single-selection structure of distributed storage logic architecture.

Which of the following is the function of the MDC module ()

- A.** Provide management of storage cluster status
- B.** Provide standard SCSI/iSCSI services for VMs and databases
- C.** DASH partition
- D.** Provide hard disk management

**Answer: A (LEAVE A REPLY)**

#### **NEW QUESTION: 290**

The back-end storage network interfaces of FusionStorage block, file, and object storage clusters must be completely isolated.

When the corresponding physical clusters share a pair of CE6800 switches, VLANs need to be divided to distinguish the back-end storage networks of different clusters.

- A.** True
- B.** False

**Answer: A (LEAVE A REPLY)**

#### **NEW QUESTION: 291**

The fully balanced (Active-Active) multi-choice architecture of Huawei's all-flash storage guarantees a securities company Transaction business at high concurrency. Regarding the architecture, which of the following statements are correct

- A.** All controllers participate in business processing, LUNs have no ownership, and controller load balancing is realized
- B.** IO is evenly distributed to all controllers, realizing front-end load balancing
- C.** Data balance is distributed to all SSDs, realizing disk load balance
- D.** Distribute IO evenly to all front-end ports to achieve load balancing of access

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 292**

In the Huawei disaster recovery solution, at which levels can data replication be performed? (multiple choice)

- A. Based on storage layer replication
- B. Copy based on the file system layer
- C. Based on network layer replication
- D. Host-based replication

**Answer: A,C,D (LEAVE A REPLY)**

**NEW QUESTION: 293**

Regarding source deduplication, which one of the following descriptions is incorrect?

- A. Only the data of the new data block needs to be transferred to the target end, no information related to the old data block needs to be transferred
- B. Compared with target end deduplication, it can save transmission bandwidth.
- C. Occupy source end resources for deduplication processing.
- D. When data is transmitted from the source end to the target end, the source end first performs a hash comparison on the transmitted data block and removes duplicates.

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 294**

A company's business runs on Huawei's distributed storage, where user data services use block services.

And turn on the deduplication function. In the peak period of user data business, it is necessary to give priority to ensuring the performance of the front-end business. Which heavy method will the storage system use?

()

- A. Post-deduplication
- B. Online deduplication
- C. Turn off deduplication
- D. Source end deduplication

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 295**

Regarding the members of Huawei's remote replication consistency group, which of the following statements is correct:

- A. The remote replication consistency group and its members must have the same attributes
- B. The master and slave luns of the members of the remote replication consistency group can be in any controller.

C. If there is a member replication link failure in the consistency group, the data replication of other members will also be

D. All members are synchronized together, split, and master-slave switching

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 296**

When performing system maintenance on the Huawei Oceanstor 9000, it is recommended that the system administrator check the account routinely and check the content package

Include: (multiple choice)

A. Routinely check whether the permissions of various accounts are reasonable

B. Routinely check and audit the login and operation logs of various accounts

C. Routine inspection to check whether the temporary account has been deleted

**Answer:** A,B,C ([LEAVE A REPLY](#))

#### **NEW QUESTION: 297**

A company uses Huawei Distributed Storage Block Service to run data services, and the development team needs to use business data for Data mining and testing without affecting business data. Which of the following descriptions are correct

A. Create a clone of the snapshot and use the clone to test

B. Create a clone based on the volume/snapshot, read and write the clone

C. Generate a snapshot of the data to be tested at a certain point in time

D. The source data and the cloned data each evolve into two different data

**Answer:** A,B,C,D ([LEAVE A REPLY](#))

#### **NEW QUESTION: 298**

(Multiple choice) The quota types supported by OceanStor 9000 InfoAllocator are:

A. Mandatory quota

B. File quota

C. Capacity quota

D. Calculate quota

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 299**

Single choice The evolution route of big data technology is from distributed storage to cloud storage, from intelligent analysis to distributed analysis.

A. False

B. True

**Answer:** A ([LEAVE A REPLY](#))

#### **NEW QUESTION: 300**

The following description of the FusionStorage management network is incorrect:

- A.** The Mgmt interfaces of all storage nodes are connected to the management switch, and each node is assigned a management network IP address.
- B.** Only deploy FusionStorage file or object storage services, the first 3~5 nodes in the cluster are used as management nodes, and 1 is assigned to them Each management network IP address will automatically float on the NIC1 interface of these nodes.
- C.** A node where DSS/OMS/FSM is deployed, two interfaces form a logical bond interface, and one pipe is allocated to the bond interface. Manage the network IP address.
- D.** When FusionStorage file or object storage services are deployed in a mixed manner, select at least one object node as the management node (management section). The total number of points does not exceed 5). And assign a management network IP address to it, and it will automatically float on the NIC1 interface of these nodes.

**Answer: D (LEAVE A REPLY)**

### **NEW QUESTION: 301**

What sub-functions does the InfoProtect of Oceanstor 9000 include? (Multiple choice)

- A.** worm settings
- B.** Snapshot
- C.** Protection of metadata
- D.** Physical sub-domain
- E.** Protection of file data
- F.** Data Recovery

**Answer: C,D,E,F (LEAVE A REPLY)**

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (62 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

**Valid H13-624\_V5.5 Dumps** shared by Actual4test.com for Helping Passing H13-624\_V5.5 Exam! Actual4test.com now offer the **newest H13-624\_V5.5 exam dumps**, the Actual4test.com H13-624\_V5.5 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H13-624\_V5.5 dumps with Test Engine here: [https://www.actual4test.com/H13-624\\_V5.5\\_examcollection.html](https://www.actual4test.com/H13-624_V5.5_examcollection.html) (62 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)