

Huawei.H14-231_V1.0.v2024-04-19.q186

Exam Code:	H14-231_V1.0
Exam Name:	HCIP-HarmonyOS Application Developer V1.0
Certification Provider:	Huawei
Free Question Number:	186
Version:	v2024-04-19
# of views:	475
# of Questions views:	1860
https://www.freepdfdumps.com/Huawei.H14-231_V1.0.v2024-04-19.q186.html	

NEW QUESTION: 1

On the basis of the supported input events, HarmonyOS's multi-dimensional input defines some input actions commonly used by users as a set of standardized events, maps the input events of different input devices to the standardized events, and can obtain a unified experience when using multiple input devices to operate different terminal devices or applications.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 2

A developer has developed a news browsing application, and the news list page is displayed by default when the application is opened, which of the following methods does the developer use to achieve this function?

- A. addActionRoute()
- B. setMainRoute()
- C. onStart()
- D. Intent()

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 3

The log content filtered by a developer through relevant information is:

01-2016:08:36.908

23597/com.example.myapplication W

00201/MY TAG:Failed to visit,reason:503.

Which of the following cannot be obtained by analyzing the log?

- A. The log level is WARN
- B. Reachable URL value

- C. Content defined in HiLogLabel
- D. Errnovalue

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 4

When a HarmonyOS developer makes an FA call to PA, the callAbility interface returns the error "Internal ability not register.", which of the following points needs to be checked correctly?

- A. Check whether the InternalAbility set on the JS side is 0
- B. In the AceAbility inheritance class, the register method is executed for the AceInternalAbility inheritance class
- C. Check whether the bundleName and abilityName entered on the JS side are the same as those entered in the AceInternalAbility inheritance class constructor
- D. Check whether the Ability entered on the JS side is 1

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 5

When a programmer develops an online education application, the student ping interface has multiple choice questions and multiple choice questions, which of the following components is suitable for displaying multiple choice questions?

- A. Switch
- B. RadioButton
- C. Picker
- D. Checkbox

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

What are the life cycle states of UIAbility?

- A. Background
- B. WindowStageCreate
- C. Destroy
- D. WindowStageDestroy
- E. Create
- F. dForeground

Answer: A,C,E,F ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which option is not the process of decoding in the conversion of the following information?

- A. Convert the data to audio
- B. Notebook plays video files from the hard drive
- C. Save the photo in digital form
- D. player plays music from the record

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 8

Which of the following modules does a developer need to call to check whether the HarmonyOS cellular data service is enabled?

- A. @ohos.telephony.call
- B. @ohos.telephony.data
- C. @ohos.telephony.sim
- D. @ohos.telephony.sms

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Regarding the callback event of the Video component, the following statement is incorrect

- A. onUpdate is triggered when the playback progress changes, the unit is s, and the update interval is 250 ms.
- B. onStart is triggered when the video is playing, and you can get the video duration here.
- C. This event is triggered at the end of the B onFinish video.
- D. This event is triggered when the C onPrepared video is ready.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which kind of decorator can be used as a page entry component?

- A. @Entry
- B. @Preview
- C. @Component
- D. @Builder

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

In order to test the distributed file service functions of application A and application B, the developer installs application A and application B on both device 1 and device 2. During the test, application A on device 1 creates a distributed file X, and application B on device 2 creates a distributed file Y. Which of the following descriptions of this scenario is wrong?

- A. If device 1 runs out of power and causes the device to go offline, distributed file X cannot be accessed
- B. With distributed file services, application A on device 1 is able to read and write file Y on device 2
- C. If Device 1 and Device 2 are logged in to different HarmonyOS accounts, distributed file sharing cannot be implemented
- D. Application A and Application B need to apply for ohos.permission.DISTRIBUTED_DATASYNC permissions to use the full functionality of the distributed file service

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

A developer uses a task distributor to dispatch tasks 1, 2, and 3. The developer added Task 1 and Task 2 to a task group and used `syncDispatchBarrier` to set up a task execution barrier on that task group. During execution, the discoverer waits for both task 1 and task 2 to be executed before executing task 3. Based on the above scenario analysis, which of the following task distributors may be used by the developer?

- A. `SerialTaskDispatcher`
- B. `SpecTaskDispatcher`
- C. `ParallelTaskDispatcher`
- D. `GlobalTaskDispatcher`

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 13

The logs queried by a developer are as follows. `HiLog.warn(LABEL, "Failed to visit %(private)s,reason:%(public)d.",url, exrno)`; What kind of level does the log belong to?

- A. `FalseCode()`
- B. `INFO`
- C. `WARN`
- D. `DEBUG`

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 14

A Page Ability (hereinafter referred to as "Page") may consist of one or more `AbilitySlice`, which refers to the sum of a single page of an application and its control logic.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

In the JS (JavaScript) UI framework, which layer is connected to the system platform platform by abstracting the platform layer and providing an abstract interface?

- A. Front-end frame layer
- B. Engine Layer
- C. Platform adaptation layer
- D. Application Layer

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 16

In a HarmonyOS application, there must be one and only one HAP of the feature type.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

Valid H14-231_V1.0 Dumps shared by Actual4test.com for Helping Passing H14-231_V1.0 Exam! Actual4test.com now offer the **newest H14-231_V1.0 exam dumps**, the Actual4test.com H14-231_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H14-231_V1.0 dumps with Test Engine here: https://www.actual4test.com/H14-231_V1.0_examcollection.html (680 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 17

When a developer uses HarmonyOS Device Manager, he wrote the following code, which code description is correct?

```
VardeviceInfo=dmlInstance.getLocalDeviceInfoSync () :
```

- A. Asynchronously obtain local device information
- B. Asynchronously obtain the list of trusted devices
- C. Obtain the local device information synchronously
- D. Obtain the list of trusted devices synchronously

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 18

In order to control the access of a specific interface to the caller, an application confirms that the visitor has the required permissions through verifyCallingPermission. Which of the following descriptions is correct?

- A. If verifyCallingPermission returns a value of 0, the service is not provided
- B. If verifyCallingPermission returns a value of -1. then the service will be provided
- C. If the caller's permission verification is passed, the service will be provided
- D. If the caller does not have permission, the service will not be provided

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

In the JavaScript UI framework, which layer is used to provide animation parsing, DOM (Document Object Model) tree construction, layout calculation, rendering command construction and drawing, event management, etc.?

- A. Engine Layer
- B. Front-end frame layer
- C. Application layer
- D. Platform adaptation layer

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

When a developer navigates within the same page, the AbilitySlice is new, even if present(newTargetSlice(), new Intent()) is repeatedly called, it will not cause any AbilitySlice to be out of the stack.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 21

In order to cope with complex application business logic, a developer needs to create multiple threads to perform multiple tasks. In this case, the code is complex and difficult to maintain, and the interaction between tasks and threads becomes more complex. To solve this problem, which of the following interfaces can the developer use to distribute different tasks?

- A. BackgroundTaskManager
- B. IAbilityMlanager
- C. TaskDispatcher
- D. Group

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 22

A user migrates video playback from his mobile phone to a smart screen and uses the distributed task scheduling capability of HarmonyOS. Which of the following is the process of connecting the video to the smart screen playback in this scenario?

- A. Global query
- B. Remote migration
- C. Remote start
- D. Remote connection

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

HarmonyOS is designed for 1+8+N full-scene experience, which of the following devices belongs to the "8" in

1+8+N?

- A. headphones
- B. Audio
- C. Microwave oven
- D. Glasses

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 24

The user migrates the video on the mobile phone to the smart screen for playback, and after the mobile phone saves the data, the smart screen calls back which of the following methods does the user recover the data?

- A. onCompleteContinuation
- B. onSaveData
- C. onStartContinuation
- D. onRestoreData

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 25

A user grants permission X to application A of a certain device, and on the device, application A persists the state of this permission grant and can call all interfaces controlled by permission X at any time.

- A. False
- B. True

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 26

In a HarmonyOS application, which of the following and the ComponentContainer object are actually composed of the interface elements that the user sees?

- A. DirectionLayout
- B. DependentLayout
- C. TableLayout
- D. Component

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 27

If a developer uses the DevEco Studio tool for application development, which of the following commissioning methods does the tool support?

- A. Previewer
- B. Android Debug Bridge
- C. Real machine
- D. Simulator

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 28

When a developer needs to specify the exact coordinates of the x-axis and y-axis of a sub-component when laying out a component, which layout can be used to achieve this function?

- A. DependentLayout
- B. DirectionalLayout

C. PositionLayout

D. StackLayout

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 29

When an engineer develops an application and needs to add the function of extracting videos, which of the following interfaces should be called?

A. Extractor()

B. Recorder()

C. Player()

D. Codec()

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 30

Which of the following interfaces is NOT an API provided by the preference?

A. put()

B. get()

C. flush()

D. update()

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 31

Atomic service is a future-oriented service delivery method provided by HarmonyOS, which of the following statements about atomic service is correct?

A. Atomic services are managed and distributed by AppGallery

B. Atomic services do not have desktop icons, but they can be manually added to desktops in the form of service cards

C. Atomic service consists of one or more HAP packets, and one HAP packet corresponds to one FA or one PA

D. Compared with the traditional way of installing applications, the atomic service is lighter, and provides richer entry points and more accurate distribution

E. All HAP packages (including EntryHAP and FeatureHAP) of the Atomic Service are non-installation-free

Answer: ([SHOW ANSWER](#))

Valid H14-231_V1.0 Dumps shared by Actual4test.com for Helping Passing H14-231_V1.0 Exam! Actual4test.com now offer the **newest H14-231_V1.0 exam dumps**, the Actual4test.com H14-231_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H14-231_V1.0 dumps with Test Engine here:

Special Discount: **Freepdfdumps**)

NEW QUESTION: 32

In HarmonyOS, which of the following scenarios is the application responsible for instantiation?

- A. reads a novel through a web page and accidentally clicks on an advertisement, which jumps directly to the app store to request the download of a certain game
- B. Jump to another page through a hyperlink
- C. Start an AbilitySlice by navigating
- D. An app page has messages, contacts, settings, etc., and you can switch between them

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 33

The lightweight preference database is a non-relational database, which mainly provides lightweight key-value operations and supports local applications to store a large amount of data. If a HarmonyOS developer uses a lightweight preference database to save data, the data will be stored in a local file and will not be loaded into memory.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 34

If a developer wants to use the notification function of HarmonyOS when developing an application, which of the following notification styles can be selected by the developer?

- A. Picture
- B. Multi-line text
- C. Long text
- D. Plain text

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 35

Which of the following descriptions is wrong when it comes to the simultaneous development of JS (JavaScript) and Java languages in HarmonyOS application development?

- A. Use JS to develop the logic of the application
- B. Java FA (Feature Ability) calls JS PA (Particle Ability).
- C. JS FA calls Java PA
- D. Use Java to develop the UI of the application

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 36

Which of the following component hierarchies are correct

- A. Column>Row>Button
- B. Button>Column>Image
- C. Button>Image>Text
- D. Image>Text>Span
- E. Text>Span

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 37

When using the capabilities or data of the corresponding service, you need to apply for the corresponding permissions, and the non-sensitive permissions need to be declared in which field of config.json?

- A. canRequestPermissions
- B. requestPermissions
- C. defPermissions
- D. reqPermissions

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 38

When installing the HarmonyOS application development environment, if the network can directly access the Internet, developers need to set up Gradle and NPM agents to configure the development environment correctly.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 39

In HarmonyOS, when a subscription action is performed after an out-of-order public event is published, subscribers can also receive the out-of-order public event.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 40

Frame rate is the frequency (rate) at which a bitmap image appears continuously on a display in frames, measured in hertz (Hz).

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

If a developer uses the Text component to develop a UI interface, if the outside of the Text component needs to be left blank, which of the following codes can the developer use?

- A. `ohos:top_margin="30"`
- B. `ohos:top_margin="15"`
- C. `ohos:top_padding="15"`
- D. `ohos:top_padding="30"`

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 42

Which of the following features of the HarmonyOS distributed database are correctly described?

- A. The synchronization logic is completely transparent
- B. depends on the cloud
- C. shields different physical transmission channels
- D. The interface is simple, and the backup and encryption features are simple and configurable

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

A developer uses the HarmonyOS Bluetooth Low Energy function to achieve cross-distance wireless communication, how does the central device and peripheral devices interact in this scenario?

- A. The central device scans peripherals and discovers broadcasts
- B. After the peripheral device and the central device establish a GATT connection, the peripheral device can query various data supported by the central device
- C. The peripheral device acts as a server and can receive GATT connection requests from the central device
- D. Peripherals are responsible for sending broadcasts

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 44

A developer is developing a flight booking application, and uses the sliding selector Picker to select the location of the ticket and writes the following code.

- A. The selected font size is 16fp
- B. The height of the C component matches the text size
- C. Normal font size is 18fp
- D. The width of the component is 300vp

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

A HarmonyOS engineer needs to apply for a digital certificate to complete the release of the application, which of the following descriptions of digital certificates is wrong?

- A. The digital certificate format is .csr

- B. You need to use DevEco Studio to generate a key
- C. Digital certificates are used to ensure the integrity of the application
- D. Issued by AppGallery Connect

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 46

A developer needs to use the emulator in DevEco Studio, click to log in to the emulator and enter your HUAWEI ID, and the browser will directly jump to the real-name authentication interface. What are the reasons for this problem?

- A. Account is not registered
- B. has just completed real-name authentication, but the authentication has not yet taken effect
- C. The HUAWEI ID is not verified
- D. uses the Chrome browser

Answer: B,C ([LEAVE A REPLY](#))

Valid H14-231_V1.0 Dumps shared by Actual4test.com for Helping Passing H14-231_V1.0 Exam! Actual4test.com now offer the **newest H14-231_V1.0 exam dumps**, the Actual4test.com H14-231_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H14-231_V1.0 dumps with Test Engine here: https://www.actual4test.com/H14-231_V1.0_examcollection.html (680 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 47

When a developer is developing a JavaScriptUI page of a shopping software,he needs to use the list component to display the product information, and which method of the list can be used to scroll to the specified item?

- A. scrollby()
- B. scrollstart()
- C. scrollend()
- D. scrollto()

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 48

Now a Text component is used as the title of a page, and the Text needs to be set to be invisible, but it still occupies the current layout space, which of the following is correct?

- A. text.setVisibility(Component.VISIBLE);
- B. ohos:visibility="visible"
- C. ohos:visibility="hide"
- D. ohos:visibility="invisible"

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

To publish sticky public events in armonyOS, the publisher must first apply for the permissions required to publish sticky public events in config.json.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

Which of the following is NOT part of the software exposure capabilities provided by HarmonyOS Connect?

- A. Device Partner Platform
- B. Cloud services
- C. Huawei HarmonyOS operating system
- D. chip

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

If a developer wants to develop a file background download function, there needs to be a Page Ability to provide UI pages, and a Service Ability to provide the background file download function. Which of the following can invoke Service Ability in Page Ability?

- A. connectAbility(intent, connection)
- B. onConnect
- C. connectServiceAbility(intent, connection)
- D. connectPageAbility(intent,connection)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 52

If a user wants to migrate the video of his mobile phone to the smart screen for display on a video call, what are the correct items in the description of the scene?

- A. Unauthorized HUAWEI IDs are not available
- B. You need to use the same HUAWEI ID on both the phone and the smart screen
- C. The mobile phone and the smart screen need to be under the same LAN
- D. The mobile phone and the smart screen can not be interconnected

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 53

What are the reasons why a developer wants to use the previewer in DevEco Studio to view the application interface of the design, but the previewer cannot be used?

- A. SDK has not been updated to the latest version

- B. Project is not synchronized successfully
- C. The previewer resource was not downloaded
- D. Preview is not supported for files currently open in the editor

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

Regarding the Tabs component and the TabContent component, the following description is correct

- A. The tabBar property of the TabContent component supports components generated using the @Builder constructor.
- B. The TabContent component does not support setting the general height attribute, and its height is determined by the height of the parent Tabs and the height of the TabBar component.
- C. TabsController is used to control tabs to switch between tabs, and does not support one tabscontroller to control multiple tabs.
- D. TabContent component does not support setting a generic width property, and its width is equal to the barWidth property of the Tabs component.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 55

When a developer receives a new product demand and asks the user to remake old documents such as paper letters into electronic versions, the application can improve the remake effect of old documents and make the work more correct. What kind of AI-enabled capabilities can be leveraged by HarmonyOS to achieve this?

- A. Document detection correction
- B. General character recognition
- C. Image super-resolution
- D. Text image is super-resolved

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

When a HarmonyOS app developer uses the form container, which of the following elements can be submitted and reset?

- A. Image
- B. Menu
- C. Input
- D. List

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

Which of the following properties or events does the web component support?

- A. javascriptAccess(javascriptAccess:

boolean)

B. onConfirm(callback:(event?:{url:string; message:string; result:JsResult })=>

boolean)

C. fileAccess(fileAccess:boolean)

D. on(type:'headerReceive',callback: AsyncCallback):void

E. destroy():void

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 58

Which of the following descriptions of Page and AbilitySlice is correct?

A. Page can contain only one AbilitySlice

B. Bpage can contain multiple AbilitySlices

C. There is at least one AbilitySlice in a page

D. AbilitySlice can exist on its own

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

What development tools do programmers do not need to install when developing HarmonyOS mobile apps?

A. HiBurn

B. HUATEI DevEco Device Tool

C. Visual Studio Code

D. DevEco Studio

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 60

The ListContainer grid layout can be realized through the setLayoutManager() method

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 61

A HarmonyOS developer uses syncDispatch to synchronously dispatch tasks when developing applications. In this scenario, syncDispatch dispatches the task and waits for the task to complete on the current thread, so the current thread is not blocked until it returns.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

Valid H14-231_V1.0 Dumps shared by Actual4test.com for Helping Passing H14-231_V1.0 Exam! Actual4test.com now offer the **newest H14-231_V1.0 exam dumps**, the Actual4test.com H14-231_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H14-231_V1.0 dumps with Test Engine here: https://www.actual4test.com/H14-231_V1.0_examcollection.html (680 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 62

What is the correct position setting for the Tabs tab described below?

- A.** When barPosition is set to End and vertical property is set to false (the default value), the tab is located at the bottom of the container.
- B.** When barPosition is set to Start (default) and vertical property is set to false (default), the tab is located at the top of the container.
- C.** If barPosition is set to End and vertical property is set to true, the tab is located on the right side of the container.
- D.** When barPosition is set to Start (default) and vertical property is true, the tab is located on the left side of the container.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 63

If a reading app uses the language recognition capability provided by HarmonyOS, the app can automatically read a novel.

- A.** True
- B.** False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 64

When a developer specifies a music playback service through an intent when starting a remote service, device A (local device) can start the music playback capability of device B (remote device).

- A.** Connect to a remote PA (Particle Ability).
- B.** Start the remote PA (Particle Ability).
- C.** Particle Ability (PA) of the Guantuan
- D.** Enable remote FA (Feature Ability).

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 65

If a developer wants to develop a Data Ability for the storage and management of application data, which of the following can help the developer realize the function of inserting multiple pieces of data into the database at one time?

- A. query (Uri uriString[] columns, DataAbilityPredicates predicates)
- B. batchInsert (Uri uri, ValuesBucket[] values)
- C. insert (Uri uri, ValuesBucket value)
- D. delete(Uri uriDataAbilityPredicates predicates)

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 66

HAR (HarmonyOS Ability Resources) is different from HAP (HarmonyOS Ability Package) in that HAR cannot be installed and run on devices independently, and can only be referenced as dependencies of application modules.

- A. True
- B. False

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 67

A developer obtains a log content: static final HiLogLabel LABEL = new HiLogLabel1 (HiLog.LOG_APP,0x00201,"MY_TAG"); Which of the following information can't be obtained?

- A. The business area of the log
- B. log level
- C. Log type
- D. Log ID

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 68

The Service Ability created by a developer does not have a user interface. Can be launched by other apps.

When the user switches to another application, the Service will be killed in the background.

- A. True
- B. False

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 69

When a company is developing a HarmonyOS application, it needs to customize an artboard control, how to get the X coordinates of the current touch point in the whole screen during the listening of touch events?

- A. touchEvent.getPointerPosition(touchEvent.getItem()).getX()
- B. touchEvent.getPointerScreenPosition(touchEvent.getIndex()).getX()
- C. touchEvent.getPointerPosition(touchEvent.getIndex()).getX()

D. `touchEvent.getPointerScreenPosition(touchEvent.getItem()).getX()`

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 70

The object relational mapping database mainly provides light-grade Key-Value exploration, which supports local applications to store less data, and the data is stored in local files and also loaded in memory, so the access speed is faster and more efficient.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 71

A developer wants to use the list component of the JavaScript UI framework to display a table.

```
<list class="todo-wraper"
scrollpage="true"
scrollbar="on"
shapemode="round"
scrolleffect="no">
<list-item for="{{todolist}}"class="todo-item">
<text class="todo-title">{{Sitem.title}}</text>
<text class="todo-title">{{Sitem.date}}</text>
</list-item>
</list>
```

A. The side slider is circular

B. slides out of the viewport with the non-list part of the page at the top of the list

C. Displayed when the inverted edge slider is touched, disappears after 2 seconds

D. Swiping to the edge has no effect

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 72

The main function of EventHandler is to deliver InnerEvent events or Runnable tasks to other threads for processing.

A. IMMEDIATE

B. LOW

C. HIGH

D. IDLE

Answer: (SHOW ANSWER)

NEW QUESTION: 73

When a developer develops an application based on HarmonyOS, the data used by a developer can be decomposed into multiple objects. The developer needs to add, delete, modify, and check

the teaching data, but does not want to write overly complex SQL statements. In this scenario, the developer can use an object-relational mapping database to process the data.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 74

When an engineer packages an application, DevEco Studio will package all the HAP (HarmonyOS Ability Package) modules in the project directory into the application, so if there are HAP modules in the project directory that do not need to be packaged into the application, the tool will automatically delete them and then compile and build the application.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 75

In order to solve the problem of safety risks when walking or cycling, a travel navigation company uses HarmonyOS to push mobile navigation reminders to its watch.

A. Distributed device virtualization

B. Distributed task scheduling

C. Distributed soft bus

D. Distributed data management

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 76

In order to improve the image quality of network source images, developers can use the Instant Messaging (IM) class intent recognition interface provided by HarmonyOS.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

Valid H14-231_V1.0 Dumps shared by Actual4test.com for Helping Passing H14-231_V1.0 Exam! Actual4test.com now offer the **newest H14-231_V1.0 exam dumps**, the Actual4test.com H14-231_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H14-231_V1.0 dumps with Test Engine here: https://www.actual4test.com/H14-231_V1.0_examcollection.html (680 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 77

If a developer needs to solve problems such as insufficient image resolution and image compression noise, which of the following AI capabilities can be used by HarmonyOS?

- A. General Character Recognition
- B. Entity Recognition
- C. Image super-resolution
- D. Document Detection Correction

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 78

A developer tries to update the text of Text directly in a non-UI thread, but the update fails, how to solve the problem of updating the UI of the non-UI thread in HarmonyOS??

- A. is implemented through the SerialTaskDispatcher
- B. is implemented through the ParallelTaskDispatcher
- C. is implemented through the task dispatcher GlobalTaskDispatcher
- D. is implemented through the task dispatcher UITaskDispatcher

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 79

Although a Page can contain multiple AbilitySlices, when a Page enters the foreground, the interface displays only one Abilitylice by default.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 80

Which of the following functions does the HarmonyOS network management module provide?

- A. Data connection management
- B. Create a local socket
- C. Data network management
- D. Traffic statistics

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 81

A developer uses the threading function of HarmonyoS and writes the following code, which is the correct order of the execution result of the code?

```
TaskDispatcher globalTaskDispatcher =
getGlobalTaskDispatcher(TaskPriority.DEFAULT);
globalTaskDispatcher.syncDispatch(new
Runnable(){
@Override
public void run(){
```

```
HiLog.info (LABEL_LOG, "sync task1 run");//1
HiLog.info (LABEL_LOG, "after sync task1");//2
globalTaskDispatcher.syncDispatch(new
Runnable(){
@Override
public void run(){
HiLog.info(LABEL_LOG, "sync task2 run"); 3
}
});
HiLog.info (LABEL_LOG, "after sync task2");//4
```

- A. 1234
- B. 4123
- C. 2143
- D. 2134

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 82

Distributed task scheduling builds a unified distributed service management (discovery, synchronization, registration, and call) mechanism based on technical characteristics such as distributed soft bus, distributed data management, and distributed profile.

- A. Remote connection
- B. Remote migration
- C. Remote start
- D. Remote call

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 83

Barrier-free color palettes should meet the identification needs of color blindness, and safe color palettes can be found by simulating the visual effects of different similar color defects.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 84

If an engineer is about to debug a Harmony OS application on an emulator device, which of the following correct debugging processes is the following?

- A. To install the HarmonyOS Ability Package (HAP) package on a device check the attributes of the config.json file the debugging code type of the device
- B. Set the code type device HAP (HarmonyOS Ability Package) package installation method check the config.json file attributes

C. Check the attributes of the config.json file the installation method of the HarmonyOS Ability Package (HAP) package

D. Check the properties of the config.json file the device debugging code type the installation method of the HarmonyOS Ability Package (HAP) package

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 85

When a developer uses HarmonyOS system security, which of the following functions makes the device have the ability to prove its security to other virtual devices?

A. Device certificate certification

B. Trusted Execution Environment

C. Safe Boot

D. Zero trust model

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 86

The permission scope of HarmonyOS refers to which applications can apply for a permission, which of the following fields does not belong to the permission open scope?

A. deivced

B. signature

C. restricted

D. privileged

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 87

If a developer wants to use the HarmonyOS speech recognition function, which of the following subsystems will he use?

A. Media Subsystem

B. AI subsystem

C. Location Services subsystem

D. security subsystem

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 88

NetworkID is the communication identifier of distributed network device nodes in distributed networking, in order to keep the NetworkID of the same device unchanged, which of the following operations should be avoided?

A. The device connects to different applications

B. The device is offline

C. Device restarts

D. The device is factory reset

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 89

Which of the following properties about Web components is incorrect?

- A. zoomAccess sets whether to support gesture zoom, which is allowed by default.
- B. imageAccess specifies whether to allow automatic loading of image resources, which is allowed by default.
- C. javascriptAccess is set to whether to allow JavaScript script execution, which is not allowed by default.
- D. Set whether to enable the access of the Chinese system of the application, which is enabled by default.

Access to files in the rawfile path in \$rawfile(filepath/filename) is not affected by this attribute.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

When I use the interface to set the system time in HarmonyOS, which of the following is the smallest time unit?

- A. seconds
- B. microseconds
- C. ms
- D. minute

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 91

AR (HarmonyOSAbilityResources) Different HAPs (HarmonyOSAbilityPackage), HAR cannot be installed and run on the device independently, and can only be referenced as a dependency of the application module.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

Valid H14-231_V1.0 Dumps shared by Actual4test.com for Helping Passing H14-231_V1.0 Exam! Actual4test.com now offer the **newest H14-231_V1.0 exam dumps**, the Actual4test.com H14-231_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H14-231_V1.0 dumps with Test Engine here: https://www.actual4test.com/H14-231_V1.0_examcollection.html (**680** Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 92

Which of the following modules does the HarmonyOS forwarding architecture consist of?

- A. Distributed soft bus
- B. Distributed Task Scheduling
- C. Forwarding task management services
- D. Distributed security authentication

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 93

A developer needs to make a list of the minimum necessary permissions for the application he develops. If the minimum necessary permissions list is output correctly, the lack of one of these permissions will cause the application-related services to be unable to implement or run normally.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 94

The input division method of HarmonyOS is different from that of traditional operating systems, and multi-dimensional inputs will be integrated, so that developers can use application frameworks, UI components or interfaces that come with the system to implement applications with multi-dimensional and natural interaction characteristics.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 95

A user uses the HarmonyOS distributed task scheduling capability to migrate mobile phone videos to the smart screen for playback. In this scenario, the process of finding whether the smart screen has the same playback software is a global query.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 96

The maximum number of simultaneous activations of a Worker thread

- A. 6
- B. 7
- C. 8
- D. 9

Answer: C ([LEAVE A REPLY](#))

Explanation

Radio

NEW QUESTION: 97

In HarmonyOS, by default, the UI interface is displayed and updated in the main thread

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 98

An engineer uses a simulator to debug a HarmonyOS application, which can support two types of HAP: signed and unsigned HAP (HarmonyOS Ability Package).

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 99

What are the types of background agent reminder services?

- A. Schedule
- B. Countdown class
- C. Alarm clock class
- D. Calendar class

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 100

Which of the following items are correctly described about the HarmonyOS distributed database?

- A. Depends on the cloud
- B. The synchronization logic is completely transparent
- C. shields different physical transmission channels
- D. The interface is simple, and the backup and encryption features are simple and configurable

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 101

A developer has developed with the Text component, and the effect is as follows, which piece of code can be used to achieve the effect?

- A. `<Text ohos:height="match_content"`
`ohos:width="match_parent"`
`ohos:text="HarmonyOS:Hello world!"`
`ohos:text_color="$color: white"`
`ohos:text_size="100"`
`ohos:multiple_lines="false"`
`ohos:top_margin="15"`
`ohos:left_margin="15"`

```
ohos:right_margin="15"  
ohos:background_element="$graphic:background_text"/>
```

```
B. <Text ohos:height="match_parent"  
ohos:width="match_parent"  
ohos:text="HarmonyOS:Hello world!"  
ohos:text_color="$color: white"  
ohos:text_size="100"  
ohos:multiple_lines="true"  
ohos:top_margin="15"  
ohos:left_margin="15"  
ohos:right_margin="15"  
ohos:background_element="$graphic:background_text"/>
```

```
C. <Text ohos:height="match_parent"  
ohos:width="match_content"  
ohos:text="HarmonyOS:Hello world!"  
ohos:text_color="$color: white"  
ohos:text_size="100"  
ohos:multiple_lines="false"  
ohos:top_margin="15"  
ohos:left_margin="15"  
ohos:right_margin="15"  
ohos:background_element="$graphic:background_text"/>
```

```
D. <Text ohos:height="match_content"  
ohos:width="match_content"  
ohos:text="HarmonyOS:Hello world!"  
ohos:text_color="$color: white"  
ohos:text_size="100"  
ohos:multiple_lines="true"  
ohos:top_margin="15"  
ohos:left_margin="15"  
ohos:right_margin="15"  
ohos:background_element="$graphic:background_text"/>
```

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 102

Which of the following items is an asynchronous task dispatch method in HarmonyOS threads?

- A. delayDispatch
- B. asyncDispatch
- C. syncDispatch
- D. asyncGroupDispatch

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 103

The user migrates the video on the mobile phone to the smart screen for playback, and after the mobile phone saves the data, the smart screen calls back which of the following methods is used to recover the data?

- A. onRestoreData ()
- B. onSaveData ()
- C. onStartContinuation ()
- D. onCompleteContinuation ()

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 104

Which of the following functions can be achieved through the sidebar button of the remote simulator?

- A. Release the remote emulator that is currently in use
- B. Rotate the screen clockwise
- C. Sets the device resolution of the remote emulator
- D. Return to the main interface of the device

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 105

If a developer needs to add the Banner function to a page, which of the following components is most suitable for implementing the function?

- A. Text
- B. PageSlider
- C. ScrollView
- D. ListContainer

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 106

The declarative development paradigm based on TS extensions provides a series of basic components, the following code describes the structure of a simple page, read this code, which of the following are built-in components?

```
@Entry
@Component
struct Hello {
  @State myText: string = 'World'
  build() {
    Column() {
      Text('Hello')
        .fontSize(30)
      Text(this.myText)
        .fontSize(32)
      Divider()
      Button() {
        text('Click me')
          .fontColor(Color.Red)
      }.onClick() => {
        this.myText = 'UI'
      }
    }
    .width(500)
    .height(200)
  }
}
```

- A. Divider
- B. Button
- C. Column
- D. Text

Answer: ([SHOW ANSWER](#))

Valid H14-231_V1.0 Dumps shared by Actual4test.com for Helping Passing H14-231_V1.0 Exam! Actual4test.com now offer the **newest H14-231_V1.0 exam dumps**, the Actual4test.com H14-231_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H14-231_V1.0 dumps with Test Engine here: https://www.actual4test.com/H14-231_V1.0_examcollection.html (680 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 107

HarmonyOS provides the AI capability of speech recognition, which can use machine learning technology to analyze the content of text messages of users in SMS or chat applications, and identify the user intent represented by the message content.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 108

Which of the following components cannot contain subcomponents?

- A. LoadingProgress
- B. Button
- C. Text
- D. Row

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 109

Which of the following belongs to the application layer in the HarmonyOS system architecture?

- A. UI framework
- B. AI subsystem
- C. kernel
- D. Phone

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 110

When using EventHandler to implement inter-thread communication, if EventRunner takes out the Runnable task, it will trigger the callback method of EventHandler and the processing method of EventHandler.

- A. False
- B. True

Answer: (SHOW ANSWER)

NEW QUESTION: 111

What operations are supported by SCF in device-cloud integration?

- A. Deploy functions
- B. Packing function
- C. writes a function
- D. Test function

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 112

The JS UI framework of HarmonyOS is a cross-device high-performance UI development framework that supports declarative programming and cross-device polymorphic UI. Which layer of the JS UI framework mainly completes front-end page parsing, and provides capabilities such as MVVM (Model-View-ViewModel) development mode, page routing mechanism, and custom components.

- A. Engine Layer
- B. Adaptation layer
- C. Front-end frame layer
- D. Application Layer

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 113

A developer needs to use the current scattered data network for socket data transmission, in this scenario, the development process involves the following steps: 1. Use socket to send data. 2. Call NetHandle.bindSocket() to bind the network. 3. Call NetManager.getDefaultNet() to get the default data network. 4. Call NetManager.getInstance(Context) when the developer sorts out the

development steps, the above steps are sorted according to the order in which the functions are completed in the code. Which of the following is the correct order?

- A. 4321
- B. 4213
- C. 2143
- D. 4123

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 114

When a developer installs HAP (HarmonyOS Ability Package), what is the reason for the "STRING LENGTH ERROR" message?

- A. Signature information is not configured
- B. The device type configured in config.json does not match the debugging device type
- C. The compilation and build plugin version does not match the Gradle version
- D. Package information exceeds the maximum length

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 115

What are the following types of transition animations in the declarative development paradigm?

- A. page transition
- B. Transitions within an assembly
- C. Transitions between applications
- D. Share element transitions

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 116

Huawei's latest mobile phones HarmonyOS system is pre-installed in the smart screen. Among them, the mobile phone does not belong to the HarmonyOS large system device. The smart screen belongs to the large system device

- A. True
- B. Error

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 117

Regarding the boot mode of UIAbility, the following statement is incorrect

- A. standard is the standard mode, and a new instance will be started every time startAbility, and the system defaults to the standard mode.
- B. singleton is a single-instance mode, only one instance exists in the system, and if it already exists, the only instance in the system is reused.
- C. UIAbility supports three launch modes: single-instance, standard-mode, and specified instance, which can be configured in module.json via launchType.

D. specified is the specified instance mode, and the internal business of Ability decides whether to create multiple instances during runtime.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 118

How do I define the permissions correctly when a developer needs to customize the permissions for the Harmony OS third-party application?

A. "module": {
"defPermissions": [
{
"name": "com.myability.permission.MYPERMISSION",
"grantMode": "system_grant"
"availableScope": ["signatures"]
}
}]
}

B. "module": {
"defPermissions": [
{
"name": "com.myability.permission.INTERNET"
"grantMode": "system_grant"
"availableScope": ["signatures"]
}
}]
}

C. "module": {
"defPermissions": [
"name": "com.myability.permission.INTERNET"
"grantMode": "user_grant"
"availableScope": ["signatures"]
}
}]
}

D. "module": {
"reqPermissions": [
{
"name": "com.myability.permission.MYPERMISSION "
"grantMode": "system_grant",
"availableScope": ["signatures"]
}
}]
}

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 119

A developer tries to use the word segmentation feature of HarmonyOS to tokenize a dry word article, and in this scenario, the word segmentation text exceeds 500 characters, so the parameter error will be returned.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 120

Which of the following situations will not call back the onFinish function?

- A. delay is set to 0
- B. playMode is set to PlayMode.Reverse
- C. tempo is set to 1
- D. iterations set to -1

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 121

A user migrated video from his mobile phone to a smart screen for playback, using the distributed task scheduling capability of HarmonyOS. In this scenario, the process of connecting the mobile phone to the playback software of the smart screen belongs to the remote connection.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

Valid H14-231_V1.0 Dumps shared by Actual4test.com for Helping Passing H14-231_V1.0 Exam! Actual4test.com now offer the **newest H14-231_V1.0 exam dumps**, the Actual4test.com H14-231_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H14-231_V1.0 dumps with Test Engine here: https://www.actual4test.com/H14-231_V1.0_examcollection.html (680 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 122

After the user enters a piece of text, with the help of the part-of-speech annotation interface, the application can perform automatic word segmentation, and label each word in the word segmentation result with a correct part of speech. However, the part-of-speech tagging feature provided by HarmonyOS only provides a fixed word segmentation granularity, and developers cannot customize the word segmentation granularity as needed when developing applications.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 123

Regarding the position setting of the Tabs component tab, the following is the wrong description

- A. When barPosition is set to Start (the default value) and the vertical attribute is false (the default value), the tab is located at the top of the container
- B. When barPosition is set to End and vertical is set to false (the default), the tab is located at the bottom of the container
- C. When barPosition is set to End and vertical is set to true, the tab is located at the bottom of the container
- D. If barPosition is set to Start (the default value) and the vertical attribute is set to true, the tab is located on the left side of the container

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 124

What is correct about Web Component Description A?

- A. WebController can control various behaviors of web components, such as the forward and backward functions of web pages.
- B. When accessing online web pages, you need to add network permissions.
- C. The incoming address of a web component can be a local resource or a network resource.
- D. web component is a component that provides the ability to display web pages.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 125

When using DevEco Studio for debugging, you need to check the properties in config.json regardless of whether you use a real machine or an emulator.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 126

Which of the following combinations cannot realize two-way data synchronization between child components and parent and child components?

- A. @Observed and @ObjectLink
- B. @Provide and @Consume
- C. @State and @Link
- D. @State and @Prop

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 127

API9 and above, router.pushUrl() method mode parameter can be configured to which of the following modes used by the jump page?

- A. None of the above is true
- B. Specified
- C. Standard
- D. Single

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 128

After a developer completes the development of a Harmony OS application, it needs to be published to AppGallery

- A. Generate a key and certificate request file, create an AGC project, create a HarmonyOS app, compile and build an app, apply for a certificate and Profile file, and list it on the Marketplace
- B. Apply for the release of certificates and profile files, create an AGC project, create a HarmonyOS app, generate a key and certificate request file, compile and build the app, and put it on the app marketplace
- C. Apply for the release of certificates and profile files, compile and build apps, create AGC projects, create HarmonyOS apps, generate keys and certificate request files, and put them on the app marketplace
- D. Generate a key and certificate request file, create an AGC project, create a HarmonyOS app, apply for a certificate and profile file, compile and build the app, and put it on the Marketplace

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 129

If a developer sets a distributed tag `Intent.FLAG_ABILITYSLICE_MULTI_DEVICE` in the Intent, what does the tag mean?

- A. This application does not support distributed scheduling
- B. The application supports distributed databases
- C. The application supports distributed scheduling
- D. The application supports distributed files

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 130

An engineer uses a local simulator for application debugging, which of the following describes the error of the local simulator?

- A. By default, DevEco Studio does not automatically match the corresponding device emulator
- B. You can run both the application-compatible signed and unsigned HAP (HarmonyOS Ability Package) on the local simulator
- C. The local emulator can run and debug HarmonyOS applications for Lite Wearable and Smart Vision devices
- D. The default shortcut to start running is Shift+F10

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 131

When a developer uses the JS (JavaScript) UI framework to develop an application, if `style=width:"10px` is used in the component, the width of the component cannot be dynamically modified. If you use `style="width:{{width}}"` to set the width of a component, you can dynamically modify the width of the component in a JS file.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 132

Which of the following atomic layout capabilities does not belong to the position of the control element?

- A. Split the line
- B. Percentage
- C. Hidden
- D. stretch

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 133

When creating a test user for a meta-service, you need to select the storage location of the user list

- A. China
- B. Germany
- C. Russia
- D. Singapore
- E. All sites

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 134

HarmonyOS Converged Search provides developers with search-engine-level full-text search capabilities to provide users with a more accurate and efficient search experience.

- A. In-app search
- B. Cross-app search
- C. Open systems search
- D. System global search

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 135

When the system creates a page instance for the first time, which method will be called?

- A. onForeground()
- B. onStart()

- C. onActive()
- D. onInactive()

Answer: B (LEAVE A REPLY)

NEW QUESTION: 136

HarmonyOS single-version distributed databases do not enable automatic synchronization between networked devices by default, but you can enable automatic synchronization if necessary.

- A. False
- B. True

Answer: B (LEAVE A REPLY)

Valid H14-231_V1.0 Dumps shared by Actual4test.com for Helping Passing H14-231_V1.0 Exam! Actual4test.com now offer the **newest H14-231_V1.0 exam dumps**, the Actual4test.com H14-231_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H14-231_V1.0 dumps with Test Engine here: https://www.actual4test.com/H14-231_V1.0_examcollection.html (680 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 137

Which of the following classes is the base class for JavaScript FA (Feature Ability) to run on HarmonyOS?

- A. AceAbility
- B. PageAbility
- C. ServiceAbility
- D. MainAbility

Answer: A (LEAVE A REPLY)

NEW QUESTION: 138

When a developer subscribes to a public event, he processes the public event in the onReceiveEvent() callback function and writes the following code.

```
EventRunner runner = EventRunner.create();
MyEventHandler myHandler = new
MyEventHandler(runner);
@Override
public void onReceiveEvent(CommonEventData
commonEventData){
final AsyncCommonEventResult
result=goAsyncCommonEvent Runnable task = new
```

```
Runnable(){  
@override  
public void run {  
.....
```

The action to be performed, defined by the developer

```
result.finishCommonEvent();  
}  
};  
myHandler.postTask(task);  
}
```

- A. Gives subscribers permissions
- B. The publisher has the permission to publish sticky public events
- C. implements asynchronous operations, which solves the problem that time-consuming operations cannot be performed on `onReceiveEvent`
- D. sets the priority of ordered public events

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 139

When a developer develops a HarmonyOS application and uses an intent pass object, which of the following descriptions of intent are correct?

- A. deals with the work of an application as a whole
- B. Specify the `BundleName` and `AbilityName` to implement the jump, and start the application directly according to the full name of the Ability
- C. is a long-lifecycle, D-program with no user interface that keeps the app running in the background and doesn't disappear by switching pages
- D. does not specify the `BundleName` and Ability Name to implement the jump, and the application is started according to other attributes in the operation

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 140

Which of the following breakpoint management functions does the JS code type support?

- A. method breakpoint
- B. symbol breakpoint
- C. normal line breakpoint
- D. Exception breakpoint

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 141

An application needs to obtain the Wi-Fi connection status of the current device and check whether the Wi-Fi is turned on. Which of the following permissions is not required in order to do this?

- A. ohos.permission.ACTIVITY MOTION
- B. ohos.permission.GET_WIFI_INFO
- C. ohos.permission.MEDIA_LOCATION
- D. ohos.permission.LOCATION

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 142

When a developer clicks the exit button of an application to release PageAbility resources, which callback method in the ability lifecycle of the Pag package will be triggered?

- A. onInactive()
- B. onBackground()
- C. onForeground()
- D. onStop()

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 143

When MainAbility and MainAbilitySlice are bound together, the lifecycles of the two are synchronized, including the callback method for transitioning between states.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 144

A HarmonyOS user downloads and installs a new app that has declared some non-sensitive permissions in the config.json file, and the app may involve some sensitive permissions during operation. Which of the following is correct in this scenario?

- A. For the non-sensitive permissions declared by the app in the config.json file, the authorization method is user authorization (user_grant).
- B. Non-sensitive permissions declared by the app in the config.json file are automatically granted when the user installs the app
- C. For the non-sensitive permissions declared by the application in the config.json file, the application will be dynamically applied for during use
- D. For sensitive permissions that may be involved in the operation of the application, the authorization method is system authorization (system_grant)

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 145

Which of the following scenarios does not use encoding technology?

- A. Sound travels by radio
- B. Sound travels through optical fibers
- C. sound travels through twisted pairs

D. Sound travels through rails

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 146

A developer uses `continueAbility()` to migrate the distributed news application of the mobile phone to the large screen, and the large screen can also migrate the news browsing page back to the mobile phone.

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 147

A manufacturer uses the HarmonyOS system to produce a smart oven, which is a lightweight system device in HarmonyOS.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 148

The log content is "01-20 16:08:36.90823597-23597/com.example.myapplication w00201/MY_TAG: Failed to visit . reason: 503." By analyzing the log, you can't get the following items?

A. The log level is Warn

B. The log level is DEBUG

C. errno value

D. Content defined in HiLoglabel

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 149

In what form will the application package of Harmony OS be released and put on the shelves?

A. pack.info

B. APP Pack (Application Package)

C. HAP (HarmonyOS Ability Package)

D. HAR(HarmonyOS Ability Resources)

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 150

What types of conversion functions are supported for static animations in HarmonyOS?

A. translate: Moves the specified component the required distance horizontally or vertically

B. scale: Scales the specified component down or in portrait orientation to the desired scale

C. animation-timing-function: Describes the speed curve of animation execution to make the animation smoother

D. rotate: Rotates the specified angle of the specified assembly along the horizontal or vertical axis or center point

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 151

When developing a HarmonyOS application, if you want to set the background color for a Text component in the page, the following is correct

A. ohos:background_element="#880000FF"

B. ohos:background_element="#0000FF"

C. ohos:background_element="\$color:green"

D. ohos:background_element="\$graphic:background

Answer: A,B,C,D (LEAVE A REPLY)

Valid H14-231_V1.0 Dumps shared by Actual4test.com for Helping Passing H14-231_V1.0 Exam! Actual4test.com now offer the **newest H14-231_V1.0 exam dumps**, the Actual4test.com H14-231_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H14-231_V1.0 dumps with Test Engine here: https://www.actual4test.com/H14-231_V1.0_examcollection.html (**680 Q&As Dumps, 30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 152

After developing a HarmonyOS application, the developer needs to package the application into an app for publishing it to AppGallery. You can use DevEco Studio to generate a key, in what format is the key stored in the keystore file?

A. .cer

B. .csr

C. p12

D. p7b

Answer: C (LEAVE A REPLY)

NEW QUESTION: 153

If a developer wants to obtain the location information of a HarmonyOS device, which of the following methods is correct?

A. When the real-time location result of the device is successfully determined by the system, it will be reported to the application through the onLocationReport interface. Applications can implement their own business logic in the implementation of the onLocationReport API

B. must apply for ohos.permission.LOCATION_INBACKGROUND permissions and be authorized by the user.

C. You can use the system's predefined constant SCENE_TRAJECTORY_TRACKING in a trajectory tracking scene

D. If the application scenario does not require real-time device location, you can obtain the latest historical location result cached by the system

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 154

When a developer wants to make the vertical scrolling layout take effect when using the ScrollView control, how should the width of the control corresponding to the layout be set?

A. Fixed width value

B. match_content

C. match_parent

D. match_child

Answer: **A,C** ([LEAVE A REPLY](#))

NEW QUESTION: 155

If a HarmonyOS developer has developed multiple applications and ensured that the data between different applications cannot be accessed through the triplet of account, application, and database, which of the following services can the developer use to achieve this function?

A. Data storage management

B. Data search services

C. Distributed file services

D. Distributed data services

Answer: **D** ([LEAVE A REPLY](#))

NEW QUESTION: 156

When using the location capability of HarmonyOS, developers need to apply for the LOCATION permission, which is a non-sensitive permission and needs to be declared in config.json.

A. True

B. False

Answer: **B** ([LEAVE A REPLY](#))

NEW QUESTION: 157

For example, if you want to implement an advertising pop-up window now, including information such as pictures and text, you can use the following pop-up window

A. TextPickerDialog

B. TimePickerDialog

C. AlertDialog

D. @CustomDialog

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 158

When a developer is developing a flight booking application, he needs to use the sliding selector DatePicker in the date selection of air tickets, and in order to improve the user experience, he needs to set the color of a single year/month/day item in operation to blue (#0000FF), which of the following items can meet the development needs?

- A. `ohos:operated_text_color="0000FF"`
- B. `datePicker.setSelectedTextColor(new Color(Color.getIntColor("#0000FF")));`
- C. `ohos:selected text color=#0000FF`
- D. `datePicker.setPeratedTextColor(new Color(Color.getIntColor("#000OFF")));`

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 159

When a developer uses Page Ability to open a ServiceAbility, he needs to pass parameters through Intent, at what stage is the parameter obtained in the whole process null?

`onStart()` in A S ervice.

- A. bility
- B. ServiceAbility
- C. PageAbility
- D. ServiceAbility

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 160

If a developer wants to use the device virtualization feature of HarmonyOS, which subsystem will he use?

- A. Safety subsystem
- B. Location Services subsystem
- C. Media Subsystem
- D. DV subsystem

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 161

When an application calls a service, the service will check the permissions of the application, and the service cannot be used if there is no corresponding permission.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 162

Which of the following options is allthe components ofthe Harmony OS package?

- A. Logical code, resource files, third-party libraries, and application configuration files
- B. Logical code
- C. Logical code, resource files, and application configuration files
- D. Logical code and application configuration file

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 163

A HarmonyOS developer uses the EventHandler mechanism to handle four events: A, B, C, and D, where event D retains the default priority, and the priority properties of the other three events are set as follows:

Event A: Priority.IMMEDIATE

Event B: Priority.HIGH

Event C: Priority.IDLE

Which of the following accounts of the above events is correct?

- A. Event D will be delivered before EventC
- B. delivers event C when there are no other events
- C. Event B D will be delivered before Event B
- D. Event A will be delivered immediately

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 164

Which of the following features does HarmonyOS smart home devices include?

- A. Hardware Mutual Aid
- B. Minimalist interaction
- C. Wildcard card
- D. Minimalist connection

Answer: (SHOW ANSWER)

NEW QUESTION: 165

A developer is developing an online education application, and there are multiple choice questions and multiple choice questions in the student interface, which of the following components is suitable for displaying multiple choice questions?

- A. Checkbox
- B. Picker
- C. RadioButton
- D. Switch

Answer: (SHOW ANSWER)

NEW QUESTION: 166

Which of the following statements is correct?

- A. preference follows the ACID characteristic

- B. The key of the preference is of type String
- C. The number of data stored in the preference is recommended not to exceed 10,000
- D. Preference is to access data in the form of Key-Value

Answer: ([SHOW ANSWER](#))

Valid H14-231_V1.0 Dumps shared by Actual4test.com for Helping Passing H14-231_V1.0 Exam! Actual4test.com now offer the **newest H14-231_V1.0 exam dumps**, the Actual4test.com H14-231_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H14-231_V1.0 dumps with Test Engine here: https://www.actual4test.com/H14-231_V1.0_examcollection.html (680 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 167

When a developer designs a navigation application and needs the system to provide accurate positioning, which subsystem will be used?

- A. Media subsystem
- B. Location Services Subsystem
- C. Wearable business subsystem
- D. Multi-mode input subsystem

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 168

When a developer adds a Harmony OS app on the AppGallery web page, which platform does the developer need to choose to add the app?

- A. quick application
- B. Android
- C. HarmonyOS app
- D. Web

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 169

Which of the following options belong to Particle Ability?

- A. Particle Ability supports the Service Ability template
- B. Particle Ability supports Page Ability templates
- C. Particle Ability supports Data Ability templates
- D. has the function of running tasks in the background

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 170

A home appliance manufacturer used HarmonyOS to produce a high-end refrigerator with a display (256MB of memory), which is not part of HarmonyOS's standard system device.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 171

There is an application A that occupies a large amount of memory and a background service B on the mobile phone, but there is no binding relationship between the two. What are the following scenarios that may cause Service B to be stopped?

- A. App A calls onCommand() to stop service B
- B. applies A to call stopAbility() to stop service B
- C. The system is tight on memory and slow to respond
- D. service B calls terminateAbility() by itself

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 172

What are the parts of the HarmonyOS cloud development project?

- A. end development project (Application)
- B. CloudProgram
- C. Public Resource Library (Resource)
- D. External Libraries on the side

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 173

If a developer wants to develop a page with a tab function, the developer can use the TabList component provided by HarmonyOS. If you want to set the selected tab to be marked by underlining at the bottom, which of the following codes is correct?

- A. ohos:tab indicator type="bottom_line"
- B. ohos:tab_indicator_type="invisible"
- C. ohos:tab_indicator_type="left_line"
- D. ohos:tab_indicator_type="oval"

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 174

What is the correct description of the http module?

- A. After the createHttp command is successfully executed, an httpRequest object is returned, which includes the request, destroy, on, and off methods.
- B. can use on(headersReceive') to subscribe to the request response header.
- C. HTTP requests support common request methods, such as get, post, and put.
- D. The parameters of the post request can be specified in extraData.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 175

TaskDispatcher is the basic interface for Ability to distribute tasks, which hides the implementation details of the thread where the task is located. To ensure that the application is more responsive, we respond to the priority of the design task, which of the following is not the priority of the task?

- A. MIDDLE
- B. HIGH
- C. DEFAULT
- D. LOW

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 176

A developer has multiple versions of the object-relational mapping database, and the developer calls the BOOKstoreUpgrade class to upgrade the database version, and the version number of the BOOKstoreUpgrade class is configured as "3", and the actual version number of the current BOOKstore.db is "1", in this case, TestormMigration12, TestormMigration23 The onMigration method is automatically called to complete the database upgrade.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 177

A HarmonyOS application developer creates two pages, index and detail, so that the two pages jump to each other. The code of the index page is as follows, which of the following descriptions are correct?

```
<!-- index.html -->
<div class="container">
  <text class="title">这是第一个JS页面</text>
  <button type="capsule" value="导航到第二个JS页面" class="button" onclick="launch"></button>
</div>
```

- A. When you click the button, the launch event will be triggered
- B. TheText component is used to jump to and from two pages
- C. TheButton component is used to jump to and from two pages
- D. Text component is used to mark the current page

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 178

With regard to Web components, the following is incorrect

- A. The web component supports the setting of various properties such as fileAccess.javaScriptAccess, for example, .javaScriptAccess(true) indicates that JavaScript scripts are allowed to be executed.

B. The ohos.permission.INTERNET permission is required to access both online and offline web pages using the web component.

C. WebController can control various behaviors of web components, such as forward, backward, runJavaScript, etc.

D. The web component supports a variety of events, such as onConfirm and onConsole, for example, the onConfirm callback is triggered when a web page calls confirm().

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 179

When using EventHandler to implement inter-thread communication, if EventRunner takes out the InnerEvent event, EventRunner will directly process the event on the new thread.

A. True

B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 180

When creating an application, which field in the app.json5 or config.json file must be the same as the application package name?

A. package

B. name

C. bundleName

D. page

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 181

What are the following types of task dispensers that HarmonyOS provides for developers?

A. Serial task dispenser

B. Concurrent task distributor

C. Global Concurrent Task Dispenser

D. Proprietary task distributor

Answer: A,B,C,D ([LEAVE A REPLY](#))

Valid H14-231_V1.0 Dumps shared by Actual4test.com for Helping Passing H14-231_V1.0 Exam! Actual4test.com now offer the **newest H14-231_V1.0 exam dumps**, the Actual4test.com H14-231_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H14-231_V1.0 dumps with Test Engine here: https://www.actual4test.com/H14-231_V1.0_examcollection.html (**680** Q&As Dumps, **30%OFF**

Special Discount: [Freepdfdumps](#))

NEW QUESTION: 182

Which of the following methods can be used to deal with navigation within the same page?

- A. StartAbilityForResult()
- B. StartAbility()
- C. Present()
- D. PresentForResult()

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 183

After a developer sets `:ohos:layout_alignment="horizontal_center"` in the Text component, he writes:

`text.setMarginRight (600)` in the code, where is the Text displayed in the parent layout?

- A. is horizontally centered and shifted 600 to the left
- B. level is centered
- C. is horizontally centered and shifted to the right by 600
- D. The parent layout moves 600 to the top left and right

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 184

There is a `config.json` configuration file in the root directory of each HAP (HarmonyOS Ability Package) of an application.

- A. deviceConfig information
- B. deviceType
- C. Version information for the app
- D. Layout property configuration information

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 185

The distributed soft bus is the base for communication between various devices, which of the following does not belong to the bus hub of the distributed soft bus?

- A. Decision-making centre
- B. Data and Computing Center
- C. Task Bus
- D. Interconnection Management Center

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 186

During the development of a HarmonyOS application, a developer needs to obtain the uplink and downlink traffic of a specified NIC. Which of the following interfaces does the developer need?

- A. `getAllTxBytes()`
- B. `getIfaceTxBytes(String nic)`

C. getAllRxBytes()

D. getIfaceRxBytes(String nic)

Answer: B,D ([LEAVE A REPLY](#))

Valid H14-231_V1.0 Dumps shared by Actual4test.com for Helping Passing H14-231_V1.0 Exam! Actual4test.com now offer the **newest H14-231_V1.0 exam dumps**, the Actual4test.com H14-231_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H14-231_V1.0 dumps with Test Engine here: https://www.actual4test.com/H14-231_V1.0_examcollection.html (680 Q&As Dumps, **30%OFF**

Special Discount: **Freepdfdumps**)