

Huawei.H19-423_V1.0.v2025-06-14.q269

Exam Code:	H19-423_V1.0
Exam Name:	HCSA-Presales-IP Network V1.0
Certification Provider:	Huawei
Free Question Number:	269
Version:	v2025-06-14
# of views:	109
# of Questions views:	2690
https://www.freepdfdumps.com/Huawei.H19-423_V1.0.v2025-06-14.q269.html	

NEW QUESTION: 1

FabricInSight has become a powerful tool for expanding data center network solutions.

Which of the following features is correct? (Multiple choice)

- A. Applied to network mutual visibility and fault perception within seconds
- B. Supports lightweight deployment, only one physical machine is needed
- C. The new version focuses on health checks and achieves fault location within 1 minute
- D. Predictive maintenance based on machine intelligence, supporting proactive prediction of optical module failures
- E. Supports docking with third-party devices to form heterogeneous advantages

Answer: A,B,C,D,E (LEAVE A REPLY)

NEW QUESTION: 2

In a project, the customer explicitly requires that the firewall must have a 40GE interface to accommodate the increase in network traffic caused by future business expansion. Which model should we recommend?

- A. USG6585E
- B. USG6625E
- C. USG6615E
- D. USG6635E

Answer: (SHOW ANSWER)

NEW QUESTION: 3

The security certification obtained by the switch is an important product qualification. H3C, Ruijie and other non-global manufacturers do not have this certification, which of the following is included? (Multiple choice)

- A. CMMI5, Software Maturity Model, Evaluating Software Maturity Model

B. Switch certification includes CCEAL3+, the world's most recognized information security certification system, and communication product EAL3+ is the highest level

C. PCI-DSS: A mandatory certification for the financial industry worldwide. All software and hardware involved in processing, storing, and transmitting credit card holder data must meet this requirement.

D. FIPS140-2 certification: It involves encryption and decryption certification of cryptographic transmission systems and is the most recognized cryptographic module certification in the world.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

In a certain project, the customer required the Internet behavior management product to "support cloud antivirus platform linkage and feature comparison of files transmitted on the network to reduce the consumption of local computing resources". Which friendly company was most likely to have guided this?

A. Convinced

B. Qi An Xin

C. Topsec

D. H3C

Answer: **B** ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which of the following hosts will support 5G boards? (Multiple choice)

A. AR6280

B. AR651C.

C. AR6140-9G2A

D. AR6140-16G4XG

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Which system is not included in the reconstruction of the three railway networks?

A. Dispatch Network

B. Data Network

C. Ticketing Network

D. Comprehensive Inspection Network

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

Which of the following descriptions of the highlights of USG6000E is correct? (Multiple choice)

A. Support cloud management

- B. Support video security access, which can effectively prevent the camera from being privately connected and counterfeited
- C. Self-developed security chip with higher forwarding performance
- D. With AI capabilities, support for APT advanced threat defense and file threat detection

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 8

In the scenario of 128 AP local forwarding, there is no need to deploy a local wireless controller, and the roaming problem can be solved directly on the cloud.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 9

What are the forms of CE12800E series switches? (Multiple choice)

- A. CE12804E
- B. CE12812E
- C. CE12808E
- D. CE12816E

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

3G/LTE interface is a physical interface provided by the device that supports 3G/LTE technology. It provides users with enterprise-level wireless WAN access services. Which of the following models do not support 3G/LTE?

- A. NetEngineAR611W-TE4CN
- B. NetEngineAR651C
- C. NetEngineAR651U-A4
- D. NetEngineAR651

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

In the dual-active scenario of AR6300, since the service port connection needs to be switched after the active/standby switchover, it is necessary to add a switch at the front end to connect the active/standby service ports at the same time, otherwise the panel service ports will be restricted in use.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

Attacking Ruijie's weaknesses in one sentence, mainly guiding the 2.5G solution.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 13

How many modes does the park white-label machine have? (Multiple choice)

A. A1: Factory hardware is intact, the agent replaces it by himself, Huawei software + patch

B. A4: Huawei provides chips and agents do integration

C. A2: No logo or model number when leaving the factory, the agent puts the label on it, Huawei software + patch

D. A3: Huawei provides the module, and the agent performs secondary development

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which of the following is the correct statement about AP7060DN? (Multiple choice)

A. Support 10GE electrical port

B. Support 5.9Gp air interface rate

C. Dual-band supports 12 MIMOs, of which 5G supports 4MOMOs and 2.4G supports 8

D. Support for the Internet of Things

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Which of the following is the value of micro-segmentation solution? (Multiple choice)

A. Wider segmentation dimensions

B. Finer segmentation granularity

C. Solved the north-south security isolation problem

D. Does not occupy ACL

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 16

The new trend of smart city construction is to focus on network infrastructure, smart city services, smart Internet of Things, and video integration.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

Valid H19-423_V1.0 Dumps shared by Actual4test.com for Helping Passing H19-423_V1.0 Exam! Actual4test.com now offer the **newest H19-423_V1.0 exam dumps**, the Actual4test.com H19-423_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H19-423_V1.0 dumps with Test Engine here: https://www.actual4test.com/H19-423_V1.0_examcollection.html (**565 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

In the campus network scenario, ME60 can be used as a BRAS user authentication device.

- A. False
- B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 18

What security products does Huawei's Agile Campus Security Co-Defense Solution mainly promote? (Multiple choice)

- A. USG6000E
- B. FireHunter
- C. AC3.0 Campus Controller
- D. USG9000V
- E. CIS

Answer: (SHOW ANSWER)

NEW QUESTION: 19

VSCAN1000 series products provide how many years of vulnerability upgrade service by default?

- A. Free 2 years
- B. Free 1 year
- C. Free for 3 years

Answer: (SHOW ANSWER)

NEW QUESTION: 20

What are the reasons why wide area network operation and maintenance management is difficult at present? (Multiple choice)

- A. Complex network structure
- B. A wide variety of equipment
- C. Many types of protocols

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 21

What are the advantages of Huawei's SD-VWAN solution in the financial industry?

(Multiple choice)

- A. Tenant topology display capability
- B. A-FEC.
- C. Controller management scale
- D. Multi-tenancy
- E. DPI application identification
- F. Transfer and control separation architecture

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 22

In the SDWAN solution, which of the following products are mainly sold by Huawei?

(Multiple choice)

- A. Line resources
- B. SDWAN Controller
- C. AR router
- D. SD-WAN Software License

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 23

CE6820 support VXLAN.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Which of the following Huawei AntiDDoS's seven-layer filtering model includes? (Multiple choice)

- A. Conversation Analysis
- B. Feature Filtering
- C. Source Authentication
- D. Behavioral Analysis

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 25

AP7060DN is the industry's first commercial 10GE AP.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 26

What are the specific features of VSCN1000's unique "five-in-one" function? (Multiple choice)

- A. Database Scan
- B. Security baseline scan
- C. System Scanning Password Scanning
- D. Web Scanning
- E. Asset Scanning
- F. Weak password scanning

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

Huawei Cloud Management Platform supports multiple authentication methods. Which transmission protocol does the authentication data use?

- A. HTTP2.0
- B. UDP
- C. HTTP1.0
- D. NetConf

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 28

AP4051TN supports three radios working simultaneously in the 5G frequency band through SDR radio software switching technology.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

What benefits can Huawei's self-developed network planning tool bring to wireless network planning? (Multiple choice)

- A. Can simulate field strength and improve network planning accuracy
- B. Provide professional network planning reports
- C. Rely on network planning tools to implement campus network wireless network planning, and no tuning is required for later delivery
- D. Improve network planning efficiency

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

AR10IG7-Lc-S is the lowest-end desktop router in the ARG3 series that supports 4G and WIFI functions. The upcoming desktop router NetEngineAR651C can replace AR10IG7-Lc-S.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 31

Fit AP supports three working modes, among which Normal mode can discover third-party devices.

- A. True
- B. False

Answer: B (LEAVE A REPLY)

Valid H19-423_V1.0 Dumps shared by Actual4test.com for Helping Passing H19-423_V1.0 Exam! Actual4test.com now offer the **newest H19-423_V1.0 exam dumps**, the Actual4test.com H19-423_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H19-423_V1.0 dumps with Test Engine here: https://www.actual4test.com/H19-423_V1.0_examcollection.html (**565 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

Which of the following is the value of the NSH program? (Multiple choice)

- A. Avoid using PBR for complex drainage
- B. VAS services can be decoupled from physical topology
- C. Solving the ACL bottleneck problem
- D. Business can be expanded on demand

Answer: (SHOW ANSWER)

NEW QUESTION: 33

What is the performance level of AR6280 6300 series?

- A. 16Mpps-214Mpps
- B. 60Mpps-220Mpps
- C. 9Mpps-25Mpps
- D. 10Mpps-40Mpps

Answer: B (LEAVE A REPLY)

NEW QUESTION: 34

Which of the following is the free function in USG6000E next-generation firewall?

- A. AV
- B. IPSec VPN
- C. URL Filtering

D. IPS

Answer: B (LEAVE A REPLY)

NEW QUESTION: 35

Which of the following is the correct statement about VxLAN? (Multiple choice)

- A. Solve the problem of insufficient VLAN quantity in multi-tenant scenarios
- B. Isolation effect is better than VLAN
- C. Breaking through the limitations of Layer 2 network boundaries
- D. It is easier to configure a network with more VLANs

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 36

Which of the following is wrong about the description of EVPN over SRv6 technology?

- A. SDN controller provides end-to-end service deployment
- B. Does not support cross-domain global traffic tuning
- C. EVPN uniformly carries L2/L3 multicast services, unifies solutions, and simplifies deployment
- D. SR technology supports large-scale cross-domain (AS) networking and 50ms network protection for any topology

Answer: B (LEAVE A REPLY)

NEW QUESTION: 37

The three major features of NE router include SRv6, network slicing flexeth, and intelligent operation and maintenance iFit.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 38

NE8000M series supports NAT function.

- A. False
- B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 39

Which of the following is the international standard for security mechanisms of wireless network products in my country?

- A. 802.1x
- B. WAPI
- C. WP
- D. WEP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

AP7060 is Huawei's first product to support the 11ax protocol.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 41

AR equipment master control SRU 100HH can only be sold in the power and distribution industries.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

Which of the following customers have deployed Huawei SD-WAN solutions? (Multiple choice)

- A. Haitong Securities
- B. Guotai Junan Securities
- C. Construction Bank
- D. Bank of Jiangsu

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 43

Under what conditions can a two-layer SDN network with Border Leaf and Spine combined be used? (Multiple choice)

- A. The size of the entire network virtual machine is greater than 6K
- B. The entire network has more than 200 physical servers
- C. The number of physical servers in the entire network is less than 200
- D. The size of the entire network virtual machine is less than 6K

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 44

What technologies does M-LAG2.0 support to achieve 100ms switching in case of single point failure? (Multiple choice)

- A. MACFRR
- B. ARPFRR
- C. NDFRR
- D. IPFRR

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

The core function of the Firehuntere 6000 sandbox product is to detect and identify threats through files, and is generally deployed in a direct manner.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 46

Which of the following are Huawei and Sangfor compete, the functional advantages of firewalls?

- A. MPLS-VPN scenario
- B. IPsec VPN Intelligent Routing
- C. IPv4 to IPv6 Transition Technology
- D. WAF is integrated by default and supports web page tamper-proofing function

Answer: ([SHOW ANSWER](#))

Valid H19-423_V1.0 Dumps shared by Actual4test.com for Helping Passing H19-423_V1.0 Exam! Actual4test.com now offer the **newest H19-423_V1.0 exam dumps**, the Actual4test.com H19-423_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H19-423_V1.0 dumps with Test Engine here: https://www.actual4test.com/H19-423_V1.0_examcollection.html (565 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 47

Which of the following Key points of competition between S12700E-8 and HB3C10500X-8? (Multiple choice)

- A. High bandwidth: Supports 24 100GE optical interface boards
- B. Fan frame: more than or equal to 3 fan frames
- C. Power module: support 3000W power supply
- D. Air duct: rear air duct

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

How many servers are required for the minimum cluster deployment of the Agile Controller of SD-WAN?

- A. 1 unit
- B. 2 units
- C. 4 units

D. 3 units

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 49

Huawei Fabric insight solution supports 75+ fault cases, TCP/UDP/RCE full-scenario traffic visualization, fault isolation and recovery.

A. True

B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 50

Currently, the demand for 10G electrical port models is still met by CE6856. In July 2020, CE6881 electrical port models will be released to achieve continuous replacement.

A. True

B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

Which of the following is not the customer value of Huawei's E2E IPv6 solution?

A. Safe and reliable: Complete security solutions and rich protection technologies ensure end-to-end network security, controllability and high reliability.

B. Intelligent, simple and flexible: Future-oriented IPv6-only SDN network with minimal architecture, minimal protocols and minimal management

C. IPv6 transformation in one step

D. Smooth evolution: A variety of technical solutions are applicable to all stages and scenarios, ensuring smooth evolution of the network to an IPv6 only network.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 52

How many switching boards can Huawei data center switch CE.16800 support at most?

A. 9

B. 7

C. 8

D. 6

E. 10

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 53

Which of the following technologies are not supported by NE40E?

A. 50G port

B. Wide Area Acceleration

- C. 100G ports of QSFP28 and CFP2
- D. IPsec encryption

Answer: B (LEAVE A REPLY)

NEW QUESTION: 54

CE16800 -G line cards and -P series line cards can be mixed and used.

- A. False
- B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 55

Core network (backbone network) has a specific meaning for domestic financial institutions. It generally refers to the first-level backbone network with a dual-plane structure. The implementation technology includes BGP, MPLS or SR/SRv6, etc.

- A. False
- B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 56

Which of the following statements about AC6605 supporting active/standby AC is correct?
(Multiple choice)

- A. Support 1+1 hot standby mode
- B. Support load balancing
- C. Support N+1 backup
- D. Supports active and standby license sharing

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 57

In the scenario of chain multi-branch enterprise, which solution should be recommended for security?

- A. Online and offline joint anti-DDoS solution
- B. Multi-security solutions
- C. Data Center Security Solutions
- D. Cloud Management Security Solutions

Answer: D (LEAVE A REPLY)

NEW QUESTION: 58

Huawei AP8182DN supports 2.5G/5G uplink port

- A. False
- B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 59

In the SD-WAN solution, which of the following policies can be configured directly on the controller? (Multiple choice)

- A. National secret algorithm
- B. ACL traffic filtering
- C. Firewall & IPS
- D. URL Filtering

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 60

Which of the following line cards of CE16800 are the main sales? (Multiple choice)

- A. CEL36CQFD-G
- B. CEL36L0FD-C.
- C. CEL18CQFD-G
- D. CEL24LQFD-G
- E. CEL48XSFD-G

Answer: A,B,C,D,E (LEAVE A REPLY)

NEW QUESTION: 61

Taking AC6605 as an example, the number of manageable nodes is 1024, which means 1024 AD9430DN can be managed.

- A. False
- B. True

Answer: B (LEAVE A REPLY)

Valid H19-423_V1.0 Dumps shared by Actual4test.com for Helping Passing H19-423_V1.0 Exam! Actual4test.com now offer the **newest H19-423_V1.0 exam dumps**, the Actual4test.com H19-423_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H19-423_V1.0 dumps with Test Engine here: https://www.actual4test.com/H19-423_V1.0_examcollection.html (**565 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 62

Which of the following is WiFi-6 supports bandwidth including? (Multiple choice)

- A. 40MHz
- B. 20MHz
- C. 80MHz
- D. 50MHz

Answer: (SHOW ANSWER)

NEW QUESTION: 63

Which of the following products do not currently support cloud management solutions?

- A. AP4050
- B. USG6300
- C. S5720LI
- D. S12700

Answer: D (LEAVE A REPLY)

NEW QUESTION: 64

The S127E cost-effective bundle is configured with a 480,000-Gigabit optical port board. It is recommended to configure all cores to 10,000 Gigabit when expanding.

- A. True
- B. False

Answer: B (LEAVE A REPLY)

NEW QUESTION: 65

Competitors question the rear-outlet air duct design: The cabinets in the enterprise computer room are arranged horizontally, and the left-right or right-left air ducts are used, which will transfer the emitted heat to the adjacent equipment. In this way, the heat dissipation efficiency of the equipment becomes increasingly poor. This is a very bad air duct design, which will affect the performance of the adjacent equipment and even cause unstable work. The rear-outlet design is to solve this problem. "Using the rear-outlet air duct" is not an exclusive design. There is no exclusivity. The high-end products of mainstream switch manufacturers in the industry all have such a reasonable design.

- A. False
- B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 66

Which of the following descriptions of H3C fixed IP address business is correct? (Multiple choice)

- A. Step 2: Bind IP address to user policy: H3C can only use ACL to do this. Matching an IP address (segment) occupies an ACL for Permit/Deny. However, the number of ACLs is very small and does not have the actual deployment capability.
- B. Step 1: Decoupling user location from IP address: H3C implements this by assigning a fixed IP address to a user when he/she logs online. This is very stupid. Once a user logs online, this IP address is permanently assigned to him/her and will never be given to anyone else. No matter how large the IP address pool is, it will never be enough because it is a mechanism that never recycles. Once an IP address is recycled, it will be impossible to

distinguish between two users using the same IP address, and the policy will be messed up.

C. H3C decouples user location from IP address, and then binds IP address to user policy, thus decoupling user location from user policy.

D. The essence of free mobility is to decouple user access locations from user permissions, so users can access the network anytime and anywhere with consistent permissions.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

Which of the following options can block SR8800-X? (Multiple choice)

A. Strong and weak current separation power supply module and service port are located on both sides of the device

B. All boards are front-plug design

C. FRR fast rerouting technology

D. BFD fast fault detection technology

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

Which of the following Models that support FabricInsight include? (Multiple choice)

A. CE6857

B. CE6881

C. CE6865

D. CE6863

E. CE16800

Answer: **A,B,C,D,E** ([LEAVE A REPLY](#))

NEW QUESTION: 69

Which of the following descriptions about R250D-E is correct? (Multiple choice)

A. R250D-E has built-in Bluetooth

B. The overall speed of R250D-E is 1.267G

C. R250D-E supports PoEout downstream

D. R250D-E downstream 1*GE

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 70

Outdoor products cover indoor areas. They usually appear in which of the following scenarios?

A. Residential area

B. Square

C. Classroom

D. Rural

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

Regarding AC6605, which of the following statements is wrong?

- A. Support WeChat and QR code authentication
- B. Support PPPOE user authentication
- C. Support portal authentication
- D. Support 802.1x authentication

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

High-end routers are divided into two series: NE40E and ME60, which are used for SR and BRAS scenarios respectively. NE40E does not support BRAS function.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 73

Which of the following is not a highlight of our company's SDN advantages in small and medium-sized parks?

- A. Supports identification of more than 1,000 dumb/IoT terminals and automatically joins the mobile user group
- B. Free mobility services that are independent of IP, physical location, and authentication methods, without the need to re-plan addresses
- C. Support core, aggregation, access VLAN to edge solutions, end-to-end Overlay/Underlay automation
- D. Automatic deployment of traditional network VRF and VLAN, no need for Vxlan, extremely simple lightweight virtualization solution, automatic identification of small and medium-sized independent campus terminals and automatic deployment of mobile VRF for target services

Answer: **C** ([LEAVE A REPLY](#))

NEW QUESTION: 74

What are the competitive advantages of S5735-L over H3C S5130S-EI? (Multiple choice)

- A. Standard USB
- B. ACL is larger than 2K
- C. PoE greater than 7407
- D. ARP is greater than 4K

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 75

CE16804/08 uses half-width main control, with the main and backup main control arranged side by side, while CE16816 uses full-width main control, with the main and backup main control arranged up and down

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 76

The traffic optimization solution of wide-area SDN is applicable to both single AS domain scenarios and cross-AS domain scenarios.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

Valid H19-423_V1.0 Dumps shared by Actual4test.com for Helping Passing H19-423_V1.0 Exam! Actual4test.com now offer the **newest H19-423_V1.0 exam dumps**, the Actual4test.com H19-423_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H19-423_V1.0 dumps with Test Engine here: https://www.actual4test.com/H19-423_V1.0_examcollection.html (565 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 77

AI-powered FabricInSight can achieve 1 minute fault perception, 3 minutes fault location, and 5 minutes fault recovery. How many servers are needed to deploy FabricInSight?

- A. 1
- B. 2
- C. 4
- D. 3

Answer: A (LEAVE A REPLY)

NEW QUESTION: 78

Which of the following are security opportunities in the education industry? (Multiple choice)

- A. Educational metropolitan area network
- B. Smart campus construction
- C. Level of protection
- D. Safe Campus
- E. Security Attack and Defense Laboratory

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 79

Which of the following descriptions of the slot capacity of N routers is wrong?

- A. NE40E-X16A supports single slot 2T
- B. NE40E-X8A supports single slot 1T
- C. NE40E-X3A supports single-slot 400G

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 80

AR101GW-Lc-S is the lowest-end desktop router in the AR G3 series that supports 4G and Wi-Fi functions. The upcoming desktop router NetEngineAR651C can replace AR101GW-Lc-S.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 81

Which of the following description about AC backup is wrong?

- A. Both VRRP and dual-link mechanisms support uplink detection
- B. Two AC products as redundant backup protection can effectively improve the reliability of enterprise wireless office network services
- C. 1+1 hot standby supports backup of user data information, CAPWAP tunnel information, AP table entries, etc.
- D. Support dual-link backup mechanism, more flexible networking, the main and backup AC can only be a two-layer network

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 82

Which of the following is not an important feature of the agile campus network solution?

- A. MPLS
- B. IPCA
- C. SVF Hyper Virtualization
- D. On-board AC realizes deep integration of wired and wireless

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 83

Which of the following are highlights of the agile WAN solution? (Multiple choice)

- A. Deep integration of wired and wireless networks makes operation and maintenance less complicated
- B. Improved management efficiency and best business experience

- C. Technical innovation, ultimate business experience
- D. Global traffic optimization and pipeline transmission efficiency improvement

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 84

The core function of the DAS1000 series products is to control and audit database access operations, including control and post-audit of database modification, deletion, and addition operations.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 85

Routers rely on hardware BFD and FR technology to achieve high reliability. FRR includes LDPFRR and VPNFRR. LDPFRR is tunnel-level protection, while VPNFRR is service-level protection.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 86

When selecting a bastion host, Which of the following are the requirements that need to be focused on? (Multiple choice)

- A. Number of managed equipment assets
- B. Traffic volume
- C. Refined permission control
- D. Number of concurrent connections

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 87

The core function of NIP6000E and IPS6000E is intrusion prevention, which is mainly used for attack protection above layer 7. virus detection and cloud sandbox detection functions be enabled through 1license.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 88

This year, AR released a new generation of routers. Regarding the three features of the new generation NetEngineAR, which of the following descriptions is correct? (Multiple choice)

- A. iPath application-level intelligent routing & optimization, A-FEC enables video experience with 20% packet loss and no screen distortion
- B. Multi-mode ZIP, on-demand network orchestration, real-time fault alarm, 45+ visual reports
- C. X86 architecture, performance is 3 times that of the industry
- D. Leading SloarAX architecture, the industry's highest performance L3L7 full-service efficient processing

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 89

Regarding chips, which of the following description is correct? (Multiple choice)

- A. ENP chips have higher performance than ASIC chips and are more flexible than NP chips
- B. Commercial NP chips have flexible architecture, but performance and power consumption become bottlenecks
- C. ASIC chips have high performance and low power consumption, but their architecture is rigid and inflexible
- D. ENP has both the performance advantages of ASIC chips and the flexibility advantages of commercial NPs, which is a perfect combination of the two.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

The main application industries of SD-WAN solutions include finance and large enterprises.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 91

In the new NetEngineAR6000 series, the second digit in the name refers to the height. For example, the 2 in AR6280 represents 2U height.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

Valid H19-423_V1.0 Dumps shared by Actual4test.com for Helping Passing H19-423_V1.0 Exam! Actual4test.com now offer the **newest H19-423_V1.0 exam dumps**, the Actual4test.com H19-423_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H19-423_V1.0 dumps

with Test Engine here: https://www.actual4test.com/H19-423_V1.0_examcollection.html
(565 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 92

What pain points does the SD-WAN solution mainly solve for customers? (Multiple choice)

- A. Line congestion
- B. Difficulty in business deployment
- C. Difficult start
- D. Leased lines are expensive

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 93

Which scenario does Guwang.com not apply to Gancheng Commercial and Rural Credit Bank?

- A. Ease of Migration
- B. Technological innovation
- C. Loose coupling of data centers
- D. Reduce costs

Answer: D (LEAVE A REPLY)

NEW QUESTION: 94

Which of the following descriptions about FC networks is wrong?

- A. Troubleshooting, depending on the manufacturer's attitude
- B. Manufacturer monopoly, customers have no bargaining power
- C. FC is a universal network that is easy to operate and maintain
- D. FC cannot be put on the cloud

Answer: (SHOW ANSWER)

NEW QUESTION: 95

Which of the following does not meet the specifications of AC6605-26-PWR?

- A. Support 1+1 hot standby
- B. Support direct forwarding/tunnel forwarding
- C. Supports management of up to 512 APs
- D. 20*GE+ 4*GE Combo + 2*10GE.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 96

In Huawei's SD-WAN solution, the controller supports local deployment, and you can also purchase the corresponding service on Huawei Cloud.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 97

Which of the following statements is correct? (Multiple choice)

- A. Indoor triple-radio AP4030TN, through SDR radio frequency software switching technology, supports three radio frequencies working simultaneously in the 2.4G frequency band
- B. AP4050DN-HD has a built-in 300-degree small-angle directional antenna, which ensures high-density access while reducing interference by 30%.
- C. Outdoor AP8130 and AP8150 exclusively support dual 5G

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 98

Using Huawei's optoelectronic hybrid switches and optoelectronic hybrid cables, what is the maximum distance that AP power supply can support?

- A. 400m
- B. 500m
- C. 200m
- D. 300m

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 99

The stand-alone version of the situational awareness CIS product integrates visualization, big data basic platform, and flow probe into one server, mainly targeting the small and medium-sized market.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 100

Huawei AP7052DN supports smart antenna and IOT expansion.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 101

Which of the following statements is wrong?

- A. 4050DN-HD has built-in Bluetooth and supports 3 IoT slot expansions to easily meet IoT application needs
- B. Minfen supports SFV same-frequency roaming to meet the requirements of uninterrupted mobile medical rounds

C. For indoor high-density guidance, 4050DN-HD has a built-in small-angle antenna to increase the concurrent rate of high-density users while improving deployment efficiency

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 102

After the EoX of CE12800E, the replacement model is CE16800 switch.

A. True

B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 103

High-end routers are divided into two series: NE40E and ME60, corresponding to SR and BRAS scenarios respectively. NE40E does not support BRAS function.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 104

WAF5000 series products are mainly used for web application system protection. Through in-depth monitoring and analysis of web http/https and medical layer data, they can identify and block various web application attack behaviors that cannot be identified by traditional network firewalls.

A. True

B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 105

Which of the following is wrong about the description of ASG function?

A. Support tens of millions of URL libraries

B. Does not support IPsec VPN function

C. Support content auditing of HTTPS encrypted traffic

D. Wireless non-economic scenarios support connection with Renzixing network monitoring platform

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 106

Which of the following scenarios are suitable for network quality intelligent perception solutions? (Multiple choice)

A. IP network end-to-end measurement scenario

B. IP network hop-by-hop measurement scenario

C. MPLS L3VPN network end-to-end measurement scenario

Answer: A,B,C ([LEAVE A REPLY](#))

Valid H19-423_V1.0 Dumps shared by Actual4test.com for Helping Passing H19-423_V1.0 Exam! Actual4test.com now offer the **newest H19-423_V1.0 exam dumps**, the Actual4test.com H19-423_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H19-423_V1.0 dumps with Test Engine here: https://www.actual4test.com/H19-423_V1.0_examcollection.html (**565 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 107

What cloud box models does Huawei's self-built cloud management include? (Multiple choice)

- A. SW
- B. FW
- C. AR
- D. Data Center Switches
- E. AP

Answer: A,B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 108

The high-end host SRU400H panel comes with 24 ports, of which 14 10GE optical ports are WAN ports for upstream connection, compatible with GE optical docking, and 10 GE electrical ports are LAN ports for downstream access, which can be switched to WAN ports for upstream connection.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 109

Which of the following statements about network monitoring based on telemetry are correct? (Multiple choice)

- A. Subscribe once, data is sent continuously
- B. Distributed collection, large-scale network visualization
- C. Sub-second updates, real-time status visibility

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 110

Smart antenna technology is divided into hardware smart antenna array technology and beamforming.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 111

Which of the following are the advantage of Huawei's DDoS defense solution? (Multiple choice)

A. Support IPv4 and IPv6 dual lines

B. Large traffic defense capability, a single product supports up to level I traffic defense

C. Smooth evolution, effective protection of customer investment: Support local hardware product protection cloud high defense cleaning service linkage solution

D. Various cleaning modes: supporting both packet-by-packet cleaning and flow-by-flow cleaning

E. Support application layer attack defense, 60+ traffic models, and a million-level IP reputation database

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 112

IPS and AV are one of the core capabilities of firewalls. Huawei has the highest detection rate and blocking rate in China.

A. True

B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 113

Huawei SDTAN solution has multiple ZIP startup methods. Which of the following is not a ZIP startup method supported by Huawei?

A. SMS start

B. DHCP Deployment

C. Email start

D. USB start

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 114

S1ow POST is a type of HTP slow DDoS attack. The principle is that the attacker sends a Post message to the server to request data submission, and sets the total message length to a large value. However, in the subsequent data transmission, only a small message is sent each time, which causes the server to wait for the attacker to send data and waste resources. Huawei AntiDDOS equipment is currently unable to defend against this attack.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 115

What are the advantages of AP8130DN? (Multiple choice)

- A.** APS13ODN supports dual 5G for wireless coverage. With one more 5G radio, more users can be connected.
- B.** For wireless backhaul, using dual 5G, you can use only one AP to achieve high-speed backhaul under 5G high bandwidth, ensuring backhaul bandwidth while saving deployment costs
- C.** Support built-in lightning protection, outdoor harsh environment, save the purchase of external mildew protection device, save costs, simplify installation, shorten the installation cycle
- D.** Supports dual and triple spatial streams. The more spatial streams, the better the wireless performance.

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 116

The packet forwarding rate/forwarding capacity of a switch is an important parameter for measuring product performance. It has a clear definition and test standard. It refers to the number of packets that a switch can forward per second. The unit is Mpps. It is related to the length of the packet. When the port bandwidth is fixed, the smaller the packet length, the higher the packet forwarding rate. Huawei's packet forwarding rate is the sum of the maximum unidirectional bandwidth of all ports on the switch panel * 1.5 (the unit conversion rate from Gbps to Mpps is 1.588. China takes 1.5). Note: The maximum bandwidth of the uplink port of a box switch is when stacked.

- A.** True
- B.** False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 117

Which of the following hosts will support 5G boards in the DR19C10 version? (Multiple choice)

- A.** AR6140-16G4XG
- B.** AR651C
- C.** AR6140-9G2AC
- D.** AR6280

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 118

The advantage of VSIP is not free mobility, that is, which of the following is the user comparison?

- A. Adding or deleting user groups, changing policies, etc. does not require adjusting network layer configuration
- B. Decoupling of business and network, supporting dynamic switching of user groups when users are online
- C. With DHCP plug-in, automatic MAC-IP association can be achieved to ensure smooth migration
- D. Can be deployed independently without relying on VxLAN

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 119

What are the advantages of quality perception technology compared with traditional technology? (Multiple choice)

- A. The first MIMO detection technology
- B. Use the SLA module in the eSight network management system to achieve visual configuration and detection result display
- C. Detect the quality of the network layer of real business flows, regardless of the protocol type

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 120

Which of the following are the usage scenarios of AR? (Multiple choice)

- A. LAN egress scenario
- B. WAN interconnection scenario
- C. LTE/3G wireless access scenario
- D. VPN scenario

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 121

Which of the following is the wrong statement about the network monitoring solution based on Telemetry?

- A. Reduce customer investment costs
- B. Sub-second updates, real-time status visibility
- C. Subscribe once, data is sent continuously
- D. Distributed collection, large-scale network visualization

Answer: ([SHOW ANSWER](#))

Valid H19-423_V1.0 Dumps shared by Actual4test.com for Helping Passing H19-423_V1.0 Exam! Actual4test.com now offer the **newest H19-423_V1.0 exam dumps**, the Actual4test.com H19-423_V1.0 exam **questions have been updated** and

answers have been corrected get the **newest** Actual4test.com H19-423_V1.0 dumps with Test Engine here: https://www.actual4test.com/H19-423_V1.0_examcollection.html (565 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 122

Campus switch S6720SI can be used as both SVFParent and SVF Client. More importantly, when it is used as SVFParent, it does not require a license.

- A. False
- B. True

Answer: (SHOW ANSWER)

NEW QUESTION: 123

Which of the following is the correct description of USG6000E "intelligence"? (Multiple choice)

- A. Support AI-based encrypted traffic decryption-free detection
- B. Support AI-based malicious domain name detection
- C. Support AI-based C&C attack detection
- D. Support AI-based brute force detection

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 124

The large number of signatures in the VSCAN1000 vulnerability detection rule library is a highlight of the product. What is the approximate number?

- A. About 50,000+
- B. About 80,000+
- C. About 100,000+
- D. About 10,000+

Answer: B (LEAVE A REPLY)

NEW QUESTION: 125

In a certain project, the customer requires the Internet behavior management product to have "unified management of wired and wireless: built-in wireless controller function, can directly manage AP, and support configuration of open/WPA-PSK/WPA2-PSK (personal), WPA/WPA2 (enterprise) three access methods, then which friendly vendor is most likely to have guided this project?

- A. Qi An Xin
- B. Topsec
- C. H3C
- D. Convinced

Answer: D (LEAVE A REPLY)

NEW QUESTION: 126

Which of the following does not belong to the triple authentication protection technology for firewall camera security access?

- A. Device fingerprint
- B. MAC Authentication
- C. Traffic fingerprint
- D. Camera protocol vulnerability

Answer: B (LEAVE A REPLY)

NEW QUESTION: 127

Which is a fast and professional WLAN network planning and experience evaluation app developed by Huawei?

- A. Cloud Campus APP
- B. Speed test
- C. WLAN planner
- D. insider

Answer: A (LEAVE A REPLY)

NEW QUESTION: 128

A three-story office needs to plan WLAN. After the engineer completed the on-site survey, he decided to place three APs on each floor. Which of the following is correct about the channel planning of this three-story office?

- A. 6.1.11/6.1.11/11.1.6
- B. 1.6.11/6.1.11/11.1.6
- C. 11.1.6/1.6.11/6.11.1
- D. 1.11.6/6.11.1/11.1.6

Answer: C (LEAVE A REPLY)

NEW QUESTION: 129

Regarding the sales strategy of AC with the board, which of the following descriptions is obviously wrong? (Multiple choice)

- A. The AC is not suitable for campuses with less than 100 people.
- B. In high-density scenarios, the AC that comes with the x series boards can be promoted.
- C. In wireless city scenarios, ACU2 is the main choice
- D. S7700 switches mainly promote SRUX/SRUH, and try to avoid using SRUA and SRUB

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 130

Which of the following is not the scope of ROCEKPI visualization support of iMaster NCE-Fabric Insight ?

- A. PFC. Deadlock recovery number

- B. Receive/send PF Back pressure frame number
- C. Flow Analysis
- D. PFC. Deadlock monitoring number

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 131

Which of the following statements about NE8000 router is correct? (Multiple choice)

- A. NE8000M1A/F1A mainly matches NE05E&NE08E
- B. NE8000M8/M16 routers are mainly compatible with NE20ES series routers
- C. New NE8000-M6 router launched in 2020

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 132

What are the X-axes of Zhijian E-Government Network? (Multiple choice)

- A. Wide-area SDN, automatic service deployment, and global dynamic tuning
- B. Automatic closed-loop, active defense government affairs HI-SE security solution
- C. Intelligent slicing to ensure government service SL
- D. Autonomous and controllable
- E. SRv6+EVPN solution, extremely simple network, one-hop access to the cloud

Answer: A,B,C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 133

Which of the following is Business process of cloud management full life cycle management?

- A. Cloud network planning, cloud network optimization, cloud inspection, and cloud deployment
- B. Cloud network planning, cloud deployment, cloud network optimization, and cloud inspection
- C. Cloud deployment, cloud network planning, cloud network optimization, and cloud inspection
- D. Cloud network optimization, cloud network planning, cloud deployment, and cloud inspection

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 134

The vehicle-to-ground communication solution uses dedicated equipment, and currently the only option is AirEngine 6760-51EI.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 135

What is usually used to describe the signal strength of AP?

- A. dBw
- B. dBi
- C. dBm
- D. dB

Answer: C (LEAVE A REPLY)

NEW QUESTION: 136

Which of the following boards is not a board type currently supported by CE16800?

- A. 36-port 40G board
- B. 48-port Gigabit electrical port board
- C. 48-port 10G optical port board
- D. 36-port 100G board

Answer: B (LEAVE A REPLY)

Valid H19-423_V1.0 Dumps shared by Actual4test.com for Helping Passing H19-423_V1.0 Exam! Actual4test.com now offer the **newest H19-423_V1.0 exam dumps**, the Actual4test.com H19-423_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H19-423_V1.0 dumps with Test Engine here: https://www.actual4test.com/H19-423_V1.0_examcollection.html (**565 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 137

When configuring and quoting the VSCAN1508 product on SCT, which of the following is the functions that can be controlled by the license? (Multiple choice)

- A. Weak password scanning
- B. Database scanning function
- C. Web vulnerability scanning function
- D. System vulnerability scanning function
- E. Configuration verification function

Answer: B,C,D,E (LEAVE A REPLY)

NEW QUESTION: 138

Layer 2 interconnection necessary during data center network relocation.

- A. False
- B. True

Answer: A (LEAVE A REPLY)

NEW QUESTION: 139

Wireless APs are usually deployed in which of the following layered networks?

- A. Access layer
- B. Convergence layer
- C. Core layer
- D. Control Layer

Answer: A (LEAVE A REPLY)

NEW QUESTION: 140

Which of the following is 10G Smart Campus 2020H1 Key Strategies? (Multiple choice)

- A. The project must be fully self-developed and controllable
- B. The project must be directed to 10G uplink, with a business advantage of 30%
- C. Projects must apply for PoC testing opportunities, and R&D guaranteed testing comes first
- D. The project must be sent to CI for customer experience, and the success rate of winning the bid is 80%+

Answer: A,B,C,D (LEAVE A REPLY)

NEW QUESTION: 141

The industry's SD-WAN controller Viptela support LAN/WAN converged management.

- A. True
- B. False

Answer: B (LEAVE A REPLY)

NEW QUESTION: 142

The construction of emergency command information network should reasonably use the current industry-leading technologies such as SDN, segment routing, IPv6, and 5G bearer.

- A. True
- B. False

Answer: B (LEAVE A REPLY)

NEW QUESTION: 143

S5731-S replaces which model?

- A. S5720SI
- B. S5720HI
- C. S5720EI
- D. S5720LI

Answer: C (LEAVE A REPLY)

NEW QUESTION: 144

In a firewall procurement project, the tender document requires the product to support virtualized allocation of resources such as CPU and memory. Then the tender document is most likely to be?

- A. Venusstar
- B. Convinced
- C. H3C
- D. Green Alliance

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 145

Regarding CampusInSight, which of the following statements is wrong?

- A. 20-year CI can support video and audio quality detection, user authentication/online, DHCP acquisition and other issues on the wired side network.
- B. 20 years of CI support for network broadcast storm detection and alarm functions
- C. CI UserCase Collection is developed by Huawei based on the frequency and severity of failures in network operation and maintenance.
- D. The main goal of CI in 2020 is to discover and assist manual problem solving

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 146

Which of the following is not the business value of cloud management?

- A. Reduce OPEX
- B. Reduce CAPX
- C. Decentralization and Domain Division
- D. Open ecosystem, rich applications

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 147

Sandbox detection of known new ransomware viruses.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 148

What are the key indicators of AP coverage distance? (Multiple choice)

- A. Bandwidth
- B. Horizontal lobe angle
- C. Antenna gain
- D. Vertical lobe angle

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 149

Which of the following is not the value of cloud management?

- A. Simplify operations
- B. Support VxLan
- C. Rich Applications
- D. Rapid Deployment

Answer: C (LEAVE A REPLY)

NEW QUESTION: 150

NCE-WAN supports up to 10k sites per tenant.

- A. False
- B. True

Answer: A (LEAVE A REPLY)

NEW QUESTION: 151

The wide area router evolution technology is SR+EVPN, which can simplify the protocol and realize traffic optimization and path visualization by cooperating with the SDN controller ()

- A. False
- B. True

Answer: (SHOW ANSWER)

Valid H19-423_V1.0 Dumps shared by Actual4test.com for Helping Passing H19-423_V1.0 Exam! Actual4test.com now offer the **newest H19-423_V1.0 exam dumps**, the Actual4test.com H19-423_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H19-423_V1.0 dumps with Test Engine here: https://www.actual4test.com/H19-423_V1.0_examcollection.html (**565 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 152

Regarding the highlights of WAF5000 series products, which of the following statement is correct? (Multiple choice)

- A. Various deployment modes, including transparent mode, reverse proxy, bypass monitoring, etc.
- B. Low false alarm rate, able to intelligently identify highly disguised covert attacks, and support advanced threats such as C&C attacks
- C. With hardware and software models, it can meet various application scenarios
- D. Comprehensive coverage of WEB application security, with built-in 5R0+ category attack features

Answer: (SHOW ANSWER)

NEW QUESTION: 153

Which of the following statements about the application of on-board AC is wrong?

- A. The AC function must be implemented by a single board with an ENP chip
- B. The on-board AC function can be combined with the user management function to achieve unified authentication of wired and wireless users.
- C. The AC function of the agile switch can support IPv6 user access and authentication
- D. The AC function of the agile switch can only support the centralized forwarding mode of AP

Answer: D (LEAVE A REPLY)

NEW QUESTION: 154

The 2021 strategy of the Security Protection Capability Center is to select companies with security capabilities from the Huawei Datacom Gold System but are currently working as security integrators for friendly companies, and secondly to win back professional security channels for friendly companies.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 155

APT threats are usually customized malware that exploits 0-Day vulnerabilities or flaws in the target user environment. Malware is used in a targeted manner during attacks on target organizations: hijacking systems, creating transfers, establishing backdoors, stealing data, and destroying sites.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 156

What is the concept of Huawei's Intelligent e-Government WAN?

- A. Minimalist Network
- B. Reliable toughness
- C. Agile Migration
- D. Best experience
- E. Includes all of the above
- F. Autonomous Security

Answer: E (LEAVE A REPLY)

NEW QUESTION: 157

Which of the following is the evolutionary autonomous model of NE20E-S8?

- A. NE40E-X8A
- B. NE8000M8
- C. NE20E-S8A
- D. NE8000X8

Answer: B (LEAVE A REPLY)

NEW QUESTION: 158

Which of the following Huawei data center switches CE6863 has cache?

- A. 32M
- B. 1G
- C. 16M
- D. 42M

Answer: D (LEAVE A REPLY)

NEW QUESTION: 159

CE16800 launched low-cost single board and mesh board, with the same pricing as CE12800E, providing effective weapons for competitive projects.

- A. False
- B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 160

The core functions of VSCAN1000 series products are vulnerability scanning, wiring verification, weak password scanning, etc., and they are generally deployed in a straight line.

- A. True
- B. False

Answer: B (LEAVE A REPLY)

NEW QUESTION: 161

UMA1500E is delivered with hardware integrated, which is more convenient and faster to deliver. It is the main model for bastion host scenarios.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 162

The biggest difference between viruses and worms is that viruses need a carrier to spread, while worms do not need a carrier to spread and replicate.

- A. True

B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 163

Which of the following technologies can solve the problem of insufficient VLAN number?

A. FCOE

B. Trill

C. VS

D. Vxlan

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 164

What are the capabilities of the new generation of government extranet? (Multiple choice)

A. Extremely simple load

B. Network Slicing

C. Global Tuning

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 165

If the administrator needs to enable the application identification function of Huawei WLAN system, what mode should be configured and the application identification function on WLANAC should be enabled. At this time, WLANAC can be connected to the network in a side-by-side manner or directly connected to the network ()

A. All of the above

B. Tunnel forwarding

C. Direct forwarding

D. Local forwarding

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 166

AIF ABRIC. TOLLY certified, performance leading the industry by about?

A. 0.5

B. 0.4

C. 0.1

D. 0.3

Answer: D ([LEAVE A REPLY](#))

dumps, the Actual4test.com H19-423_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H19-423_V1.0 dumps with Test Engine here: https://www.actual4test.com/H19-423_V1.0_examcollection.html (565 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 167

In the SD-WAN solution, which of the following site deployment methods does not include?

- A. Email start
- B. DHCP option deployment
- C. USB start
- D. Scan the QR code to start

Answer: D (LEAVE A REPLY)

NEW QUESTION: 168

Which of the following statements is wrong?

- A. AP8050TN-HD uses AMC superconducting material miniaturization technology, and the built-in antenna is 30% smaller
- B. Huawei AP supports 200m long-distance power supply, and H3C also supports
- C. Huawei's self-developed smart antenna technology improves coverage, wall penetration and throughput performance

Answer: B (LEAVE A REPLY)

NEW QUESTION: 169

Regarding AP4050DN-E, which of the following statements is correct? (Multiple choice)

- A. Support 4*4MIMO
- B. Support PoE output power supply, which can power low-power devices
- C. Reserved expansion slot to support RFID/ZigBee/ANT expansion
- D. Built-in Bluetooth can be used for positioning and improve positioning accuracy

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 170

Huawei launched ECA (Encrypted Communication Analytics), an encrypted communication analysis technology that supports non-decryption detection of encrypted traffic. Its main principle is to analyze which of the following message information? (Multiple choice)

- A. Byte distribution statistics
- B. TLs negotiation information
- C. Message time interval
- D. Load Data
- E. Flow Duration

Answer: A,B,C,E (LEAVE A REPLY)

NEW QUESTION: 171

Before the feeder enters the machine room from the feeder port, a () is required to prevent rainwater from seeping into the machine room along the feeder.

- A. Drip Bend
- B. Straight line penetration
- C. All of the above
- D. Go around

Answer: A (LEAVE A REPLY)

NEW QUESTION: 172

All competitors claim that their switches support lossless capabilities, but they only have static tuning capabilities.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 173

Which of the following descriptions about AP8050DN is wrong?

- A. AP8050DN supports optical ports for uplink
- B. AP8050DN built-in antenna
- C. AP8050DN has built-in Bluetooth function
- D. AP8050DN supports dual 5G

Answer: D (LEAVE A REPLY)

NEW QUESTION: 174

What are the general principles of network IPv6 evolution? (Multiple choice)

- A. Newly built network, preferably with a minimalist IPv6 underlay network architecture, carrying IPv6 and IPv4 Overlay services
- B. The evolution of EIPv6 is a long process. IPv4 and IPv6 will coexist for a long time. Evolution (transition and conversion technology) requires careful selection.
- C. The selection of evolutionary technology should give priority to business smoothness and take into account future-oriented architecture capabilities.
- D. Transform the network, maintain the original architecture, and prioritize service smoothness (dual stack, 6VPE. tunnel, or create a new IPv6 only local network, depending on the specific scenario)
- E. Hierarchical network architecture needs to be considered from two levels: Underlay network and Overlay network

Answer: A,B,C,D,E (LEAVE A REPLY)

NEW QUESTION: 175

In the HiSec solution, which of the following is the product at the analysis layer? (Multiple choice)

- A. Online Behavior Management ASG
- B. Log audit elog
- C. Vulnerability Scanner VSCAN1000
- D. Sandbox FireHunter
- E. Big Data Analysis CIS

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 176

What components does the S12700E-8 bundle contain?

- A. 1 SFUE mesh board
- B. 480,000M*2
- C. 3000W power supply*1
- D. MPUE Master Control
- E. All of the above

Answer: [E \(LEAVE A REPLY\)](#)

NEW QUESTION: 177

What technology is used to implement Huawei's simplified bearer solution?

- A. Vxlan
- B. MPLS VPN
- C. EVPN over SRv6

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 178

Both H3C switches and Cisco switches support ECA (Encrypted Message Detection).

- A. True
- B. False

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 179

Huawei FabricInsight solution now supports deployment with one server and health check function to meet the DC needs of small and medium-sized enterprises.

- A. True
- B. False

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 180

10G Smart Campus KM3-2, what options does 3 include? (Multiple choice)

- A. Open

- B. Wisdom
- C. Minimalism
- D. Extra wide
- E. Security

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 181

The smart charging station solution based on edge intelligent IoT has been put into trial operation at the new large station of China Southern Power Grid. What kind of applications are mainly verified?

- A. Protocol conversion
- B. Orderly charging
- C. Pile health assessment
- D. V2G Control

Answer: B (LEAVE A REPLY)

Valid H19-423_V1.0 Dumps shared by Actual4test.com for Helping Passing H19-423_V1.0 Exam! Actual4test.com now offer the **newest H19-423_V1.0 exam dumps**, the Actual4test.com H19-423_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H19-423_V1.0 dumps with Test Engine here: https://www.actual4test.com/H19-423_V1.0_examcollection.html (565 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 182

All types of master controllers of the new generation AR63XX series routers support built-in 10G interfaces.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 183

Which of the following is wrong about the highway video surveillance front-end integrated device (smartX)?

- A. Industrial grade equipment
- B. Intelligent fault detection
- C. Triple Protection
- D. Remotely manageable

Answer: C (LEAVE A REPLY)

NEW QUESTION: 184

IMaster NCE-FabricInsight supports five-dimensional health assessment when paired with software SDN.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 185

Huawei's new generation NetEngineAR6000 is based on the new Sorlar AX architecture. So which statement about the forwarding architecture of NetEngineAR6000 is correct? (Multiple choice)

- A. NP hard forwarding
- B. ultra-Fast forwarding algorithm
- C. Rich acceleration engine

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 186

CE12800 36-port 100GE board CE-36CQ-FD is now available for sale

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 187

Which of the following is the basic version of situational awareness product portfolio?

- A. CIS stand-alone version + SecoManager + trapping
- B. CIS stand-alone version + F probe + WAF + leak scan
- C. CIS stand-alone version + F probe
- D. FW+SecoManager

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 188

How many remote access units (RRUs) can be connected to AirEngine9700 at most?

- A. 12
- B. 48
- C. 24
- D. 36

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 189

Which of the following can reach the maximum bandwidth of the dual SRUH master slot of S7706?

- A. 640G
- B. 480G
- C. 128G
- D. 320G

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 190

Huawei Cloud Management Network, what cloud box devices can be managed? (Multiple choice)

- A. FW
- B. AR
- C. AP
- D. LSW

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 191

In what scenarios does the USG6000E series need to be configured with a hard disk? (Multiple choice)

- A. Logs
- B. Smart Policy Strategy Optimization
- C. Reports
- D. IPS&AV packet capture

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 192

What are the height and maximum port capacity of NE8000F1A?

- A. 1U, 2T
- B. 2U, 2T
- C. 1U, 1.2T
- D. 2U, 4T

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 193

The core function of the AntiDDoS series of products is to defend against DDoS attacks. They can defend against traffic-type DDoS attacks, but cannot defend against application-type DDoS attacks.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 194

Free mobility service that is independent of IP, physical location, and authentication method. Which of the following is the friendly vendor that supports this function?

- A. Cisco
- B. Ruijie
- C. H3C

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 195

After FireHunter6000 detects a malicious file, it can immediately block the spread of the file in the network.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 196

Regarding the comparison between the end-user and the developer of the level protection solution, which of the following is the correct description of the core advantage? (Multiple choice)

- A. Products are autonomous, controllable, safe and reliable
- B. It can not only defend against known threats, but also against unknown threats
- C. More product types
- D. Centralized management and unified operation and maintenance
- E. Based on the HiSeC solution architecture, cloud-network security linkage can be achieved

Answer: ([SHOW ANSWER](#))

Valid H19-423_V1.0 Dumps shared by Actual4test.com for Helping Passing H19-423_V1.0 Exam! Actual4test.com now offer the **newest H19-423_V1.0 exam dumps**, the Actual4test.com H19-423_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H19-423_V1.0 dumps with Test Engine here: https://www.actual4test.com/H19-423_V1.0_examcollection.html (**565 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 197

What are the classic application scenarios of agile distribution? (Multiple choice)

- A. Hospital ward
- B. This compartment covers
- C. Student Dormitory
- D. Hotel Rooms

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 198

If customers have identity and access management needs, which partner product can we recommend in the solution?

- A. North Source: NAC
- B. Bamboo Cloud: IAM
- C. Jiang Min: EDR
- D. Moan: Honeypot

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 199

CE16800 switch supports orthogonal architecture.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 200

Which of the following is the scenario where CE863 can be used? (Multiple choice)

- A. 25GE access utilization rate is less than 50%
- B. 36 25GE interfaces can meet the needs
- C. There are requirements for autonomy and control
- D. Non-financial government and enterprise clients

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 201

The ENP chip is a new generation of forwarding chips developed by Huawei specifically for Ethernet networks. It combines the high performance of ASIC chips with the high flexibility of commercial NP chips.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 202

DRN is similar to M-LAG technology.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 203

The maximum device management scale supported by Huawei data center SDN controller is ()

- A. 2000 units
- B. 400 units
- C. 100 units
- D. 4200 units

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 204

Which of the following parts contains the quotation for SD-WAN permanent license configuration?

- A. Controller software part
- B. Equipment
- C. Controller hardware

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 205

FC replacement is related to which of the following factors? (Multiple choice)

- A. CPU
- B. Storage Manufacturer
- C. Operating system
- D. Upper layer applications
- E. Network card

Answer: B,C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 206

How many switching boards can Huawei data center switch CE16800 support at most?

- A. 10
- B. 9
- C. 7
- D. 8
- E. 6

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 207

STA can find AP by scanning, there are two ways: active scanning and passive scanning.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 208

When quoting for UMA1500E configuration, after selecting the HA high-reliability networking function, Which of the following is the correct statement about the corresponding license? (Multiple choice)

- A. Inconvenient basic software license authorization
- B. Inconvenient asset management license authorization
- C. Asset management license authorization doubled
- D. Double the basic software license authorization

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 209

Which of the following is the main weakness of Aruba's WLAN?

- A. Bluetooth solution is not supported
- B. Does not support 2.5G
- C. Does not support sensitive scoring scheme

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 210

Which requirement should be focused on when selecting a WAF? (Multiple choice)

- A. HTTP/HTTPS service traffic size
- B. Number of web sites to be protected
- C. Network topology and web server location
- D. Total network traffic size

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 211

What is a type of DDoS? In this type of attack, you cannot see the real source IP address or unusually large traffic, but it causes the server to be unable to connect normally.

- A. SYN-FLOOD attack
- B. C&C attack
- C. ACK-FLOOD attack
- D. CC attack

Answer: C ([LEAVE A REPLY](#))

Valid H19-423_V1.0 Dumps shared by Actual4test.com for Helping Passing H19-423_V1.0 Exam! Actual4test.com now offer the **newest H19-423_V1.0 exam dumps**, the Actual4test.com H19-423_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H19-423_V1.0 dumps

with Test Engine here: https://www.actual4test.com/H19-423_V1.0_examcollection.html
(565 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 212

How many K/min container network automatic launches does Huawei's data center network SDN solution support?

- A. 8
- B. 7
- C. 10
- D. 9

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 213

What is the full English name of NCE.?

- A. Network Computing Endpoint
- B. Network Cloud Equipment
- C. Network Cloud Engine
- D. New Cloud Engine.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 214

Competitors question the independent monitoring board of frame switches. The separation of forwarding, management, and control planes of switch equipment is a guarantee of reliability. Most switches have adopted a distributed forwarding architecture to meet the demand for separation of forwarding and management control planes, but high-end switches still need to separate management and control planes, and separate the heartbeat monitoring messages between the main control board and all components. Improve system reliability. Cisco, HW, ZTE and other high-end switches all support this hardware architecture.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 215

H3C and Cisco both support physical network LAN & WAN converged deployment.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 216

The switching capacity of a switch is one of the parameters used to measure product performance. However, the current domestic manufacturers and test methods are different, there is no unified standard, and it does not have much reference significance. In the test of the Ministry of Industry and Information Technology, the switching capacity is declared by the manufacturer itself and cannot be measured. The switching capacity of Huawei box switches is the chip capacity, which has nothing to do with port density and sub-cards. The switching capacity of frame switches is calculated based on the slot bandwidth of each slot hardware connector design.

A. True

B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 217

AirEngine8760R-X1 has built-in lightning protection, while AirEngine8760R-X1E has external lightning protection.

A. False

B. True

Answer: A (LEAVE A REPLY)

NEW QUESTION: 218

The link utilization rate of traditional networks is only 20%-30%. Huawei's agile wide area solution is based on the SDN architecture, which integrates factors such as bandwidth, latency, and cost, and globally calculates routes to achieve reasonable scheduling of business traffic, thereby increasing network utilization to more than 70%.

A. False

B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 219

Data center switches have switched to the N1 quotation mode starting from the self-developed models. The different software packages of N1 are just different combinations of different Lincense. There is no essential difference from the traditional software quotation mode. If it is a solution sales, the controller software needs to be configured separately.

A. False

B. True

Answer: A (LEAVE A REPLY)

NEW QUESTION: 220

Huawei LAN exclusively supports two coverage modes: wide-angle omnidirectional and small-angle high-density.

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 221

Which of the following description of Huawei data center switch CE6881-4S6CQ is correct?

A. Full 25G access switch

B. 10G access, 400G uplink switch

C. 10G and 25G hybrid access switch

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 222

Which of the following descriptions of AI Fabric solution is wrong?

A. By deploying the AI Fabric solution, you can achieve the same throughput as the IB network.

B. AI Fabric uses the RDMA protocol to encrypt business message forwarding

C. By deploying the AI Fabric network, computing, HPC, and storage networks can be deployed together

D. Lossless technology to achieve zero packet loss on Ethernet

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 223

As data centers evolve from traditional architecture to the current AI stage, they provide several new competitive weapons to face the new trend. Which of the following is the correct answer? (Multiple choice)

A. FI achieves 1 minute fault detection, 3 minutes fault location, and 5 minutes fault handling

B. SDN solution adds simulation verification function

C. Support ultra-large-scale lossless networking

D. Self-developed FC switch

E. CE16800 meets the requirements of ultra-broadband networks and supports multiple types of interface boards from 10G to 400G

Answer: A,B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 224

Which of the following are the components of the campus security assistance solution product?

A. AC+CE switch+FWIPS+SecoManager

B. Firewall+SecoManager

C. AC-Switch (Trap) + Firewall + CIS Standalone Edition

D. AC+Firewall

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 225

What are the advantages of S5731-H compared to S5720EI? (Multiple choice)

- A. Support ECA security trapping function
- B. Supports features such as on-board AC, IPCA, etc.
- C. Support NetStream function
- D. Switching capacity and packet forwarding rate are greatly improved

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 226

Which protocol is WIFI6?

- A. 802.11ax
- B. 802.11aC.
- C. 802.11n
- D. 802.11

Answer: ([SHOW ANSWER](#))

Valid H19-423_V1.0 Dumps shared by Actual4test.com for Helping Passing H19-423_V1.0 Exam! Actual4test.com now offer the **newest H19-423_V1.0 exam dumps**, the Actual4test.com H19-423_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H19-423_V1.0 dumps with Test Engine here: https://www.actual4test.com/H19-423_V1.0_examcollection.html (565 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 227

Generally speaking, what type of messages are set as the highest priority messages in QoS? (Multiple choice)

- A. ERP, email and other office traffic
- B. Real-time interactive traffic such as online ordering
- C. Routing protocol and other signaling traffic
- D. Online video and other multimedia traffic

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 228

AP8150 is an outdoor AP that supports WAVE2, Bluetooth, ZigBee, and external antenna.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 229

Data center switches CE6820, CE6863, CE6881 and the soon-to-be-released CE6881E are all Huawei's own controllable products.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 230

Which requirement should be focused on when selecting a WAF? (Multiple choice)

- A. HTTP/HTTPS service traffic size
- B. Network topology and web server location
- C. Total network traffic size
- D. Number of web sites to be protected

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 231

Which statement about CIS products is wrong?

- A. The first AI-based deformation test that can effectively detect adversarial samples
- B. CIS probes, firewalls, and switches integrate trapping to proactively discover threats
- C. AI detection capabilities across the entire attack chain
- D. Threat detection relies solely on cloud intelligence

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 232

Huawei Lianruan EDR will replace Jiangmin and can be linked with HiSec Insight by upgrading the integrated terminal license.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 233

In Huawei's level protection solution, which of the following are the products generally deployed in the security management center? (Multiple choice)

- A. AntiDDoS1800
- B. VSCAN1500
- C. DAS1000
- D. UMA1500E.
- E. CIS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 234

Towards the evolution of 25G, which of the following switches is a self-developed 25G model?

- A. CE6865
- B. CE6881
- C. CE6863
- D. CE6860

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 235

Which of the following statements is wrong about the visual quality of WAN SDN services and automatic fault location?

- A. Actively perceive business experience
- B. Intelligent fault diagnosis in minutes
- C. Minute-level SL Self-optimization
- D. SNMP-based implementation

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 236

IPFPM is more accurate than traditional measurement methods, but it can only measure indirectly and cannot detect real messages ()

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 237

Which of the following is not the center control point of APAD9430-24?

- A. Support 10G uplink
- B. Support fat AP mode, no need for wireless controller management, and provide authoritative third-party test report certification
- C. Support USB port, which can be used to transfer configuration files and upgrade files

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 238

Which of the following 40GE optical modules are currently in sustainable supply? (Multiple choice)

- A. 40GE.eSR4
- B. 40GE.LR4 Lite
- C. 40GE.LR4
- D. 40GE.LX4

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 239

How many types of application management and auditing does the latest version of ASG5000 support?

- A. 1000+
- B. 3000+
- C. 500+
- D. 5000+

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 240

H3C's AD-Campus supports free mobility based on user groups, without the need to bind to IP address segments.

- A. False
- B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 241

SD-WAN, like Internet and MPLS, is a pipeline service provided by operators to enterprises.

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

Valid H19-423_V1.0 Dumps shared by Actual4test.com for Helping Passing H19-423_V1.0 Exam! Actual4test.com now offer the **newest H19-423_V1.0 exam dumps**, the Actual4test.com H19-423_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H19-423_V1.0 dumps with Test Engine here: https://www.actual4test.com/H19-423_V1.0_examcollection.html (565 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 242

Which of the following is the correct description about ME60 and billing system? (Multiple choice)

- A. Shenlan's billing system has no mature solution
- B. No mature solutions for urban hot spots
- C. Urban hot spots have mature solutions
- D. Shenlan's billing system has a mature solution

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 243

Regarding the security products that Huawei Security Alliance can resell, which of the following is the correct answers? (Multiple choice)

- A.** In the portal website threat defense scenario, the web page anti-tampering system can be resold, which can effectively prevent the web page from being tampered with and achieve real-time recovery of the web page.
- B.** In the construction of confidential network security, the network gate can be resold to meet the physical isolation between networks.
- C.** In the scenario of refined permission management, IAM products can be resold
- D.** In the terminal security solution, EDR products can be resold and combined with CIS to form an automated terminal security monitoring and blocking solution

Answer: A,B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 244

Compared with IB, which of the following are the advantages of ROCE? (Multiple choice)

- A.** Low static latency
- B.** Cloudification
- C.** Bandwidth
- D.** Low cost

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 245

As a professional online behavior management product, ASG5000 solves the control and audit of online behavior for customers through functions such as online permission strategy, content control, online behavior audit, online flow and market control, and bandwidth management.

- A.** False
- B.** True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 246

Which of the following is not a benefit brought by agile campus network?

- A.** Unified user authentication through unified user management features
- B.** Divide the network into dormitory area and office area through one network and two planes
- C.** Reduce O&M workload through deep integration of wired and wireless networks
- D.** Realize real-time quality perception through IPCA, locate faults in real time, and improve user experience

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 247

Data center switch CE6820 is a very advantageous layer 2 and 3 switch for business

- A. False
- B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 248

Which features of Huawei WLAN are suitable for use in high-density scenarios? (Multiple choice)

- A. Fair time scheduling
- B. Air interface resource scheduling
- C. Automatic packet-by-packet power control
- D. 2.4GHz priority scheduling

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 249

The next generation AR mainly sells AR6000 and AR600 series. Which of the following belong to the AR600 series? (Multiple choice)

- A. AR6140-9G2AC
- B. 651C
- C. AR651W
- D. AR6121

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 250

In some special environments, more APs are needed and the channels cannot be completely separated. We can consider appropriately reducing the AP's transmit power to reduce interference.

- A. False
- B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 251

The value of SDN lies in its ability to be faster, more reliable and less labor-intensive than traditional networks.

- A. True
- B. False

Answer: A (LEAVE A REPLY)

NEW QUESTION: 252

4050DN-E is a wave2 AP with built-in Bluetooth and extensible protocol.

A. False

B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 253

AR600 series support the SIC-5G-100 card.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 254

According to the classification requirements of the 2.0 standard, the security protection level of national critical information infrastructure should not be lower than level 3.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 255

In addition to CE6880, CE6855 also supports micro-segmentation function.

A. False

B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 256

The industry's first optoelectronic hybrid switch supports all-optical access scenarios and is mainly used in scenarios where POE power supply requirements are within 100 meters.

A. True

B. False

Answer: A ([LEAVE A REPLY](#))

Valid H19-423_V1.0 Dumps shared by Actual4test.com for Helping Passing H19-423_V1.0 Exam! Actual4test.com now offer the **newest H19-423_V1.0 exam dumps**, the Actual4test.com H19-423_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H19-423_V1.0 dumps with Test Engine here: https://www.actual4test.com/H19-423_V1.0_examcollection.html (**565 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 257

Which of the following Network types supported by SD-WAN? (Multiple choice)

- A. Hub-spoke
- B. Partialmesh
- C. Fullmesh

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 258

Which of the following products are not cost-effective product solutions?

- A. AP252D
- B. AP2050
- C. AP8050
- D. AP4050

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 259

Wi-Fi i5 AP and Wi-Fi i6 AP cannot be deployed at the same time, mainly because Wi-Fi i6 terminals cannot access Wi-Fi 5

- A. True
- B. False

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 260

How many types of licenses are available for sale for VSCAN1506?

- A. 8
- B. 2
- C. 6
- D. 4

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 261

Generally speaking, SD-WAN solutions are suitable for which of the following commercial banks?

- A. Extranet
- B. Internet Exit
- C. Level 1 WAN
- D. Access Network

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 262

If the first AP has been set to channel 7, if you need to add another AP in the area, the channel of the AP should be set to ()

- A. Channel 7
- B. Channel 4
- C. Channel 3
- D. Channel 12

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 263

What are the models of CE16800 series modular switches for data centers that can be sold in H1 2020? (Multiple choice)

- A. CE16808
- B. CE16804S
- C. CE16804
- D. CE16808S
- E. CE16812
- F. CE16816

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 264

Which of the following is the key performance indicator that determines the Web application system?

- A. Transactions per second
- B. Bandwidth
- C. Number of TCP connections
- D. Network traffic

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 265

In the security protection scenario, which of the following products needs to be resold by the Security Alliance?

- A. Bastion Host
- B. Missed scan
- C. WAF.
- D. Gatekeeper

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 266

Which of the following statements about AirEngine5760-10 is correct? (Multiple choice)

- A. Built-in RFID module
- B. Support up to 512 users access
- C. The whole machine rate is up to 1.774Gbps
- D. 4 spatial streams for the whole device

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 267

SG5000 traffic management function, maximum () supported traffic channel definition.

- A. 5
- B. 2
- C. 3
- D. 4

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 268

Which of the following statements about the number of AV signatures and update frequency of USG6000E series products is correct?

- A. 5 million+ once a day
- B. 5 million+ once a week
- C. 10 million+ once a week
- D. 10 million+ once a day

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 269

Which of the following is not an advantage of AP7052DN over its competitors?

- A. Support 1G/2.5G/5G adaptive Ethernet interface
- B. Support PoE switch power supply at a distance of 200 meters
- C. Support PoEOUT output power supply

Answer: ([SHOW ANSWER](#))

Valid H19-423_V1.0 Dumps shared by Actual4test.com for Helping Passing H19-423_V1.0 Exam! Actual4test.com now offer the **newest H19-423_V1.0 exam dumps**, the Actual4test.com H19-423_V1.0 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com H19-423_V1.0 dumps with Test Engine here: https://www.actual4test.com/H19-423_V1.0_examcollection.html (**565 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)