

Juniper.JN0-451.v2023-03-11.q33

| | |
|---|-------------------------------------|
| Exam Code: | JN0-451 |
| Exam Name: | Mist AI - Specialist (JNCIS-MistAI) |
| Certification Provider: | Juniper |
| Free Question Number: | 33 |
| Version: | v2023-03-11 |
| # of views: | 613 |
| # of Questions views: | 330 |
| https://www.freepdfdumps.com/Juniper.JN0-451.v2023-03-11.q33.html | |

NEW QUESTION: 1

Which two events are displayed under the Client Events area found on the Insights page?
(Choose two.)

- A. DHCP Denied
- B. Restart by User
- C. Reassociation
- D. Reflection (Loop Detection)

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 2

Regarding the seven layer OSI networking model, which two layers are different between Ethernet and Wi-Fi? (Choose two.)

- A. physical layer
- B. network layer
- C. logical link control (LLC) sub-layer
- D. media access control (MAC) sub-layer

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 3

Which access points (APs) will be considered for inclusion in the AP Offline Marvis Action?

- A. all APs assigned to sites that have connected to the cloud previously
- B. all APs in inventory
- C. all purchased APs
- D. all APs assigned to sites

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Click the Exhibit button.

Referring to the exhibit, which statement is true?

- A. The WLAN is configured to use DFS channels.
- B. The WLAN is configured to use geofencing.
- C. The WLAN is configured to only broadcast on the 2.4 GHz spectrum.
- D. The WLAN is configured with the high-density data rate setting enabled.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 5

You are asked to set up occupancy analytics for an office that has an existing Mist AP.

Which three types of devices are counted by default? (Choose three.)

- A. mobile app clients
- B. Wi-Fi clients
- C. BLE assets
- D. cellular clients
- E. Zigbee clients

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 6

Which two statements are correct about the radio frequency rule of 10s and 3s? (Choose two.)

- A. If the signal strength increases by 3 dB, the power is doubled.
- B. If the signal strength increases by 3 dB, the power is tripled.
- C. If the signal strength decreases by 10 dB, the power decreases tenfold.
- D. If the signal strength decreases by 10 dB, the power is halved.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

Which two terms correctly describe transmissions over Wi-Fi? (Choose two.)

- A. full-duplex
- B. point-to-point medium
- C. shared medium
- D. half-duplex

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 8

A customer is replacing their previous WLAN controller with a Mist Edge to maintain centralization of user traffic.

How does Mist Edge affect control plane forwarding and data plane forwarding in this scenario?

- A. Control plane forwarding applies to the Mist Edge and data plane forwarding applies to the Mist Edge.
- B. Control plane forwarding applies to the Mist Edge and data plane forwarding applies to the Mist Cloud.
- C. Control plane forwarding applies to the Mist Cloud and data plane forwarding applies to the Mist Edge.
- D. Control plane forwarding applies to the Mist Cloud and data plane forwarding applies to the Mist Cloud.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

You are the only tenant in a building that has Wi-Fi. At times, the Wi-Fi network appears to be slow and you want to determine if the microwave oven is causing an issue because it is used throughout the day. Which SLE metric and classifier should you look at to determine the issue?

- A. capacity/non-wifi interference
- B. throughput/coverage
- C. throughput/network issues
- D. capacity/wifi interference

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Some users cannot connect to the network. You want to identify these users. In Marvis, which query accomplishes this task?

- A. unhappy clients
- B. troubleshoot access points
- C. troubleshoot clients
- D. list clients

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 11

Asset tracking using Mist-supported third-party BLE beacons has been installed in a warehouse. The BLE beacons were configured using their manufacturer-supplied configuration utility and BLE was properly configured for the site settings. When the warehouse floor plan is opened in Live View, the third-party beacons are not shown. Which two statements describe causes for this issue? (Choose two.)

- A. Marvis was not enabled for the site.
- B. The Show assets check box has not been selected in Live View.
- C. The APs are installed at 19 feet from the floor, above the recommended 15 feet.
- D. The Locate this Client as an Asset check box has not been selected at the BLE client level.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 12

What are two ways to access Marvis? (Choose two.)

- A. Use the conversational assistant.
- B. Use config templates.
- C. Use Insights.
- D. Use Actions.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

You want to identify APs that are not associated with your network. However, the APs broadcast your corporate login page and WLAN name.

What does Mist use to identify APs in this scenario?

- A. an approved AP
- B. a rogue AP
- C. a neighbor AP
- D. a honeypot AP

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

What does Mist's patented 16-element vBLE Antenna Array do when "engagement" is enabled?

- A. performs radio resource management
- B. transmits unique and directional BLE beams
- C. locates Wi-Fi assets
- D. performs personal pre-shared key sharing

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

Click the Exhibit button.

Referring to the exhibit, which statement is correct about the Post-Install user's role?

- A. It has full access to all sites.
- B. It has read-only access to all sites.
- C. It has access limited to installing APs and switches at all sites.
- D. It is used for help desk monitoring and workflow for all sites.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 16

Your customer added an Apple TV in their conference room so that employees can easily share their screen. However, the Apple TV cannot be discovered by the employees' devices.

Which two settings are causing the problem? (Choose two.)

- A. MDNS
- B. ARP
- C. Broadcast/Multicast
- D. Ignore Broadcast SSID Probe Requests

Answer: A,B (LEAVE A REPLY)

Valid JN0-451 Dumps shared by Actual4test.com for Helping Passing JN0-451 Exam! Actual4test.com now offer the **newest JN0-451 exam dumps**, the Actual4test.com JN0-451 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com JN0-451 dumps with Test Engine here:

https://www.actual4test.com/JN0-451_examcollection.html (82 Q&As Dumps, **30%OFF**)

Special Discount: Freepdfdumps)

NEW QUESTION: 17

Referring to the exhibit, what does the security alert indicate?

- A. An AP that is not part of the Mist Org is operating in the same RF channel as the nearby Mist AP.
- B. An AP that is not part of the Mist Org is advertising the same SSIDs as the Mist APs.
- C. An AP that is not part of the Mist Org is launching a DDoS attack on the Mist APs.
- D. An AP that is not part of the Mist Org is connected to the same wired network as the Mist APs.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 18

The customer wants to broadcast a WLAN at a certain time and day of the week.

Which statement is correct in this scenario?

- A. APs need to be upgraded for this feature.
- B. Third-party integration is required to achieve this requirement.
- C. SSID scheduling should be configured.
- D. Mist supports this function with an additional subscription.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 19

Which two statements are true about 802.1X/EAP? (Choose two.)

- A. Credentials are exchanged with a RADIUS server prior to the 4-way Handshake.

- B. Credentials are exchanged with a RADIUS server after the 802.11 Association.
- C. Credentials are exchanged with a RADIUS server after the 4-way Handshake.
- D. Credentials are exchanged with a RADIUS server prior to the 802.11 Association.

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 20

Click the Exhibit button.

Referring to the exhibit, what is the meaning of the AI VALIDATED status update?

- A. The issue was opened and Marvis has closed it.
- B. The issue was opened and closed manually.
- C. The issue was opened and Marvis confirms it has been closed.
- D. The issue was opened and is unresolved.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 21

According to the Coverage SLE, which classifier tracks a client that transmits at a lower data rate than the AP to which it is connected?

- A. Wi-Fi Interference
- B. Asymmetry Downlink
- C. Slow OKC Roam
- D. Asymmetry Uplink

Answer: D (LEAVE A REPLY)

NEW QUESTION: 22

A user with a PSK calls you and says, "The Wi-Fi worked for a week and now it does not work." There have not been any recent configuration changes to the network. You suspect that a time-based setting has reset the key.

In this scenario, where would you begin troubleshooting?

- A. Organization-level Pre-Shared Keys
- B. RADIUS Pre-Shared Keys
- C. Site-level Pre-Shared Keys
- D. WLAN-level Pre-Shared Keys

Answer: D (LEAVE A REPLY)

NEW QUESTION: 23

All the access points (APs) on the site will obtain an IP address for the Management VLAN. You notice an additional IP address for each configured VLAN on the AP.

Which statement is correct in this scenario?

- A. This behavior is enabled by default under the Site configuration.
- B. The AP MAC has a DHCP reservation.
- C. The Local Status Page has been enabled in the AP setting under the Site configuration.

D. The AP is configured to support wireless mesh.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Which two statements are correct about Juniper Mist Dynamic Packet Capture? (Choose two.)

A. No configuration is necessary for Mist's Dynamic Packet Capture.

B. It must be globally configured at the organization level.

C. It is automatically attached to a client event displayed on the Insights page.

D. It is automatically attached to the Affected Items list in the Successful Connects SLE.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 25

What is the impact of adding more SSIDs to a radio?

A. channel overlap

B. less secure

C. beacon overhead

D. less BSSIDs reserved for a mesh network

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

What do 802.11 stations perform to help avoid collisions on the WLAN medium?

A. 802.11 stations detect collisions and set a back-off timer.

B. Transmit on a fixed schedule.

C. Stations only transmit when polled by the access point.

D. Listen to verify that the medium is free before transmitting.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 27

Site A is configured with a WLAN and a policy. The administrator creates a configuration template at the organization level with additional policies for the same WLAN and mentions Site A in this template.

In this scenario, which statement is correct?

A. There is no option to mention the site in the config template at the organization level.

B. The policy that is created at the site level will execute first.

C. The policy created at the organization level can be applied to a site group, not to an individual site.

D. The policy that is created in the config template at the organization level will execute first.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

What happens first when a client requests to join a WLAN?

- A. ARP request
- B. DHCP discovery
- C. 802.11 association
- D. 802.11 authentication

Answer: D (LEAVE A REPLY)

NEW QUESTION: 29

Click the Exhibit button.

Referring to the exhibit, which statement is correct?

- A. The packet capture was taken manually.
- B. The packet capture will contain full frames.
- C. The packet capture will contain only management frames.
- D. The packet capture was taken automatically.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 30

Mist WLAN objects are configurable at which two levels? (Choose two.)

- A. access point
- B. site group
- C. organization
- D. site

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 31

Click the Exhibit button.

A user opened a ticket. Upon troubleshooting, you determine that frequent roaming is the root cause of the problem.

Referring to the exhibit, which statement describes the roaming issue that the client is experiencing?

- A. There are frequent roams between different access points.
- B. There are frequent roams between different protocols.
- C. There are frequent roams between different WLANs.
- D. There are frequent roams between different bands.

Answer: A (LEAVE A REPLY)

JN0-451 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com JN0-451 dumps with Test Engine here:

https://www.actual4test.com/JN0-451_examcollection.html (82 Q&As Dumps, **30%OFF**

Special Discount: **Freepdfdumps**)

NEW QUESTION: 32

You are deploying three WLAN 2.4 GHz networks in your US-based site. You must ensure that each network frequency is unique and does not overlap with the other frequency channels.

In this scenario, which three OFDM channels should be used? (Choose three.)

- A. 11
- B. 13
- C. 6
- D. 3
- E. 1

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 33

What are two 802.11 MAC frame types? (Choose two.)

- A. control
- B. management
- C. SSID
- D. BSSID

Answer: A,B ([LEAVE A REPLY](#))

Valid JN0-451 Dumps shared by Actual4test.com for Helping Passing JN0-451 Exam! Actual4test.com now offer the **newest JN0-451 exam dumps**, the Actual4test.com JN0-451 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com JN0-451 dumps with Test Engine here:

https://www.actual4test.com/JN0-451_examcollection.html (82 Q&As Dumps, **30%OFF**

Special Discount: **Freepdfdumps**)