

## Microsoft.AZ-120.v2022-08-06.q56

Exam Code:	AZ-120
Exam Name:	Planning and Administering Microsoft Azure for SAP Workloads
Certification Provider:	Microsoft
Free Question Number:	56
Version:	v2022-08-06
# of views:	1419
# of Questions views:	560
<a href="https://www.freepdfdumps.com/Microsoft.AZ-120.v2022-08-06.q56.html">https://www.freepdfdumps.com/Microsoft.AZ-120.v2022-08-06.q56.html</a>	

### NEW QUESTION: 1

You have an SAP environment on Azure that contains a single-tenant SAP NANA server at instance 03.

You need to monitor the network throughput from an SAP application server to the SAP HANA server.

How should you complete the script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
SHANA = Get-AzNetworkInterface -Name HANAP01-NIC -ResourceGroupName Production
$SAPP = Get-AzNetworkUsage -ResourceGroupName Production
Get-AzNetworkWatcher
Get-AzVM

New-AzNetworkWatcherConnectionMonitor -NetworkWatcher (Get-AzNetworkWatcher)
-Name HANA - DestinationAddress ((SHANA).IpConfigurations.PrivateIPAddress)
-DestinationPort 1433 -SourceResourceId $SAPP.Id
```

Answer:

```
SHANA = Get-AzNetworkInterface -Name HANAP01-NIC -ResourceGroupName Production
$SAPP = Get-AzNetworkUsage -ResourceGroupName Production
Get-AzNetworkWatcher
Get-AzVM

New-AzNetworkWatcherConnectionMonitor -NetworkWatcher (Get-AzNetworkWatcher)
-Name HANA - DestinationAddress ((SHANA).IpConfigurations.PrivateIPAddress)
-DestinationPort 1433 -SourceResourceId $SAPP.Id
```

NEW QUESTION: 2

You plan to migrate an on-premises SAP environment to Azure.

You need to identify whether any SAP application servers host multiple SAP system identifiers (SIDs).

What should you do?

- A. Run the SAP Report from ABAPMeter.
- B. Run SAP HANA A sizing report.
- C. From the SAP EarlyWatch Alert report, compare the physical host names to the virtual host names.
- D. From the SAP EarlyWatch Alert report, compare the services to the reference objects

**Answer: A (LEAVE A REPLY)**

### NEW QUESTION: 3

You plan to deploy an SAP production landscape on Azure.

You need to minimize latency between SAP HANA database servers and SAP NetWeaver servers.

What should you implement?

- A. a proximity placement group
- B. an Availability Set
- C. Azure Private Link
- D. a virtual machine scale set

**Answer: A (LEAVE A REPLY)**

### NEW QUESTION: 4

You have an Azure subscription that contains a resource group named RG1. The role assignments for RG1 are shown in the following exhibit.

```
Azure:/
PS Azure:\> Get-AZRoleAssignment -ResourceGroupName RG1 | Where DisplayName -Like "user*"
| Select DisplayName, RoleDefinitionName

DisplayName RoleDefinitionName
-----
User3      User Access Administrator
User2      Backup Contributor
User1      Contributor
User4      Security Administrator
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Microsoft
User1
User2
User3
User4

can create a Recovery Services vault in RG1

User1
User2
User3
User4

can assign User4 as an owner of RG1

**Answer:**

User1
User2
User3
User4



can create a Recovery Services vault in RG1

User1
User2
User3
User4

can assign User4 as an owner of RG1

Explanation

Graphical user interface, application, table Description automatically generated



Box 1: User2

Graphical user interface, application, table Description automatically generated

Management Operation	Minimum Azure role required	Scope Required
Create Recovery Services vault	Backup Contributor	Resource group containing the vault

Note:

Backup Contributor - This role has all permissions to create and manage backup except deleting Recovery Services vault and giving access to others. Imagine this role as admin of backup management who can do every backup management operation.

Box 2: User3

The User Access Administrator role lets you manage user access to Azure resources.

Reference:

<https://docs.microsoft.com/en-us/azure/backup/backup-rbac-rs-vault>

<https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles>

### NEW QUESTION: 5

Once the migrate completes, to which size should you set the ExpressRoute circuit to the New York office to meet the business goals and technical requirements?

- A. 500 Mbps
- B. 1,000 Mbps
- C. 2,000 Mbps
- D. 5,000 Mbps

Answer: ([SHOW ANSWER](#))

## Explanation

ExpressRoute circuits are configured to allow you to burst up to two times the bandwidth limit you procured for no additional cost.

Scenario: It is estimated that during the migration, the bandwidth required between Azure and the New York office will be 1 Gbps. After the migration, a traffic burst of up to 3 Gbps will occur.

References:

<https://docs.microsoft.com/en-us/azure/expressroute/expressroute-faqs>

### **NEW QUESTION: 6**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You deploy SAP HANA on Azure (Large Instances).

You need to back up the SAP HANA database to Azure.

Solution: Back up directly to disk, copy the backups to an Azure virtual machine, and then copy the backup to an Azure Storage account Does this meet the goal?

A. Yes

B. No

**Answer: B (LEAVE A REPLY)**

## Explanation

Instead you should create a Recovery Services vault and a backup policy.

Reference:

<https://docs.microsoft.com/en-us/azure/backup/sap-hana-db-about>

<https://docs.microsoft.com/en-us/azure/backup/backup-azure-sap-hana-database#configure-backup>

### **NEW QUESTION: 7**

You are building an SAP environment by using Azure Resource Manager templates. The SAP environment will use Linux virtual machines.

You need to correlate the LUN of the data disks in the template to the volume of the virtual machines.

Which command should you run/

A. Is /dev/ disk/azure/root

B. Tree /dev/disk/azure/resource

C. Is /dev/ disk/azure/scsil

D. Tree /dev/ disk/azure/root


**Answer: D (LEAVE A REPLY)**

### **NEW QUESTION: 8**

For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
After the migration, all user authentication to the SAP applications must be handled by Azure Active Directory (Azure AD).	<input type="radio"/>	<input type="radio"/>
The migration requires that the on-premises Active Directory domain syncs to Azure Active Directory (Azure AD).	<input type="radio"/>	<input type="radio"/>
After the migration users will be able to authenticate to the SAP applications by using their existing credentials in litware.com.	<input type="radio"/>	<input type="radio"/>

Answer:



Explanation

Statements	Yes	No
After the migration, all user authentication to the SAP applications must be handled by Azure Active Directory (Azure AD).	<input checked="" type="radio"/>	<input type="radio"/>
The migration requires that the on-premises Active Directory domain syncs to Azure Active Directory (Azure AD).	<input checked="" type="radio"/>	<input type="radio"/>
After the migration users will be able to authenticate to the SAP applications by using their existing credentials in litware.com.	<input checked="" type="radio"/>	<input type="radio"/>

In a Hybrid-IT scenario, Active Directory from on-premises can be extended to serve as the authentication mechanism through an Azure deployed domain controller (as well as potentially using the integrated DNS).

It is important to distinguish between traditional Active Directory Servers and Microsoft Azure Active Directory that provides only a subset of the traditional on-premises AD offering. This subset include Identity and Access Management, but does not have the full AD schema or services that many 3rd party application take advantage of. While Azure Active Directory IS a requirement to establish authentication for the Azure virtual machines in use, and it can synchronize users with customers' on-premises AD, the two are explicitly different and customers will likely continue to require full Active Directory servers deployed in Microsoft Azure.

References:

[https://www.suse.com/media/guide/sap\\_hana\\_on\\_azure\\_101.pdf](https://www.suse.com/media/guide/sap_hana_on_azure_101.pdf)

### **NEW QUESTION: 9**

You have an on-premises SAP landscape that contains an IBM DB2 database.

You need to recommend a solution to migrate the landscape to Azure and the database to SAP HANA. The solution must meet the following requirements:

- \* Be supported by SAP.
- \* Minimize downtime.

What should you include in the recommendation?

- A.** SAP Database Migration Option (DMO) with System Move
- B.** Azure Database Migration Service
- C.** Azure Import/Export service
- D.** Azure Data Box Gateway

**Answer: A (LEAVE A REPLY)**

Explanation

In 2013, SAP introduced new procedure called Database Migration Option (part of Software Update Manager), which can help you during the migration to HANA database. It combines Unicode conversion, system update and database migration into a single step which extremely simplified the overall process.

Reference:

<https://blogs.sap.com/2017/10/05/your-sap-on-azure-part-2-dmo-with-system-move/>

### **NEW QUESTION: 10**

You plan to deploy a scale-out SAP HANA deployment on Azure virtual machines that will contain a standby node.

You need to recommend a storage solution for the deployment.

What should you recommend? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point

**Answer:**

see the explanation for below image

Explanation

Answer selected as in image below.



### NEW QUESTION: 11

You plan to deploy an SAP environment on Azure. The SAP environment will have landscapes for production, development, and quality assurance.

You need to minimize the costs associated with running the development and quality assurance landscapes on Azure. What should you do?

- A. Create Azure Automation runbooks to stop, deallocate, and start Azure virtual machines.
- B. Create a scheduled task that runs the stopsap command.
- C. Configure scaling for Azure App Service.
- D. Configure Azure virtual machine scales sets.

**Answer:** ([SHOW ANSWER](#))

Explanation

You can optimize your Azure Costs by Automating SAP System Start - Stop using runbooks.

Reference:

<https://techcommunity.microsoft.com/t5/running-sap-applications-on-the/optimize-your-azure-costs-by-automati>


### NEW QUESTION: 12

Your on-premises network contains SAP and non-SAP applications. ABAP-based SAP systems are integrated with IDAP and use user name/password-based authentication for logon.

You plan to migrate the SAP applications to Azure.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.



**Answer:**


Answer Area

Statements

Azure Active Directory (Azure AD) pass-through authentication enables users to connect to the ABAP-based SAP systems on Azure by using their on-premises user name/password.  Yes  No

Azure Active Directory (Azure AD) password hash synchronization enables users to connect to the ABAP-based SAP systems on Azure by using their on-premises user name/password.  Yes  No

Active Directory Federation Services (AD FS) supports authentication between on-premises Active Directory and Azure systems that use different domains.  Yes  No



### NEW QUESTION: 13

You have an SAP production landscape on-premises and an SAP development landscape on Azure.

You deploy a network virtual appliance to act as a firewall between the Azure subnet and the on-premises network.

Solution: You deploy an Azure Standard Load balancer.

Does this meet the goal?

- A. No
- B. Yes

**Answer: B (LEAVE A REPLY)**

### NEW QUESTION: 14

Litware is evaluating whether to add high availability after the migration?

What should you recommend to meet the technical requirements?

- A. Azure virtual machine auto-restart with SAP HANA service auto-restart.
- B. Azure Site Recovery
- C. SAP HANA system replication and Azure Availability Sets

**Answer: C (LEAVE A REPLY)**

### NEW QUESTION: 15

You plan to deploy an SAP environment on Azure.

During a bandwidth assessment, you identify that connectivity between Azure and an on-premises datacenter requires up to 5 Gbps.

You need to identify which connectivity method you must implement to meet the bandwidth requirement. The solution must minimize costs.

Which connectivity method should you identify?

- A. an ExpressRoute connection
- B. an Azure site-to-site VPN that is route-based
- C. an Azure site-to-site VPN that is policy-based
- D. Global VNet peering

**Answer: (SHOW ANSWER)**

Explanation

Azure site-to-site VPN is cheaper.

References:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/hybrid-networking/vpn>

**NEW QUESTION: 16**

You have an SAP environment on Azure.

You use Azure Recovery Services to back up an SAP application server.

You need to test the restoration process of a file on the server.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

- Download and run the mount disk executable
- From Azure Cloud Shell, run the `Get-AzBackupItem` cmdlet
- From Azure Recovery Vault, select **File Recovery**
- Recover the file and unmount the disk
- From Azure Cloud Shell, run the `Get-AzBackupRecoveryPoint` cmdlet

**Answer Area**

Navigation arrows: Left arrow, Right arrow, Up arrow, Down arrow.

**Answer:**

**Actions**

- Download and run the mount disk executable
- From Azure Cloud Shell, run the `Get-AzBackupItem` cmdlet
- From Azure Recovery Vault, select **File Recovery**
- Recover the file and unmount the disk
- From Azure Cloud Shell, run the `Get-AzBackupRecoveryPoint` cmdlet

**Answer Area**

- From Azure Recovery Vault, select **File Recovery**
- Download and run the mount disk executable
- Recover the file and unmount the disk

Navigation arrows: Left arrow, Right arrow, Up arrow, Down arrow.

Explanation

From Azure Recovery Vault, select  
**File Recovery**

Download and run the mount disk  
executable

Recover the file and unmount the disk



Step 1: From Azure Recover Vault, select File Recovery


To restore files or folders from the recovery point, go to the virtual machine and choose the desired recovery point.

Step 2: Download and run the mount disk executable

Step 3: recover the file and unmount the disk

# File Recovery

v2win2012r2



## ✓ Step 1: Select recovery point

7/20/2017, 1:36:40 PM [Latest] (AppCo... ▼

## → Step 2: Download script to browse and recover files

This script will mount the disks from the selected recovery point **as local drives on the machine where it is run**. These drives will remain mounted for 12 hours.

[Download Executable](#)

Requires password to run

## → Step 3: Unmount the disks after recovery

Microsoft

Unmount disks and close the connection to the recovery point.

[Unmount Disks](#)

\* Run this script on the machine where you want to copy the files

\* To restore files larger than 10GB, restore entire VM to an alternate location or restore disks using PowerShell  
\* Data transfer rate: up to 1GB/Hr

If you have trouble finding your files,  
[click here](#)

**Valid AZ-120 Dumps** shared by Actual4test.com for Helping Passing AZ-120 Exam!  
Actual4test.com now offer the **newest AZ-120 exam dumps**, the Actual4test.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-120 dumps with Test Engine here:

[https://www.actual4test.com/AZ-120\\_examcollection.html](https://www.actual4test.com/AZ-120_examcollection.html) (309 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps)**

#### **NEW QUESTION: 17**

You have an on-premises SAP environment that uses AIX servers and IBM DB2 as the database platform.

You plan to migrate SAP to Azure. In Azure, the SAP workloads will use Windows Server and Microsoft SQL Server as the database platform.

What should you use to export from DB2 and import the data to SQL Server?

- A. R3load
- B. Azure SQL Data Warehouse
- C. SQL Server Management Studio (SSMS)
- D. R3trans

**Answer: ([SHOW ANSWER](#))**

Explanation

Both R3load and SSMA can be used to migrate from DB2 to SQL Server. In the options there is not SSMA, but SSMS, the SSMS cannot be use to migrate DB2 to SQL Server. please refer to:  
<https://techcommunity.microsoft.com/t5/running-sap-applications-on-the/sap-os-db-migration-to-sql-server-faq/b>

<https://sapnwnewbie.blogspot.com/2013/07/osdb-migration-cmd-str-toc-ext-r3load.html>

<https://docs.microsoft.com/en-us/sql/ssma/sql-server-migration-assistant?view=sql-server-ver15>

<https://docs.microsoft.com/en-us/sql/ssms/sql-server-management-studio-ssms?view=sql-server-ver15>

#### **NEW QUESTION: 18**

You deploy an SAP environment on Azure.

You need to grant an SAP administrator read-only access to the Azure subscription. The SAP administrator must be prevented from viewing network information.

How should you configure the role-based access control (RBAC) role definition? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all.

**Values**

- "/read"
- "/read"
- "/read"
- "/read"
- "/read"
- "/read"
- "/read"
- "/read"

**Answer Area**

```

{
  "Name": "CustomRole001",
  "IsCustom": true,
  "Description": "",
  "Actions": [ ],
  "NotActions": [ ],
  "DataCtions": [],
  "AssignableScopes": ["/subscriptions/ 0eae253-d1ee-423e-a95a-418939ee14ae"]
}
                    
```

**Answer:**

**Values**

- "/read"
- "/read"
- "/read"
- "/read"
- "/read"
- "/read"
- "/read"
- "/read"

**Answer Area**

```

{
  "Name": "CustomRole001",
  "IsCustom": true,
  "Description": "",
  "Actions": [ "/read" ],
  "NotActions": [ "Microsoft.Network/*/read" ],
  "DataCtions": [],
  "AssignableScopes": ["/subscriptions/ 0eae253-d1ee-423e-a95a-418939ee14ae"]
}
                    
```

**Explanation**


```

{
  "Name": "CustomRole001",
  "IsCustom": true,
  "Description": "",
  "Actions": [ "/read" ],
  "NotActions": [ "Microsoft.Network/*/read" ],
  "DataCtions": [],
  "AssignableScopes": ["/subscriptions/ 0eae253-d1ee-423e-a95a-418939ee14ae"]
}
                    
```


**NEW QUESTION: 19**

You have an SAP production landscape that uses SAP HANA databases.

You configure a metric alert for the primary HANA server as shown in the following exhibit.

**Configure signal logic** 

Percentage CPU (Platform)  
The percentage of allocated compute units that are currently in use by the Virtual Machine(s)

Chart period: 

---

**Answer Area**

Statements	Yes	No
HANA Admins will be alerted by email if the server is at 85 percent for one minute, and then lowers to 40 percent.	<input type="radio"/>	<input type="radio"/>
HANA Admins will be alerted if the server is at 95 percent for 15 minutes.	<input type="radio"/>	<input type="radio"/>
Amy@contoso.com will be alerted by email if the server CPU cycles between 80 and 90 percent for 15 minutes.	<input type="radio"/>	<input type="radio"/>

**Answer:**

**Answer Area**

Statements	Yes	No
HANA Admins will be alerted by email if the server is at 85 percent for one minute, and then lowers to 40 percent.	<input type="radio"/>	<input checked="" type="radio"/>
HANA Admins will be alerted if the server is at 95 percent for 15 minutes.	<input checked="" type="radio"/>	<input type="radio"/>
Amy@contoso.com will be alerted by email if the server CPU cycles between 80 and 90 percent for 15 minutes.	<input checked="" type="radio"/>	<input type="radio"/>

**Explanation**

Graphical user interface, text, application, email Description automatically generated

Statements	Yes	No
HANA Admins will be alerted by email if the server is at 85 percent for one minute, and then lowers to 40 percent	<input type="radio"/>	<input checked="" type="radio"/>
HANA Admins will be alerted if the server is at 95 percent for 15 minutes	<input checked="" type="radio"/>	<input type="radio"/>
Amy@contoso.com will be alerted by email if the server CPU cycles between 80 and 90 percent for 15 minutes	<input checked="" type="radio"/>	<input type="radio"/>

Box 1: No

The period is 15 minutes. Only alerts or emails will be sent.

Box 2: Yes

Box 3: Yes

**NEW QUESTION: 20**

You plan to migrate an SAP database from Oracle to Microsoft SQL Server by using the SQL Server Migration Assistant (SSMA).

You are configuring a Proof of Concept (PoC) for the database migration You plan to perform the migration multiple times as part of the PoC.


You need to ensure that you can perform the migrations as quickly as possible. The solution must ensure that all Oracle schemas are migrated.

Which migration method and migration mode should you use? To answer, select the appropriate

options in the answer area NOTE: Each correct selection is worth one point.

**Answer:**

Answer selected as in image below.



**NEW QUESTION: 21**

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.



**Statements**

Azure AD Connect is required to sign into Linux virtual machines hosted in Azure.

**Yes**

**No**

An SAP application server that runs on a Linux virtual machine in Azure must be joined to Active Directory.

Before you can sign into an SAP application server that runs on a Linux virtual machine in Azure, you must create a Managed Service Identity (MSI).

**Answer:**



**Statements**

Azure AD Connect is required to sign into Linux virtual machines hosted in Azure.

**Yes**

**No**

An SAP application server that runs on a Linux virtual machine in Azure must be joined to Active Directory.

Before you can sign into an SAP application server that runs on a Linux virtual machine in Azure, you must create a Managed Service Identity (MSI).

Explanation

Box 1: No

To log in to a Linux VM with Azure AD credentials, install the Azure Active Directory login VM extension.

Note: Azure AD Connect is the Microsoft tool designed to meet and accomplish your hybrid identity goals.

Box 2: NO

Box 3: No

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/deployment-guide>

### **NEW QUESTION: 22**

You have an on-premises SAP environment hosted on VMware vSphere that in Microsoft SQL Server as the database platform. You plan to migrate the environment to Azure. The database platform will remain the same.

You need gather information to size the target Azure Environment for the migration. What should you use?

What should you use?

- A. Azure Monitor
- B. the SAP NANA sizing report
- C. the SAP EarlyWatch Alert report
- D. Azure Advisor

**Answer: C (LEAVE A REPLY)**

Explanation

<https://azure.microsoft.com/nl-nl/blog/sap-on-azure-architecture-designing-for-performance-and-scalability/>

"For existing on-premises systems, you should reference system configuration and resource utilization data.

The system utilization information is collected by the SAP OS Collector and can be reported via SAP transaction OS07N as well as the EarlyWatch Alert. "

### **NEW QUESTION: 23**

You are deploying an SAP environment across Azure Availability Zones. The environment has the following components:

- \* ASCS/ERS instances that use a failover cluster
- \* SAP application servers across the Azure Availability Zones
- \* Database high availability by using a native database solution

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Network latency is a limiting factor when deploying DBMS instances that use synchronous replication across the Azure Availability Zones.	<input type="radio"/>	<input type="radio"/>
The performance of SAP systems can be validated by using ABAPMeter.	<input type="radio"/>	<input type="radio"/>
To help identify the best Azure Availability Zones for deploying the SAP components, you can use NIPING to verify network latency between the zones.	<input type="radio"/>	<input type="radio"/>

**Answer:**

Statements	Yes	No
Network latency is a limiting factor when deploying DBMS instances that use synchronous replication across the Azure Availability Zones.	<input checked="" type="radio"/>	<input type="radio"/>
The performance of SAP systems can be validated by using ABAPMeter.	<input checked="" type="radio"/>	<input type="radio"/>
To help identify the best Azure Availability Zones for deploying the SAP components, you can use NIPING to verify network latency between the zones.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation

Box 1: Yes

Box 2: Yes

AAP application server to database server latency can be tested with ABAPMeter report /SSA/CAT.

Box 3: Yes

To analyze network issue or measure network metrics you can test the connection using SAP's NIPING program. You can use NIPING to analyze the network connection between any two machines running SAP software.

Reference:

<https://azure.microsoft.com/sv-se/blog/azure-availability-zones-expand-with-new-services-and-to-new-regions-in>

<https://azure.microsoft.com/en-us/blog/sap-on-azure-architecture-designing-for-performance-and-scalability/>

<https://wiki.scn.sap.com/wiki/pages/viewpage.action?pageId=360974069>

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-ha-availability-zones#:~:text=In%20>

### NEW QUESTION: 24

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You deploy SAP HANA on Azure (Large Instances).

You need to back up the SAP HANA database to Azure.

Solution: You use a third-party tool that uses backint to back up the SAP HANA database to Azure storage.

Does this meet the goal?

A. Yes

B. No

Answer: ([SHOW ANSWER](#))

Explanation

<https://blogs.sap.com/2018/08/31/overview-of-backint-for-sap-hana-and-faq-for-3rd-party-backup-tool-support/>

[https://documentation.commvault.com/commvault/v11\\_sp16/article?p=114414.htm](https://documentation.commvault.com/commvault/v11_sp16/article?p=114414.htm)

### NEW QUESTION: 25

You need to provide the Azure administrator with the values to complete the Azure Resource Manager template.

Which values should you provide for diskCount, StorageAccountType, and domainName? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

diskCount:

storageAccountType:

domainName:

Microsoft

Answer:

diskCount:

 Microsoft ▼

0
1
2
4

storageAccountType:

▼

Premium_LRS
Standard_GRS
Standard_LRS

domainName:

▼

ad.contoso.com
ad.contoso.onmicrosoft.com
contoso.com
contoso.onmicrosoft.com

Explanation

diskCount:

▼

0
1
2
4



storageAccountType:

▼

Premium_LRS
Standard_GRS
Standard_LRS

domainName:

▼

ad.contoso.com
ad.contoso.onmicrosoft.com
contoso.com
contoso.onmicrosoft.com

Box 1: 4

Scenario: the Azure Resource Manager template that will be used to provision the production

application servers.

Ensure that each production application server has four 1-TB data disks.

Box 2: Standard\_LRS

Scenario: Minimize costs whenever possible.

Box 3: contoso.onmicrosoft.com

The network contains an on-premises Active Directory domain named ad.contoso.com.

The Initial domain: The default domain (onmicrosoft.com) in the Azure AD Tenant. For example, contoso.onmicrosoft.com.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/plan-connect-userprincipalname>

### **NEW QUESTION: 26**

You are deploying an SAP environment on Azure that will use an SAP HANA database server. You provision an Azure virtual machine for SAP HANA by using the M64s virtual machine SKU. You need to set the swap space by using the Microsoft Azure Linux Agent (waagent) configuration file.

Which two settings should you configure? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. ResourceDisk.EnableSwapEncryption=n
- B. AutoUpdate.Enabled=n
- C. ResourceDisk.SwapSizeMB=229376
- D. ResourceDisk.EnableSwap=y

**Answer: ([SHOW ANSWER](#))**

Explanation

To create a swap file in the directory that's defined by the ResourceDisk.MountPoint parameter, you can update the /etc/waagent.conf file by setting the following three parameters:

ResourceDisk.Format=y

ResourceDisk.EnableSwap=y

ResourceDisk.SwapSizeMB=xx

References:

<https://support.microsoft.com/en-us/help/4010058/how-to-add-a-swap-file-in-linux-azure-virtual-machines>

### **NEW QUESTION: 27**

You have SAP ERP on Azure.

For SAP high availability, you plan to deploy ASCS/ERS instances across Azure Availability Zones and to use failover clusters.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Microsoft Statements	Yes	No
To create a failover solution, you can use an Azure Basic Load Balancer for Azure virtual machines deployed across the Azure Availability Zones.	<input type="radio"/>	<input type="radio"/>
You can deploy Azure Availability Sets within an Azure Availability Zone.	<input type="radio"/>	<input type="radio"/>
The solution must use Azure managed disks.	<input type="radio"/>	<input type="radio"/>

**Answer:**

Microsoft Statements	Yes	No
To create a failover solution, you can use an Azure Basic Load Balancer for Azure virtual machines deployed across the Azure Availability Zones.	<input type="radio"/>	<input checked="" type="radio"/>
You can deploy Azure Availability Sets within an Azure Availability Zone.	<input checked="" type="radio"/>	<input type="radio"/>
The solution must use Azure managed disks.	<input checked="" type="radio"/>	<input type="radio"/>

**Explanation**

Microsoft Statements	Yes	No
To create a failover solution, you can use an Azure Basic Load Balancer for Azure virtual machines deployed across the Azure Availability Zones.	<input type="radio"/>	<input checked="" type="radio"/>
You can deploy Azure Availability Sets within an Azure Availability Zone.	<input checked="" type="radio"/>	<input type="radio"/>
The solution <b>must</b> use Azure managed disks.	<input checked="" type="radio"/>	<input type="radio"/>

**Box 1: No**

You can't use an Azure Basic Load Balancer to create failover cluster solutions based on Windows Server Failover Clustering or Linux Pacemaker. Instead, you need to use the Azure Standard Load Balancer SKU.

**Box 2: Yes**

Azure Availability Zones is one of the high-availability features that Azure provides. Using Availability Zones improves the overall availability of SAP workloads on Azure.

The SAP application layer is deployed across one Azure availability set. For high availability of SAP Central Services, you can deploy two VMs in a separate availability set.

**Box 3: Yes**

You must use Azure Managed Disks when you deploy to Azure Availability Zones.

**Reference:**

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-ha-availability-zones>

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-proximity-placement-scenarios#com>

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/sap/sap-netweaver>

### **NEW QUESTION: 28**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You plan to migrate an SAP HANA instance to Azure.

You need to gather CPU metrics from the last 24 hours from the instance.

Solution: You use DBA Cockpit from SAP GUI.

Does this meet the goal?

**A.** Yes

**B.** No

**Answer: A** ([LEAVE A REPLY](#))

Explanation

The SAP HANA cockpit provides a single point of access to a range of SAP HANA administration and monitoring tasks. It is used to monitor and ensure the overall health of the system.

The HANA Monitoring dashboard also visualizes key HANA Metrics of SAP HANA system.

References:

<https://developers.sap.com/tutorials/dt-monitoring-hana-part1.html>

<https://help.sap.com/viewer/afa922439b204e9caf22c78b6b69e4f2/2.10.0.0/en-US>

<https://www.hanatutorials.com/p/hana-monitoring-dashboard.html>

### **NEW QUESTION: 29**

You are planning an SAP NetWeaver deployment on Azure. The database here will consist of Two Azure virtual machines that have Microsoft SQL Server 2017 installed. Each virtual machine will be deployed to a separate availability zone.

You need to perform the following:

- \* Minimize network latency between the virtual machines.
- \* Measure network latency between the virtual machines.


What should you do? To answer, select the appropriate options in the answer area.

**Answer:**

see the explanation for below image

Explanation

Answer selected as in image below.



**NEW QUESTION: 30**

You plan to deploy SAP application servers that run Windows Server 2016.

You need to use PowerShell Desired State Configuration (DSC) to configure the SAP application server once the servers are deployed.

Which Azure virtual machine extension should you install on the servers?

- A. the Azure DSC VM Extension
- B. the Azure virtual machine extension
- C. the Azure Chef extension
- D. the Azure Enhanced Monitoring Extension for SAP

**Answer: A** ([LEAVE A REPLY](#))

Explanation

The Azure Desired State Configuration (DSC) VM Extension is updated as-needed to support enhancements and new capabilities delivered by Azure, Windows Server, and the Windows Management Framework (WMF) that includes Windows PowerShell.

References:


<https://docs.microsoft.com/en-us/powershell/scripting/dsc/getting-started/azuredscexthistory>

**NEW QUESTION: 31**


You have an existing on-premises SAP landscape that is hosted on VMware VSphere.

You plan to migrate the landscape to Azure.

You configure the Azure Site Recovery replication policy shown in the following exhibit.



**Answer:**



**Valid AZ-120 Dumps** shared by Actual4test.com for Helping Passing AZ-120 Exam! Actual4test.com now offer the **newest AZ-120 exam dumps**, the Actual4test.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-120 dumps with Test Engine here:

[https://www.actual4test.com/AZ-120\\_examcollection.html](https://www.actual4test.com/AZ-120_examcollection.html) (309 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps)**

### NEW QUESTION: 32

You have the following Azure Resource Manager template.

```
{
  "$schema": "https://schema.management.azure.com/schemas/2015-01-01/deploymentTemplate.json#",
  "contentVersion": "1.0.0.0",
  "parameters": {},
  "resources": [
    {
      "apiVersion": "2016-01-01",
      "type": "Microsoft.Storage/storageAccounts",
      "name": "[concat(copyIndex(), 'storage', uniqueString(resourceGroup().id))]",
      "location": "[resourceGroup().location]",
      "sku": {
        "name": "Premium_LRS"
      },
      "kind": "Storage",
      "properties": {},
      "copy": {
        "name": "storagecopy",
        "count": 6,
        "mode": "Serial",
        "batchSize": 1
      }
    }
  ]
}
```

 Statements	Yes	No
Six storage accounts will be created.	<input type="radio"/>	<input type="radio"/>
The storage accounts will be created in parallel.	<input type="radio"/>	<input type="radio"/>
The storage accounts will be replicated to multiple regions.	<input type="radio"/>	<input type="radio"/>

**Answer:**

Statements	Yes	No
Six storage accounts will be created.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
The storage accounts will be created in parallel.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
The storage accounts will be replicated to multiple regions.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Explanation

Box 1: Yes

Count is 6.

Box 2: No

Mode is serial.

Box 3: NO

References:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/templates/copy-resources>

### NEW QUESTION: 33

You are evaluating the migration plan.

Licensing for which SAP product can be affected by changing the size of the virtual machines?

- A. SAP Solution Manager
- B. PI
- C. SAP SCM
- D. SAP ECC

**Answer: D (LEAVE A REPLY)**

Explanation

Scenario: Increase the performance of SAP ECC applications by moving to SAP HANA.

References:

<https://azure.microsoft.com/en-us/pricing/details/virtual-machines/rhel-sap-hana/>

### NEW QUESTION: 34

You have an Azure Active Directory (Azure AD) tenant and an SAP Cloud Platform Identity Authentication Service tenant.

You need to ensure that users can use their Azure AD credentials to authenticate to SAP applications and services that trust the SAP Cloud Platform Identity Authentication Service tenant. In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Download the single sign-on (SSO) metadata from the Azure AD tenant.	
Create and configure an enterprise application in the Azure AD tenant.	
Upload the SAP Cloud Platform Identity Authentication Service tenant metadata to Azure AD tenant.	
Download the SAP Cloud Platform Identity Authentication Service tenant metadata.	
Create and configure a corporate identity provider in the SAP Cloud Platform Identity Authentication Service tenant.	

**Answer:**

Actions	Answer Area
Download the single sign-on (SSO) metadata from the Azure AD tenant.	Create and configure an enterprise application in the Azure AD tenant.
Create and configure an enterprise application in the Azure AD tenant.	Download the single sign-on (SSO) metadata from the Azure AD tenant.
Upload the SAP Cloud Platform Identity Authentication Service tenant metadata to Azure AD tenant.	Create and configure a corporate identity provider in the SAP Cloud Platform Identity Authentication Service tenant.
Download the SAP Cloud Platform Identity Authentication Service tenant metadata.	Download the SAP Cloud Platform Identity Authentication Service tenant metadata.
Create and configure a corporate identity provider in the SAP Cloud Platform Identity Authentication Service tenant.	Upload the SAP Cloud Platform Identity Authentication Service tenant metadata to Azure AD tenant.

**Explanation**

- Create and configure an enterprise application in the Azure AD tenant
- Download the single sign-on (SSO) metadata from the Azure AD tenant
- Create and configure a corporate identity provider in the SAP Cloud Platform Identity Authentication Service tenant
- Download the SAP Cloud Platform Identity Authentication Service tenant metadata
- Upload the SAP Cloud Platform Identity Authentication Service tenant metadata to Azure AD tenant

Table Description automatically generated

Step 1: Create and configure an enterprise application in the Azure AD tenant To configure the integration of SAP Cloud Platform Identity Authentication into Azure AD, you need to add SAP Cloud Platform Identity Authentication from the gallery to your list of managed SaaS apps.

\* Sign in to the Azure portal using either a work or school account, or a personal Microsoft account.

\* On the left navigation pane, select the Azure Active Directory service.


\* Navigate to Enterprise Applications and then select All Applications.

\* To add new application, select New application.

\* In the Add from the gallery section, type SAP Cloud Platform Identity Authentication in the search box.

\* Select SAP Cloud Platform Identity Authentication from results panel and then add the app. Wait a few seconds while the app is added to your tenant.

Graphical user interface, text, application Description automatically generated



Step 2: Download the single sign-on (SSO) metadata from the Azure AD tenant.

Download single sign-on metadata from Azure Active Directory.

Step 3: Create and configure a corporate identity provider.

Create corporate identity provider.

Step 4: Download the SAP Cloud Platform Identity Authentication Service tenant metadata.

Download Identity Authentication service tenant metadata.

Step 5: Upload the SAP Cloud Platform Identity Authentication Service tenant metadata to Azure AD tenant.

Upload Identity Authentication service tenant metadata to Azure Active Directory.

You have already uploaded the metadata file from Azure Active Directory to Identity Authentication service.

It's time to do it the other way round now and upload the metadata of Identity Authentication service to Azure Active Directory.

Reference:

<https://developers.sap.com/tutorials/cp-ias-azure-ad.html>

## NEW QUESTION: 35

You have an Azure alert rule and action group as shown in the following exhibit.

```

PS Azure:\> Get-AzMetricAlertRuleV2 | Select -Property WindowSize, EvaluationFrequency, Actions -ExpandProperty Criteria
WindowSize          : 00:05:00
EvaluationFrequency  : 00:01:00
Actions              : (/subscriptions/6dce0667-3896-4f8b-bcc4-1e4fa2de8dc/resourcegroups/resourcegroup1/providers/microsoft.insights/actiongroups/admins)
Name                 : Metric1
MetricName           : Percentage CPU
MetricNamespace      : Microsoft.Compute/virtualMachines
OperatorProperty     : GreaterThan
TimeAggregation      : Average
Threshold            : 85
Dimensions           : {}
AdditionalProperties  : {}

PS Azure:\> Get-AzActionGroup | Select -ExcludeProperty Name, GroupName, Tags, Location
GroupShortName      : admins
Enabled              : True
EmailReceivers      : (admins_emailaction)
EmailReceivers       : {}
WebhookReceivers    : {}
Id                  : /subscriptions/6dce0667-3896-4f8b-bcc4-1e4fa2de8dc/resourcegroups/resourcegroup1/providers/microsoft.insights/actiongroups/admins
Name                 : admins
Type                 : Microsoft.Insights/ActionGroups

GroupShortName      : restartvm
Enabled              : True
EmailReceivers      : {}
EmailReceivers       : {}
WebhookReceivers    : {}
Id                  : /subscriptions/6dce0667-3896-4f8b-bcc4-1e4fa2de8dc/resourcegroups/resourcegroup1/providers/microsoft.insights/actiongroups/restartvm
Name                 : restartvm
Type                 : Microsoft.Insights/ActionGroups

```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

<p>The admins action group will be notified if the average CPU usage rises above 85% for</p>	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right;">▼</div> <p>one minute</p> <p>five minutes</p> <p>one second</p> </div>
<p>The <b>[answer choice]</b> when the alert is triggered</p>	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right;">▼</div> <p>admins action group will be emailed</p> <p>restartVM action group will be emailed</p> <p>virtual machines will restart</p> </div>

**Answer:**

<p>The admins action group will be notified if the average CPU usage rises above 85% for</p>	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right;">▼</div> <p>one minute</p> <p>five minutes</p> <p>one second</p> </div>
<p>The <b>[answer choice]</b> when the alert is triggered</p>	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right;">▼</div> <p>admins action group will be emailed</p> <p>restartVM action group will be emailed</p> <p>virtual machines will restart</p> </div>

Explanation

Graphical user interface, text, application Description automatically generated

The admins action group will be notified if the average CPU usage rises above 85% for

	▼
one minute	
five minutes	
one second	

The [answer choice] when the alert is triggered

	▼
admins action group will be emailed	
restartVM action group will be emailed	
virtual machines will restart	

Box 1: five minutes

Window Size is 5 minutes.

Box 2: admins action group will be emailed

The admins1 actiongroup will be executed.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/alerts/alerts-metric-overview>

### NEW QUESTION: 36

You have an on-premises SAP environment. Application servers run on SUSE Linux Enterprise Server (SLES) servers. Databases run on SLES servers that have Oracle installed.

You need to recommend a solution to migrate the environment to Azure. The solution must use currently deployed technologies whenever possible and support high availability.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Application server operating system: 

	▼
Oracle Linux	
SLES	
Windows Server 2016	


Database server operating system: 

	▼
Oracle Linux	
SLES	
Windows Server 2016	

Database platform: 

	▼
Azure SQL Database	
Microsoft SQL Server	
Oracle	
SAP HANA	

Answer:



Application server operating system:  ▼

- Oracle Linux
- SLES
- Windows Server 2016


Database server operating system:  ▼

- Oracle Linux
- SLES
- Windows Server 2016

Database platform:  ▼

- Azure SQL Database
- Microsoft SQL Server
- Oracle
- SAP HANA

Explanation



Application server operating system:  ▼

- Oracle Linux
- SLES
- Windows Server 2016

Database server operating system:  ▼

- Oracle Linux
- SLES
- Windows Server 2016

Database platform:  ▼

- Azure SQL Database
- Microsoft SQL Server
- Oracle
- SAP HANA

**NEW QUESTION: 37**

You deploy an SAP environment on Azure.

Your company has a Service Level Agreement (SLA) of 99.99% for SAP.

You implement Azure Availability Zones that have the following components:

Redundant SAP application servers

ASCS/ERS instances that use a failover cluster

Database high availability that has a primary instance and a secondary instance You need to validate the high availability configuration of the ASCS/ERS cluster.

What should you use?

- A. SAP Web Dispatcher
- B. Azure Traffic Manager
- C. SAPControl
- D. SAP Solution Manager

**Answer: B (LEAVE A REPLY)**

Explanation

[https://documentation.suse.com/sbp/all/pdf/SAP\\_NW740\\_SLE12\\_SetupGuide\\_color\\_en.pdf](https://documentation.suse.com/sbp/all/pdf/SAP_NW740_SLE12_SetupGuide_color_en.pdf)

**NEW QUESTION: 38**

You have an on-premises SAP environment.


Backups are performed by using tape backups. There are 50 TB of backups.

A Windows file server has BMP images of checks used by SAP Finance. There are 9 TB of images.


You need to recommend a method to migrate the images and the tape backups to Azure. The solution must maintain continuous replication of the images.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.



**Answer:**



**Exolanation**



Tape backups: Azure DataBox

The Microsoft Azure Data Box cloud solution lets you send terabytes of data into Azure in a quick, inexpensive, and reliable way. The secure data transfer is accelerated by shipping you a proprietary Data Box storage device. Each storage device has a maximum usable storage capacity of 80 TB and is transported to your datacenter through a regional carrier. The device has a rugged casing to protect and secure data during the transit.

File server: Azure Storage Explorer

Azure Storage Explorer is an application which helps you to easily access the Azure storage account through any device on any platform, be it Windows, MacOS, or Linux. You can easily connect to your subscription and manipulate your tables, blobs, queues, and files.

**NEW QUESTION: 39**

You have an on-premises deployment of SAP Business Suite on HANA that includes a CPU-intensive application tier and a 20-TB database tier.

You plan to migrate to SAP HANA on Azure.

You need to recommend a compute option to host the application and database tiers. The solution must minimize cost.

What should you recommend for each tier? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The screenshot shows a question interface with two dropdown menus. The first dropdown is labeled 'Application:' and the second is labeled 'Database:'. Both dropdowns are open, showing three options: 'Ev3-series of Azure virtual machines', 'HANA on Azure (Large Instances)', and 'M-series of Azure virtual machines'. A watermark 'examondemand.com' is visible across the image.

**Answer:**

Application:	<input type="text"/> ▼ Ev3-series of Azure virtual machines HANA on Azure (Large Instances) M-series of Azure virtual machines
Database:	<input type="text"/> ▼ Ev3-series of Azure virtual machines HANA on Azure (Large Instances) M-series of Azure virtual machines

Explanation

Text Description automatically generated

Application:	<input type="text"/> ▼ Ev3-series of Azure virtual machines HANA on Azure (Large Instances) M-series of Azure virtual machines
Database:	<input type="text"/> ▼ Ev3-series of Azure virtual machines HANA on Azure (Large Instances) M-series of Azure virtual machines

Box 1: Ev3 series M Azure virtual machines

The Ev3 series pricing is starting from \$58.40 /per month.

The E-series Azure VMs are optimized for heavy in-memory applications such as SAP HANA. These VMs are configured with high memory-to-core ratios, which makes them well-suited for memory-intensive enterprise applications, large relational database servers, in-memory analytics workloads etc.

The Ev3-series VMs range from 2 to 64 vCPUs and 16-432 GiB of RAM, respectively.

Example workloads include SAP HANA (e.g., E64s v3, E20ds v4, E32ds v4, E48ds v4, E64ds v4), SAP S/4 HANA application layer, SAP NetWeaver application layer, and more broadly memory-intensive enterprise applications, large relational database servers, data warehousing workloads, business intelligence applications, in-memory analytics workloads, and additional business-critical applications, including systems that process financial transactions of various

nature...

Note: The M-series family of Azure virtual machines are memory optimized and are ideal for heavy in-memory workloads such as SAP HANA. The M-Series offer up to 4 TB of RAM on a single VM. In addition, these VMs offer a virtual CPU count of up to 128 vCPUs on a single VM to enable high performance parallel processing.

Example workloads include SAP HANA, SAP S/4 HANA, SQL Hekaton and other large in-memory business critical workloads requiring massive parallel compute power.

#### Box 2: Hana on Azure (Large Instances)

The storage used in HANA Large Instances has a file size limitation. The size limitation is 16 TB per file.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/hana-storage-architecture>

<https://azure.microsoft.com/en-us/pricing/details/virtual-machines/series/>

#### NEW QUESTION: 40

You have an on-premises SAP landscape and an Azure subscription that contains a virtual network named VNET1. VNET1 has the following settings.

```
Name : VNET1
AddressSpace : {
  "AddressPrefixes": [
    "10.1.0.0/24"
  ]
}
Subnets : [
  {
    "Delegations": [],
    "Name": "subnet1",
    "AddressPrefix": [
      "10.1.0.0/25"
    ],
    "IpConfigurations": [],
    "PrivateEndpointNetworkPolicies": "Enabled",
    "PrivateLinkServiceNetworkPolicies": "Enabled",
    "IpAllocations": []
  }
]
VirtualNetworkPeerings : [
  {
    "Name": "Peering1",
    "PeeringState": "Connected",
    "AllowVirtualNetworkAccess": true,
    "AllowForwardedTraffic": false,
    "AllowGatewayTransit": false,
    "UseRemoteGateways": false,
    "RemoteVirtualNetwork": {
    },
    "RemoteVirtualNetworkAddressSpace": {
      "AddressPrefixes": [
        "10.2.0.0/24"
      ]
    }
  },
  "ProvisioningState": "Succeeded"
}
```


You plan to migrate the landscape to Azure.

You need to configure VNET1 to support the SAP landscape.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the settings.


NOTE: Each correct selection is worth one point.

To configure a Site-To-Site VPN connection, you must	<ul style="list-style-type: none"><li>add a gateway subnet</li><li>add a virtual network gateway</li><li>increase the address space</li><li>remove subnet1</li></ul>
To allow Peering1 to route traffic via VNET1, you must	<ul style="list-style-type: none"><li>enable forwarded traffic</li><li>enable gateway transit</li><li>use remote gateways</li></ul>



**Answer:**


To configure a Site-To-Site VPN connection, you must	<ul style="list-style-type: none"><li>add a gateway subnet</li><li>add a virtual network gateway</li><li>increase the address space</li><li>remove subnet1</li></ul>
To allow Peering1 to route traffic via VNET1, you must	<ul style="list-style-type: none"><li>enable forwarded traffic</li><li>enable gateway transit</li><li>use remote gateways</li></ul>



Explanation

Graphical user interface, text, application, table Description automatically generated

To configure a Site-To-Site VPN connection, you must	<ul style="list-style-type: none"><li>add a gateway subnet</li><li>add a virtual network gateway</li><li>increase the address space</li><li>remove subnet1</li></ul>
To allow Peering1 to route traffic via VNET1, you must	<ul style="list-style-type: none"><li>enable forwarded traffic</li><li>enable gateway transit</li><li>use remote gateways</li></ul>



Box 1: add a virtual network gateway

Box 2: use remote gateways

Each virtual network, regardless of whether peered with another virtual network, can still have its own gateway to connect to an on-premises network. When you peer virtual networks, you can also configure the gateway in the peered virtual network as a transit point to an on-premises network. In this case, the virtual network that uses a remote gateway cannot have its own gateway. A virtual network can have only one gateway that can be either a local or remote

gateway (in the peered virtual network).

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-peering-overview>

### NEW QUESTION: 41

You migrate an SAP environment to Azure.

You need to inspect all the outbound traffic from the SAP application servers to the Internet.

Which two Azure resources should you use? Each correct answer presents part of the solution.

Network Performance Monitor

- A. Azure Firewall
- B. Azure Load Balancer NAT rules
- C. Azure Traffic Manager
- D. Azure user-defined routes
- E. a web application firewall (WAF) for Azure Application Gateway

Answer: ([SHOW ANSWER](#))

### NEW QUESTION: 42

You have an Azure Active Directory (Azure AD) tenant and an SAP Cloud Platform tenant.

You need to ensure that users sign in automatically by using their Azure AD accounts when they connect to SAP Cloud Platform.

Which four actions should you perform in sequence? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

The screenshot shows an exam question interface. On the left, under the heading "Actions", there are five text boxes containing the following instructions:

- From the SAP Cloud Platform Identity administration console, configure a corporate identity provider to use the Federation Metadata XML file.
- From the Azure Active Directory admin center, add the SAP Cloud Platform Identity Authentication enterprise app.
- From the Azure Active Directory admin center, configure the SAP Cloud Platform Identity app to use the Federation Metadata XML file.
- From the Azure Active Directory admin center, download the Federation Metadata XML file.
- Configure the SAML settings for the Identifier and Reply URL.

On the right, under the heading "Answer Area", there are two circular arrows: a right-pointing arrow (>) and a left-pointing arrow (<). A watermark "free dumps.com" is visible across the interface.

Answer:

The screenshot shows the answer area with the actions from the previous screenshot arranged in a specific order. The actions are:

- Configure the SAML settings for the Identifier and Reply URL.
- From the Azure Active Directory admin center, add the SAP Cloud Authentication enterprise app.
- From the SAP Cloud Platform Identity administration console, configure a corporate identity provider to use the Federation Metadata XML file.
- From the Azure Active Directory admin center, download the Federation Metadata XML file.
- From the Azure Active Directory admin center, configure the SAP Cloud Platform Identity app to use the Federation Metadata XML file.

The actions are arranged in this order, with a right-pointing arrow (>) indicating the sequence. A watermark "free dumps.com" is visible across the interface.

**NEW QUESTION: 43**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a complex SAP environment that has both ABAP- and Java-based systems. The current on-premises landscapes are based on SAP NetWeaver 7.0 (Unicode and Non-Unicode) running on Windows Server and Microsoft SQL Server.

You need to migrate the SAP environment to a HANA-certified Azure environment.

Solution: You migrate SAP to Azure by using Azure Site Recovery, and then you upgrade to SAP NetWeaver 7.4.

Does this meet the goal?

A. Yes

B. No

**Answer: B** ([LEAVE A REPLY](#))

Explanation

We need upgrade to SAP NetWeaver 7.4 before the migration.

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/vmware-azure-architecture>

**NEW QUESTION: 44**

You migrate an SAP environment to Azure.

You need to inspect all the outbound traffic from the SAP application servers to the Internet.

Which two Azure resources should you use? Each correct answer presents part of the solution.

Network Performance Monitor

A. a web application firewall (WAF) for Azure Application Gateway

B. Azure Traffic Manager

C. Azure Load Balancer NAT rules

D. Azure user-defined routes

E. Azure Firewall

**Answer: A,B** ([LEAVE A REPLY](#))

**NEW QUESTION: 45**

You need to connect SAP HANA on Azure (Large Instances) to an Azure Log Analytics workspace.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

## Actions

## Answer Area

Install the Azure Enhanced Monitoring Extension for SAP on SAP HANA on Azure (Large Instances).

On the gateway, run Import-Module OMSGateway and Add-OMSGatewayAllowedHost.

Configure a Log Analytics gateway on the virtual network that has connectivity to the SAP HANA on Azure (Large Instances) instance.

Install the Log Analytics client on the SAP HANA on Azure (Large Instances) instance.

Configure a Log Analytics gateway server as a proxy for the Log Analytics client on SAP HANA on Azure (Large Instances).



Answer:

## Actions



## Answer Area

Install the Azure Enhanced Monitoring Extension for SAP on SAP HANA on Azure (Large Instances).

On the gateway, run Import-Module OMSGateway and Add-OMSGatewayAllowedHost.

Configure a Log Analytics gateway on the virtual network that has connectivity to the SAP HANA on Azure (Large Instances) instance.

Install the Log Analytics client on the SAP HANA on Azure (Large Instances) instance.

Configure a Log Analytics gateway server as a proxy for the Log Analytics client on SAP HANA on Azure (Large Instances).

Configure a Log Analytics gateway on the virtual network that has connectivity to the SAP HANA on Azure (Large Instances) instance.

Configure a Log Analytics gateway server as a proxy for the Log Analytics client on SAP HANA on Azure (Large Instances).

On the gateway, run Import-Module OMSGateway and Add-OMSGatewayAllowedHost.

Install the Log Analytics client on the SAP HANA on Azure (Large Instances) instance.



Explanation

3 5 2 4

References:

<http://www.deployazure.com/compute/virtual-machines/sap-azure-enhanced-monitoring-extension/>

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/gateway>

## NEW QUESTION: 46

You plan to migrate an on-premises SAP development system to Azure.

Before the migration, you need to check the usage of the source system hardware, such as CPU, memory, network, etc.

Which transaction should you run from SAP GUI?

- A. SM51
- B. DB01
- C. DB12
- D. ST06

**Answer:** ([SHOW ANSWER](#))

Explanation

ST06 is a transaction code used for Operating System Monitor in SAP.

SAP transaction ST06 (Operating System Monitor) is classified in the Basis Component module under application component Operating System Monitors and runs Monitoring Operating System program RSHOST05 upon execution.

Reference:

<https://saptransactions.com/codes/ST06/>

**Valid AZ-120 Dumps** shared by Actual4test.com for Helping Passing AZ-120 Exam!

Actual4test.com now offer the **newest AZ-120 exam dumps**, the Actual4test.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-120 dumps with Test Engine here:

[https://www.actual4test.com/AZ-120\\_examcollection.html](https://www.actual4test.com/AZ-120_examcollection.html) (309 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps)**

#### NEW QUESTION: 47

A customer has an on-premises SAP environment.


The customer plans to migrate SAP to Azure.

You need to prepare the environment for the planned migration.

Which three actions should you perform in sequence before the migration? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



**Answer:**



### NEW QUESTION: 48

You have an SAP production landscape that uses SAP HANA databases on Azure.

You need to deploy a disaster recovery solution to the SAP HANA databases. The solution must meet the following requirements:

- \* Support failover between Azure regions.
- \* Minimize data loss in the event of a failover.

What should you deploy?

- A. Azure Site Recovery
- B. HANA system replication that uses synchronous replication
- C. HANA system replication that uses asynchronous replication
- D. Always On availability group

**Answer: C** ([LEAVE A REPLY](#))

### NEW QUESTION: 49

You have a Recovery Services vault backup policy for SAP HANA on an Azure virtual machine as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

**Answer:**

Answer selected as in image below.

Graphical user interface, text, application, email Description automatically generated



**NEW QUESTION: 50**

What should you use to perform load testing as part of the migration plan?

- A. JMeter
- B. SAP LoadRunner by Micro Focus
- C. Azure Application Insights
- D. Azure Monitor

**Answer: B (LEAVE A REPLY)**

Explanation

Scenario: Upgrade and migrate SAP ECC to SAP Business Suite on HANA Enhancement Pack 8.

With the SAP LoadRunner application by Micro Focus, you can accelerate testing and development, reduce slowdowns and expenses, and gain a better understanding of performance issues. Validate software performance, virtualize your network, simulate workloads, benchmark production system performance, and optimize your deployment of SAP HANA software

References:

<https://www.sap.com/products/loadrunner.html>

### **NEW QUESTION: 51**

You need to ensure that you can receive technical support to meet the technical requirements.

What should you deploy to Azure?

- A. SAP Landscape Management (LaMa)
- B. SAP Gateway
- C. SAP Web Dispatcher
- D. SAPRouter

**Answer: A ([LEAVE A REPLY](#))**

Explanation

<https://help.sap.com/viewer/f2ad7797884249eeb2e91dc26a991196/3.0.3.0/en-US>

### **NEW QUESTION: 52**

You have an on-premises third-party enterprise resource planning (ERP) system that uses Microsoft SQL Server 2016. You plan to migrate the ERP system to SAP Business Suite on SAP HANA on Azure virtual machines. You need to identify the appropriate sizing for Business Suite on HANA. What should you use?

- A. SAP Quick Sizer for HANA Cloud
- B. SAP Cloud Platform Cockpit
- C. HANA Cockpit
- D. SAP Quick Sizer for HANA

**Answer: A ([LEAVE A REPLY](#))**

Explanation

If a customer runs non-SAP systems, the only way of Sizing the required Hardware for SAP HANA is the Quick-Sizer tool.

HANA-based Cloud Quick Sizer: Please use this version, if the product that you want to size shall run in the Cloud; e.g. SAP S/4HANA Cloud and SAP Data Warehouse Cloud.

Reference:

<https://www.sap.com/about/benchmark/sizing.html#quick-sizer>

### **NEW QUESTION: 53**

You plan to deploy a highly available ASCS instance to SUSE Linux Enterprise Server (SLES) virtual machines in Azure.

You are configuring an internal Azure Standard Load Balancer for the ASCS instance. How should you configure the internal Standard Load Balancer? To answer, select the

appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Session persistence:

	▼
Client IP	
Client IP and Protocol	
None	

Floating IP (direct server return):

	▼
Disabled	
Enabled	



Answer:

Session persistence:	▼
Client IP	
Client IP and Protocol	
None	
Floating IP (direct server return):	▼
Disabled	
Enabled	

Explanation

Session persistence: None.

Floating IP: Enabled.

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/high-availability-guide-suse>

**NEW QUESTION: 54**

You are evaluating which migration method Litware can implement based on the current environment and the business goals.

Which migration method will cause the least amount of downtime?

**A.** Use the Database migration Option (DMO) to migrate to SAP HANA and Azure During the same maintenance window.

**B.** Use Near-Zero Downtime (NZDT) to migrate to SAP HANA and Azure during the same

maintenance window.

**C.** Migrate SAP to Azure, and then migrate SAP ECC to SAP Business Suite on HANA.

**D.** Migrate SAP ECC to SAP Business Suite on HANA and then migrate SAP to Azure.

**Answer: A (LEAVE A REPLY)**

Explanation

The SAP Database Migration Option (DMO) with System Move option of SUM, used as part of the migration allows customer the options to perform the migration in a single step, from source system on-premises, or to the target system residing in Microsoft Azure, minimizing overall downtime.

References:

<https://blogs.sap.com/2017/10/05/your-sap-on-azure-part-2-dmo-with-system-move/>

### **NEW QUESTION: 55**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You deploy SAP HANA on Azure (Large Instances).

You need to back up the SAP HANA database to Azure.

Solution: You create a Recovery Services vault and a backup policy.

Does this meet the goal?

**A.** Yes

**B.** No

**Answer: B (LEAVE A REPLY)**

Explanation

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/hana-backup-restore>

### **NEW QUESTION: 56**

You plan to deploy an SAP production landscape that uses SAP HANA databases on Azure.

You need to configure the storage infrastructure to support the SAP HANA deployment. The solution must meet the SAP issued requirements for data throughput and I/O.

How should you configure the storage?

**A.** RAID1

**B.** RAID0

**C.** RAID5

**D.** RAID6

**Answer: C (LEAVE A REPLY)**

**Valid AZ-120 Dumps** shared by Actual4test.com for Helping Passing AZ-120 Exam!  
Actual4test.com now offer the **newest AZ-120 exam dumps**, the Actual4test.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-120 dumps with Test Engine here:

[https://www.actual4test.com/AZ-120\\_examcollection.html](https://www.actual4test.com/AZ-120_examcollection.html) (309 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps**)