

Microsoft.AZ-120.v2023-11-15.q98

Exam Code:	AZ-120
Exam Name:	Planning and Administering Microsoft Azure for SAP Workloads
Certification Provider:	Microsoft
Free Question Number:	98
Version:	v2023-11-15
# of views:	874
# of Questions views:	980
https://www.freepdfdumps.com/Microsoft.AZ-120.v2023-11-15.q98.html	

NEW QUESTION: 1

You deploy an SAP environment on Azure.

You need to ensure that incoming requests are distributed evenly across the application servers.

What should you use?

- A. SAP Web Dispatcher
- B. SAP Solution Manager
- C. SAP Control
- D. Azure Monitor

Answer: A (LEAVE A REPLY)

Explanation

The SAP Web Dispatcher (SWD) component is used as a load balancer for SAP traffic among the SAP application servers.

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/sap/sap-netweaver>

NEW QUESTION: 2

You have an Azure subscription that contains a virtual network named VNET1, an SAP production landscape on Azure, and an SAP non-production landscape on Azure. Both landscapes connect to VNET1. Each landscape contains virtual machines that run the following:

- * SAPHANA
- * SAP NetWeaver
- * Microsoft SQL Server

You need to monitor the landscapes. The solution must minimize costs.

What is the minimum number of required Azure Monitor for SAP Solutions instances?

- A. 3
- B. 6
- C. 1

D. 2

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

You are designing an SAP production landscape on Azure.

The landscape must ensure service availability in the event of an Azure datacenter failure What should you include in the design?

- A. a proximity placement group
- B. an availability set
- C. an availability zone
- D. a fusion group

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 4

You are designing the backup for an SAP database.

You have an Azure Storage account that is configured as shown in the following exhibit.

The cost of your storage account depends on the usage and the options you choose below.
[Learn more](#)

Account kind
StorageV2 (general purpose v2)

Performance ⓘ
 Standard Premium

* Secure transfer required ⓘ
 Disabled Enabled

Access tier (default) ⓘ
 Cool Hot

Replication ⓘ
Geo-redundant storage (GRS) ▼

Azure Active Directory authentication for Azure Files (Preview) ⓘ
 Disabled Enabled

Data Lake Storage Gen2
Hierarchical namespace ⓘ
 Disabled Enabled


Microsoft

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Data in the storage account is stored on [answer choice].


Backups will be replicated [answer choice].



Answer:

Data in the storage account is stored on [answer choice].


Backups will be replicated [answer choice].



Explanation

Data in the storage account is stored on [answer choice].

Backups will be replicated [answer choice].



Box 1: hard disk drives (HDDs)

Box 2: to another Azure region

Geo-redundant storage (GRS) copies your data synchronously three times within a single physical location in the primary region using LRS. It then copies your data asynchronously to a single physical location in a secondary region that is hundreds of miles away from the primary region.

References:

<https://azure.microsoft.com/en-us/pricing/details/managed-disks/>

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy#geo-redundant-storage>

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/planning-guide-storage#azure-standard-h>

NEW QUESTION: 5

You have an on-premises network and an Azure subscription.


You plan to deploy a standard three-tier SAP architecture to a new Azure virtual network.

You need to configure network isolation for the virtual network. The solution must meet the following requirements:


- * Allow client access from the on-premises network to the presentation servers.
- * Only allow the application servers to communicate with the database servers.
- * Only allow the presentation servers to access the application servers.
- * Block all other inbound traffic.

What is the minimum number of network security groups (NSGs) and subnets required? To answer, drag the appropriate number to the correct targets. Each number may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.


NOTE Each correct selection is worth one point.



Answer:



Explanation



NEW QUESTION: 6

You have an SAP production landscape that uses SAP HANA databases on Azure.

You need to deploy a disaster recovery solution to the SAP HANA databases. The solution must meet the following requirements:

- * Support failover between Azure regions.
- * Minimize data loss in the event of a failover.

What should you deploy?

- A. HANA system replication that uses asynchronous replication
- B. Azure Site Recovery
- C. Always On availability group
- D. HANA system replication that uses synchronous replication

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

You have an Azure subscription that contains 10 virtual machines.

You plan to deploy an SAP landscape on Azure that will run SAP HANA.

You need to ensure that the virtual machines meet the performance requirements of HANA.

What should you use?

- A. SAP Quick Sizer
- B. SAP HANA Hardware and Cloud Measurement Tool (HCMT)
- C. Azure Advisor
- D. ABAP Profiler

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 8

You have an Azure virtual machine that runs SUSE Linux Enterprise Server (SLES). The virtual machine hosts a highly available deployment of SAP HANA.

You need to validate whether Accelerated Networking is operational for the virtual machine.

What should you use?

- A. fio
- B. iometer
- C. netsh
- D. ethtool

Answer: (SHOW ANSWER)

Explanation

Check for activity on the VF (virtual function) with the `ethtool -S eth0 | grep vf_ command`. If you receive output similar to the following sample output, accelerated networking is enabled and working.

vf_rx_packets: 992956

vf_rx_bytes: 2749784180

vf_tx_packets: 2656684

vf_tx_bytes: 1099443970

vf_tx_dropped: 0

Accelerated Networking is now enabled for your VM.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/create-vm-accelerated-networking-cli>

NEW QUESTION: 9

You have an on-premises deployment of SAP HANA.

You plan to migrate the deployment to Azure.

You need to identify the following from the last six months:

The number of active users

The database performance

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



The screenshot shows two dropdown menus. The first menu, labeled 'From:', contains three options: 'SAP GUI', 'SAP Solution Manager', and 'A SAP Solution Manager work center'. The second menu, labeled 'Run the:', contains three options: 'SAP Quick Sizer', 'Transaction ST06', and 'SAP EarlyWatch report'. A Microsoft logo is visible in the bottom left corner of the screenshot area.

Answer:



Reference:

<https://assets.cdn.sap.com/sapcom/docs/2019/09/0e8d0628-687d-0010-87a3-c30de2ffd8ff.pdf>

NEW QUESTION: 10

This question requires that you evaluate the underlined text to determine if it is correct.

When deploying SAP HANA to an Azure virtual machine, you can enable Write Accelerator to reduce the latency between the SAP application servers and the database layer.

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed". If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. install the Mellanox driver
- C. start the NIPING service
- D. enable Accelerated Networking

Answer: D (LEAVE A REPLY)

Explanation

To further reduce network latency between Azure VMs, we [Microsoft] recommend that you choose Azure Accelerated Networking. Use it when you deploy Azure VMs for an SAP workload, especially for the SAP application layer and the SAP DBMS layer.

NEW QUESTION: 11

You have an Azure subscription that contains a highly available SAP NetWeaver deployment.

The deployment contains four virtual machines.

You need to monitor the NetWeaver deployment by using Azure Monitor for SAP Solutions.

During the implementation of Azure Monitor for SAP Solutions, downtime of the deployment must be minimized.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- From the SAP Management Console, restart the `sapstartsrv` service.
- From the SAP Management Console, restart the SAP system.
- From the Azure portal, deploy the Azure Monitor for SAP Solutions managed resource group and configure the NetWeaver provider.
- On each virtual machine, install `node_exporter`.
- From the SAP GUI, connect to the SAP system and modify the instance profiles.

Answer Area

Navigation: Left arrow, Right arrow, Up arrow, Down arrow

Answer:

Actions

- From the SAP Management Console, restart the `sapstartsrv` service.
- From the SAP Management Console, restart the SAP system.
- From the Azure portal, deploy the Azure Monitor for SAP Solutions managed resource group and configure the NetWeaver provider.
- On each virtual machine, install `node_exporter`.
- From the SAP GUI, connect to the SAP system and modify the instance profiles.

Answer Area

- From the Azure portal, deploy the Azure Monitor for SAP Solutions managed resource group and configure the NetWeaver provider.
- On each virtual machine, install `node_exporter`.
- From the SAP GUI, connect to the SAP system and modify the instance profiles.

Navigation: Left arrow, Right arrow, Up arrow, Down arrow

Explanation

Actions

- From the SAP Management Console, restart the `sapstartsrv` service.
- From the SAP Management Console, restart the SAP system.

Answer Area

- From the Azure portal, deploy the Azure Monitor for SAP Solutions managed resource group and configure the NetWeaver provider.
- On each virtual machine, install `node_exporter`.
- From the SAP GUI, connect to the SAP system and modify the instance profiles.

Navigation: Left arrow, Right arrow, Up arrow, Down arrow

NEW QUESTION: 12

You need to ensure that you can receive technical support to meet the technical requirements. What should you deploy to Azure?

- A. SAP Landscape Management (LaMa)
- B. SAP Gateway
- C. SAP Web Dispatcher
- D. SAPRouter

Answer: (SHOW ANSWER)

Explanation

<https://help.sap.com/viewer/f2ad7797884249eeb2e91dc26a991196/3.0.3.0/en-US>

NEW QUESTION: 13

You plan to migrate an SAP HANA instance to Azure. You need to gather CPU metrics from the last 24 hours from the instance. Solution: You use Monitoring from the SAP HANA Cockpit.

Does this meet the goal?

- A. Yes
- B. No

Answer: (SHOW ANSWER)

Explanation

The SAP HANA cockpit provides a single point of access to a range of SAP HANA administration and monitoring tasks. It is used to monitor and ensure the overall health of the system. The HANA Monitoring dashboard also visualizes key HANA Metrics of SAP HANA system.

Reference:

<https://developers.sap.com/tutorials/dt-monitoring-hana-part1.html>

<https://help.sap.com/viewer/afa922439b204e9caf22c78b6b69e4f2/2.10.0.0/en-US>

<https://www.hanatutorials.com/p/hana-monitoring-dashboard.html>

NEW QUESTION: 14

You are planning an SAP NetWeaver deployment on Azure. The database tier will consist of two Azure virtual machines that have Microsoft SQL Server 2017 installed. Each virtual machine will be deployed to a separate availability zone.

You need to perform the following:

- * Minimize network latency between the virtual machines.
- * Measure network latency between the virtual machines.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To minimize latency: Enable Accelerated Networking.
 Add a network adapter to each virtual machine.
 Disable receive side scaling (RSS).
 Enable Accelerated Networking.

To measure latency, use: Niping
 Next hop in Azure Network Watcher
 Niping
 Ping
 The Azure reachability report in Azure Network Watcher

Answer:
Answer Area

To minimize latency: Enable Accelerated Networking.
 Add a network adapter to each virtual machine.
 Disable receive side scaling (RSS).
 Enable Accelerated Networking.

To measure latency, use: Niping
 Next hop in Azure Network Watcher
 Niping
 Ping
 The Azure reachability report in Azure Network Watcher

Explanation

Answer Area

To minimize latency: Enable Accelerated Networking.

To measure latency, use: Niping


NEW QUESTION: 15

You have an SAP environment on Azure.


You use Azure Recovery Services to back up an SAP application server.

You need to test the restoration process of a file on the server.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Download and run the mount disk executable	
From Azure Cloud Shell, run the Get-AzBackupItem cmdlet	
From Azure Recovery Vault, select File Recovery	
Recover the file and unmount the disk	
From Azure Cloud Shell, run the Get-AzBackupRecoveryPoint cmdlet	

Answer:

Actions	Answer Area
Download and run the mount disk executable	
From Azure Cloud Shell, run the Get-AzBackupItem cmdlet	
From Azure Recovery Vault, select File Recovery	
Recover the file and unmount the disk	
From Azure Cloud Shell, run the Get-AzBackupRecoveryPoint cmdlet	

Explanation

From Azure Recovery Vault, select
File Recovery

Download and run the mount disk
executable

Recover the file and unmount the disk



Step 1: From Azure Recover Vault, select File Recovery

To restore files or folders from the recovery point, go to the virtual machine and choose the desired recovery point.

Step 2: Download and run the mount disk executable

Step 3: recover the file and unmount the disk

File Recovery

v2win2012r2



✓ Step 1: Select recovery point

7/20/2017, 1:36:40 PM [Latest] (AppCo... ▼

→ Step 2: Download script to browse and recover files

This script will mount the disks from the selected recovery point **as local drives on the machine where it is run**. These drives will remain mounted for 12 hours.

[Download Executable *](#)

Requires password to run

→ Step 3: Unmount the disks after recovery

 Microsoft

Unmount disks and close the connection to the recovery point.

[Unmount Disks](#)

* Run this script on the machine where you want to copy the files

* To restore files larger than 10GB, restore entire VM to an alternate location or restore disks using PowerShell
* Data transfer rate: up to 1GB/Hr

If you have trouble finding your files,
[click here](#)

NEW QUESTION: 16

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You deploy SAP HANA on Azure (Large Instances).

You need to back up the SAP HANA database to Azure.

Solution: Back up directly to disk, copy the backups to an Azure virtual machine, and then copy the backup to an Azure Storage account Does this meet the goal?

A. Yes

B. No

Answer: B ([LEAVE A REPLY](#))

Explanation

Instead you should create a Recovery Services vault and a backup policy.

Reference:

<https://docs.microsoft.com/en-us/azure/backup/sap-hana-db-about>

<https://docs.microsoft.com/en-us/azure/backup/backup-azure-sap-hana-database#configure-backup>

Valid AZ-120 Dumps shared by Actual4test.com for Helping Passing AZ-120 Exam!

Actual4test.com now offer the **newest AZ-120 exam dumps**, the Actual4test.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-120 dumps with Test Engine here:

https://www.actual4test.com/AZ-120_examcollection.html (309 Q&As Dumps, **30%OFF**)

Special Discount: Freepdfdumps)

NEW QUESTION: 17

You deploy an Azure Internal load balancer.

You deploy a node of an SAP NetWeaver 7.4 ABAP system named SP1.

You plan to deploy a second node.

You need to verify that the health probe port is configured for the cluster. The cluster IP address

resource name is SAP SP1 IP.

How should you complete the command? To answer, select the appropriate options in the answer area.



Answer:



Explanation

A picture containing text Description automatically generated



Box 1: Get-ClusterResource

Example:

```
Get-ClusterResource -Name $SAPIResourceName | Get-ClusterParameter
```

```
Write-Output " "
```

```
Write-Output "Current probe port property of the SAP cluster resource '$SAPIResourceName' is '$OldProbePort'."
```

```
Write-Output " "
```

```
Write-Output "Setting the new probe port property of the SAP cluster resource '$SAPIResourceName' to '$ProbePort' ..."
```

```
Write-Output " "
```

Box 2: Get-ClusterParameter

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-high-availability-installation-wsfc-sh>

NEW QUESTION: 18

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You deploy SAP HANA on Azure (Large Instances).

You need to back up the SAP HANA database to Azure.

Solution: You configure DB13 to back up directly to a local disk.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Explanation

You need to back up the SAP HANA database to Azure, not to a local disk.

References:

<https://docs.microsoft.com/en-us/azure/backup/sap-hana-db-about>

<https://docs.microsoft.com/en-us/azure/backup/backup-azure-sap-hana-database#configure-backup>

NEW QUESTION: 19

You have an Azure AD tenant named contoso.com that syncs to an Active Directory domain hosted on an Azure virtual machine.

You plan to deploy an SAP NetWeaver landscape on Azure that will use SUSE Linux Enterprise Server (SLES).

You need to recommend an authentication solution for the following, scenarios. The solution must support Azure Multi-Factor Authentication (MFA);

* Administrators sign in to SLES Azure virtual machines.

* A user signs in to an SAP NetWeaver application.


What should you recommend for each scenario? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Answer Area



Answer:



Explanation



NEW QUESTION: 20

You have an on-premises SAP environment.


Backups are performed by using tape backups. There are 50 TB of backups.

A Windows file server has BMP images of checks used by SAP Finance. There are 9 TB of images.

You need to recommend a method to migrate the images and the tape backups to Azure. The solution must maintain continuous replication of the images.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



Explanation

Tape Backups - Azure Databox

File Server - Azure Storage Explorer

NEW QUESTION: 21

You plan to migrate an on-premises SAP development system to Azure.

Before the migration, you need to check the usage of the source system hardware, such as CPU, memory, network, etc.

Which transaction should you run from SAP GUI?

- A. SM51
- B. DB01
- C. DB12
- D. OS07N

Answer: D ([LEAVE A REPLY](#))

Explanation

SAP transaction OS07N (Remote Operating System Activity) is classified in the Basis Component module under application component Operating System Monitors and runs Monitoring Operating System program RSHOST1N upon execution.

NEW QUESTION: 22

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a complex SAP environment that has both ABAP- and Java-based systems. The current on-premises landscapes are based on SAP NetWeaver 7.0 (Unicode and Non-Unicode) running on Windows Server and Microsoft SQL Server.

You need to migrate the SAP environment to a HANA-certified Azure environment.

Solution: You upgrade to SAP NetWeaver 7.4, and then you migrate SAP to Azure by using Azure Site Recovery.

Does this meet the goal?

- A. Yes
- B. No

Answer: ([SHOW ANSWER](#))

Explanation

We need upgrade to SAP NetWeaver 7.4 before the migration. Then Azure Site Recovery is used for the migration to Azure.

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/vmware-azure-architecture>

NEW QUESTION: 23

You plan to deploy an SAP landscape that will have virtual machines deployed to multiple Azure regions.

You need to ensure that the virtual machines can communicate across the regions.

What should you configure?

- A. virtual network peering in Azure
- B. local network gateways
- C. Azure Bastion hosts
- D. Azure Relay

Answer: ([SHOW ANSWER](#))

Explanation

Depending on the rules and restrictions you want to apply between the different virtual networks hosting VMs of different SAP systems, you should peer those virtual network Note: Virtual network peering enables you to seamlessly connect two or more Virtual Networks in Azure. The virtual networks appear as one for connectivity purposes. The traffic between virtual machines in peered virtual networks uses the Microsoft backbone infrastructure. Like traffic between virtual machines in the same network, traffic is routed through Microsoft's private network only.

Azure supports the following types of peering:

Virtual network peering: Connect virtual networks within the same Azure region.

Global virtual network peering: Connecting virtual networks across Azure regions.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/hana-network-architecture>

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-peering-overview>

NEW QUESTION: 24

You deploy an SAP environment on Azure by following the SAP workload on Azure planning and deployment checklist.

You need to verify whether Azure Diagnostics is enabled.

Which cmdlet should you run?

- A. Get-AzureVMAvailableExtension
- B. Get-AzVmDiagnosticsExtension
- C. Test-AzDeployment
- D. Test-VMConfigForSAP

Answer: ([SHOW ANSWER](#))

Explanation

The Get-AzVMDiagnosticsExtension cmdlet gets the settings of the Azure Diagnostics extension on a virtual machine.

NEW QUESTION: 25

You have an on-premises SAP NetWeaver development landscape that contains the resources shown in the following table.

Name	Description
SAPDB1	Hyper-V virtual machine that runs Microsoft SQL Server 2017 and contains a 30-TB database
SAPSRV1	Hyper-V virtual machine that runs Windows Server

You have a 500-Mbps ExpressRoute circuit between the on-premises environment and a virtual network.

You plan to migrate the landscape to Azure.

What should you include in the solution?

- A. Azure Site Recovery
- B. Microsoft System Center 2019 - Data Protection Manager (DPM 2019)
- C. Azure Data Box
- D. Azure Backup Server

Answer: A (LEAVE A REPLY)

Explanation

Simplify cloud migration by using Site Recovery to migrate your SAP deployment to Azure.

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-sap>

NEW QUESTION: 26

You migrate an SAP environment to Azure.

You need to inspect all the outbound traffic from the SAP application servers to the Internet.

Which two Azure resources should you use? Each correct answer presents part of the solution.

Network Performance Monitor

- A. Azure Load Balancer NAT rules
- B. a web application firewall (WAF) for Azure Application Gateway
- C. Azure Firewall
- D. Azure Traffic Manager
- E. Azure user-defined routes

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 27

You plan to deploy a highly available ASCS instance to SUSE Linux Enterprise Server (SLES) virtual machines in Azure.

You are configuring an internal Azure Standard Load Balancer for the ASCS instance.

How should you configure the internal Standard Load Balancer? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Session persistence: Microsoft

- Client IP
- Client IP and Protocol
- None

Floating IP (direct server return):

- Disabled
- Enabled

Answer:



Explanation

Session persistence: None.

Floating IP: Enabled.

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/high-availability-guide-use>


NEW QUESTION: 28

Your on-premises network contains an Active Directory domain.


You are deploying a new SAP environment on Azure.

You need to configure SAP Single Sign-On to ensure that users can authenticate to SAP GUI and SAP WebGUI.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Answer:



NEW QUESTION: 29

You have an SAP environment that is managed by using VMware vCenter. You plan to migrate the SAP environment to Azure. You need to gather information to identify which compute resources are required in Azure. What should you use to gather the information?

- A. Azure Migrate and SAP EarlyWatch Alert reports
- B. Azure Site Recovery and SAP Quick Sizer
- C. SAP Quick Sizer and SAP HANA system replication
- D. Azure Site Recovery Deployment Planner and SAP HANA Cockpit

Answer: A (LEAVE A REPLY)

Explanation

Azure Migrate is a Microsoft service that helps an enterprise assess how its on-premises workloads will perform, and how much they will cost to host, in the Azure public cloud. An enterprise can use Azure Migrate to discover information about the VMware VMs running within its own data center, including CPU and memory usage, as well as performance history. SAP EarlyWatch Alert (EWA) is a monitoring service for SAP customers, to monitor SAP systems in the solution landscape.

NEW QUESTION: 30

You have a Recovery Services vault backup policy for SAP HANA on an Azure virtual machine as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on

the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer:

Graphical user interface, text, application, email Description automatically generated



NEW QUESTION: 31

Your company has a an on-premises SAP environment.

Recently, the company split into two companies named Litware, inc and Contoso.Ltd. Litware retained the SAP environment.

Litware plans to export data that is relevant only to Contoso. The export will be 1.5 TB.

Contoso build a new SAP environment on Azure.

You need to recommend a solution for Litware to make the data available to Contoso in Azure.

The solution must meet the following requirements:

Minimize the impact on the network.

Minimize the administrative effort for Litware.

What should you include in the recommendation.

- A. Azure Site Recovery
- B. Azure import/Export service
- C. Azure Migrate
- D. Azure Databox

Answer: (SHOW ANSWER)

Valid AZ-120 Dumps shared by Actual4test.com for Helping Passing AZ-120 Exam!

Actual4test.com now offer the **newest AZ-120 exam dumps**, the Actual4test.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-120 dumps with Test Engine here:


https://www.actual4test.com/AZ-120_examcollection.html (309 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)


NEW QUESTION: 32

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.



Answer:



Explanation

YES

YES

NO

NEW QUESTION: 33

You need direct connectivity from an on-premises network to SAP HANA (Large Instances). The solution must meet the following requirements:

- * Minimize administrative effort.
- * Provide the highest level of resiliency.

What should you use?

- A. ExpressRoute Global Reach
- B. Linux IPTables
- C. ExpressRoute
- D. NGINX as a reverse proxy

Answer: C (LEAVE A REPLY)

Explanation

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/hana-network-architecture> Express Route Global Reach Microsoft introduced a new functionality called ExpressRoute Global Reach.

Global Reach can be used for HANA Large Instances in two scenarios: Enable direct access from on-premises to your HANA Large Instance units deployed in different regions Enable direct communication between your HANA Large Instance units deployed in different regions Direct Access from on-premises In the Azure regions where Global Reach is offered, you can request enabling the Global Reach functionality for your ExpressRoute circuit that connects your on-premises network to the Azure virtual network that connects to your HANA Large Instance units as well.

NEW QUESTION: 34

This question requires that you evaluate the underlined BOLD text to determine if it is correct. You are planning for the administration of resources in Azure.

To meet the technical requirements, you must first implement Active Directory Federation Services (AD FS).

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed". If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. Azure AD Connect
- C. Azure AD join
- D. Enterprise State Roaming

Answer: A (LEAVE A REPLY)

Explanation

AD connect, it's not mandatory to have AD FS, you can use Password Hash Synchronisation or Passthrough Authentication, but AD Connect is mandatory to synchronise on-premises accounts to Azure AD References:

<https://docs.microsoft.com/en-us/azure/active-directory/saas-apps/sap-hana-cloud-platform-identity-authenticatio>

Topic 1, Contoso Ltd Case Study

Case Study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the button to return to the question.

Overview

Contoso, Ltd. is a manufacturing company that has 15,000 employees.

The company uses SAP for sales and manufacturing.

Contoso has sales offices in New York and London and manufacturing facilities in Boston and Seattle.

Existing Environment

Active Directory

The network contains an on-premises Active Directory domain named ad.contoso.com. User email addresses use a domain name of contoso.com.

SAP Environment

The current SAP environment contains the following components:

SAP Solution Manager

SAP ERP Central Component (SAP ECC)

SAP Supply Chain Management (SAP SCM)

SAP application servers that run Windows Server 2008 R2

SAP HANA database servers that run SUSE Linux Enterprise Server 12 (SLES 12) Problem

Statements Contoso identifies the following issues in its current environment:

The SAP HANA environment lacks adequate resources.

The Windows servers are nearing the end of support.

The datacenters are at maximum capacity.

Requirements

Planned Changes

Contoso identifies the following planned changes:

Deploy Azure Virtual WAN.

Migrate the application servers to Windows Server 2016.

Deploy ExpressRoute connections to all of the offices and manufacturing facilities.

Deploy SAP landscapes to Azure for development, quality assurance, and production.

All resources for the production landscape will be in a resource group named SAPProduction.

Business goals

Contoso identifies the following business goals:

Minimize costs whenever possible.

Migrate SAP to Azure without causing downtime.

Ensure that all SAP deployments to Azure are supported by SAP.

Ensure that all the production databases can withstand the failure of an Azure region.

Ensure that all the production application servers can restore daily backups from the last 21 days.

Technical Requirements

Contoso identifies the following technical requirements:

Inspect all web queries.

Deploy an SAP HANA cluster to two datacenters.

Minimize the bandwidth used for database synchronization.

Use Active Directory accounts to administer Azure resources.

Ensure that each production application server has four 1-TB data disks.

Ensure that an application server can be restored from a backup created during the last five days


within
15 minutes.


Implement an approval process to ensure that an SAP administrator is notified before another administrator attempts to make changes to the Azure virtual machines that host SAP.

It is estimated that during the migration, the bandwidth required between Azure and the New York office will be 1 Gbps. After the migration, a traffic burst of up to 3 Gbps will occur.




Proposed Backup Policy


An Azure administrator proposes the backup policy shown in the following exhibit.

* Policy name 


SapPolicy 

Backup schedule

* Frequency  * Time  * Timezone 



Instant Restore 

Retain instant recovery snapshot(s) for




 Day(s)

Retention range





Retention of daily backup point.

* At  For  Day(s)






Retention of weekly backup point.

* On  * At  For  Week(s)

Retention of monthly backup point.

* On  * Day  * At  For  Month(s)

Retention of yearly backup point.

* In  * On  * Day  * At  For  Year(s)

Azure Resource Manager Template

An Azure administrator provides you with the Azure Resource Manager template that will be used to provision the production application servers.

```
[
  "apiVersion": "2017-03-30",
  "type": "Microsoft.Compute/virtualMachines",
  "name": "[parameters('vmname')]",

  "location": "EastUS",
  "dependsOn": [
    "[resourceId('Microsoft.Network/networkInterfaces/', parameters('vmname'))]"
  ],
  "properties": {
    "hardwareProfile": {
      "vmSize": "[parameters('vmSize')]"
    },
    "osProfile": {
      "computerName": "[parameters('vmname')]",
      "adminUsername": "[parameters('adminUsername')]",
      "adminPassword": "[parameters('adminPassword')]"
    },
    "storageProfile": {
      "imageReference": {
        "publisher": "MicrosoftWindowsServer",
        "offer": "WindowsServer",
        "sku": "2016-datacenter",
        "version": "latest"
      },
      "osDisk": {
        "name": "[concat(parameters('vmname'), '-OS')]",
        "caching": "ReadWrite",
        "createOption": "FromImage",
        "diskSizeGB": 128,
        "managedDisk": {
          "storageAccountType": "[parameters('storageAccountType')]"
        }
      },
      "copy": [
        {
          "name": "DataDisks",
          "count": "[parameters('diskCount')]",
          "input": {
            "caching": "None",
            "diskSizeGB": 1024,
            "lun": "[concat(parameters('vmname'), 'data', 'disk', '0')]"
          }
        }
      ]
    }
  }
}
```

freepdfdumps.com



Microsoft



```

        "name": "[concat(parameters('vmname'), '-DD', copyIndex('dataDisk', 1))]",
        "createOption": "Empty"
    }
  ]
},
"networkProfile": {
  "networkInterfaces": [
    {
      "id": "[resourceId('Microsoft.Network/networkInterfaces', parameters('vmName'))]"
    }
  ]
}
},
"resources": [
  {
    "apiVersion": "2017-03-30"
    "type": "Microsoft.Compute/virtualMachines/extensions",
    "name": "[concat(parameters('VMName'), '/joindomain')]",
    "location": "eastus",
    "properties": {
      "publisher": "Microsoft.Compute",
      "type": "JsonADDomainExtension",
      "typeHandlerVersion": "1.3",
      "autoUpgradeMinorVersion": true,
      "settings": {
        "Name": "[parameters('domainName')]",
        "User": "[parameters('domainusername')]",
        "Restart": "true",
        "Options": "3"
      },
      "protectedsettings": {
        "Password": "[parameters('domainPassword')]"
      }
    }
  }
]
}
}

```


NEW QUESTION: 35

A customer has an on-premises SAP environment.


The customer plans to migrate SAP to Azure.

You need to prepare the environment for the planned migration.

Which three actions should you perform in sequence before the migration? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Answer:



NEW QUESTION: 36

Your on-premises network contains SAP and non-SAP applications.

You have JAVA-based SAP systems that use SPNEGO for single-sign on (SSO) authentication.

Your external portal uses multi-factor authentication (MFA) to authenticate users.

You plan to extend the on-premises authentication features to Azure and to migrate the SAP applications to Azure.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Azure Active Directory (Azure AD) pass-through authentication can be used to enable MFA for on-premises users.	<input type="radio"/>	<input type="radio"/>
Azure Active Directory (Azure AD) password hash synchronization ensures that users can use on their on-premise credentials to authenticate to ABAP-based SAP systems on Azure.	<input type="radio"/>	<input type="radio"/>
Active Directory Federation Services (AD FS) can be used to enable MFA for on-premises users.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
Azure Active Directory (Azure AD) pass-through authentication can be used to enable MFA for on-premises users.	<input type="radio"/>	<input type="radio"/>
Azure Active Directory (Azure AD) password hash synchronization ensures that users can use on their on-premise credentials to authenticate to ABAP-based SAP systems on Azure.	<input type="radio"/>	<input type="radio"/>
Active Directory Federation Services (AD FS) can be used to enable MFA for on-premises users.	<input type="radio"/>	<input type="radio"/>

Explanation

Box 1: Yes

Box 2: Yes

Password hash synchronization is one of the sign-in methods used to accomplish hybrid identity. Azure AD Connect synchronizes a hash, of the hash, of a users password from an on-premises Active Directory instance to a cloud-based Azure AD instance.

Password hash synchronization is an extension to the directory synchronization feature implemented by Azure AD Connect sync. You can use this feature to sign in to Azure AD services like Office 365. You sign in to the service by using the same password you use to sign in to your on-premises Active Directory instance.

Box 3: Yes

If your organization is federated with Azure AD, you can use Azure Multi-Factor Authentication to secure AD FS resources, both on-premises and in the cloud. Azure MFA enables you to eliminate passwords and provide a more secure way to authenticate.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/whatis-phs>

<https://docs.microsoft.com/en-us/windows-server/identity/ad-fs/operations/configure-ad-fs-and-azure-mfa>

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-pta>


NEW QUESTION: 37

You plan to deploy a scale-out SAP HANA deployment on Azure virtual machines that will contain a standby node.

You need to recommend a storage solution for the deployment.

What should you recommend? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point



Answer:



Explanation



NEW QUESTION: 38

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a complex SAP environment that has both ABAP- and Java-based systems. The current on-premises landscapes are based on SAP NetWeaver 7.0 (Unicode and Non-Unicode) running on Windows Server and Microsoft SQL Server.

You need to migrate the SAP environment to an Azure environment.

Solution: You migrate the SAP environment as is to Azure by using Azure Site Recovery.

Does this meet the goal?

- A. Yes
- B. No

Answer: (SHOW ANSWER)

Explanation

We need upgrade to SAP NetWeaver 7.4 before the migration.

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/vmware-azure-architecture>

NEW QUESTION: 39

You plan to automate a deployment of SAP NetWeave on Azure virtual machines by using Azure Resource Manager templates. The database tier will consist of two instances of an Azure Marketplace Microsoft SQL Server 2017 virtual machine image that each has 8 TB of RAM.

Which task should you include in the templates used to deploy the SQL Server virtual machines?

- A. Enable read caching on the disks used to store the SQL Server database log files.
- B. Run the SQL Server setup and specify the /ACTION=INSTALL and /SQLMAXMEMORY switches.
- C. Run the SQL Server setup and specify the /ACTION=REBUILDDATABASE and /SQLCOLLATION switches.
- D. Enable buffer pool extensions in SQL Server.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 40

You have an SAP production landscape on Azure that contains the virtual machines shown in the following table.

Name	Location	Application
HANA1	East US	SAP HANA 2.0
HANA2	East US	SAP HANA 2.0
HANA3	South Central US	SAP HANA 2.0
App1	East US	SAP Web Dispatcher
App2	East US	SAP Web Dispatcher

You configure HANA system replication as shown in the following table.

Source	Destination	Mode
HANA1	HANA2	Sync
HANA2	HANA3	Sync

You configure two load balancers as shown in the following table.

Name	Location	Type	Pool
LB1	East US	Standard	HANA1, HANA2
LB2	East US	Basic	App1, App2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.



Statements

Yes

No

HANA2 and HANA3 are in a supported configuration.

App1 and App2 are in a supported configuration.

Azure Site Recovery is in a supported configuration for App1 and App2 to fail over to the South Central US Azure region.

Answer:

Statements	Yes	No
HANA2 and HANA3 are in a supported configuration.	<input checked="" type="radio"/>	<input type="radio"/>
App1 and App2 are in a supported configuration.	<input checked="" type="radio"/>	<input type="radio"/>
Azure Site Recovery is in a supported configuration for App1 and App2 to fail over to the South Central US Azure region.	<input type="radio"/>	<input checked="" type="radio"/>

Reference:

<https://help.sap.com/viewer/6b94445c94ae495c83a19646e7c3fd56/2.0.02/en-US/f730f308fede4040bcb5ccea675>

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-hana-high-availability>

NEW QUESTION: 41


You plan to migrate an SAP database from Oracle to Microsoft SQL Server by using the SQL Server Migration Assistant (SSMA).

You are configuring a Proof of Concept (PoC) for the database migration. You plan to perform the migration multiple times as part of the PoC.

You need to ensure that you can perform the migrations as quickly as possible. The solution must ensure that all Oracle schemas are migrated.

Which migration method and migration mode should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer:



NEW QUESTION: 42

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You deploy SAP HANA on Azure (Large Instances).

You need to back up the SAP HANA database to Azure.

Solution: You use a third-party tool that uses backint to back up the SAP HANA database to Azure storage.

Does this meet the goal?

A. Yes

B. No

Answer: A (LEAVE A REPLY)

Explanation

<https://blogs.sap.com/2018/08/31/overview-of-backint-for-sap-hana-and-faq-for-3rd-party-backup-tool-support/>

https://documentation.commvault.com/commvault/v11_sp16/article?p=114414.htm

NEW QUESTION: 43

You have an Azure subscription.

Your company has an SAP environment that runs on SUSE Linux Enterprise Server (SLES) servers and SAP HANA. The environment has a primary site and a disaster recovery site.

Disaster recovery is based on SAP HANA system replication. The SAP ERP environment is 4 TB and has a projected growth of 5% per month.

The company has an uptime Service Level Agreement (SLA) of 99.99%, a maximum recovery time objective (RTO) of four hours, and a recovery point objective (RPO) of 10 minutes.

You plan to migrate to Azure.

You need to design an SAP landscape for the company.

Which options meet the company's requirements?

A. Azure virtual machines and SLES for SAP application servers

SAP HANA on Azure (Large Instances) that uses SAP HANA system replication for high availability and disaster recovery

B. ASCS/ERS and SLES clustering that uses the Pacemaker fence agent

SAP application servers deployed to an Azure Availability Zone

SAP HANA on Azure (Large Instances) that uses SAP HANA system replication for database high availability and disaster recovery

C. SAP application instances deployed to an Azure Availability Set

SAP HANA on Azure (Large Instances) that uses SAP HANA system replication for database high availability and disaster recovery

D. ASCS/ERS and SLES clustering that uses the Azure fence agent

SAP application servers deployed to an Azure Availability Set

SAP HANA on Azure (Large Instances) that uses SAP HANA system replication for database high availability and disaster recovery

Answer: B (LEAVE A REPLY)

Explanation

With Availability Zones, Azure offers industry best 99.99% VM uptime SLA.

References:

<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-faqs>

NEW QUESTION: 44

You have an existing SAP production landscape that uses SAP HANA databases.

You plan to migrate the landscape to Azure.

Which Azure virtual machine series will be Azure supported for the production SAP HANA database deployment?

A. A-Series

B. F-Series

C. N-Series

D. M-Series

Answer: D (LEAVE A REPLY)

NEW QUESTION: 45

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
SAP HANA certification for M-Series Azure virtual machines requires that Write Accelerator be enabled on the /hana/data volume.	<input type="radio"/>	<input type="radio"/>
SAP HANA certification for M-Series Azure virtual machines requires that Write Accelerator be enabled on the /hana/log volume.	<input type="radio"/>	<input type="radio"/>
To enable Write Accelerator, you must use Azure Premium managed disks.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
SAP HANA certification for M-Series Azure virtual machines requires that Write Accelerator be enabled on the /hana/data volume.	<input type="radio"/>	<input checked="" type="radio"/>
SAP HANA certification for M-Series Azure virtual machines requires that Write Accelerator be enabled on the /hana/log volume.	<input checked="" type="radio"/>	<input type="radio"/>
To enable Write Accelerator, you must use Azure Premium managed disks.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation

Statements	Yes	No
SAP HANA certification for M-Series Azure virtual machines requires that Write Accelerator be enabled on the /hana/data volume.	<input type="radio"/>	<input checked="" type="radio"/>
SAP HANA certification for M-Series Azure virtual machines requires that Write Accelerator be enabled on the /hana/log volume.	<input checked="" type="radio"/>	<input type="radio"/>
To enable Write Accelerator, you must use Azure Premium managed disks.	<input checked="" type="radio"/>	<input type="radio"/>

Box 1: No

Box 2: Yes

The minimum SAP HANA certified conditions for the different storage types are:

Azure Premium SSD - /hana/log is required to be cached with Azure Write Accelerator.

The /hana/data volume could be placed on Premium SSD without Azure Write Accelerator or on Ultra disk

Box 3: Yes References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/hana-vm-operations-storage>

NEW QUESTION: 46

A customer enterprise SAP environment plans to migrate to Azure. The environment uses servers that runs Windows Server 2016 and Microsoft SQL Server.

The environment is critical and requires a comprehensive business continuity and disaster recovery (BCDRJ) strategy that minimizes the recovery point objective (RPO) and the recovery time objective (RTO).

The customer wants a resilient environment that has a secondary site that is at least 250 Kilometers away. You need to recommend a solution for the customer.

Which two solutions should you recommend? Each correct answer presents part of the solution.

NOTE; Each correct selection is worth one point.

- A. an internal load balancer to route Internet traffic
- B. warm standby virtual machines in Azure Availability Zones.
- C. warm standby virtual machines in paired regions
- D. Warm standby virtual machine in an Azure Availability Set that uses geo-redundant storage (GRS)
- E. Azure Traffic Manager to route incoming traffic.

Answer: (SHOW ANSWER)

Explanation

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-hana-availability-one-region>

Valid AZ-120 Dumps shared by Actual4test.com for Helping Passing AZ-120 Exam!

Actual4test.com now offer the **newest AZ-120 exam dumps**, the Actual4test.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-120 dumps with Test Engine here:

https://www.actual4test.com/AZ-120_examcollection.html (309 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 47

You have an Azure subscription. The subscription contains a virtual machine named VM1 that runs SAP HANA and a user named User1. User1 is assigned the Virtual Machine Contributor role of VM1.

You need to prevent User1 from placing VM1 in the Stopped (deallocated) state. User1 must be able to restart the operating system on VM1.

What should you do?

- A. Assign an Azure Policy definition to the resource group that contains VM1.
- B. Assign User1 the Virtual Machine User Login role for VM1.
- C. Create a resource lock on VM1.
- D. Configure the Desired State Configuration (DSC) extension on VM1.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 48

You plan to deploy an SAP environment on Azure that will use Azure Availability Zones. Which load balancing solution supports the deployment?

- A. Azure Basic Load Balancer
- B. Azure Standard Load Balancer
- C. Azure Application Gateway v1 SKU

Answer: B ([LEAVE A REPLY](#))

Explanation

When you deploy Azure VMs across Availability Zones and establish failover solutions within the same Azure region, some restrictions apply:

* You can't use an Azure Basic Load Balancer to create failover cluster solutions based on Windows Server Failover Clustering or Linux Pacemaker. Instead, you need to use the Azure Standard Load Balancer SKU.

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-ha-availability-zones>

NEW QUESTION: 49

You plan to deploy a high availability SAP environment that will use a failover clustering solution. You have an Azure Resource Manager template that you will use for the deployment. You have the following relevant portion of the template.

```

"apiVersion": "2017-08-01",
"type": "Microsoft.Network/loadBalancers",
"name": "load_balancer1",
"location": "region",
"sku":
  { "name": "Standard"},
"properties": {
  "frontendIPConfigurations": [
    {
      "name": "frontend1",
      "zones": [ "1" ],
      "properties": {
        "subnet": {
          "Id": "[variables('subnetRef')]"
        },
        "privateIPAddress": "10.0.0.6",
        "privateIPAllocationMethod": "Static"
      }
    }
  ],
}

```

What is created by the template?

- A. a zonal frontend IP address for the internal Azure Standard Load Balancer
- B. a zone-redundant frontend IP address for the internal Azure Basic Load Balancer
- C. a zone -redundant public IP address for the internal load balancer
- D. a zone-redundant frontend IP address for the internal Azure Standard Load Balancer

Answer: A ([LEAVE A REPLY](#))

Explanation

<https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-standard-availability-zones>

NEW QUESTION: 50

You have an Azure subscription that contains a Recovery Services vault named RSV1 and a virtual machine named VM1. VM1 runs SUSE Enterprise Linux (SLES) and hosts an SAP HANA instance.

You need to configure a HANA 8ackint-based backup of the HANA databases.

You register VM1 with RSV1.

What should you do next?

- A. On VM1, stop the HANA instance.
- B. On VM1, run the preregistration script.
- C. On VM1, install the Azure Backup Plugin for HANA.
- D. From RSV1, select the items to back up.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 51

You have an on-premises deployment of SAP HANA that contains a production environment and a development environment.

You plan to migrate both environments to Azure.

You need to identify which Azure virtual machine-series to use for each environment. The solution must meet the following requirements:

- * Minimize costs.
- * Be SAP HANA-certified.

What should you identify for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Answer:

Answer Area



Explanation



NEW QUESTION: 52

You plan to deploy two Azure virtual machines that will host an SAP HANA database for an SAP landscape.

The virtual machines will be deployed to the same availability set. You need to meet the following requirements:

- * Ensure that the virtual machines support disk snapshots.
- * Ensure that the virtual machine disks provide submillisecond latency for writes.
- * Ensure that each virtual machine can be allocated disks from a different storage cluster.

Which type of operating system disk and HANA database disk should you use? To answer, select the appropriate options in the answer area. NOTE Each correct selection is worth one point.

Answer Area



Operating system disk: Premium storage
Azure NetApp Files
Premium storage
Ultra disk

HANA database disk: Ultra disk
Azure NetApp Files
Premium storage
Ultra disk

Answer:
Answer Area



Operating system disk: Premium storage
Azure NetApp Files
Premium storage
Ultra disk

HANA database disk: Ultra disk
Azure NetApp Files
Premium storage
Ultra disk

Explanation



NEW QUESTION: 53

You have an on-premises third-party enterprise resource planning (ERP) system that uses Microsoft SQL Server 2016. You plan to migrate the ERP system to SAP Business Suite on SAP HANA on Azure virtual machines. You need to identify the appropriate sizing for Business Suite on HANA. What should you use?

- A. SAP Quick Sizer for HANA Cloud
- B. SAP Cloud Platform Cockpit
- C. HANA Cockpit
- D. SAP Quick Sizer for HANA

Answer: A ([LEAVE A REPLY](#))

Explanation

If a customer runs non-SAP systems, the only way of Sizing the required Hardware for SAP HANA is the Quick-Sizer tool.

HANA-based Cloud Quick Sizer: Please use this version, if the product that you want to size shall run in the Cloud; e.g. SAP S/4HANA Cloud and SAP Data Warehouse Cloud.

Reference:

<https://www.sap.com/about/benchmark/sizing.html#quick-sizer>

NEW QUESTION: 54

You are planning the Azure network infrastructure to support the disaster recovery requirements. What is the minimum number of virtual networks required for the SAP deployed?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: B ([LEAVE A REPLY](#))

Explanation

Scenario: Ensure that all the production databases can withstand the failure of an Azure region.

Note: Use Azure Site Recovery to replicate applications across regions. Azure Site Recovery replicates workloads running on physical and virtual machines from a primary site (either on-premises or in Azure) to a secondary location (in Azure). When an outage occurs at the customer's primary site, a failover can be triggered to quickly return the customer to an

operational state. After the primary location is restored, customers can then fail back.

References:

<https://docs.microsoft.com/en-us/azure/architecture/resiliency/recovery-loss-azure-region>

Topic 2, Litware, inc Case Study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all question include on this exam in the time provided.

To answer the question included in a case study, you will need to reference information that is provided in the case study. Case studies might contain and other resources that provide information about the scenario that is describe in the case study. Each question is independent of the other question in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answer and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To Start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such the content requirements, existing environment, and problem statements, if the case study has an All Information tab, note that the information displayed its identical to the information displayed on the subsequence tabs. When you are ready to answer a question click the Question button to return to the question.

Overview

Litware, inc. is an international manufacturing company that has 3,000 employees.

Litware has two main offices. The offices are located in Miami, FL, and Madrid Spain.

Existing Environment

Infrastructure

Litware currently uses a third-party provider to host a datacenter in Miami and a disaster recovery datacenter in Chicago, it.

The network contains an Active Directory domain named litware.com.Litware has two third-party applications hosted in Azure.

Litware already implemented a site-to-site VPN connection between the on-premises network and Azure.

SAP Environment

Litware currently runs the following SAP products:

* Enhancement Pack 6 for SAP ERP Central Component 6.0 (SAP ECC 6.0)

* SAP Extended Warehouse Management (SAP EWM)

* SAP Business Warehouse (SAP BW)

* SAP NetWeaver Process Integration (PI)

* SAP Solution Manager

All users run on the Windows Server platform. All databases use Microsoft SQL Server. Currently,

you have

20 production servers.

You have 30 non-production servers including five testing servers, five development servers, five quality assurance (QA) servers, and 15 pre-production servers.

Currently, all SAP applications are in the litware.com domain.

Problem Statements

The current version of SAP ECC has a transaction that, when run in batches overnight, takes eight hours to complete. You confirm that upgrading to SAP Business Suite on HANA will improve performance because of code changes and the SAP HANA database platform.

Litware is dissatisfied with the performance of its current hosted infrastructure vendor. Litware experienced several hardware failures and the vendor struggled to adequately support its 24/7 business operation.

Business Goals

Litware identifies the following business goals:

- * Increase the performance of SAP ECC application by moving to SAP HANA. All other databases will remain on SQL Server.
- * Move away from the current infrastructure vendor to increase the stability and availability of the SAP services.
- * Use the new Environment, Health and Safety (EH&S) in Recipe Management function.
- * Ensure that any migration activities can be completed within a 48-hour period during a weekend.

Planned Changes

Litware identifies the following planned changes:

- * Migrate SAP to Azure.
- * Upgrade and migrate SAP ECC to SAP Business Suite on HANA Enhancement Pack 8.

Technical requirements

Litware identifies the following technical requirements:

- * Implement automated backups.
- * Support load testing during the migration.
- * Identify opportunities to reduce costs during the migration.
- * Continue to use the Litware.com domain for all SAP landscapes.
- * Ensure that all SAP applications and databases are highly available.
- * Remove all SAP components from the on-premises network once the migration is complete.
- * Minimize the purchase of additional SAP licenses. SAP HANA licenses were already purchased.
- * Ensure that SAP can provide technical support for all the SAP landscapes deployed to Azure.

NEW QUESTION: 55

You have an SAP environment on Azure that contains a single-tenant SAP HANA server at instance 03.

You need to monitor the network throughput from an SAP application server to the SAP HANA server.

How should you complete the script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```

Answer Area
$HANA = Get-AzNetworkInterface -Name HANAP01-NIC -ResourceGroupName Production
$SAPP = Get-AzNetworkUsage -ResourceGroupName Production
Get-AzNetworkWatcher
Get-AzVM

New-AzNetworkWatcherConnectionMonitor -NetworkWatcher (Get-AzNetworkWatcher)
-Name HANA - DestinationAddress ((Get-AzNetworkInterface $HANA).IpConfigurations.PrivateIpAddress)
-DestinationPort 1433 -SourceResourceId $SAPP.Id
                1434
                30115
                30315
    
```

Answer:

```

Answer Area
$HANA = Get-AzNetworkInterface -Name HANAP01-NIC -ResourceGroupName Production
$SAPP = Get-AzNetworkUsage -ResourceGroupName Production
Get-AzNetworkWatcher
Get-AzVM

New-AzNetworkWatcherConnectionMonitor -NetworkWatcher (Get-AzNetworkWatcher)
-Name HANA - DestinationAddress ((Get-AzNetworkInterface $HANA).IpConfigurations.PrivateIpAddress)
-DestinationPort 1433 -SourceResourceId $SAPP.Id
                1434
                30115
                30315
    
```

NEW QUESTION: 56

You have an SAP landscape on Azure that contains the virtual machines shown in the following table.

Name	Configuration
DB1	Microsoft SQL Server 2017
HANA1	SAP HANA 2.0
WEB01	SAP Web Dispatcher that runs on Windows Server 2019

You need to recommend a recovery solution in the event of an Azure regional outage. The solution must meet the following requirements:

- * Minimize costs.
- * Minimize data loss.
- * Minimize administrative effort.

What should you recommend for each virtual machine? To answer, drag the appropriate services to the correct virtual machines. Each service may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Services

- An AlwaysOn availability group
- An application group
- Azure Backup
- Azure Site Recovery
- HANA system replication
- Geo-zone-redundant storage (GZRS)

Answer Area

DB1:

HANA1:

WEB01:

Answer:

Services

- An AlwaysOn availability group
- An application group
- Azure Backup
- Azure Site Recovery
- HANA system replication
- Geo-zone-redundant storage (GZRS)

Answer Area

DB1:

HANA1:

WEB01:

Explanation

Services

- An AlwaysOn availability group
- An application group
- Azure Backup
- Azure Site Recovery
- HANA system replication
- Geo-zone-redundant storage (GZRS)

Answer Area

DB1:

HANA1:

WEB01:

NEW QUESTION: 57

You have an Azure Availability Set that is configured as shown in the following exhibit.

```
PS Azure:\> get-azavailabilityset | Select Sku, PlatformFaultDomainCount, PlatformUpdateDomainCount, name, type | FL
```

```

Sku                : Aligned
PlatformFaultDomainCount : 2
PlatformUpdateDomainCount : 4
Name               : SAP-Databases-AS
Type               : Microsoft.Compute/availabilitySets
  
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Virtual machines that share [answer choice] will be susceptible to a storage outage.

- aligned SKUs
- the same fault domain
- the same update domain

Virtual machines in the Azure Availability Set can support [answer choice].



- datacenter outages
- managed disks
- regional outages

Answer:

Virtual machines that share [answer choice] will be susceptible to a storage outage.

- aligned SKUs
- the same fault domain
- the same update domain

Virtual machines in the Azure Availability Set can support [answer choice].

- datacenter outages
- managed disks
- regional outages

Explanation

Virtual machines that share [answer choice] will be susceptible to a storage outage.

Virtual machines in the Azure Availability Set can support [answer choice].

Box 1: the same fault domain

Fault domains define the group of virtual machines that share a common power source and network switch. If a storage fault domain fails due to hardware or software failure, only the VM instance with disks on the storage fault domain fails.

Box 2: managed disks

Managed disks provide better reliability for Availability Sets by ensuring that the disks of VMs in an Availability Set are sufficiently isolated from each other to avoid single points of failure. It does

this by automatically placing the disks in different storage fault domains (storage clusters) and aligning them with the VM fault domain.

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/manage-availability>

NEW QUESTION: 58

You plan to deploy an SAP production landscape that uses SAP HANA databases on Azure. You need to configure the storage infrastructure to support the SAP HANA deployment. The solution must meet the SAP issued requirements for data throughput and I/O.

How should you configure the storage?

- A. RAID1
- B. RAID5
- C. RAID0
- D. RAID6

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

You have an on-premises deployment of SAP on DB2.

You plan to migrate the deployment to Azure and Microsoft SQL Server 2017.

What should you use to migrate the deployment?

- A. Azure SQL Data Sync
- B. SQL Server Migration Assistant (SSMA)
- C. DSN1COPY
- D. db2haicu

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 60

You plan to migrate an on-premises SAP environment to Azure.

You need to identify whether any SAP application servers host multiple SAP system identifiers (SIDs).

What should you do?

- A. Run the SAP Report from ABAPMeter.
- B. Run SAP HAN A sizing report.
- C. From the SAP EarlyWatch Alert report, compare the services to the reference objects
- D. From the SAP EarlyWatch Alert report, compare the physical host names to the virtual host names.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets

might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a complex SAP environment that has both ABAP- and Java-based systems. The current on-premises landscapes are based on SAP NetWeaver 7.0 (Unicode and Non-Unicode) running on Windows Server and Microsoft SQL Server.

You need to migrate the SAP environment to a HANA-certified Azure environment.

Solution: You migrate SAP to Azure by using Azure Site Recovery, and then you upgrade to SAP NetWeaver

7.4.

Does this meet the goal?

A. Yes

B. No

Answer: B ([LEAVE A REPLY](#))

Explanation

We need upgrade to SAP NetWeaver 7.4 before the migration.

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/vmware-azure-architecture>

Valid AZ-120 Dumps shared by Actual4test.com for Helping Passing AZ-120 Exam!

Actual4test.com now offer the **newest AZ-120 exam dumps**, the Actual4test.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-120 dumps with Test Engine here:

https://www.actual4test.com/AZ-120_examcollection.html (309 Q&As Dumps, **30%OFF**

Special Discount: [Freepdfdumps](#))

NEW QUESTION: 62

You plan to migrate an on-premises SAP development system to Azure.

Before the migration, you need to check the usage of the source system hardware, such as CPU, memory, network, etc.

Which transaction should you run from SAP GUI?

A. SM51

B. DB01

C. DB12

D. ST06

Answer: D ([LEAVE A REPLY](#))

Explanation

ST06 is a transaction code used for Operating System Monitor in SAP.

SAP transaction ST06 (Operating System Monitor) is classified in the Basis Component module

under application component Operating System Monitors and runs Monitoring Operating System program RSHOST05 upon execution.

Reference:

<https://saptransactions.com/codes/ST06/>

NEW QUESTION: 63

You have an Azure subscription that contains an SAP HANA on Azure (Large Instances) deployment. The deployment is forecasted to require an additional 256 GB of storage. What is the minimum amount of additional storage you can allocate?

- A. 512 GB
- B. 256 GB
- C. 2 TB
- D. 1TB

Answer: ([SHOW ANSWER](#))


NEW QUESTION: 64

Your on-premises network contains SAP and non-SAP applications. ABAP-based SAP systems are integrated with IDAP and use user name/password-based authentication for logon.


You plan to migrate the SAP applications to Azure.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.



Answer:



NEW QUESTION: 65

You have an Azure Active Directory (Azure AD) tenant and an SAP Cloud Platform tenant.

You need to ensure that users sign in automatically by using their Azure AD accounts when they connect to SAP Cloud Platform.

Which four actions should you perform in sequence? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From the SAP Cloud Platform Identity administration console, configure a corporate identity provider to use the Federation Metadata XML file.	
From the Azure Active Directory admin center, add the SAP Cloud Platform Identity Authentication enterprise app.	
From the Azure Active Directory admin center, configure the SAP Cloud Platform Identity app to use the Federation Metadata XML file.	
From the Azure Active Directory admin center, download the Federation Metadata XML file.	
Configure the SAML settings for the Identifier and Reply URL.	

Answer:

Actions	Answer Area
From the SAP Cloud Platform Identity administration console, configure a corporate identity provider to use the Federation Metadata XML file.	Configure the SAML settings for the Identifier and Reply URL.
From the Azure Active Directory admin center, add the SAP Cloud Authentication enterprise app.	From the Azure Active Directory admin center, add the SAP Cloud Authentication enterprise app.
From the Azure Active Directory admin center, configure the SAP Identity app to use the Federation Metadata XML file.	From the SAP Cloud Platform Identity administration console, configure a corporate identity provider to use the Federation Metadata XML file.
From the Azure Active Directory admin center, download the Federation Metadata XML file.	From the Azure Active Directory admin center, download the Federation Metadata XML file.
Configure the SAML settings for the Identifier and Reply URL.	

NEW QUESTION: 66

You plan to deploy an SAP environment on Azure.

During a bandwidth assessment, you identify that connectivity between Azure and an on-premises datacenter requires up to 5 Gbps.

You need to identify which connectivity method you must implement to meet the bandwidth requirement. The solution must minimize costs.

Which connectivity method should you identify?

- A. an ExpressRoute connection
- B. an Azure site-to-site VPN that is route-based
- C. an Azure site-to-site VPN that is policy-based
- D. Global VNet peering

Answer: (SHOW ANSWER)

Explanation

Azure site-to-site VPN is cheaper.

References:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/hybrid-networking/vpn>

NEW QUESTION: 67

You have an SAP production landscape on-premises and an SAP development landscape on Azure.

You deploy a network virtual appliance to act as a firewall between the Azure subnet and the on-premises network.

Solution: You configure route filters for Microsoft peering.

Does this meet the goal?

A. Yes

B. No

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 68

You are deploying an SAP environment on Azure that will use an SAP HANA database server. You provision an Azure virtual machine for SAP HANA by using the M64s virtual machine SKU. You need to set the swap space by using the Microsoft Azure Linux Agent (waagent) configuration file.

Which two settings should you configure? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. ResourceDisk.EnableSwapEncryption=n

B. AutoUpdate.Enabled=n

C. ResourceDisk.SwapSizeMB=229376

D. ResourceDisk.EnableSwap=y

Answer: ([SHOW ANSWER](#))

Explanation

To create a swap file in the directory that's defined by the ResourceDisk.MountPoint parameter, you can update the /etc/waagent.conf file by setting the following three parameters:

ResourceDisk.Format=y

ResourceDisk.EnableSwap=y

ResourceDisk.SwapSizeMB=xx

References:

<https://support.microsoft.com/en-us/help/4010058/how-to-add-a-swap-file-in-linux-azure-virtual-machines>

NEW QUESTION: 69

You are implementing a highly available deployment of SAP HANA on Azure virtual machines.

You need to ensure that the deployment meets the following requirements:

* Supports host auto-failover

* Minimizes cost

How should you configure the highly available components of the deployment? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer:




NEW QUESTION: 70


You have an SAP development landscape on Azure.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.



Answer:



NEW QUESTION: 71

You deploy an SAP environment on Azure.

Your company has a Service Level Agreement (SLA) of 99.99% for SAP.

You implement Azure Availability Zones that have the following components:

- * Redundant SAP application servers
 - * ASCS/ERS instances that use a failover cluster
 - * Database high availability that has a primary instance and a secondary instance
- You need to validate the load distribution to the application servers. What should you use?

- A. SAP Solution Manager
- B. Azure Monitor
- C. SAPControl
- D. SAP Web Dispatcher

Answer: (SHOW ANSWER)

Explanation

Load balancers. These are used to distribute traffic to virtual machines in the application-tier subnet. For high availability, use the built-in SAP Web Dispatcher, Azure Load Balancer, or

network appliances, depending on the traffic type (such as HTTP or SAPGUI) or the required network services, such as Secure Sockets Layer (SSL) termination.

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/sap/sap-netweaver>

NEW QUESTION: 72

Your on-premises network contains an Active Directory domain.

You have an SAP environment on Azure that runs on SUSE Linux Enterprise Server (SLES) servers.

You configure the SLES servers to use domain controllers as their NTP servers and their DNS servers.

You need to join the SLES servers to the Active Directory domain.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Add realm details to /etc/krb5.conf and /etc/samba/smb.conf
Shut down the following services: smbd, nmbd, and winbindd
Run net ads join -U administrator
Run net rpc join -U administrator
Install the samba-winbind package



Answer:

Actions

```
Add realm details to /etc/krb5.conf
and /etc/samba/smb.conf

Shut down the following services: smbd,
nmbd, and winbindd

Run net ads join -U
administrator

Run net rpc join -U
administrator

Install the samba-winbind package
```

Answer Area

```
Install the samba-winbind package

Add realm details to /etc/krb5.conf
and /etc/samba/smb.conf

Run net ads join -U
administrator
```

Explanation

Install the samba-winbind package

```
Add realm details to /etc/krb5.conf
and /etc/samba/smb.conf
```

```
Run net ads join -U
administrator
```

Step 1: Install the samba-winbind package

Install samba-winbind

Step 2: Add realm details to /etc/krb5.conf and /etc/samba/smb.conf

Edit files - best way to do this is to use yast on test machine and copy files from it In following examples you need to replace EXAMPLE/EXAMPLE.COM/.example.com with your values/settings

```
/etc/samba/smb.conf
```

```
[global]
```

```
workgroup = EXAMPLE
```

```
usershare allow guests = NO #disallow guests from sharing
```

```
idmap gid = 10000-20000
```

```
idmap uid = 10000-20000
```

```
kerberos method = secrets and keytab
```

```
realm = EXAMPLE.COM
```

```
security = ADS
```

```
template homedir = /home/%D/%U
```

```
template shell = /bin/bash
```

```

winbind offline logon = yes
winbind refresh tickets = yes
/etc/krb5.conf
[libdefaults]
default_realm = EXAMPLE.COM
clockskew = 300
[realms]
EXAMPLE.COM = {
kdc = PDC.EXAMPLE.COM
default_domain = EXAMPLE.COM
admin_server = PDC.EXAMPLE.COM
}

```

Step 3: Run `net ads join -U administrator`
Join the SLES 12 Server to the AD domain

References:

<https://www.suse.com/support/kb/doc/?id=7018461>

NEW QUESTION: 73

You have an Azure subscription that contains the resources shown in the following table.

Name	Type
RG1	Resource group
VM1	Virtual machine
corpsoftware	Azure Storage account

You plan to deploy an SAP production landscape.

You create the following PowerShell Desired State Configuration (DSC) and publish the DSC configuration to corpsoftware.

```

Configuration JRE {
    Import-DscResource -ModuleName xPSDesiredStateConfiguration
    Package Installer
    (
        Ensure = 'Present'
        Name = "Java 8"
        Path = "\\File01\Software\jreinstall.exe"
        Arguments = "/s REBOOT=0 SPONSORS=0 REMOVEOUTOFDATE=1 INSTALL_SILENT=1 AUTO_UPDATE=0 EULA=0"
        ProductId = "26A24AE4-039D-4CA4-B7B4-2F64180101F0"
    )
}

```

You need to deploy the DSC configuration to VM1.

How should you complete the command? To answer, select the appropriate options in the answer area NOTE:

Each correct selection is worth one point.



Answer:



Explanation



NEW QUESTION: 74

You have an on-premises SAP NetWeaver landscape that contains an IBM DB2 database. You need to migrate the database to a Microsoft SQL Server instance on an Azure virtual machine.

Which tool should you use?


- A. SQL Server Migration Assistant (SSMA)
- B. Azure Database Migration Service
- C. Data Migration Assistant
- D. Azure Migrate

Answer: A (LEAVE A REPLY)


NEW QUESTION: 75

You have An Azure subscription that contains an availability set named AS1 and a virtual machine named VM1. VM1 hosts an SAP NetWeaver application You need to ensure that AS1 includes VM1.

Which four PowerShell cmdlets should you run in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Answer:



Explanation

To ensure that AS1 includes VM1, you will need to run the following four PowerShell cmdlets in sequence:

```
Set-AzVMOSDisk -VMName VM1 -AvailabilitySetName AS1
```

```
Remove-AzVM -VMName VM1
```

```
New-AzVMConfig -VMName VM1 -AvailabilitySetName AS1
```

```
Update-AzAvailabilitySet -Name AS1
```

NEW QUESTION: 76

You have a n SAP environment on Azure.

Your on-premises network uses a 1-Gbps ExpressRoute circuit to connect to Azure Private peering is enabled on the circuit. The default route (0.0.0.0/0) from the on-premises network is advertised You need to resolve the issue without modifying the ExpressRoute circuit. The solution must minimize administrative effort. What should you do?

- A. Create a user-defined route that redirects traffic to the Blob storage.
- B. Create an application security group.
- C. Change the backup solution to use a third-party software that can write to the Blob storage.
- D. Enable virtual network service endpoints.

Answer: D (LEAVE A REPLY)

Explanation

Private endpoint enables connectivity between the consumers from the same ExpressRoute.

Note: Consult with SAP HANA on Microsoft Service Management. If they advise you to increase the bandwidth of the SAP HANA on Azure (Large Instances) ExpressRoute circuit, create an Azure support request. (You can request an increase for a single circuit bandwidth up to a maximum of 10 Gbps.) Reference:

<https://docs.microsoft.com/en-us/azure/private-link/private-endpoint-overview>

<https://docs.microsoft.com/bs-cyrl-ba/azure/virtual-machines/workloads/sap/hana-additional-network-requiremen>

Valid AZ-120 Dumps shared by Actual4test.com for Helping Passing AZ-120 Exam!

Actual4test.com now offer the **newest AZ-120 exam dumps**, the Actual4test.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-120 dumps with Test Engine here:

Special Discount: **Freepdfdumps**)

NEW QUESTION: 77

You have an instance of SAP NANA on Azure (Large Instances) named HIM.

You plan to deploy Azure virtual machines. The virtual machines will host application servers that will access the database on HL11.

You need to minimize latency between the application servers and HLH

What should you do? To answer, select the appropriate options in the answer area NOTE: Each correct selection is worth one point.

Answer Area

Configure the virtual machines: To use increased maximum transmission unit (MTU) sizes

Configure the connection between HL1 and the application servers to use: ExpressRoute FastPath

Answer Area

Configure the virtual machines: To use increased maximum transmission unit (MTU) sizes
In a single proximity placement group
To each have two network adapters
To use increased maximum transmission unit (MTU) sizes

Configure the connection between HL1 and the application servers to use: ExpressRoute FastPath
Bidirectional Forwarding Detection (BFD)
ExpressRoute Direct
ExpressRoute FastPath

Answer:

Answer Area

Configure the virtual machines: To use increased maximum transmission unit (MTU) sizes
In a single proximity placement group
To each have two network adapters
To use increased maximum transmission unit (MTU) sizes

Configure the connection between HL1 and the application servers to use: ExpressRoute FastPath
Bidirectional Forwarding Detection (BFD)
ExpressRoute Direct
ExpressRoute FastPath

Explanation

Answer Area

Configure the virtual machines: To use increased maximum transmission unit (MTU) sizes

Configure the connection between HL1 and the application servers to use: ExpressRoute FastPath

NEW QUESTION: 78

You have an on-premises SAP environment. Application servers run on SUSE Linux Enterprise Server (SLES) servers. Databases run on SLES servers that have Oracle installed.

You need to recommend a solution to migrate the environment to Azure. The solution must use currently deployed technologies whenever possible and support high availability.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Application server operating system: ▼

Oracle Linux
SLES
Windows Server 2016

Database server operating system: ▼


Oracle Linux
SLES
Windows Server 2016

Database platform: ▼

Azure SQL Database
Microsoft SQL Server
Oracle
SAP HANA



Answer:



Application server operating system: ▼


Oracle Linux
SLES
Windows Server 2016

Database server operating system: ▼

Oracle Linux
SLES
Windows Server 2016

Database platform: ▼

Azure SQL Database
Microsoft SQL Server
Oracle
SAP HANA



Explanation

Microsoft

Application server operating system: ▼

- Oracle Linux
- SLES
- Windows Server 2016

Database server operating system: ▼

- Oracle Linux
- SLES
- Windows Server 2016

Database platform: ▼

- Azure SQL Database
- Microsoft SQL Server
- Oracle
- SAP HANA

NEW QUESTION: 79

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Microsoft

Statements	Yes	No
The Azure Enhanced Monitoring Extension for SAP stores performance data in an Azure Storage account.	<input type="radio"/>	<input type="radio"/>
You can enable the Azure Enhanced Monitoring Extension for SAP on a SUSE Linux Enterprise Server 12 (SLES 12) server by running the Set-AzVMAEMExtension cmdlet.	<input type="radio"/>	<input type="radio"/>
You can enable the Azure Enhanced Monitoring Extension for SAP on a server that runs Windows Server 2016 by running the Set-AzVMAEMExtension cmdlet.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
The Azure Enhanced Monitoring Extension for SAP stores performance data in an Azure Storage account.	<input type="radio"/>	<input type="radio"/>
You can enable the Azure Enhanced Monitoring Extension for SAP on a SUSE Linux Enterprise Server 12 (SLES 12) server by running the Set-AzVMAEMExtension cmdlet.	<input type="radio"/>	<input type="radio"/>
You can enable the Azure Enhanced Monitoring Extension for SAP on a server that runs Windows Server 2016 by running the Set-AzVMAEMExtension cmdlet.	<input type="radio"/>	<input type="radio"/>

Explanation

Statements	Yes	No
The Azure Enhanced Monitoring Extension for SAP stores performance data in an Azure Storage account.	<input checked="" type="radio"/>	<input type="radio"/>
You can enable the Azure Enhanced Monitoring Extension for SAP on a SUSE Linux Enterprise Server 12 (SLES 12) server by running the Set-AzVMAEMExtension cmdlet.	<input checked="" type="radio"/>	<input type="radio"/>
You can enable the Azure Enhanced Monitoring Extension for SAP on a server that runs Windows Server 2016 by running the Set-AzVMAEMExtension cmdlet.	<input checked="" type="radio"/>	<input type="radio"/>

Box 1: Yes

The SAP Azure Enhanced Monitoring Extension builds on top of the Azure Diagnostic extension, which stores its data in an Azure Storage account that you specify.

Box 2: Yes

The Set-AzVMAEMExtension cmdlet updates the configuration of a virtual machine to enable or update the support for monitoring for SAP systems that are installed on the virtual machine. The cmdlet installs the Azure Enhanced Monitoring (AEM) extension that collects the performance data and makes it discoverable for the SAP system.

The -OSType specifies the OS. Either Windows or Linux.

Box 3: Yes

References:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/diagnostics-extension-overview>

<https://docs.microsoft.com/en-us/powershell/module/az.compute/set-azvmaemextension>

NEW QUESTION: 80

You are designing a four-node SAP Web Dispatcher deployment for an SAP on Azure landscape. You need to recommend a resiliency solution and a load-balancing solution for the deployment.

The solution must meet the following requirements;

- * Receive the highest SLA from Microsoft.
- * Load balance client connections.

* Minimize administrative effort

What should include in the recommendation for each solution? To answer, select the appropriate options in the answer area. NOTE Each correct selection is worth one point.

Answer Area

Resiliency: Availability zones
Availability sets
Availability zones
Proximity placement group

Load-balancing: Azure Standard Load Balancer
Azure Application Gateway v1
Azure Application Gateway v2
Azure Standard Load Balancer
Basic Azure Load Balancer

Answer:

Answer Area

Resiliency: Availability zones
Availability sets
Availability zones
Proximity placement group

Load-balancing: Azure Standard Load Balancer
Azure Application Gateway v1
Azure Application Gateway v2
Azure Standard Load Balancer
Basic Azure Load Balancer

Explanation

Answer Area

Resiliency: Availability zones

Load-balancing: Azure Standard Load Balancer

NEW QUESTION: 81

You have an Azure virtual machine named VM1 that runs SUSE Linux Enterprise Server (SLE5) and hosts an SAP NetWeaver application server.

You need to install the Azure VM extension for SAP solutions on VM1.

Which three actions should you perform in sequence? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- From Azure Cloud Shell, run `az extension add`.
- On VM1, run `curl http://127.0.0.1:11812/azure4sap/metrics`.
- From Azure Cloud Shell, run `az login`.
- From Azure Cloud Shell, run `az vm aem set`.
- On VM1, restart the SAP Host Agent.

Answer Area

Answer:

Actions

- From Azure Cloud Shell, run `az extension add`.
- On VM1, run `curl http://127.0.0.1:11812/azure4sap/metrics`.
- From Azure Cloud Shell, run `az login`.
- From Azure Cloud Shell, run `az vm aem set`.
- On VM1, restart the SAP Host Agent.

Answer Area

- From Azure Cloud Shell, run `az login`.
- From Azure Cloud Shell, run `az vm aem set`.
- On VM1, restart the SAP Host Agent.

Explanation

Actions

- From Azure Cloud Shell, run `az extension add`.
- On VM1, run `curl http://127.0.0.1:11812/azure4sap/metrics`.

Answer Area

- From Azure Cloud Shell, run `az login`.
- From Azure Cloud Shell, run `az vm aem set`.
- On VM1, restart the SAP Host Agent.

NEW QUESTION: 82

You have an SAP on Azure landscape. You need to gather the following metrics:

- * The network latency between an SAP NetWeaver server and an SAP HANA server.
- * The throughput and latency of the storage subsystem on Windows Server and Linux platforms

What should you use for each metric? To answer, select the appropriate options in the answer area. NOTE:

Each correct selection is worth one point.

Answer Area

Network latency: Network Performance Monitor

Storage subsystem throughput and latency: DISKSPD


Answer:

Answer Area

Network latency: Network Performance Monitor

Storage subsystem throughput and latency: DISKSPD

Explanation

**NEW QUESTION: 83**

Which Azure service should you deploy for the approval process to meet the technical requirements?

- A. Azure Active Directory (Azure AD) conditional access
- B. Azure Active Directory (Azure AD) Privileged identity Manager (PIM)
- C. Just in time (JIT) VM access
- D. Azure Active Directory (Azure AD) Identity Protection

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 84

You migrate an on-premises instance of SAP NANA that runs SUSE Linux Enterprise Server (SLES) to an Azure virtual machine.

You project that in two years, you will replace the virtual machine with a larger virtual machine within the same flexibility group.

You need to recommend solutions to minimize HANA deployment costs during the next three years. The solutions must not affect the availability SLAs.

Which two solutions should you recommend? Each correct answer presents a complete solution

NOTE: Each correct selection is worth one point.

- A. Azure Spot instance
- B. a three-year reservation that has instance size flexibility
- C. a one-year reservation that has capacity priority
- D. a one-year reservation that has instance size flexibility
- E. Azure Hybrid Benefit

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 85

You recently migrated an SAP HANA environment to Azure.

You plan to back up SAP HANA databases to disk on the virtual machines, and then move the backup tiles to Azure Blob storage for retention.

Which command should you run to move the backups to the Blob storage?

- A. backint
- B. robocopy
- C. azcopy
- D. scp

Answer: (SHOW ANSWER)

Explanation

To store directories and files on Azure storage, one could use CLI or PowerShell. There is also a ready-to-use utility, AzCopy, for copying data to Azure storage.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-hana-backup-file-level>

NEW QUESTION: 86

You have an SAP ERP Central Component (SAP ECQ) environment on Azure.

You need to add an additional SAP application server to meet the following requirements:

- * Provide the highest availability.
- * Provide the fastest speed between the new server and the database.

What should you do?

- A.** Place the new server in the same Azure Availability Set as the database and the other application servers.
- B.** Place the new server in a different Azure Availability Zone than the database.
- C.** Place the new server in the same Azure Availability Zone as the database and the other application servers.

Answer: B ([LEAVE A REPLY](#))


NEW QUESTION: 87

You plan to deploy an SAP NetWeaver landscape that will use SQL Server on Azure virtual machines. The database tier must meet the following requirement


- * Maintain database availability in the event of a single Azure datacenter failure.
- * Maximize IOPS-

How should you configure the database tier? To answer, select the appropriate options in the answer area.


NOTE Each correct selection is worth one point.



Answer:



Explanation



NEW QUESTION: 88

You plan to migrate an SAP HANA instance to Azure.

You need to gather CPU metrics from the last 24 hours from the instance.

Solution: You run SAP HANA Quick Sizer.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Explanation

The SAP HANA cockpit provides a single point of access to a range of SAP HANA administration and monitoring tasks. It is used to monitor and ensure the overall health of the system.

The HANA Monitoring dashboard also visualizes key HANA Metrics of SAP HANA system.

References:

<https://developers.sap.com/tutorials/dt-monitoring-hana-part1.html>

<https://www.hanatutorials.com/p/hana-monitoring-dashboard.html>

NEW QUESTION: 89

You have an SAP landscape on Azure that contains the virtual machines shown in the following table.

Name	Role	Azure Availability Zone in East US
SAPAPP1	Application Server	Zone 1
SAPAPP2	Application Server	Zone 2

You need to ensure that the Application Server role is available if a single Azure datacenter fails. What should you include in the solution?

- A. a local network gateway
- B. Azure Virtual WAN
- C. Azure Load Balancer Standard
- D. Azure Private Link

Answer: C (LEAVE A REPLY)

Explanation

For the load balancers of the failover clusters of SAP Central Services and the DBMS layer, you need to use the Standard SKU Azure Load Balancer. The Basic Load Balancer won't work across zones.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-high-availability-architecture-scenar>

NEW QUESTION: 90

You have an on-premises SAP NetWeaver deployment that uses Windows Server 2016 and Microsoft SQL Server 2016.

You need to migrate the deployment to an Azure virtual machine that runs Windows Server 2016 and has Microsoft SQL Server 2019 installed.

Which migration method should you use?


- A. classical SAP Database Migration Option (DMO)
- B. lift-and-shift
- C. heterogeneous SAP classical migration
- D. Azure Migrate

Answer: A (LEAVE A REPLY)


NEW QUESTION: 91

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.



Answer:



Explanation

Graphical user interface, text, application, email Description automatically generated

Statements	Yes	No
You must split data files and database logs between different Azure virtual disks to increase the database read/write performance	<input checked="" type="radio"/>	<input type="radio"/>
Enabling Accelerate Networking on virtual NICs for all SAP servers will reduce network latency between the servers	<input checked="" type="radio"/>	<input type="radio"/>
When you use SAP HANA on Azure (Large Instances), you should set the MTU on the primary network interface to match the MTU on SAP application servers to reduce CPU utilization and network latency	<input type="radio"/>	<input checked="" type="radio"/>

Box 1: Yes

The following is a quick checklist of storage configuration best practices for running your SQL Server on Azure VM:

Place data, log, and tempdb files on separate drives.

Box 2: Yes

Accelerated networking enables single root I/O virtualization (SR-IOV) to a VM, greatly improving its networking performance. This high-performance path bypasses the host from the data path, which reduces latency, jitter, and CPU utilization for the most demanding network workloads on supported VM types.

Box 3: No

Note: The maximum transmission unit (MTU) is the largest size frame (packet), specified in bytes, that can be sent over a network interface. The MTU is a configurable setting. The default MTU used on Azure VMs, and the default setting on most network devices globally, is 1,500 bytes.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/create-vm-accelerated-networking-powershell>

<https://docs.microsoft.com/en-us/azure/azure-sql/virtual-machines/windows/performance-guidelines-best-practic>

Valid AZ-120 Dumps shared by Actual4test.com for Helping Passing AZ-120 Exam! Actual4test.com now offer the **newest AZ-120 exam dumps**, the Actual4test.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-120 dumps with Test Engine here:

https://www.actual4test.com/AZ-120_examcollection.html (309 Q&As Dumps, **30%OFF**

Special Discount: **Freepdfdumps**)

NEW QUESTION: 92

You have an Azure alert rule and action group as shown in the following exhibit.

```
PS Azure:\> Get-AzMetricAlertRuleV2 | Select WindowSize, EvaluationFrequency, Actions -ExpandProperty Criteria
WindowSize                : 00:05:00
EvaluationFrequency        : 00:01:00
Actions                    : (/subscriptions/6dce867-3896-4f8b-bcc4-1e44a2d8bd4c/resourcegroups/resourcegroup1/
                             providers/microsoft.insights/actiongroups/admins)
Name                       : Metric1
MetricName                 : Percentage CPU
MetricNamespace            : Microsoft.Compute/virtualMachines
OperatorProperty           : GreaterThan
TimeAggregation            : Average
Threshold                  : 85
Dimensions                 : {}
AdditionalProperties       :

PS Azure:\> Get-AzActionGroup | Select -ExcludeProperty GroupShortName, Tags, Location
GroupShortName            : admins
Name                      : admins
Type                      : Microsoft.Insights/ActionGroups
Enabled                   : True
EmailReceivers            : {}
WebhookReceivers          : {}
Id                        : /subscriptions/6dce867-3896-4f8b-bcc4-1e44a2d8bd4c/resourcegroups/resourcegroup1/providers/
                             microsoft.insights/actiongroups/admins
Name                      : restartVM
Type                      : Microsoft.Insights/ActionGroups
Enabled                   : True
EmailReceivers            : {}
WebhookReceivers          : {}
Id                        : /subscriptions/6dce867-3896-4f8b-bcc4-1e44a2d8bd4c/resourcegroups/resourcegroup1/providers/
                             microsoft.insights/actiongroups/restartvm
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

The admins action group will be notified if the average CPU usage rises above 85% for

The [answer choice] when the alert is triggered

Answer:

The admins action group will be notified if the average CPU usage rises above 85% for

one minute
five minutes
one second

The [answer choice] when the alert is triggered

admins action group will be emailed
restartVM action group will be emailed
virtual machines will restart

Explanation

Graphical user interface, text, application Description automatically generated

The admins action group will be notified if the average CPU usage rises above 85% for

	▼
one minute	
five minutes	
one second	

The [answer choice] when the alert is triggered

	▼
admins action group will be emailed	
restartVM action group will be emailed	
virtual machines will restart	

Box 1: five minutes

Window Size is 5 minutes.

Box 2: admins action group will be emailed

The admins1 actiongroup will be executed.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/alerts/alerts-metric-overview>

NEW QUESTION: 93

You have an SAP production landscape on-premises and an SAP development landscape on Azure.

You deploy a network virtual appliance to act as a firewall between the Azure subnet and the on-premises network.

Solution: You deploy an Azure Standard Load balancer.

Does this meet the goal?

A. Yes

B. No

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 94

You have SAP ERP on Azure.

For SAP high availability, you plan to deploy ASCS/ERS instances across Azure Availability Zones and to use failover clusters.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
To create a failover solution, you can use an Azure Basic Load Balancer for Azure virtual machines deployed across the Azure Availability Zones.	<input type="radio"/>	<input type="radio"/>
You can deploy Azure Availability Sets within an Azure Availability Zone.	<input type="radio"/>	<input type="radio"/>
The solution must use Azure managed disks.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
To create a failover solution, you can use an Azure Basic Load Balancer for Azure virtual machines deployed across the Azure Availability Zones.	<input type="radio"/>	<input checked="" type="radio"/>
You can deploy Azure Availability Sets within an Azure Availability Zone.	<input checked="" type="radio"/>	<input type="radio"/>
The solution must use Azure managed disks.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation

Statements	Yes	No
To create a failover solution, you can use an Azure Basic Load Balancer for Azure virtual machines deployed across the Azure Availability Zones.	<input type="radio"/>	<input checked="" type="radio"/>
You can deploy Azure Availability Sets within an Azure Availability Zone.	<input checked="" type="radio"/>	<input type="radio"/>
The solution must use Azure managed disks.	<input checked="" type="radio"/>	<input type="radio"/>

Box 1: No

You can't use an Azure Basic Load Balancer to create failover cluster solutions based on Windows Server Failover Clustering or Linux Pacemaker. Instead, you need to use the Azure Standard Load Balancer SKU.

Box 2: Yes

Azure Availability Zones is one of the high-availability features that Azure provides. Using Availability Zones improves the overall availability of SAP workloads on Azure.

The SAP application layer is deployed across one Azure availability set. For high availability of SAP Central Services, you can deploy two VMs in a separate availability set.

Box 3: Yes

You must use Azure Managed Disks when you deploy to Azure Availability Zones.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-ha-availability-zones>

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-proximity-placement->

scenarios#com

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/sap/sap-netweaver>

NEW QUESTION: 95

You are deploying an SAP production landscape to Azure.

Your company's chief information security officer (CISO) requires that the SAP deployment complies with ISO 27001.

You need to generate a compliance report for ISO 27001.

What should you use?

- A. Azure Security Center
- B. Azure Log Analytics
- C. Azure Active Directory (Azure AD)
- D. Azure Monitor

Answer: ([SHOW ANSWER](#))

Explanation

In the Azure Security Center regulatory compliance blade, you can get an overview of key portions of your compliance posture with respect to a set of supported standards. Currently supported standards are Azure CIS, PCI DSS 3.2, ISO 27001, and SOC TSP.

Reference:

<https://azure.microsoft.com/en-us/blog/regulatory-compliance-dashboard-in-azure-security-center-now-available>

NEW QUESTION: 96

You have an SAP production landscape on Azure that contains the resources shown in the following table.

Name	Type
PN0	SAP security identifier (SID)
00	Instance ID
VM2	Virtual machine
RG1	Resource group

You need to stop the SAP services so that you can perform monthly maintenance.

Which command should you run from the Azure Cloud Shell? To answer, select the appropriate options in the answer area NOTE: Each correct selection is worth one point.

The screenshot shows the 'Answer Area' in the Azure Cloud Shell. It contains two dropdown menus. The first dropdown menu is open, showing the command `"Stopsap"` selected, with other options `"Sapstscli"`, `"runSAP3Class.cmd"`, and `"sapshcut.exe"`. The second dropdown menu is also open, showing the command `Invoke-AzVMRunCommand` selected, with other options `Invoke-AzResourceAction`, `Get-Command`, and `Set-AzVMCustomScriptExtension`. The command text for the first dropdown is `Invoke-AzVMRunCommand -ResourceGroupName "RG1" -VMName "VM2" -ScriptPath ".\command.ps1" -CommandId "RunPowerShellScript" -Name "PN0 nr=00" | out-file .\command.ps1`. The Microsoft logo is visible in the bottom right corner of the screenshot.

Answer:



Explanation



NEW QUESTION: 97

You plan to deploy an SAP production landscape on Azure.

You need to minimize latency between SAP HANA database servers and SAP NetWeaver servers.

What should you implement?

- A. a virtual machine scale set
- B. an Availability Set
- C. a proximity placement group
- D. Azure Private Link

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 98

You have an on-premises SAP production landscape.

You plan to migrate to SAP on Azure.

You need to generate an SAP Early Watch Alert report.

What should you use?

- A. Azure Advisor
- B. SAP Solution Manager
- C. SAP Software Provisioning Manager
- D. SAP HANA Cockpit

Answer: B ([LEAVE A REPLY](#))

Valid AZ-120 Dumps shared by Actual4test.com for Helping Passing AZ-120 Exam!
Actual4test.com now offer the **newest AZ-120 exam dumps**, the Actual4test.com AZ-120 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-120 dumps with Test Engine here:

https://www.actual4test.com/AZ-120_examcollection.html (309 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)