

Microsoft.AZ-140.v2024-12-18.q131

Exam Code:	AZ-140
Exam Name:	Configuring and Operating Microsoft Azure Virtual Desktop
Certification Provider:	Microsoft
Free Question Number:	131
Version:	v2024-12-18
# of views:	683
# of Questions views:	1310
https://www.freepdfdumps.com/Microsoft.AZ-140.v2024-12-18.q131.html	

NEW QUESTION: 1

You have an Azure Virtual Desktop deployment.

You use the Start/Stop VMs during off-hours

You need to configure which virtual machines must never be stopped by the solution.

What should you configure?

- A. the Diagnostic settings of the host pool
- B. the Start-Stop-VM task
- C. an Azure Automation account variable
- D. an action group

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/azure/automation/automation-solution-vm-management>

<https://docs.microsoft.com/en-us/azure/automation/automation-solution-vm-management-enable>

NEW QUESTION: 2

You have an Azure subscription that contains the virtual machines shown in the following table.

Name	Resource group	Location
VM1	RG1	West Europe
VM2	RG1	East US
VM3	RG2	West US

You create a shared image gallery as shown in the SharedGallery1 exhibit. (Click the SharedGallery1 tab.)

Create shared image gallery 

Validation passed

Basics Tags Review + create

Basics

Subscription	Azure Pass - Sponsorship
Resource group	RG1
Region	West Europe
Name	SharedGallery1
Description	None

You create an image definition as shown in the Image1 exhibit. (Click the Image1 tab.)

Add new image definition to shared image gallery

✓ Validation passed

Basics Version Publishing options Tags Review + create

Basics

Subscription	Azure Pass - Sponsorship
Resource group	RG1
Region	East US
Target shared image gallery	SharedGallery1
Image definition name	Image1
Operating system	Windows
Operating system state	Specialized
Publisher	Contoso
Offer	WindowsServer2019
SKU	Datacenter

Publishing options

Product name	None
EULA link	None
Description	None
Release notes URI	None
Privacy URI	None
Purchase plan name	None
Purchase plan publisher name	None
Recommended VM vCPUs	16-64
Recommended VM memory	500-1024GB
Excluded disk types	None
Image definition end of life date	None



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements



Yes

No

- You can use the operating system disk of VM1 as a source for a version of Image1. Yes No
- You can use the operating system disk of VM2 as a source for a version of Image1. Yes No
- You can use the operating system disk of VM3 as a source for a version of Image1. Yes No

Answer:

Statements	Yes	No
You can use the operating system disk of VM1 as a source for a version of Image1.	<input type="radio"/>	<input type="radio"/>
You can use the operating system disk of VM2 as a source for a version of Image1.	<input type="radio"/>	<input type="radio"/>
You can use the operating system disk of VM3 as a source for a version of Image1.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

Statements



Yes

No

- You can use the operating system disk of VM1 as a source for a version of Image1. Yes No
- You can use the operating system disk of VM2 as a source for a version of Image1. Yes No
- You can use the operating system disk of VM3 as a source for a version of Image1. Yes No

Reference:

<https://www.robinhobo.com/windows-virtual-desktop-wvd-image-management-how-to-manage-and-deploy-cust>

NEW QUESTION: 3

You have a Azure Virtual Desktop deployment.

In Azure Advisor, you discover the following recommendation related to Azure Virtual Desktop:

* Impact Medium

- * Description: No validation environment enabled
- * Potential Benefit Ensure business continuity through AVD service deployments
- * Impacted Resource: Host Pool

What can you validate by implementing the recommendations?

- A. Capacity requirements of the session hosts
- B. Security settings of Azure Virtual Desktop
- C. Preview features for Azure Virtual Desktop
- D. Azure Site Recovery failover of the session hosts

Answer: D (LEAVE A REPLY)

Validation environments are used to test and validate Azure Virtual Desktop deployments before they are made available to users. This can include testing the capacity of the session hosts, the performance of the deployment, and the configuration of security settings. By implementing a validation environment, you can ensure that the Azure Virtual Desktop deployment is working correctly and that there are no issues that could impact business continuity. This can help to ensure a smooth user experience and minimize downtime.

NEW QUESTION: 4

Your network contains an on-premises Active Directory domain that syncs to an Azure Active Directory (Azure AD) tenant. The domain contains the users shown in the following table.

Name	Role	Member of
User1	Desktop Virtualization Workspace Reader	Group1
User2	Desktop Virtualization Application Group Reader	Group2

You have a Windows Virtual Desktop deployment that contains the application groups shown in the following table.

Name	Application	Assignment
AppGroup1	Microsoft Word	Group1
AppGroup2	Microsoft Excel	Group2
AppGroup3	Microsoft PowerPoint	Group1, Group2

You have the workspaces shown in the following table.

Name	Application group
Workspace1	AppGroup1
Workspace2	AppGroup2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input type="radio"/>
User1 has Word listed in the Remote Desktop client.	<input type="radio"/>	<input type="radio"/>
User2 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area



Microsoft

Statements

Yes

No

User1 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input checked="" type="radio"/>
User1 has Word listed in the Remote Desktop client.	<input checked="" type="radio"/>	<input type="radio"/>
User2 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation

Answer Area



Statements

Yes

No

User1 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input checked="" type="radio"/>
User1 has Word listed in the Remote Desktop client.	<input checked="" type="radio"/>	<input type="radio"/>
User2 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input checked="" type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/environment-setup>


NEW QUESTION: 5

You need to configure a conditional access policy to meet the authentication requirements.

What should you include in the policy configuration? To answer, select the appropriate options in the answer area.

NOTE Each correct selection is worth one point.

Answer Area



Answer:



NEW QUESTION: 6

You have an Azure Virtual Desktop host pool named Pool1. Pool1 contains session hosts that have a third-party application named App1. App1 is published by using a RemoteApp group. A new MSI-based version of App1 is installed each month to each host. The name of the executable file is different for each version of App1.

You need to automate the process of making a new version of App1 available via RemoteApp. The process must ensure that the user experience remains the same when launching the application from the Windows Desktop client.

Which two cmdlets should you run? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Remove-AzWvdApplication
- B. New-AzWvdApplication
- C. New-AzWvdApplicacionGroup
- D. New-AzWvdMsixPackage
- E. New-AzRoleAssignmenc
- F. Remove-AzWvdMsixPackage

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/what-is-app-attach>

<https://docs.microsoft.com/en-us/powershell/module/az.desktopvirtualization/new-azwvdapplication?view=azps-6.4.0>

NEW QUESTION: 7

You have an Azure Virtual Desktop host pool named Pool1 and an Azure Storage account named storage1. Pool1 and storage1 are in the same Azure region.

The current network utilization of the session hosts during peak hours is 95%.

You plan to use FSLogix profile containers stored in storage1 for users that connect to Pool1.

You need to configure the session hosts and storage1 to minimize network latency when loading and updating profiles.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

For storage1:

Microsoft

- Configure network routing.
- Configure a private endpoint.
- Configure the storage account type.

For the session hosts:

Microsoft

- Enable Write Accelerator.
- Increase the Virtual machine size.
- Add additional network adapters.

Answer:

For storage1:

Microsoft

- Configure network routing.
- Configure a private endpoint.
- Configure the storage account type.

For the session hosts:

- Enable Write Accelerator.
- Increase the Virtual machine size.
- Add additional network adapters.

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/example-scenario/wvd/windows-virtual-desktop-fslogix>

NEW QUESTION: 8

You have a Windows Virtual Desktop deployment.


You plan to create the host pools shown in the following table.

Name	Requirement
Pool1	<ul style="list-style-type: none">Will be directly assigned to users in the graphics department at your companyWill run heavy graphic rendering and compute-intensive applicationsMust support premium storage
Pool2	<ul style="list-style-type: none">Pooled virtual machines for approximately 10 usersWill run Microsoft Office 365 appsWill require calling and meeting features in Microsoft TeamsMust support premium storage

You need to recommend the virtual machine size for each host pool. The solution must minimize costs.

Which size should you recommend for each pool? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/sizes>

<https://docs.microsoft.com/en-us/azure/virtual-machines/nvv3-series>

<https://docs.microsoft.com/en-us/azure/virtual-machines/dv4-dsv4-series>

NEW QUESTION: 9

You have an on-premises network.

All users have computers that run Windows 10 Pro.

You plan to deploy Azure Virtual Desktop to meet the department requirements shown in the following table.

Department	Requirement
Research	Run an application that can run only on Windows Server. The application will be published as a RemoteApp.
Finance	Run Windows 10 Enterprise multi-session.

You need to recommend licenses for the departments. The solution must minimize costs.

Which license should you recommend for each department? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Research:

Microsoft 365 Enterprise E3 license
Windows 10 Enterprise E3 license
Windows Server client access license (CAL)
Windows Server Remote Desktop Services client access license (RDS CAL)

Finance:

Microsoft 365 Enterprise E3 license
Windows 10 Enterprise E3 license
Windows Server client access license (CAL)
Windows Server Remote Desktop Services client access license (RDS CAL)

Answer:

Research:

Microsoft 365 Enterprise E3 license
Windows 10 Enterprise E3 license
Windows Server client access license (CAL)
Windows Server Remote Desktop Services client access license (RDS CAL)

Finance:

Microsoft 365 Enterprise E3 license
Windows 10 Enterprise E3 license
Windows Server client access license (CAL)
Windows Server Remote Desktop Services client access license (RDS CAL)

Explanation

Text, table, email Description automatically generated with medium confidence

Research:	<input type="text"/> Microsoft 365 Enterprise E3 license Windows 10 Enterprise E3 license Windows Server client access license (CAL) Windows Server Remote Desktop Services client access license (RDS CAL)
Finance:	<input type="text"/> Microsoft 365 Enterprise E3 license Windows 10 Enterprise E3 license Windows Server client access license (CAL) Windows Server Remote Desktop Services client access license (RDS CAL)

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/windows-10-multisession-faq>

<https://azure.microsoft.com/en-us/pricing/details/virtual-desktop/#pricing>

NEW QUESTION: 10


You need to evaluate the RDS deployment in the Seattle office. The solution must meet the technical requirements.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create a project in Azure Migrate.	
Register the Lakeside tool with Azure Migrate.	
Add the Azure Advisor recommendation digest.	⬅
Install agents on the virtual machines that have the Pool3 prefix.	➡
Install agents on the virtual machines that have the Pool2 prefix.	
Create a Recovery Service vault.	

Answer:

Answer Area
Create a project in Azure Migrate.
Register the Lakeside tool with Azure Migrate.
Install agents on the virtual machines that have th Pool2 prefix



- 1 - Create a project in Azure Migrate.
- 2 - Register the Lakeside tool with Azure Migrate.
- 3 - Install agents on the virtual machines that have th Pool2 prefix

Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/migrate/azure-best-practices/contoso-migration-rds-to-wvd>

NEW QUESTION: 11

You have a Windows Virtual Desktop deployment.

You need to ensure that all the connections to the managed resources in the host pool require multi-factor authentication (MFA).

Which two settings should you modify in a conditional access policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

NEW

Conditional access policy

Control user access based on conditional access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name *

Conditional Access Policy ✓

Assignments

Users and groups ⓘ >
All users

Cloud apps or actions ⓘ >
No cloud apps or actions selected

Conditions ⓘ >
0 conditions selected

Access controls

Grant ⓘ >
0 conditions selected

Session ⓘ >
0 conditions selected

Answer:

Control user access based on conditional access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name *

Conditional Access Policy

Assignments

Users and groups ⓘ All users	>
Cloud apps or actions ⓘ No cloud apps or actions selected	>
Conditions ⓘ 0 conditions selected	>

Access controls

Grant ⓘ 0 conditions selected	>
Session ⓘ 0 conditions selected	>

Explanation

New

Conditional access policy

Control user access based on conditional access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name *

Conditional Access Policy ✓

Assignments

Users and groups ⓘ >

All users
Microsoft

Cloud apps or actions ⓘ >

No cloud apps or actions selected

Conditions ⓘ >

0 conditions selected

Access controls

Grant ⓘ >

0 conditions selected

Session ⓘ >

0 conditions selected

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/tutorial-enable-azure-mfa>

NEW QUESTION: 12

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Windows Virtual Desktop host pool that contains five session hosts. The session hosts run Windows 10 Enterprise multi-session.

You need to prevent users from accessing the internet from Windows Virtual Desktop sessions. The session hosts must be allowed to access all the required Microsoft services.

Solution: You configure rules in the network security group (NSG) linked to the subnet of the session hosts.

Does that meet the goal?

A. Yes

B. No

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/tutorial-filter-network-traffic>

NEW QUESTION: 13

You have a Windows Virtual Desktop deployment.

You have a session host named Host1 that has the disk layout shown in the exhibit. (Click the Exhibit tab.)

The screenshot shows the Windows Disk Management console. At the top, there is a table listing the volumes on the system:

Volume	Layout	Type	File System	Status	Capacity	Free Spa...	% Free
System Reserved	Simple	Basic	NTFS	Healthy (S...	500 MB	465 MB	93 %
Temporary Storag...	Simple	Basic	NTFS	Healthy (P...	7.00 GB	6.09 GB	87 %
Windows (C:)	Simple	Basic	NTFS	Healthy (B...	126.51GB	110.40 GB	87 %

Below the table, the detailed view of Disk 0 and Disk 1 is shown:

- Disk 0:** Basic, 127.00 GB, Online. It contains two primary partitions: System Reserved (500 MB NTFS, Healthy) and Windows (C:) (126.51 GB NTFS, Healthy).
- Disk 1:** Basic, 7.00 GB, Online. It contains one primary partition: Temporary Storage (D:) (7.00 GB NTFS, Healthy).

A legend at the bottom indicates that black represents Unallocated space and blue represents Primary partition.

You plan to deploy an app that must be installed on D. The app requires 500 GB of disk space.

You need to add a new data disk that will be assigned the drive letter D. The solution must maintain the current performance of Host1.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Move the page file to drive C.
- Move the page file to Temporary Storage.
- Change the drive letter of Temporary Storage (D:).
- Mark Temporary Storage (D:) as **Active**.
- Add the new disk and assign drive D.
- Move the page file to System Reserved.

Answer Area




Answer:

Actions

- Move the page file to drive C.
- Move the page file to Temporary Storage.
- Change the drive letter of Temporary Storage (D:).
- Mark Temporary Storage (D:) as **Active**.
- Add the new disk and assign drive D.
- Move the page file to System Reserved.

Answer Area

- Move the page file to drive C.
- Change the drive letter of Temporary Storage (D:).
- Add the new disk and assign drive D.
- Move the page file to Temporary Storage.



Explanation

- Move the page file to drive C.
- Change the drive letter of Temporary Storage (D:).
- Add the new disk and assign drive D.
- Move the page file to Temporary Storage.

Reference:

<https://www.azurecorner.com/change-temporary-drive-azure-vm-use-d-persistent-data-disks/>

NEW QUESTION: 14

You have an Azure Virtual Desktop deployment that contains the resources shown in the following table.

Name	Description
HostPool1	Personal host pool that contains five session hosts
VNET1	Azure virtual network with a subnet named Subnet1
Subnet1	Virtual network subnet to which the five session hosts are connected

You need to enable just-in-time (JIT) VM access for all the session hosts.

What should you do first?

- A. Configure Access control (IAM) for HostPool1.
- B. Assign network security groups (NSGs) to the network interfaces of the five session hosts.
- C. Deploy Azure Bastion to VNET1.
- D. Assign a network security group (NSG) to Subnet1.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 15

You have an Azure subscription that contains the virtual machines shown in the following table.

Name	Resource group	Location
VM1	RG1	West Europe
VM2	RG1	East US
VM3	RG2	West US

You create a shared image gallery as shown in the SharedGallery1 exhibit. (Click the SharedGallery1 tab.)



You create an image definition as shown in the Image1 exhibit. (Click the Image1 tab.)

Add new image definition to shared image gallery

Validation passed

Basics Version Publishing options Tags Review + create

Basics

Subscription	Azure Pass - Sponsorship
Resource group	RG1
Region	East US
Target shared image gallery	SharedGallery1
Image definition name	Image1
Operating system	Windows
Operating system state	Specialized
Publisher	Contoso
Offer	WindowsServer2019
SKU	Datacenter

Publishing options

Product name	None
EULA link	None
Description	None
Release notes URI	None
Privacy URI	None
Purchase plan name	None
Purchase plan publisher name	None
Recommended VM vCPUs	16-64
Recommended VM memory	500-1024GB
Excluded disk types	None
Image definition end of life date	None

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
You can use the operating system disk of VM1 as a source for a version of Image1.	<input type="radio"/>	<input type="radio"/>
You can use the operating system disk of VM2 as a source for a version of Image1.	<input type="radio"/>	<input type="radio"/>
You can use the operating system disk of VM3 as a source for a version of Image1.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
You can use the operating system disk of VM1 as a source for a version of Image1.	<input checked="" type="radio"/>	<input type="radio"/>
You can use the operating system disk of VM2 as a source for a version of Image1.	<input checked="" type="radio"/>	<input type="radio"/>
You can use the operating system disk of VM3 as a source for a version of Image1.	<input type="radio"/>	<input checked="" type="radio"/>

Reference:

<https://www.robinhobo.com/windows-virtual-desktop-wvd-image-management-how-to-manage-and-deploy-custom-images-including-versioning-with-the-azure-shared-image-gallery-sig/>

NEW QUESTION: 16

You have an Azure subscription that contains a user named User1.

The subscription uses the Azure Virtual Desktop host pools shown in the following table.

Name	Type	Session host operating system	Number of hosts
Pool1	Pooled	Windows Server 2019 Datacenter	2
Pool2	Pooled	Windows 10 Enterprise multi-session	10
Pool3	Personal	Windows 11 Enterprise	10

You need to ensure that User1 can create RemoteApp app groups that will be used to stream a suite of custom apps from the host pools. The solution must meet the following requirements:

- * The apps must be available to the users in all the pools.
- * The principle of least privilege must be followed.
- * Administrative effort must be minimized.

Which role should you assign to User1, and what is the minimum number of app groups that User1 should create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Role:

▼

- Desktop Virtualization Application Group Contributor
- Desktop Virtualization Contributor
- Desktop Virtualization Host Pool Contributor
- Desktop Virtualization Workplace Contributor



Microsoft

Number of app groups:

▼

- 1
- 2
- 3
- 22

Answer:

Answer Area



Role:

▼

- Desktop Virtualization Application Group Contributor
- Desktop Virtualization Contributor
- Desktop Virtualization Host Pool Contributor
- Desktop Virtualization Workplace Contributor

Number of app groups:

▼

- 1
- 2
- 3
- 22

Explanation

Desktop Virtualization Group

3

Valid AZ-140 Dumps shared by Actual4test.com for Helping Passing AZ-140 Exam! Actual4test.com now offer the **newest AZ-140 exam dumps**, the Actual4test.com AZ-140 exam questions have been updated and answers have been corrected get the **newest** Actual4test.com AZ-140 dumps with Test Engine here:

https://www.actual4test.com/AZ-140_examcollection.html (302 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

Which two roles should you assign to Admin2 to meet the security requirements? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Desktop Virtualization Host Pool Contributor
- B. Desktop Virtualization Application Group Contributor
- C. Desktop Virtualization Workspace Contributor
- D. Desktop Virtualization Application Group Reader
- E. User Access Administrator

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/rbac>

NEW QUESTION: 18

You need to recommend a DNS infrastructure that meet the performance requirements. What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

For internet name resolution, modify the:

- Caching configuration of DNS resolvers in the Boston office
- DNS resolvers in the Boston office to use the ISP's DNS servers as forwarders
- DNS resolvers in the Chennai office to use the ISP's DNS servers as forwarders

To validate the the round-trip time to Azure Virtual Desktop, use:

- Virtual Desktop Optimization Tool
- Azure Virtual Desktop Experience Estimator
- Connection troubleshooting in Azure Network Watcher

Answer:

Answer Area

For internet name resolution, modify the:

- Caching configuration of DNS resolvers in the Boston office
- DNS resolvers in the Boston office to use the ISP's DNS servers as forwarders
- DNS resolvers in the Chennai office to use the ISP's DNS servers as forwarders

To validate the the round-trip time to Azure Virtual Desktop, use:

- Virtual Desktop Optimization Tool
- Azure Virtual Desktop Experience Estimator
- Connection troubleshooting in Azure Network Watcher

NEW QUESTION: 19

You have a Windows Virtual Desktop deployment.

Many users have iOS devices that have the Remote Desktop Mobile app installed.

You need to ensure that the users can connect to the feed URL by using email discovery instead of entering the feed URL manually.

How should you configure the _msrads DNS record? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Record type:

- A
- CNAME
- SRV
- TXT

Record value:

- https://rdweb.wvd.microsoft.com/api/arm/feeddiscovery
- https://rdweb.wvd.microsoft.com/api/feeddiscovery
- https://rdweb.wvd.microsoft.com/Feed/webfeed.aspx
- webfeeddiscovery.aspx

Answer:

Record type:  Microsoft

- A
- CNAME
- SRV
- TXT

Record value:

- https://rdweb.wvd.microsoft.com/api/arm/feeddiscovery
- https://rdweb.wvd.microsoft.com/api/feeddiscovery
- https://rdweb.wvd.microsoft.com/Feed/webfeed.aspx
- webfeeddiscovery.aspx

Explanation

Record type:  Microsoft

- A
- CNAME
- SRV
- TXT

Record value:

- https://rdweb.wvd.microsoft.com/api/arm/feeddiscovery
- https://rdweb.wvd.microsoft.com/api/feeddiscovery
- https://rdweb.wvd.microsoft.com/Feed/webfeed.aspx
- webfeeddiscovery.aspx

Reference:

<https://jenzushsu.medium.com/configure-email-discovery-to-subscribe-to-your-windows-virtual-desktop-feed-49>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/connect-ios>

NEW QUESTION: 20

-

You have an Azure subscription that contains a user named User1.

The subscription uses the Azure Virtual Desktop host pools shown in the following table.

Name	Type	Session host operating system	Number of hosts
Pool1	Pooled	Windows Server 2019 Datacenter	2
Pool2	Pooled	Windows 10 Enterprise multi-session	10
Pool3	Personal	Windows 11 Enterprise	10

You need to ensure that User1 can create RemoteApp app groups that will be used to stream a suite of custom apps from the host pools. The solution must meet the following requirements:

- * The apps must be available to the users in all the pools.
- * The principle of least privilege must be followed.

* Administrative effort must be minimized.

Which role should you assign to User1, and what is the minimum number of app groups that User1 should create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Role: 


- Desktop Virtualization Application Group Contributor
- Desktop Virtualization Contributor
- Desktop Virtualization Host Pool Contributor
- Desktop Virtualization Workplace Contributor

Number of app groups:

- 1
- 2
- 3
- 22

Answer:

Answer Area

Role: 

- Desktop Virtualization Application Group Contributor
- Desktop Virtualization Contributor
- Desktop Virtualization Host Pool Contributor
- Desktop Virtualization Workplace Contributor

Number of app groups:

- 1
- 2
- 3
- 22

NEW QUESTION: 21

Your network contains an on-premises Active Directory domain that syncs to an Azure Active Directory (Azure AD) tenant. The domain contains the domain controllers shown in the following table.

Name	Network location	IP address	Configuration
Server1	On-premises datacenter	10.10.1.1	Domain controller, DNS server
Server2	Azure virtual network named VNET1	10.20.1.1	Domain controller, DNS server

The DNS servers are configured to forward requests to an external DNS service.

You create a new virtual network named VNET2 that is peered to VNET1 and has gateway transit enabled.

You plan to implement an Azure Virtual Desktop host pool in VNET2. The session hosts will be joined to the Active Directory domain.

You need to configure DNS to meet the following requirements:

Ensure that Azure Virtual Desktop users can resolve on-premises servers and Azure resources.

Ensure that Azure Virtual Desktop remains operational if a DNS server fails.

Minimize administrative effort.

What should you configure?

- A. the DNS settings of VNET2 to use Server2 and Served
- B. the DNS settings of VNET2 to use the Azure DNS service
- C. the DNS settings of the virtual machines to use Server2 and Server1
- D. the DNS settings of the virtual machines to use the Azure DNS service

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-name-resolution-for-vms-and-role-insta>

NEW QUESTION: 22

Your on-premises network contains an Active Directory domain named contoso.com that syncs with Azure AD.

You deploy an Azure Virtual Desktop pooled host pool named HostPool1 that contains five hybrid-joined session hosts.


You need to ensure that all the user sessions of HostPool1 meet the following requirements:

- * Users must use roaming user profiles.
- * Users must use Folder Redirection.


The solution must minimize administrative effort.

What should you use to meet each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



NEW QUESTION: 23

DRAG DROP

You plan to deploy Windows Virtual Desktop.

You need to create Azure NetApp Files storage to store FSLogix profile containers.

Which four actions should you perform in sequence after you register the NetApp Resource Provider? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Select and Place:

Actions

- Create a NetApp account.
- Create and assign a managed identity.
- Create a volume.
- Create a capacity pool.
- Create an Azure file share.
- Configure an Active Directory connection.

Answer Area

Answer:

Actions

- Create a NetApp account.
- Create and assign a managed identity.
- Create a volume.
- Create a capacity pool.
- Create an Azure file share.
- Configure an Active Directory connection.

Answer Area

- Create a NetApp account.
- Create a capacity pool.
- Configure an Active Directory connection.
- Create a volume.

Explanation/Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/create-fslogix-profile-container#make-sure-userscan-access-the-azure-netapp-file-share>

<https://docs.microsoft.com/en-us/azure/azure-netapp-files/azure-netapp-files-quickstart-set-up-account-create-volumes?tabs=azure-portal>

NEW QUESTION: 24

You have an Azure virtual machine named VM1 that runs Windows 10 Enterprise multi-session.
You plan to add language packs to VM1 and create a custom image of VM1 for a Windows Virtual Desktop host pool.
You need to ensure that modern apps can use the additional language packs when you deploy session hosts by using the custom image.
Which command should you run first? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Microsoft

Answer:

Microsoft

Reference:

<https://docs.microsoft.com/en-us/troubleshoot/windows-server/deployment/issues-appx-cleanup-maintenance-task>
<https://docs.microsoft.com/en-us/powershell/module/scheduledtasks/disable-scheduledtask?view=windowsserver2019-ps>

NEW QUESTION: 25

You have an Azure subscription that contains the resources shown in the following table.
You need to ensure that users can restore files saved to their FSLogix profile.
What should you do?

- A. From the Azure portal, create an Azure Backup vault and a backup policy.
- B. From the Volume1 blade in the Azure portal, create a snapshot policy.
- C. From the CPool1 blade in the Azure portal, create a new volume.
- D. From the Azure portal, create a Recovery Services vault and a backup policy.

Answer: B (LEAVE A REPLY)

From the docs: Azure Files Premium tier integrates with Azure Backup and is supported in conjunction with FSLogix. Azure NetApp Files offers a similar snapshot mechanism to make copies of your FSLogix profile containers. <https://learn.microsoft.com/en-us/azure/architecture/example-scenario/wvd/windows-virtual-desktop-fslogix#backup-and-restore>

NEW QUESTION: 26

You have an Azure Virtual Desktop host pool named Pool1. Pool1 contains session hosts that have a third-party application named App1. App1 is published by using a RemoteApp group.
A new MSI-based version of App1 is installed each month to each host. The name of the executable file is different for each version of App1.
You need to automate the process of making a new version of App1 available via RemoteApp. The process must ensure that the user experience remains the same when launching the application from the Windows Desktop client.

Which two cmdlets should you run? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Remove-AzWvdApplication
- B. New-AzWvdApplication
- C. New-AzWvdApplicationGroup
- D. New-AzWvdMsixPackage
- E. New-AzRoleAssignment
- F. Remove-AzWvdMsixPackage

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/what-is-app-attach>

<https://docs.microsoft.com/en-us/powershell/module/az.desktopvirtualization/new-azwvdapplication?view=azps->

NEW QUESTION: 27

HOTSPOT

-

You have an Azure Virtual Desktop deployment that contains the session hosts shown in the following table.

You have the users shown in the following table.

Users connect to Azure from the locations shown in the following table.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

Statements	Yes	No
RDP Shortpath is used when User2 is in Location1 and connects to Host1.	<input checked="" type="radio"/>	<input type="radio"/>
RDP Shortpath is used when User1 is in Location1 and connects to Host2.	<input type="radio"/>	<input checked="" type="radio"/>
RDP Shortpath is used when User1 is in Location2 and connects to Host1.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION: 28

You have a Azure Virtual Desktop host pool named Pool1 that contains three session hosts. The session hosts are configured to use FSLogix profile containers. You need to configure Cloud Cache on the session hosts.

What should you do?

- A. Configure FSLogix Office Container.
- B. Add VHDLocations entries to the Windows registry.
- C. Uninstall the FSLogix agent
- D. Remove VHDLocations entries from the Windows registry.

Answer: D ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/fslogix/configure-cloud-cache-tutorial>

NEW QUESTION: 29

You have a Windows Virtual Desktop host pool that has a max session limit of 15. Disconnected sessions are signed out immediately. The session hosts for the host pool are shown in the following exhibit.

Name ↑↓	Status ↑↓	Drain mode ↑↓	Assigned User ↑↓	Active sessions	Resource group ↑↓
WVD-0	Available	Off	-	11	rg-wvd
WVD-1	Available	Off	-	2	RG-WVD
WVD-2	Available	On	-	0	RG-WVD
WVD-3	Available	Off	-	15	RG-WVD
WVD-5	Available	On	-	0	RG-WVD
WVD-6	Available	Off	-	13	RG-WVD
WVD-4	Unavailable	Off	-	0	RG-WVD

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

The host pool type is **[answer choice]**.

New sessions can occur on **[answer choice]** only.

Microsoft

Answer:

The host pool type is [answer choice].

- pooled
- personal with direct assignment
- personal with automatic assignment

New sessions can occur on [answer choice] only.

- WVD-0, WVD-1, and WVD-6
- WVD-0, WVD-1, WVD-3, and WVD-6
- WVD-0, WVD-1, WVD-2, WVD-5, and WVD-6

Explanation

The host pool type is [answer choice].

- pooled
- personal with direct assignment
- personal with automatic assignment

New sessions can occur on [answer choice] only.

- WVD-0, WVD-1, and WVD-6
- WVD-0, WVD-1, WVD-3, and WVD-6
- WVD-0, WVD-1, WVD-2, WVD-5, and WVD-6

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/set-up-scaling-script>

NEW QUESTION: 30

You have an Azure virtual machine named VM1 that runs Windows 10 Enterprise multi-session. You plan to add language packs to VM1 and create a custom image of VM1 for a Windows Virtual Desktop host pool. You need to ensure that modern apps can use the additional language packs when you deploy session hosts by using the custom image. Which command should you run first? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- Disable-ScheduledTask
- Enable-ScheduledTask
- New-ScheduledTask
- Start-AppBackgroundTask

`-TaskPath "\Microsoft\Windows\AppxDeploymentClient\" -TaskName`

- "License Validation"
- "Pre-staged app cleanup"
- "RemoteFXvGPUDisableTask"



Answer:



Explanation:



Reference:

<https://docs.microsoft.com/en-us/troubleshoot/windows-server/deployment/issues-appx-cleanup-maintenance-tas>

<https://docs.microsoft.com/en-us/powershell/module/scheduledtasks/disable-scheduledtask?view=windowsserve>

NEW QUESTION: 31

You are planning the deployment of Pool4.

What will be the maximum number of users that can connect to Pool4, and how many session hosts are needed to support five concurrent user sessions? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The image shows a Microsoft exam question interface. It contains two dropdown menus. The first dropdown is labeled "Number of users that can connect to Pool4:" and has the following options: 5, 7, 15, 35, and 70. The second dropdown is labeled "Number of session hosts to support five concurrent user sessions:" and has the following options: 1, 2, 3, 4, and 5.

Answer:

Number of users that can connect to Pool4:

- 5
- 7
- 15
- 35
- 70

Number of session hosts to support five concurrent user sessions:

- 1
- 2
- 3
- 4
- 5



Valid AZ-140 Dumps shared by Actual4test.com for Helping Passing AZ-140 Exam! Actual4test.com now offer the **newest AZ-140 exam dumps**, the Actual4test.com AZ-140 exam questions have been updated and answers have been corrected get the **newest** Actual4test.com AZ-140 dumps with Test Engine here:

https://www.actual4test.com/AZ-140_examcollection.html (302 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32


You need to evaluate the RDS deployment in the Seattle office. The solution must meet the technical requirements.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Create a project in Azure Migrate.
- Register the Lakeside tool with Azure Migrate.
- Add the Azure Advisor recommendation digest.
- Install agents on the virtual machines that have the Pool3 prefix.
- Install agents on the virtual machines that have the Pool2 prefix.
- Create a Recovery Service vault.

Answer Area



Answer:

Actions

- Create a project in Azure Migrate.
- Register the Lakeside tool with Azure Migrate.
- Add the Azure Advisor recommendation digest.
- Install agents on the virtual machines that have the Pool3 prefix.
- Install agents on the virtual machines that have the Pool2 prefix.
- Create a Recovery Service vault.

Answer Area

- Create a project in Azure Migrate.
- Register the Lakeside tool with Azure Migrate.
- Install agents on the virtual machines that have the Pool2 prefix.

Explanation:

- Create a project in Azure Migrate.
- Register the Lakeside tool with Azure Migrate.
- Install agents on the virtual machines that have the Pool2 prefix.

Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/migrate/azure-best-practices/contoso-migratio>

NEW QUESTION: 33

You have an Azure subscription.

You plan to deploy an Azure Virtual Desktop solution that will contain Windows 10 multi-session hosts in a single host pool. The solution has the requirements shown in the following table.

Requirement	Value
Total users	1,200
Shifts per day	3
Users per shift	400
User workload type	Medium
Concurrent users per session host	16

You need to configure the session host for the host pool. The solution must minimize costs.

How many session hosts should the host pool contain, and how many vCPUs should each session host have? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Microsoft

Session hosts:

25
75
400
1200

vCPUs per session host:

2
4
8
16

Answer:

Microsoft

Session hosts:

25
75
400
1200

vCPUs per session host:

2
4
8
16

NEW QUESTION: 34

-
You have an Azure subscription named Subscription1 that contains the users shown in the following table.

Name	Member of
User1	Group1, Group3
User2	Group2, Group3

Subscription1 contains the Azure Virtual Desktop host pools shown in the following table.

Name	Session host in host pool	Session host public inbound ports
Pool1	P1-0.contoso.com	None
Pool2	P2-0.contoso.com	None

Subscription1 contains the Azure Virtual Desktop application groups shown in the following table.

Name	Host pool	Application group type
AppGroup1	Pool1	Desktop
AppGroup2	Pool2	Desktop

You perform the role assignments shown in the following table.

Role	To group	For resource
Desktop Virtualization Reader	Group3	Subscription1
Desktop Virtualization User Session Operator	Group1	Pool1
Desktop Virtualization User	Group3	AppGroup2
Virtual Machine User Login	Group1	P1-0.contoso.com

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

User1 can connect to the P1-0.contoso.com session host.	<input type="radio"/>	<input type="radio"/>
User2 can connect to the P1-0.contoso.com session host.	<input type="radio"/>	<input type="radio"/>
User2 can connect to the P2-0.contoso.com session host.	<input type="radio"/>	<input type="radio"/>

Answer:

User1 can connect to the P1-0.contoso.com session host.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can connect to the P1-0.contoso.com session host.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can connect to the P2-0.contoso.com session host.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION: 35

You have an Azure subscription that contains 500 users. The users are assigned Microsoft Office 365 E1 licenses.

You deploy an Azure Virtual Desktop solution that contains Windows 10 multi-session hosts and streams a custom remote app named App1.

You need to ensure that the users are licensed to stream App1. The solution must minimize costs.

Which license should you use?

- A. Microsoft 365 E5
- B. Office 365 E3
- C. a Remote Desktop Services (RDS) client access license (CAL)
- D. Windows 10 Enterprise E3

Answer: (SHOW ANSWER)

<https://azure.microsoft.com/en-us/pricing/details/virtual-desktop/>

NEW QUESTION: 36

Your network contains an on-premises Active Directory domain named contoso.com. You have an Azure subscription that contains the resources shown in the following table.

Name	Type
Account1	Azure NetApp Files account
Account2	General purpose v2 storage account
Account3	Azure Files storage account
AVDPool1	Azure Virtual Desktop host pool

You need to create a share that will host FSLogix profiles for AVDPool1. The solution must meet the following requirements:

- * Maximize read and write performance for the profiles.
- * Control access to the SMB share by using the users and groups stored in contoso.com.

Which account should you use to host the share?

- A. Account1
- B. Account2
- C. Account3

Answer: A (LEAVE A REPLY)

<https://learn.microsoft.com/en-us/azure/storage/files/storage-files-netapp-comparison>

NEW QUESTION: 37

You need to evaluate the RDS deployment in the Seattle office. The solution must meet the technical requirements.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create a project in Azure Migrate.	
Register the Lakeside tool with Azure Migrate.	
Add the Azure Advisor recommendation digest.	
Install agents on the virtual machines that have the Pool3 prefix.	
Install agents on the virtual machines that have the Pool2 prefix.	
Create a Recovery Service vault.	

Answer:

ACU0113

- Create a project in Azure Migrate.
- Register the Lakeside tool with Azure Migrate.
- Add the Azure Advisor recommendation digest.
- Install agents on the virtual machines that have the Pool3 prefix.
- Install agents on the virtual machines that have the Pool2 prefix.
- Create a Recovery Service vault.

ANSWER AREA

Create a project in Azure Migrate.

Register the Lakeside tool with Azure Migrate.

Install agents on the virtual machines that have the Pool2 prefix.

Explanation

Create a project in Azure Migrate.

Register the Lakeside tool with Azure Migrate.

Install agents on the virtual machines that have the Pool2 prefix.

Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/migrate/azure-best-practices/contoso-migratio>

NEW QUESTION: 38

You are planning the deployment of Pool4.

What will be the maximum number of users that can connect to Pool4, and how many session hosts are needed to support five concurrent user sessions? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Number of users that can connect to Pool4:

- 5
- 7
- 15
- 35
- 70

Number of session hosts to support five concurrent user sessions:

- 1
- 2
- 3
- 4
- 5

Answer:

Number of users that can connect to Pool4:

Number of session hosts to support five concurrent user sessions:

Microsoft

NEW QUESTION: 39

You have a Windows Virtual Desktop deployment.

You have a session host named Host1 that has the disk layout shown in the exhibit. (Click the Exhibit tab.)

Disk Management

Volume	Layout	Type	File System	Status	Capacity	Free Spa...	% Free
System Reserved	Simple	Basic	NTFS	Healthy (S...	500 MB	465 MB	93 %
Temporary Storag...	Simple	Basic	NTFS	Healthy (P...	7.00 GB	6.09 GB	87 %
Windows (C:)	Simple	Basic	NTFS	Healthy (B...	126.51GB	110.40 GB	87 %

Disk	Partition	Capacity	File System	Status
Disk 0 (Basic, 127.00 GB, Online)	System Reserved	500 MB	NTFS	Healthy (System, Active, Primary Partition)
	Windows (C:)	126.51 GB	NTFS	Healthy (Boot, Crash Dump, Primary Partition)
Disk 1 (Basic, 7.00 GB, Online)	Temporary Storage (D:)	7.00 GB	NTFS	Healthy (Page File, Primary Partition)

You plan to deploy an app that must be installed on D. The app requires 500 GB of disk space.

You need to add a new data disk that will be assigned the drive letter D. The solution must maintain the current performance of Host1.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Move the page file to drive C.
- Move the page file to Temporary Storage.
- Change the drive letter of Temporary Storage (D:).
- Mark Temporary Storage (D:) as **Active**.
- Add the new disk and assign drive D.
- Move the page file to System Reserved.

Answer Area

Navigation arrows: Left, Right, Up, Down

Answer:

Explanation

Selected actions:

- Move the page file to drive C.
- Change the drive letter of Temporary Storage (D:).
- Add the new disk and assign drive D.
- Move the page file to Temporary Storage.

Reference:

<https://www.azurecorner.com/change-temporary-drive-azure-vm-use-d-persistent-data-disks/>

NEW QUESTION: 40


You have an Azure subscription that contains the virtual machines shown in the following table.

Name	Location	vCPUs	Generation
VM1	West Europe	8	2
VM2	East US	2	1
VM3	West US	12	

You create an Azure Compute Gallery as shown in the Azure compute gallery exhibit. (Click the Azure compute gallery tab.)



You create a virtual machine image definition as shown in the VM image definition exhibit. (Click the VM image definition tab.)



Question	Azure compute gallery	VM image definition
Publisher		Contoso
Offer		WindowsServer2022
SKU		Datacenter
Publishing options		
Product name		None
License terms link		None
Description		None
Release notes URI		None
Privacy terms URI		None
Purchase plan name		None
Purchase plan publisher name		None
Recommended VM vCPUs		4-16
Recommended VM memory		1-32 GB
Excluded disk types		None
VM image definition end of life date		None

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statements	Yes	No
You can use VM1 as a source for the version of the image definition.	<input type="radio"/>	<input type="radio"/>
You can use VM2 as a source for the version of the image definition.	<input type="radio"/>	<input type="radio"/>
You can use VM3 as a source for the version of the image definition.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
You can use VM1 as a source for the version of the image definition.	<input type="radio"/>	<input checked="" type="radio"/>
You can use VM2 as a source for the version of the image definition.	<input type="radio"/>	<input checked="" type="radio"/>
You can use VM3 as a source for the version of the image definition.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 41

You are designing an Azure Virtual Desktop deployment.

You identify the network latency between the locations where users reside and the planned deployment.

What should you use to identify the best Azure region to deploy the host pool?

- A. Azure Traffic Manager
- B. Azure Virtual Desktop Experience Estimator
- C. Azure Monitor for Azure Virtual Desktop
- D. Azure Advisor

Answer: (SHOW ANSWER)

Reference:

<https://azure.microsoft.com/en-gb/services/virtual-desktop/assessment/>

NEW QUESTION: 42

You have an Azure Virtual Desktop host pool named HostPool1. HostPool1 contains Windows 10 session hosts and the application groups shown in the following table.

Name	Type
Appgroup1	Desktop
Appgroup2	RemoteApp
Appgroup3	RemoteApp

You need to assign an instance of a Windows 11 Desktop application group to users.

What should you do first?

- A. Create a scaling plan.
- B. Create a new workspace.
- C. Add a session host to HostPool1.
- D. Create a new host pool

Answer: D (LEAVE A REPLY)

The current hostpool has Windows 10 hosts, If you add an Windows 11 host in the current hostpool you cant force a desktop to use Windows 11. If you want to use Windows 11, ether delete the current session hosts and add Windows 11 Hosts. or create a new Hostpool.

NEW QUESTION: 43

You have an Azure Virtual Desktop deployment.

You plan to deploy Update Management to manage automated updates for server-based session hosts.

You need to configure the prerequisites for Update Management.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a Log Analytics workspace.
- B. Create an Azure Automation account.
- C. Create an Azure Service Health alert rule.
- D. Enable the Application Insights Agent.
- E. Configure Azure Network Watcher.

Answer: A,B (LEAVE A REPLY)

<https://learn.microsoft.com/en-us/azure/architecture/hybrid/azure-update-mgmt>

Topic 1, Litware, Inc

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

Litware, Inc. is a pharmaceutical company that has a main office in Boston, United States, and a remote office in Chennai, India.

Existing Environment. Identity Environment

The network contains an on-premises Active Directory domain named litware.com that syncs to an Azure Active Directory (Azure AD) tenant named litware.com.

The Azure AD tenant contains the users shown in the following table.

Name	Description
Admin1	A directory-synced user that is a local administrator on all the computers joined to the on-premises Active Directory domain.
CloudAdmin1	A cloud-only user that is assigned the Global administrator role.

All users are registered for Azure Multi-Factor Authentication (MFA).

Existing Environment. Cloud Services

Litware has a Microsoft 365 E5 subscription associated to the Azure AD tenant. All users are assigned Microsoft 365 Enterprise E5 licenses.

Litware has an Azure subscription associated to the Azure AD tenant. The subscription contains the resources shown in the following table.

Name	Type	Location	Configuration
storage1	Storage account	East US	Storage (general purpose v1), Locally-redundant storage (LRS).
VM1	Virtual machine	East US	Joined to the on-premises Active Directory domain.

Litware uses custom virtual machine images and custom scripts to automatically provision Azure virtual machines and join the virtual machines to the on-premises Active Directory domain.

Network and DNS

The offices connect to each other by using a WAN link. Each office connects directly to the internet.

All DNS queries for internet hosts are resolved by using DNS servers in the Boston office, which point to root servers on the internet. The Chennai office has caching-only DNS servers that forward queries to the DNS servers in the Boston office.

Requirements. Planned Changes

Litware plans to implement the following changes:

Deploy Windows Virtual Desktop environments to the East US Azure region for the users in the Boston office and to the South India Azure region for the users in the Chennai office.

Implement FSLogix profile containers.

Optimize the custom virtual machine images for the Windows Virtual Desktop session hosts.

Use PowerShell to automate the addition of virtual machines to the Windows Virtual Desktop host pools.

Requirements. Performance Requirements

Litware identifies the following performance requirements:

Minimize network latency of the Windows Virtual Desktop connections from the Boston and Chennai offices.

Minimize latency of the Windows Virtual Desktop host authentication in each Azure region.

Minimize how long it takes to sign in to the Windows Virtual Desktop session hosts.

Requirements. Authentication Requirements

Litware identifies the following authentication requirements:

Enforce Azure MFA when accessing Windows Virtual Desktop apps.

Force users to reauthenticate if their Windows Virtual Desktop session lasts more than eight hours.

Requirements. Security Requirements

Litware identifies the following security requirements:

Explicitly allow traffic between the Windows Virtual Desktop session hosts and Microsoft 365.

Explicitly allow traffic between the Windows Virtual Desktop session hosts and the Windows Virtual Desktop infrastructure.

Use built-in groups for delegation.

Delegate the management of app groups to CloudAdmin1, including the ability to publish app groups to users and user groups.

Grant Admin1 permissions to manage workspaces, including listing which apps are assigned to the app groups.

Minimize administrative effort to manage network security.

Use the principle of least privilege.

Requirements. Deployment Requirements

Litware identifies the following deployment requirements:

Use PowerShell to generate the token used to add the virtual machines as session hosts to a Windows Virtual Desktop host pool.

Minimize how long it takes to provision the Windows Virtual Desktop session hosts based on the custom virtual machine images.

Whenever possible, preinstall agents and apps in the custom virtual machine images.

NEW QUESTION: 44

You need to configure a conditional access policy to meet the authentication requirements.

What should you include in the policy configuration? To answer, select the appropriate options in the answer area.

NOTE Each correct selection is worth one point.

Answer Area

Set Cloud apps or actions to include:

- Azure Virtual Desktop
- Azure Virtual Desktop Azure Resource Manager Provider
- Azure Virtual Desktop Client

Set Session controls to include:

- Persistent browser session
- Sign-in frequency
- Use app enforced restrictions

Answer:

For storage1:

- Join to the contoso.com domain
- Configure a shared access signature (SAS)
- Enable encryption by using customer-managed keys
- Configure Azure Active Directory Domain Services (AD DS) integration

To Group1, assign the role of:

- Storage Blob Data Contributor
- Storage Blob Data Reader
- Storage File Data SMB Share Contributor
- Storage File Data SMB Share Reader

Explanation



NEW QUESTION: 45

You have a Azure Virtual Desktop deployment that contains multiple host pools.

You need to create a PowerShell script to sign users out of a specific session host before you perform a maintenance task.

Which PowerShell module should you load in the script?

- A. Az.Automation
- B. Az.COMputC
- C. Az.Maintenance
- D. Az.DektopVirtualization

Answer: D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/powershell/module/az.desktopvirtualization/?view=azps-6.6.0#desktopvirtualiz>

<https://techgenix.com/logging-off-and-removing-wvd-user-sessions/>


NEW QUESTION: 46

You have a hybrid Azure Active Directory (Azure AD) tenant named contoso.com that contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group1, Group3

You have an Azure Virtual Desktop host pool. All the session hosts have a folder named C\Folder1.

You create an FSLogix Application Masking rule as shown in the following exhibit.



You create assignments for the Application Masking rule as shown in the following exhibit.

For each of the following statements, select Yes if the statement is true, Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area



Statements	Yes	No
User1 can see folder C:\Folder1 on a session host.	<input type="radio"/>	<input type="radio"/>
User2 can see folder C:\Folder1 on a session host.	<input type="radio"/>	<input type="radio"/>
User3 can see folder C:\Folder1 on a session host.	<input type="radio"/>	<input type="radio"/>

Answer:

For storage1:

▼

- Configure network routing.
- Configure a private endpoint.
- Configure the storage account type.

For the session hosts

▼

- Enable Write Accelerator.
- Increase the Virtual machine size.
- Add additional network adapters!

Explanation

Answer Area

Statements	Yes	No
User1 can see folder C:\Folder1 on a session host.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can see folder C:\Folder1 on a session host.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can see folder C:\Folder1 on a session host.	<input checked="" type="radio"/>	<input type="radio"/>

Valid AZ-140 Dumps shared by Actual4test.com for Helping Passing AZ-140 Exam! Actual4test.com now offer the **newest AZ-140 exam dumps**, the Actual4test.com AZ-140 exam questions have been updated and answers have been corrected get the **newest** Actual4test.com AZ-140 dumps with Test Engine here:

https://www.actual4test.com/AZ-140_examcollection.html (302 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 47

You plan to deploy Windows Virtual Desktop.

Users have the devices shown in the following table.

Type	Platform
Tablet	Windows 10 Pro
Phone	Android
Laptop	macOS

From which device types can the users connect to Windows Virtual Desktop resources by using the Remote Desktop client app and the Remote Desktop web client? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Remote Desktop client app:

Remote Desktop web client:

Answer:

Remote Desktop client app:

Remote Desktop web client:

Reference:

- <https://docs.microsoft.com/en-us/azure/virtual-desktop/connect-web>
- <https://docs.microsoft.com/en-us/azure/virtual-desktop/connect-android>
- <https://docs.microsoft.com/en-us/azure/virtual-desktop/connect-macos>

NEW QUESTION: 48

You have an Azure Virtual Desktop host pool named HostPool1 that contains 20 session hosts. You create a new scaling plan that has the Ramp-up settings shown in the following exhibit.

Add a schedule

- General
- Ramp-up**
- Peak hours
- Ramp-down
- Off-peak hours

Repeats on: Mon, Tue, Wed, Thu, Fri

Time zone: (UTC-06:00) Central Time (US & Canada)

Start time (24 hour system) *: 08:00

Load balancing algorithm: Breadth-first

Minimum percentage of hosts (%): 20

Capacity threshold (%): 60

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Starting at 08:00, [answer choice] session hosts will start for ramp-up.

New user sessions will be distributed [answer choice]

Answer:

Starting at 08:00, [answer choice] session hosts will start for ramp-up.

New user sessions will be distributed [answer choice]

Explanation:
Graphical user interface, application Description automatically generated

Starting at 08:00, [answer choice] session hosts will start for ramp-up.

- 2
- 4
- 16
- 20

New user sessions will be distributed [answer choice].

- evenly across all available session hosts
- to the session host that has the lowest CPU usage
- to the session host with the most connections that has not reached the limit

NEW QUESTION: 49

-






You have an Azure Virtual Desktop deployment that contains a host pool named HostPool1. You need to perform the following configurations for HostPool1:

- * Set the scale factor of the remote session to 125 percent.
- * Generate a registration key that expires after five days.
- * Enable Start VM on connect.

Which three settings should you modify? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.




Answer Area

-  Overview
-  Activity log
-  Access control (IAM)
-  Tags
-  Diagnose and solve problems

Settings

-  Scaling plan
-  RDP Properties
-  Properties
-  Scheduled agent updates
-  Locks

Manage

-  Application groups
-  MSIX packages
-  Session hosts

Answer:

Answer Area



NEW QUESTION: 50

You need to configure the device redirection settings. The solution must meet the technical requirements.

Where should you configure the settings?

- A. Workspace1
- B. MontrealUsers
- C. Group1
- D. Pool1

Answer: D (LEAVE A REPLY)

Topic 1, Contoso. Ltd

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

Contoso, Ltd. is a law firm that has a main office in Montreal and branch offices in Paris and Seattle. The Seattle branch office opened recently.

Contoso has an Azure subscription and uses Microsoft 365.

Existing Infrastructure. Active Directory

The network contains an on-premises Active Directory domain named contoso.com and an Azure Active Directory (Azure AD) tenant. One of the domain controllers runs as an Azure virtual machine and connects to a virtual network named VNET1. All internal name resolution is provided by DNS server that run on the domain controllers.

The on-premises Active Directory domain contains the organizational units (OUs) shown in the following table.

Name	Description
MontrealUsers	An OU for all the users in the Montreal office: The OU syncs to Azure AD by using Azure AD Connect.
ParisUsers	An OU for all the users in the Paris office: The OU syncs to Azure AD by using Azure AD Connect.
SeattleUsers	An OU for all the users in the Seattle office: The OU does NOT sync to Azure AD.

The on-premises Active Directory domain contains the users shown in the following table.

Name	Container	Member of
Operator1	Users	Domain Admins
Operator2	MontrealUsers	Users
Operator3	SeattleUsers	Server Operators

The Azure AD tenant contains the cloud-only users shown in the following table.

Name	Role
Admin1	Virtual Machine Contributor
Admin2	Desktop Virtualization Contributor
Admin3	Desktop Virtualization Session Host Operator
Admin4	Desktop Virtualization Host Pool Contributor

Existing Infrastructure. Network Infrastructure

All the Azure virtual networks are peered. The on-premises network connects to the virtual networks.

All servers run Windows Server 2019. All laptops and desktop computers run Windows 10 Enterprise.

Since users often work on confidential documents, all the users use their computer as a client for connecting to Remote Desktop Services (RDS).

In the West US Azure region, you have the storage accounts shown in the following table.

Name	Account kind	Performance
storage1	StorageV2	Standard
storage2	StorageV2	Premium
storage3	BlobStorage	Standard
storage4	StorageV1	Premium

Existing Infrastructure. Remote Desktop Infrastructure

Contoso has a Remote Desktop infrastructure shown in the following table.

Office	Description
Montreal	<p>A Windows Virtual Desktop deployment that runs Windows 10 Enterprise multi-session hosts. The deployment contains the following:</p> <ul style="list-style-type: none">• A host pool named Pool1• An application group named Group1• A workspace named Workspace1• Virtual machines that have a prefix of Pool1
Seattle	<p>An on-premises virtual machine-based RDS deployment that has personal desktops: The personal desktop virtual machines have a prefix of Pool2.</p>
Paris	<p>An on-premises virtual machine-based RDS deployment that has pooled desktops: The pooled desktop virtual machines have a prefix of Pool3. User profile disks are used to preserve the user state.</p>

Requirements. Planned Changes

Contoso plans to implement the following changes:

Implement FSLogix profile containers for the Paris offices.

Deploy a Windows Virtual Desktop host pool named Pool4.

Migrate the RDS deployment in the Seattle office to Windows Virtual Desktop in the West US Azure region.

Requirements. Pool4 Configuration

Pool4 will have the following settings:

Host pool type: Pooled

Max session limit: 7

Load balancing algorithm: Depth-first

Images: Windows 10 Enterprise multi-session

Virtual machine size: Standard D2s v3

Name prefix: Pool4

Number of VMs: 5

Virtual network: VNET4

Requirements. Technical Requirements

Contoso identifies the following technical requirements:

Before migrating the RDS deployment in the Seattle office, obtain the recommended deployment configuration based on the current RDS utilization.

For the Windows Virtual Desktop deployment in the Montreal office, disable audio output in the device redirection settings.

For the Windows Virtual Desktop deployment in the Seattle office, store the FSLogix profile containers in Azure Storage.

Enable Operator2 to modify the RDP Properties of the Windows Virtual Desktop deployment in the Montreal office.

From a server named Server1, convert the user profile clicks to the FSLogix profile containers.

Ensure that the Pool1 virtual machines only run during business hours.

Use the principle of least privilege.

NEW QUESTION: 51

Which two roles should you assign to Admin1 to meet the security requirements? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Desktop Virtualization Host Pool Contributor
- B. Desktop Virtualization Application Group Contributor
- C. Desktop Virtualization Workspace Contributor
- D. Desktop Virtualization Application Group Reader
- E. User Access Administrator

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/rbac>

Manage User Environments and Apps

Question Set 1

NEW QUESTION: 52

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Windows Virtual Desktop host pool named Pool1 that is integrated with an Azure Active Directory Domain Services (Azure AD DS) managed domain.

You need to configure idle session timeout settings for users that connect to the session hosts in Pool1.

Solution: From an Azure AD DS-joined computer, you modify the AADDC Computers GPO settings.

Does that meet the goal?

- A. Yes
- B. No

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

-

You have an Azure Virtual Desktop deployment and two Azure Active Directory groups named Group1 and Group2.

You create two Conditional Access policies named Policy1 and Policy2. Policy1 is assigned to Group1. Policy2 is assigned to Group2. Both policies include Azure Virtual Desktop as a cloud app.

You need to meet the following requirements:

- * The users in Group1 must be prompted for multi-factor authentication (MFA) when they connect to Azure Virtual Desktop.
- * The users in Group2 must reauthenticate every eight hours while they are connected to Azure Virtual Desktop.

Which settings should you configure in Policy1 and Policy2? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Microsoft
Policy1: Access controls: Grant
Access controls: Session
Assignments: Conditions: Sign-in risk
Assignments: Conditions: User risk

Policy2: Access controls: Grant
Access controls: Session
Assignments: Conditions: Sign-in risk
Assignments: Conditions: User risk

Answer:

Microsoft
Answer Area

Policy1: Access controls: Grant
Access controls: Session
Assignments: Conditions: Sign-in risk
Assignments: Conditions: User risk

Policy2: Access controls: Grant
Access controls: Session
Assignments: Conditions: Sign-in risk
Assignments: Conditions: User risk

NEW QUESTION: 54

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Windows Virtual Desktop host pool that contains five session hosts. The session hosts run Windows 10 Enterprise multi-session.

You need to prevent users from accessing the internet from Windows Virtual Desktop sessions. The session hosts must be allowed to access all the required Microsoft services.

Solution: You configure the Address space settings of the virtual network that contains the session hosts.

Does that meet the goal?

A. No

B. Yes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

You have an Azure Virtual Desktop deployment that contains the resources shown in the following table.

Name	Location	Description
Profiles1	West US	Azure file share that stores FSLogix profile containers
HostPool1	West US	Pooled host pool containing session hosts that use the profile containers stored in Profiles1
HostPool2	West US	Personal host pool containing session hosts that each has an operating system disk and a data disk

You create the resources shown in the following table.

Name	Type	Location
Recovery1	Recovery Services vault	West US
Recovery2	Recovery Services vault	Central US
Backup1	Azure Backup vault	West US
Backup2	Azure Backup vault	Central US

You need to meet following requirements: * Back up the FSLogix profile containers used by HostPool1. * Backup the data disks in HostPool2. To which resources can you back up the profile containers and the data disks? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

FSLogix profile containers:


- Backup1 only
- Recovery1 only
- Backup1 and Backup2 only
- Backup1 and Recovery1 only
- Recovery1 and Recovery2 only
- Backup1, Backup2, Recovery1 and Recovery2

Data disks:

- Backup1 only
- Recovery1 only
- Backup1 and Backup2 only
- Backup1 and Recovery1 only
- Recovery1 and Recovery2 only
- Backup1, Backup2, Recovery1 and Recovery2

Answer:

Answer Area



NEW QUESTION: 56

You need to configure the user settings of Admin1 to meet the user profile requirements.

What should you do?

- A. Modify the membership of the FSLogix ODFC Exclude List group.
- B. Modify the membership of the FSLogix Profile Exclude List group.
- C. Modify the HKLM\SOFTWARE\FSLogix\Profiles registry settings.
- D. Modify the HKLM\SOFTWARE\FSLogix\ODFC registry settings.

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/fslogix/overview>

<https://docs.microsoft.com/en-us/fslogix/configure-profile-container-tutorial#set-up-include-and-exclude-usergroups>

NEW QUESTION: 57


Your network contains an on-premises Active Directory domain named contoso.com that syncs to an Azure Active Directory (Azure AD) tenant.

You have an Azure subscription that contains an Azure Virtual Desktop host pool.


You create an Azure Storage account named storage1.

You need to use FSLogix profile containers in storage1 to store user profiles for a group named Group1. The solution must use the principle of least privilege.

What should you include in the solution? To answer, select the appropriate options in the answer area.



Answer:



Reference:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-files-identity-ad-ds-enable>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/create-file-share>

NEW QUESTION: 58

You have a Windows Virtual Desktop deployment.

You plan to create the host pools shown in the following table.

Name	Requirement
Pool1	<ul style="list-style-type: none"> Will be directly assigned to users in the graphics department at your company Will run heavy graphic rendering and compute-intensive applications Must support premium storage
Pool2	<ul style="list-style-type: none"> Pooled virtual machines for approximately 10 users Will run Microsoft Office 365 apps Will require calling and meeting features in Microsoft Teams Must support premium storage

You need to recommend the virtual machine size for each host pool. The solution must minimize costs.


Which size should you recommend for each pool? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Pool1:

- Av2-series
- Dsv4-series
- NVv3-series

Pool2:


- Av2-series
- Dsv4-series 
- NVv3-series

Answer:


Pool1:

- Av2-series
- Dsv4-series
- NVv3-series

Pool2:

- Av2-series
- Dsv4-series
- NVv3-series 

Explanation

 Microsoft

Pool1:

- Av2-series
- Dsv4-series
- NVv3-series

Pool2:

- Av2-series
- Dsv4-series
- NVv3-series

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/sizes>

<https://docs.microsoft.com/en-us/azure/virtual-machines/nvv3-series>

<https://docs.microsoft.com/en-us/azure/virtual-machines/dv4-dsv4-series>

NEW QUESTION: 59

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Windows Virtual Desktop host pool that contains five session hosts. The session hosts run Windows 10 Enterprise multi-session.

You need to prevent users from accessing the internet from Windows Virtual Desktop sessions. The session hosts must be allowed to access all the required Microsoft services.

Solution: You modify the IP configuration of each session host.

Does that meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Explanation/Reference:

Implement a Windows Virtual Desktop Infrastructure

Testlet 2

Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

Contoso, Ltd. is a law firm that has a main office in Montreal and branch offices in Paris and Seattle. The Seattle branch office opened recently.

Contoso has an Azure subscription and uses Microsoft 365.

Existing Infrastructure. Active Directory

The network contains an on-premises Active Directory domain named contoso.com and an Azure Active Directory (Azure AD) tenant. One of the domain controllers runs as an Azure virtual machine and connects to a virtual network named VNET1. All internal name resolution is provided by DNS server that run on the domain controllers.

The on-premises Active Directory domain contains the organizational units (OUs) shown in the following table.

Name	Description
MontrealUsers	An OU for all the users in the Montreal office: The OU syncs to Azure AD by using Azure AD Connect.
ParisUsers	An OU for all the users in the Paris office: The OU syncs to Azure AD by using Azure AD Connect.
SeattleUsers	An OU for all the users in the Seattle office: The OU does NOT sync to Azure AD.

The on-premises Active Directory domain contains the users shown in the following table.

Name	Container	Member of
Operator1	Users	Domain Admins
Operator2	MontrealUsers	Users
Operator3	SeattleUsers	Server Operators

The Azure AD tenant contains the cloud-only users shown in the following table.

Name	Role
Admin1	Virtual Machine Contributor
Admin2	Desktop Virtualization Contributor
Admin3	Desktop Virtualization Session Host Operator
Admin4	Desktop Virtualization Host Pool Contributor

Existing Infrastructure. Network Infrastructure

All the Azure virtual networks are peered. The on-premises network connects to the virtual networks.

All servers run Windows Server 2019. All laptops and desktop computers run Windows 10 Enterprise.

Since users often work on confidential documents, all the users use their computer as a client for connecting to Remote Desktop Services (RDS).

In the West US Azure region, you have the storage accounts shown in the following table.

Name	Account kind	Performance
storage1	StorageV2	Standard
storage2	StorageV2	Premium
storage3	BlobStorage	Standard
storage4	StorageV1	Premium

Existing Infrastructure. Remote Desktop Infrastructure

Contoso has a Remote Desktop infrastructure shown in the following table.

Office	Description
Montreal	<p>A Windows Virtual Desktop deployment that runs Windows 10 Enterprise multi-session hosts. The deployment contains the following:</p> <ul style="list-style-type: none"> • A host pool named Pool1 • An application group named Group1 • A workspace named Workspace1 • Virtual machines that have a prefix of Pool1
Seattle	<p>An on-premises virtual machine-based RDS deployment that has personal desktops. The personal desktop virtual machines have a prefix of Pool2.</p>
Paris	<p>An on-premises virtual machine-based RDS deployment that has pooled desktops. The pooled desktop virtual machines have a prefix of Pool3. User profile disks are used to preserve the user state.</p>

Requirements. Planned Changes

Contoso plans to implement the following changes:

- * Implement FSLogix profile containers for the Paris offices.
- * Deploy a Windows Virtual Desktop host pool named Pool4.
- * Migrate the RDS deployment in the Seattle office to Windows Virtual Desktop in the West US Azure region.

Requirements. Pool4 Configuration

Pool4 will have the following settings:

- * Host pool type: Pooled
- * Max session limit: 7
- * Load balancing algorithm: Depth-first
- * Images: Windows 10 Enterprise multi-session
- * Virtual machine size: Standard D2s v3
- * Name prefix: Pool4
- * Number of VMs: 5
- * Virtual network: VNET4

Requirements. Technical Requirements

Contoso identifies the following technical requirements:

- * Before migrating the RDS deployment in the Seattle office, obtain the recommended deployment configuration based on the current RDS utilization.
- * For the Windows Virtual Desktop deployment in the Montreal office, disable audio output in the device redirection settings.
- * For the Windows Virtual Desktop deployment in the Seattle office, store the FSLogix profile containers in Azure Storage.
- * Enable Operator2 to modify the RDP Properties of the Windows Virtual Desktop deployment in the Montreal office.
- * From a server named Server1, convert the user profile clicks to the FSLogix profile containers.
- * Ensure that the Pool1 virtual machines only run during business hours.
- * Use the principle of least privilege.


NEW QUESTION: 60

-

You have an Azure Virtual Desktop personal host pool. Each session host in the pool that has an operating system disk and a data disk.

You need to back up the session host data disks.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions  **Answer Area**

Create a backup policy and configure a backup.

Grant permissions for the vault.

Create a backup vault.

Configure a managed identity.


Create a Recovery Services vault.

Navigation arrows: Left arrow, Right arrow, Up arrow, Down arrow.

Answer:

Answer Area

Create a Recovery Services vault.

Grant permissions for the vault. 

Create a backup policy and configure a backup.

- 1 - Create a Recovery Services vault.
- 2 - Grant permissions for the vault.
- 3 - Create a backup policy and configure a backup.

NEW QUESTION: 61

You have an Azure Active Directory Domain Services (Azure AD DS) managed domain named conioso.com.

You create a Azure Virtual Desktop host pool named Pool1. You assign the Virtual Machine Contributor role for the Azure subscription to a user named Admin1.

You need to ensure that Admin1 can add session hosts to Pool1. The solution must use the principle of least privilege.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Assign Admin1 the Desktop Virtualization Session Host Operator role for Pool1.
- B. Assign a Microsoft 365 Enterprise E3 license to Admin1.
- C. Add Admin1 to the AAD DC Administrators group.
- D. Assign Admin1 the Desktop Virtualization Host Pool Contributor role for Pool1.
- E. Generate a registration token.

Answer: D,E (LEAVE A REPLY)

Valid AZ-140 Dumps shared by Actual4test.com for Helping Passing AZ-140 Exam! Actual4test.com now offer the **newest AZ-140 exam dumps**, the Actual4test.com AZ-140 exam questions have been updated and answers have been corrected get the **newest** Actual4test.com AZ-140 dumps with Test Engine here:

https://www.actual4test.com/AZ-140_examcollection.html (302 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 62

You need to configure a conditional access policy to meet the authentication requirements.

What should you include in the policy configuration? To answer, select the appropriate options in the answer area.

NOTE Each correct selection is worth one point.

Answer:

NEW QUESTION: 63

You have a Windows Virtual Desktop deployment.

You plan to create the host pools shown in the following table.

Name	Requirement
Pool1	<ul style="list-style-type: none"> Will be directly assigned to users in the graphics department at your company Will run heavy graphic rendering and compute-intensive applications Must support premium storage
Pool2	<ul style="list-style-type: none"> Pooled virtual machines for approximately 10 users Will run Microsoft Office 365 apps Will require calling and meeting features in Microsoft Teams Must support premium storage


You need to recommend the virtual machine size for each host pool. The solution must minimize costs.

Which size should you recommend for each pool? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/sizes>

<https://docs.microsoft.com/en-us/azure/virtual-machines/nvv3-series>

<https://docs.microsoft.com/en-us/azure/virtual-machines/dv4-dsv4-series>

NEW QUESTION: 64


You have an Azure subscription that contains a hybrid Azure Active Directory (Azure AD) tenant and two domain-joined Azure virtual machines. The virtual machines run Windows Server 2019 and contain managed disks.

You plan to deploy an Azure Virtual Desktop host pool that will use a Storage Spaces Direct Scale-Out File Server to host user profiles.

You need to ensure that the virtual machines can host the Storage Spaces Direct deployment. The solution must meet the following requirements:

- * Ensure that the user profiles are available if a single server falls.
- * Minimize administrative effort.

What should you do? To answer, select the appropriate options In the answer are a. NOTE: Each correct selection is worth one point.



Answer:



Reference:

<https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/deploy-storage-spaces-direct>

NEW QUESTION: 65

You have a Windows Virtual Desktop host pool named Pool1.

You are troubleshooting an issue for a Remote Desktop client that stopped responding.

You need to restore the default Remote Desktop client settings and unsubscribe from all workspaces.

Which command should you run?

- A. msrdcw
- B. resetengine
- C. mstsc
- D. resetpluginhost

Answer: A (LEAVE A REPLY)

Explanation/Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/troubleshoot-client>

NEW QUESTION: 66

You plan to deploy Azure Virtual Desktop.

You are deploying Storage Spaces Direct to a cluster that will store FSLogix profile containers. The cluster will NOT use Cloud witness.

What is the minimum number of virtual machines required for the cluster?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: C (LEAVE A REPLY)

<https://learn.microsoft.com/en-us/azure/virtual-desktop/store-fslogix-profile>

NEW QUESTION: 67

You have an on-premises network.

All users have computers that run Windows 10 Pro.

You plan to deploy Azure Virtual Desktop to meet the department requirements shown in the following table.

Department	Requirement
Research	Run an application that can run only on Windows Server. The application will be published as a RemoteApp.
Finance	Run Windows 10 Enterprise multi-session.


You need to recommend licenses for the departments. The solution must minimize costs.

Which license should you recommend for each department? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Research:	<div style="border: 1px solid black; padding: 5px;"><div style="text-align: right;">▼</div><p>Microsoft 365 Enterprise E3 license</p><p>Windows 10 Enterprise E3 license</p><p>Windows Server client access license (CAL)</p><p>Windows Server Remote Desktop Services client access license (RDS CAL)</p></div>
Finance:	<div style="border: 1px solid black; padding: 5px;"><div style="text-align: right;">▼</div><p>Microsoft 365 Enterprise E3 license</p><p>Windows 10 Enterprise E3 license</p><p>Windows Server client access license (CAL)</p><p>Windows Server Remote Desktop Services client access license (RDS CAL)</p></div>

Answer:

Research:  Microsoft


- Microsoft 365 Enterprise E3 license
- Windows 10 Enterprise E3 license
- Windows Server client access license (CAL)
- Windows Server Remote Desktop Services client access license (RDS CAL)

Finance:

- Microsoft 365 Enterprise E3 license
- Windows 10 Enterprise E3 license
- Windows Server client access license (CAL)
- Windows Server Remote Desktop Services client access license (RDS CAL)

Explanation:

Text, table, email Description automatically generated with medium confidence

Research:  Microsoft

- Microsoft 365 Enterprise E3 license
- Windows 10 Enterprise E3 license
- Windows Server client access license (CAL)
- Windows Server Remote Desktop Services client access license (RDS CAL)

Finance:

- Microsoft 365 Enterprise E3 license
- Windows 10 Enterprise E3 license
- Windows Server client access license (CAL)
- Windows Server Remote Desktop Services client access license (RDS CAL)

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/windows-10-multisession-faq>

<https://azure.microsoft.com/en-us/pricing/details/virtual-desktop/#pricing>

NEW QUESTION: 68

Your on-premises network contains an Active Directory domain named contoso.com that syncs with Azure AD.

You deploy an Azure Virtual Desktop pooled host pool named HostPool1 that contains five hybrid-joined session hosts.

You need to ensure that all the user sessions of HostPool1 meet the following requirements:


* Users must use roaming user profiles.

* Users must use Folder Redirection.


The solution must minimize administrative effort.

What should you use to meet each requirement? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.



Answer:



Explanation



NEW QUESTION: 69

You network contains an on-premises Active Directory domain that syncs to an Azure Active Directory (Azure AD) tenant. The domain contains the users shown in the following table.

Name	Role	Member of
User1	Desktop Virtualization Workspace Reader	Group1
User2	Desktop Virtualization Application Group Reader	Group2

You have a Windows Virtual Desktop deployment that contains the application groups shown in the following table.

Name	Application	Assignment
AppGroup1	Microsoft Word	Group1
AppGroup2	Microsoft Excel	Group2
AppGroup3	Microsoft PowerPoint	Group1, Group2

You have the workspaces shown in the following table.

Name	Application group
Workspace1	AppGroup1
Workspace2	AppGroup2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input type="radio"/>
User1 has Word listed in the Remote Desktop client.	<input type="radio"/>	<input type="radio"/>
User2 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input checked="" type="radio"/>
User1 has Word listed in the Remote Desktop client.	<input checked="" type="radio"/>	<input type="radio"/>
User2 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input checked="" type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/environment-setup>

NEW QUESTION: 70

You have an Azure subscription.

You plan to deploy an Azure Virtual Desktop solution to the East US Azure region. The solution will contain the resources shown in the following table.

Type	Name	Description
Azure storage account	storage1	Contains a share named Profiles
Host pool	HostPool1	Stores user profiles in the Profiles share

You need to recommend a business continuity solution that meets the following requirements:

- * Users must be able to connect to HostPool1 if a datacenter in the East US region fails.
- * Costs must be minimized.

What should you include in the recommendation for each resource? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

HostPool1:

	▼
Availability zones	
Azure Backup	
Azure Site Recovery	
Azure Traffic Manager	

storage1:

	▼
Geo-redundant storage (GRS)	
Geo-zone-redundant storage (GZRS)	
Locally-redundant storage (LRS)	
Zone-redundant storage (ZRS)	

Answer:

Answer Area

HostPool1:

	▼
Availability zones	
Azure Backup	
Azure Site Recovery	
Azure Traffic Manager	



storage1:

	▼
Geo-redundant storage (GRS)	
Geo-zone-redundant storage (GZRS)	
Locally-redundant storage (LRS)	
Zone-redundant storage (ZRS)	

Explanation:

Availability Zones & ZRS storage.

NEW QUESTION: 71

You have an Azure Virtual Desktop deployment that contains the host pools shown in the following table.

Name	Type	Location
Pool1	Windows 10 Enterprise, personal	East US
Pool2	Windows Server 2019, pooled	East US

You need to create a disaster recovery environment in the West US region. The solution must minimize costs and administrative effort.

What should you do?

- A. Regenerate the token and reregister the virtual machines in the host pools.
- B. Run the Invoke-RdsUserSessionLogoff cmdlet.
- C. Create an Azure Site Recovery plan.
- D. Create two new host pools in the West US region.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 72

You have an Azure Virtual Desktop deployment that contains the resources shown in the following table.

Name	Location	Description
Profiles1	West US	Azure file share that stores FSLogix profile containers
HostPool1	West US	Pooled host pool containing session hosts that use the profile containers stored in Profiles1
HostPool2	West US	Personal host pool containing session hosts that each has an operating system disk and a data disk

Name	Type	Location
Recovery1	Recovery Services vault	West US
Recovery2	Recovery Services vault	Central US
Backup1	Azure Backup vault	West US
Backup2	Azure Backup vault	Central US

Answer Area

FSLogix profile containers:

- Backup1 only
- Recovery1 only
- Backup1 and Backup2 only
- Backup1 and Recovery1 only
- Recovery1 and Recovery2 only
- Backup1, Backup2, Recovery1 and Recovery2

Data disks:

- Backup1 only
- Recovery1 only
- Backup1 and Backup2 only
- Backup1 and Recovery1 only
- Recovery1 and Recovery2 only
- Backup1, Backup2, Recovery1 and Recovery2

Answer:



FSLogix profile containers:

- Backup1 only
- Recovery1 only**
- Backup1 and Backup2 only
- Backup1 and Recovery1 only
- Recovery1 and Recovery2 only
- Backup1, Backup2, Recovery1 and Recovery2

Data disks:

- Backup1 only**
- Recovery1 only
- Backup1 and Backup2 only
- Backup1 and Recovery1 only
- Recovery1 and Recovery2 only
- Backup1, Backup2, Recovery1 and Recovery2

NEW QUESTION: 73

Your on-premises network contains an Active Directory domain named fabrikam.com that syncs with Azure Active Directory (Azure AD). The domain contains a global group named AVDusers. You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Description
storage1	Storage account	Connections to storage1 are authenticated by using fabrikam.com.
Profiles1	Azure Files share	Profiles1 resides in storage1.
HostPool1	Azure Virtual Desktop host pool	HostPool1 contains all the session hosts joined to fabrikam.com.

All Azure Virtual Desktop users are members of the AVDusers group.

You plan to create FSLogix profile containers in Profiles1.

You need to configure Profiles1 and fabrikam.com to ensure that the HostPool1 sessions hosts can access the FSLogix profile containers.

What should you do? To answer, drag the appropriate configurations to the correct targets. Each configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Configurations Answer Area

Assign Azure role-based access control (Azure RBAC) roles to AVDusers.

Create a computer account for storage1.

Generate a shared access signature (SAS).

Assign NTFS permissions to AVDusers.

Create a shared folder object for Profiles1.

Profiles1:

Fabrikam.com:

Answer:

Configurations Answer Area

Assign Azure role-based access control (Azure RBAC) roles to AVDusers.

Create a computer account for storage1.

Generate a shared access signature (SAS).

Assign NTFS permissions to AVDusers.

Create a shared folder object for Profiles1.

Profiles1: Assign NTFS permissions to AVDusers.

Fabrikam.com: Assign Azure role-based access control (Azure RBAC) roles to AVDusers.

Explanation

Graphical user interface, text, application, chat or text message Description automatically generated

Answer Area

Profiles1: Assign NTFS permissions to AVDusers.

Fabrikam.com: Assign Azure role-based access control (Azure RBAC) roles to AVDusers.

<https://learn.microsoft.com/en-us/azure/virtual-desktop/fslogix-profile-container-configure-azure-files-active-dir>

NEW QUESTION: 74

-

You have an Azure Virtual Desktop deployment that contains a host pool named HostPool1.

You need to perform the following configurations for HostPool1:

- * Set the scale factor of the remote session to 125 percent.
- * Generate a registration key that expires after five days.
- * Enable Start VM on connect.

Which three settings should you modify? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems

Settings

- Scaling plan
- RDP Properties
- Properties
- Scheduled agent updates
- Locks

Manage

- Application groups
- MSIX packages
- Session hosts

Answer:

Answer Area



- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems

Settings

- Scaling plan
- RDP Properties
- Properties
- Scheduled agent updates
- Locks

Manage

- Application groups
- MSIX packages
- Session hosts

NEW QUESTION: 75

You have a Windows Virtual Desktop deployment.

You need to ensure that all the connections to the managed resources in the host pool require multi-factor authentication (MFA).

Which two settings should you modify in a conditional access policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

New

Conditional access policy



Control user access based on conditional access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name *

Conditional Access Policy ✓

Assignments

Users and groups ⓘ >
All users

Cloud apps or actions ⓘ >
No cloud apps or actions selected

Conditions ⓘ >
0 conditions selected

Access controls

Grant ⓘ >
0 conditions selected

Session ⓘ >
0 conditions selected

Answer:

New
Conditional access policy

Control user access based on conditional access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name *
Conditional Access Policy ✓

Assignments

Users and groups ⓘ
All users >

Cloud apps or actions ⓘ
No cloud apps or actions selected >

Conditions ⓘ
0 conditions selected >

Microsoft

Access controls

Grant ⓘ
0 conditions selected >

Session ⓘ
0 conditions selected >

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/tutorial-enable-azure-mfa>

NEW QUESTION: 76

HOTSPOT

-

You have an Azure Virtual Desktop deployment and two Azure Active Directory groups named Group1 and Group2.

You create two Conditional Access policies named Policy1 and Policy2. Policy1 is assigned to Group1. Policy2 is assigned to Group2. Both policies include Azure Virtual Desktop as a cloud app.

You need to meet the following requirements:

- * The users in Group1 must be prompted for multi-factor authentication (MFA) when they connect to Azure Virtual Desktop.
- * The users in Group2 must reauthenticate every eight hours while they are connected to Azure Virtual Desktop.

Which settings should you configure in Policy1 and Policy2? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Answer Area

Policy1: Access controls: Grant
 Access controls: Session
 Assignments: Conditions: Sign-in risk
 Assignments: Conditions: User risk

Policy2: Access controls: Session
 Access controls: Grant
 Assignments: Conditions: Sign-in risk
 Assignments: Conditions: User risk

Valid AZ-140 Dumps shared by Actual4test.com for Helping Passing AZ-140 Exam! Actual4test.com now offer the **newest AZ-140 exam dumps**, the Actual4test.com AZ-140 exam questions have been updated and answers have been corrected get the **newest** Actual4test.com AZ-140 dumps with Test Engine here:
https://www.actual4test.com/AZ-140_examcollection.html (302 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 77

You have an Azure Virtual Desktop host pool named Pool1, an application named App1, and an Azure file share named Share1.

You need to ensure that you can publish App1 to Pool1 by using MSIX app attach.

Which four actions should you perform in sequence before you publish App1? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

ACTIONS

Create an MSIX image.

Generate a signing certificate.

Upload the MSIX package to Share1.

Generate an encryption certificate.

Create an MSIX package.

Upload the MSIX image to Share1.

Answer:



Answer Area

Generate a signing certificate.

Create an MSIX package.

Create an MSIX image.

Upload the MSIX image to Share1.

- 1 - Generate a signing certificate.
- 2 - Create an MSIX package.
- 3 - Create an MSIX image.
- 4 - Upload the MSIX image to Share1.

Reference:

<https://docs.microsoft.com/en-us/windows/msix/packaging-tool/create-app-package>

<https://docs.microsoft.com/en-us/azure/virtual-desktop/app-attach-image-prep>

NEW QUESTION: 78

You are automating the deployment of an Azure Virtual Desktop host pool.

You deploy the Azure Resource Manager (ARM) template shown in the following exhibit.

```
1  "schema": "https://schema.management.azure.com/schemas/2015-01-01/
2  deploymentTemplate.json#",
3  "contentVersion": "1.0.0.0",
4  "parameters": {
5    "hostpools_HostPool2_name": {
6      "defaultValue": "HostPool2",
7      "type": "String"
8    }
9  },
10 "variables": {},
11 "resources": [
12   {
13     "type": "Microsoft.DesktopVirtualization/hostpools",
14     "apiVersion": "2020-11-02-preview",
15     "name": "[parameters('hostpools_HostPool2_name')]",
16     "location": "Eastus",
17     "properties": {
18       "hostPoolType": "Personal",
19       "personalDesktopAssignmentType": "Automatic",
20       "maxSessionLimit": 999999,
21       "loadBalancerType": "Persistent",
22       "validationEnvironment": false,
23       "registrationInfo": {
24         "registrationTokenOperation": "None"
25       },
26       "preferredAppGroupType": "Desktop",
27       "startVMOnConnect": false
28     }
29   }
30 ]
31
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the Dockerfile.

NOTE: Each correct selection is worth one point.

Each session host in HostPool2 can contain

- 1 session
- 15 sessions
- 99,999 sessions

Each time a user connects, the user will connect to

- a RemoteApp named Desktop
- a permanently assigned virtual machine
- a random virtual machine in the host pool

Answer:

Each session host in HostPool2 can contain

- 1 session
- 15 sessions
- 99,999 sessions

Each time a user connects, the user will connect to

- a RemoteApp named Desktop
- a permanently assigned virtual machine
- a random virtual machine in the host pool

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/virtual-desktop-fall-2019/configure-host-pool-personal-desktop-assignment-type-2019>

NEW QUESTION: 79


You have an Azure subscription that contains the virtual machines shown in the following table.

Name	Location	vCPUs	Generation
VM1	West Europe	8	2
VM2	East US	2	1
VM3	West US	12	1

You create an Azure Compute Gallery as shown in the Azure compute gallery exhibit. (Click the Azure compute gallery tab.)



You create a virtual machine image definition as shown in the VM image definition exhibit. (Click the VM image definition tab.)



Question	Azure compute gallery	VM image definition
Publisher	Contoso	
Offer	WindowsServer2022	
SKU	Datacenter	
Publishing options		
Product name	None	
License terms link	None	
Description	None	
Release notes URI	None	
Privacy terms URI	None	
Purchase plan name	None	
Purchase plan publisher name	None	
Recommended VM vCPUs	4-16	
Recommended VM memory	1-32 GB	
Excluded disk types	None	
VM image definition end of life date	None	

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statements	Yes	No
You can use VM1 as a source for the version of the image definition.	<input type="radio"/>	<input type="radio"/>
You can use VM2 as a source for the version of the image definition.	<input type="radio"/>	<input type="radio"/>
You can use VM3 as a source for the version of the image definition.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
You can use VM1 as a source for the version of the image definition.	<input type="radio"/>	<input checked="" type="radio"/>
You can use VM2 as a source for the version of the image definition.	<input type="radio"/>	<input checked="" type="radio"/>
You can use VM3 as a source for the version of the image definition.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation

Text Description automatically generated with medium confidence

Statements	Yes	No
You can use VM1 as a source for the version of the image definition.	<input type="radio"/>	<input checked="" type="radio"/>
You can use VM2 as a source for the version of the image definition.	<input type="radio"/>	<input checked="" type="radio"/>
You can use VM3 as a source for the version of the image definition.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 80

You have an Azure subscription that contains the virtual machines shown in the following table.

Name	Location	CPUs	Generation
VM1	West Europe	8	2
VM2	East US	2	1
VM3	West US	12	1

You create an Azure Compute Gallery as shown in the Azure compute gallery exhibit. (Click the Azure compute gallery tab.)

Create Azure compute gallery ...

Validation passed

Basics Sharing Tags Review + create

Basics

- Subscription: Azure Pass Sponsorship
- Resource group: RG1
- Region: West Europe
- Name: ComputeGallery1
- Description: None

You create a virtual machine image definition as shown in the VM image definition exhibit. (Click the VM image definition tab.)

Create a VM image definition

Validation passed

Basics Version Publishing options Tags Review + create

Basics

Subscription	Azure Pass - Sponsorship
Resource group	RG1
Region	East US
Target Azure compute gallery	ComputeGallery1
VM image definition name	Image1
OS type	Windows
Security type	Standard
VM generation	V1

Question Azure compute gallery **VM image definition**

Publisher	Contoso
Offer	WindowsServer2022
SKU	Datacenter
Publishing options	
Product name	None
License terms link	None
Description	None
Release notes URI	None
Privacy terms URI	None
Purchase plan name	None
Purchase plan publisher name	None
Recommended VM vCPUs	4-16
Recommended VM memory	1-32 GB
Excluded disk types	None
VM image definition end of life date	None

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statements	Yes	No
You can use VM1 as a source for the version of the image definition.	<input type="radio"/>	<input type="radio"/>
You can use VM2 as a source for the version of the image definition.	<input type="radio"/>	<input type="radio"/>
You can use VM3 as a source for the version of the image definition.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
You can use VM1 as a source for the version of the image definition.	<input type="radio"/>	<input checked="" type="radio"/>
You can use VM2 as a source for the version of the image definition.	<input type="radio"/>	<input checked="" type="radio"/>
You can use VM3 as a source for the version of the image definition.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

Text Description automatically generated with medium confidence

Statements	Yes	No
You can use VM1 as a source for the version of the image definition.	<input type="radio"/>	<input checked="" type="radio"/>
You can use VM2 as a source for the version of the image definition.	<input type="radio"/>	<input checked="" type="radio"/>
You can use VM3 as a source for the version of the image definition.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 81

-

You have an Azure subscription that contains a user named User1.

The subscription uses the Azure Virtual Desktop host pools shown in the following table.

Name	Type	Session host operating system	Number of hosts
Pool1	Pooled	Windows Server 2019 Datacenter	2
Pool2	Pooled	Windows 10 Enterprise multi-session	10
Pool3	Personal	Windows 11 Enterprise	10

You need to ensure that User1 can create RemoteApp app groups that will be used to stream a suite of custom apps from the host pools. The solution must meet the following requirements:

- * The apps must be available to the users in all the pools.
- * The principle of least privilege must be followed.
- * Administrative effort must be minimized.

Which role should you assign to User1, and what is the minimum number of app groups that User1 should create? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Role: 

Desktop Virtualization Application Group Contributor
Desktop Virtualization Contributor
Desktop Virtualization Host Pool Contributor
Desktop Virtualization Workplace Contributor

Number of app groups:

1
2
3
22

Answer:

Answer Area

Role:

▼

- Desktop Virtualization Application Group Contributor
- Desktop Virtualization Contributor
- Desktop Virtualization Host Pool Contributor
- Desktop Virtualization Workplace Contributor



Microsoft

Number of app groups:

▼

- 1
- 2
- 3
- 22

Explanation:

Desktop Virtualization Group

3

NEW QUESTION: 82

You have an Azure Virtual Desktop deployment that uses Azure Active Directory Domain Services (Azure AD DS). You have the following host pool:

* Name: Pool1

* Type: Personal

* Number of session hosts: 5

You plan to deploy two new session hosts to Pool1. What should you do before you deploy the session hosts?

- A. Create a scaling plan.
- B. Precreate a computer account in Azure AD DS.
- C. Create a registration key.
- D. Increase the maximum session limit.

Answer: B (LEAVE A REPLY)

This is done by using the Add-AzDomainComputer cmdlet in PowerShell. After the computer accounts have been created, the new session hosts can be deployed. For more information, please refer to the following Microsoft documentation: <https://docs.microsoft.com/en-us/azure/virtual-desktop/create-session-host-pools#precreate-computer-accounts-in-azure-ad-ds>.

NEW QUESTION: 83

You network contains an on-premises Active Directory domain that syncs to an Azure Active Directory (Azure AD) tenant. The domain contains the users shown in the following table.

Name	Role	Member of
User1	Desktop Virtualization Workspace Reader	Group1
User2	Desktop Virtualization Application Group Reader	Group2

You have a Windows Virtual Desktop deployment that contains the application groups shown in the following table.

Name	Application	Assignment
AppGroup1	Microsoft Word	Group1
AppGroup2	Microsoft Excel	Group2
AppGroup3	Microsoft PowerPoint	Group1, Group2

You have the workspaces shown in the following table.

Name	Application group
Workspace1	AppGroup1
Workspace2	AppGroup2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area			
Statements	Yes	No	
User1 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input type="radio"/>	
User1 has Word listed in the Remote Desktop client.	<input type="radio"/>	<input type="radio"/>	
User2 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input type="radio"/>	

Answer:

Answer Area			
Statements	Yes	No	
User1 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input checked="" type="radio"/>	
User1 has Word listed in the Remote Desktop client.	<input checked="" type="radio"/>	<input type="radio"/>	
User2 has PowerPoint listed in the Remote Desktop client.	<input type="radio"/>	<input checked="" type="radio"/>	

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/environment-setup>

NEW QUESTION: 84

You have an Azure Virtual Desktop deployment and the users shown in the following table.

Name	User device operating system	Preferred web browser
User1	MacOS	Mozilla Firefox
User2	Windows 10	Internet Explorer
User3	iOS	Apple Safari

All the users plan to use a web browser to access Azure Virtual Desktop resources.

Which users can connect to Azure Virtual Desktop by using their preferred browser?

- A. User2 only
- B. User1 only
- C. User1, User2, and User3
- D. User2 and User3 only
- E. User1 and User2 only

Answer: C (LEAVE A REPLY)

Explanation

<https://learn.microsoft.com/en-us/azure/virtual-desktop/users/connect-web>

NEW QUESTION: 85

You have a Windows Virtual Desktop deployment.

Many users have iOS devices that have the Remote Desktop Mobile app installed.

You need to ensure that the users can connect to the feed URL by using email discovery instead of entering the feed URL manually.

How should you configure the _msrads DNS record? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Record type: Microsoft

- A
- CNAME
- SRV
- TXT

Record value:

- https://rdweb.wvd.microsoft.com/api/arm/feeddiscovery
- https://rdweb.wvd.microsoft.com/api/feeddiscovery
- https://rdweb.wvd.microsoft.com/Feed/webfeed.aspx
- webfeeddiscovery.aspx

Answer:

Record type: A, CNAME, SRV, **TXT**

Record value: **https://rdweb.wvd.microsoft.com/api/arm/feeddiscovery**, https://rdweb.wvd.microsoft.com/api/feeddiscovery, https://rdweb.wvd.microsoft.com/Feed/webfeed.aspx, webfeeddiscovery.aspx

NEW QUESTION: 86

You have an Azure Virtual Desktop host pool named Pool1 and an Azure Storage account named storage1. Pool1 and storage1 are in the same Azure region.

The current network utilization of the session hosts during peak hours is 95%.

You plan to use FSLogix profile containers stored in storage1 for users that connect to Pool1.

You need to configure the session hosts and storage1 to minimize network latency when loading and updating profiles.

What should you do? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.

For storage1: Configure network routing., Configure a private endpoint., Configure the storage account type.


For the session hosts: Enable Write Accelerator., Increase the Virtual machine size., Add additional network adapters.

Answer:

For storage 1:



For the session hosts:



Reference:

<https://docs.microsoft.com/en-us/azure/architecture/example-scenario/wvd/windows-virtual-desktop-fslogix>


NEW QUESTION: 87

You have a hybrid Azure Active Directory (Azure AD) tenant named contoso.com that contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group1, Group3

You have an Azure Virtual Desktop host pool. All the session hosts have a folder named C:\Folder1.

You create an FSLogix Application Masking rule as shown in the following exhibit.



You create assignments for the Application Masking rule as shown in the following exhibit.

Assignments

Rule Set:

Assignment	Applies
Everyone	Yes
CONTOSO\Group1	No
CONTOSO\Group3	Yes
User2@contoso.com	No

Set As Template Move Up Move Down Add Remove

Rule Set does apply to user/group
 Rule Set does not apply to user/group

AD Reporting OK Cancel Apply

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can see folder C:\Folder1 on a session host.	<input type="radio"/>	<input type="radio"/>
User2 can see folder C:\Folder1 on a session host.	<input type="radio"/>	<input type="radio"/>
User3 can see folder C:\Folder1 on a session host.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statements	Yes	No
User1 can see folder C:\Folder1 on a session host.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can see folder C:\Folder1 on a session host.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can see folder C:\Folder1 on a session host.	<input type="radio"/>	<input checked="" type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/fslogix/application-masking-rules-ht>

<https://docs.microsoft.com/en-us/fslogix/application-masking-users-groups-ht>

NEW QUESTION: 88

You have an Azure Active Directory Domain Services (Azure AD DS) managed domain named conioso.com.

You create a Azure Virtual Desktop host pool named Pool1. You assign the Virtual Machine Contributor role for the Azure subscription to a user named Admin1.

You need to ensure that Admin1 can add session hosts to Pool1. The solution must use the principle of least privilege.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add Admin1 to the AAD DC Administrators group.
- B. Assign a Microsoft 365 Enterprise E3 license to Admin1.
- C. Assign Admin1 the Desktop Virtualization Session Host Operator role for Pool1.
- D. Assign Admin1 the Desktop Virtualization Host Pool Contributor role for Pool1.
- E. Generate a registration token.

Answer: C,E (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/rbac>

NEW QUESTION: 89

You need to evaluate the RDS deployment in the Seattle office. The solution must meet the technical requirements.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Create a project in Azure Migrate.
- Register the Lakeside tool with Azure Migrate.
- Add the Azure Advisor recommendation digest.
- Install agents on the virtual machines that have the Pool3 prefix.
- Install agents on the virtual machines that have the Pool2 prefix.
- Create a Recovery Service vault.

Answer Area

Answer:

Actions

- Create a project in Azure Migrate.
- Register the Lakeside tool with Azure Migrate.
- Add the Azure Advisor recommendation digest.
- Install agents on the virtual machines that have the Pool3 prefix.
- Install agents on the virtual machines that have the Pool2 prefix.
- Create a Recovery Service vault.

Answer Area

- Create a project in Azure Migrate.
- Register the Lakeside tool with Azure Migrate.
- Install agents on the virtual machines that have the Pool2 prefix.

Explanation

- Create a project in Azure Migrate.
- Register the Lakeside tool with Azure Migrate.
- Install agents on the virtual machines that have the Pool2 prefix.

Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/migrate/azure-best-practices/contoso-migratio>

NEW QUESTION: 90

You have an Azure subscription that contains the resources shown in the following table.

Name	Description
WVDVM-0	A virtual machine used in a pooled virtual machine set
share1	An Azure file share that stores FSLogix profile containers
Image1	A custom Windows 10 image in a shared image gallery
Image2	A custom Windows Server 2019 image stored in Azure Blob storage

Which resources can you back up by using Azure Backup?

- A. WVDVM-0 and share1 only
- B. WVDVM-0 only

- C. WVDVM-0, Image1, and Image2 only
- D. WVDVM-0, share1, and Image1 only
- E. WVDVM-0, share1, Image1, and Image2

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/azure/backup/backup-afs>

<https://docs.microsoft.com/en-us/azure/backup/backup-azure-vms-introduction>

NEW QUESTION: 91

You need to deploy the session hosts to meet the deployment requirements Which PowerShell cmdlet should you run first?

- A. New-AzwvdRegistratrationinfo
- B. Get-AzApiManagementSsoToken
- C. Set-AzWMADDomainExtension
- D. Update-AZwvdSessionHost

Answer: C (LEAVE A REPLY)

Reference:

<https://rozemuller.com/avd-automation-cocktail-avd-automated-with-powershell/>

Valid AZ-140 Dumps shared by Actual4test.com for Helping Passing AZ-140 Exam! Actual4test.com now offer the **newest AZ-140 exam dumps**, the Actual4test.com AZ-140 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-140 dumps with Test Engine here:

https://www.actual4test.com/AZ-140_examcollection.html (302 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 92

You have an Azure Virtual Desktop deployment.

You plan to use a Conditional Access policy to enforce multi-factor authentication (MFA) when users connect to the deployment. The solution must meet the following requirements:

- * Enforce MFA when a user connects to Azure Virtual Desktop by using a subscription feed.
- * Enforce MFA when a user authenticates to a session host that has single sign-on (SSO) enabled.

You need to identify which cloud apps to use for the Conditional Access policy.

Which app should you use for each requirement? To answer, drag the appropriate apps to the correct requirements. Each app may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Apps

- Azure Virtual Desktop
- Azure Windows VM Sign-in
- Microsoft Remote Desktop
- Office 365

Answer Area

Answer:

Apps

- Azure Virtual Desktop
- Azure Windows VM Sign-in
- Microsoft Remote Desktop
- Office 365

Explanation

Apps

- Azure Virtual Desktop
- Azure Windows VM Sign-in
- Microsoft Remote Desktop
- Office 365

NEW QUESTION: 93

You have a Windows Virtual Desktop host pool that contains two session hosts. The Microsoft Teams client is installed on each session host. You discover that only the Microsoft Teams chat and collaboration features work. The calling and meeting features are disabled. You need to ensure that users can set the calling and meeting features from within Microsoft Teams.

What should you do?

- A. Install the Remote Desktop WebRTC Redirector Service.
- B. Configure Remote audio mode in the RDP Properties.
- C. Install the Teams Meeting add-in for Outlook.
- D. Configure audio input redirection.

Answer: A (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/teams-on-wvd>

NEW QUESTION: 94

You have an Azure Virtual Desktop deployment.

You need to create a host pool. The solution must ensure that during periods of low CPU usage, credits can be accumulated, and then used to raise performance above the purchased baseline during periods of high CPU usage.

Which virtual machine series should you specify when you create the pool?

- A. series
- B. H-series
- C. series
- D. series

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 95

You need to ensure that you can implement user profile shares for the Boston office users. The solution must meet the user profile requirements.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Create a file share and configure share permissions.
- Sign in to VM1 as Admin1.
- Run the `Join-AzStorageAccountForAuth` cmdlet.
- Sign in to VM1 as CloudAdmin1.
- Install the `AzFilesHybrid` PowerShell module.

Answer Area

Microsoft

Answer:

Answer Area

- Sign in to VM1 as CloudAdmin1.
- Create a file share and configure share permissions.
- Install the `AzFilesHybrid` PowerShell module.
- Run the `Join-AzStorageAccountForAuth` cmdlet.

- 1 - Sign in to VM1 as CloudAdmin1.
- 2 - Create a file share and configure share permissions.
- 3 - Install the AzFilesHybrid PowerShell module.
- 4 - Run the Join-AzStorageAccountForAuth cmdlet.

Reference:

<https://www.christiaanbrinkhoff.com/2020/03/01/learn-here-how-to-configure-azure-files-with-active-directory-ad-authentication-for-fslogix-profile-container-and-msix-app-attach/>

Topic 2, Contoso. Ltd

Overview

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

Contoso, Ltd. is a law firm that has a main office in Montreal and branch offices in Paris and Seattle. The Seattle branch office opened recently.

Contoso has an Azure subscription and uses Microsoft 365.

Existing Infrastructure. Active Directory

The network contains an on-premises Active Directory domain named contoso.com and an Azure Active Directory (Azure AD) tenant. One of the domain controllers runs as an Azure virtual machine and connects to a virtual network named VNET1. All internal name resolution is provided by DNS server that run on the domain controllers.

The on-premises Active Directory domain contains the organizational units (OUs) shown in the following table.

Name	Description
MontrealUsers	An OU for all the users in the Montreal office: The OU syncs to Azure AD by using Azure AD Connect.
ParisUsers	An OU for all the users in the Paris office: The OU syncs to Azure AD by using Azure AD Connect.
SeattleUsers	An OU for all the users in the Seattle office: The OU does NOT sync to Azure AD.

The on-premises Active Directory domain contains the users shown in the following table.

Name	Container	Member of
Operator1	Users	Domain Admins
Operator2	MontrealUsers	Users
Operator3	SeattleUsers	Server Operators

The Azure AD tenant contains the cloud-only users shown in the following table.

Name	Role
Admin1	Virtual Machine Contributor
Admin2	Desktop Virtualization Contributor
Admin3	Desktop Virtualization Session Host Operator
Admin4	Desktop Virtualization Host Pool Contributor

Existing Infrastructure. Network Infrastructure

All the Azure virtual networks are peered. The on-premises network connects to the virtual networks.

All servers run Windows Server 2019. All laptops and desktop computers run Windows 10 Enterprise.

Since users often work on confidential documents, all the users use their computer as a client for connecting to Remote Desktop Services (RDS).

In the West US Azure region, you have the storage accounts shown in the following table.

Name	Account kind	Performance
storage1	StorageV2	Standard
storage2	StorageV2	Premium
storage3	BlobStorage	Standard
storage4	StorageV1	Premium

Existing Infrastructure. Remote Desktop Infrastructure

Contoso has a Remote Desktop infrastructure shown in the following table.

Office	Description
Montreal	<p>A Windows Virtual Desktop deployment that runs Windows 10 Enterprise multi-session hosts. The deployment contains the following:</p> <ul style="list-style-type: none">• A host pool named Pool1• An application group named Group1• A workspace named Workspace1• Virtual machines that have a prefix of Pool1
Seattle	<p>An on-premises virtual machine-based RDS deployment that has personal desktops. The personal desktop virtual machines have a prefix of Pool2.</p>
Paris	<p>An on-premises virtual machine-based RDS deployment that has pooled desktops. The pooled desktop virtual machines have a prefix of Pool3. User profile disks are used to preserve the user state.</p>

Requirements. Planned Changes

Contoso plans to implement the following changes:

Implement FSLogix profile containers for the Paris offices.

Deploy a Windows Virtual Desktop host pool named Pool4.

Migrate the RDS deployment in the Seattle office to Windows Virtual Desktop in the West US Azure region.

Requirements. Pool4 Configuration

Pool4 will have the following settings:

Host pool type: Pooled

Max session limit: 7

Load balancing algorithm: Depth-first

Images: Windows 10 Enterprise multi-session

Virtual machine size: Standard D2s v3

Name prefix: Pool4

Number of VMs: 5

Virtual network: VNET4

Requirements. Technical Requirements

Contoso identifies the following technical requirements:

Before migrating the RDS deployment in the Seattle office, obtain the recommended deployment configuration based on the current RDS utilization.

For the Windows Virtual Desktop deployment in the Montreal office, disable audio output in the device redirection settings.

For the Windows Virtual Desktop deployment in the Seattle office, store the FSLogix profile containers in Azure Storage.

Enable Operator2 to modify the RDP Properties of the Windows Virtual Desktop deployment in the Montreal office.

From a server named Server1, convert the user profile clicks to the FSLogix profile containers.

Ensure that the Pool1 virtual machines only run during business hours.

Use the principle of least privilege.

NEW QUESTION: 96

You have an Azure Virtual Desktop Deployment that contains a workspace named Workspace1 and a user named User1. Workspace1 contains a Desktop application group named Pool1Desktop.

At 09:00, you create a conditional access policy that has the following settings:

Assignments:

- Users and groups: User1
- Cloud apps or actions: Azure Virtual Desktop
- Conditions: 0 conditions selected

Access controls

- Grant: Grant access, Require multi-factor authentication
- Sessions: Sign-in frequency 1 hour

User1 performs the actions shown in the following table.

Time	Action
09:10	Open the Remote Desktop client and subscribe to Workspace1.
09:20	Connect to Pool1 Desktop.
11:10	Sign out of Pool1 Desktop and close the Remote Desktop client.
12:30	Open the Remote Desktop client.
13:50	Connect to Pool1 Desktop.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 is prompted for multi-factor authentication (MFA) at 09:10.	<input type="radio"/>	<input type="radio"/>
User1 is prompted for multi-factor authentication (MFA) at 10:20.	<input type="radio"/>	<input type="radio"/>
User1 is prompted for multi-factor authentication (MFA) at 13:50.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1 is prompted for multi-factor authentication (MFA) at 09:10.	<input checked="" type="radio"/>	<input type="radio"/>
User1 is prompted for multi-factor authentication (MFA) at 10:20.	<input type="radio"/>	<input checked="" type="radio"/>
User1 is prompted for multi-factor authentication (MFA) at 13:50.	<input checked="" type="radio"/>	<input type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/set-up-mfa>

NEW QUESTION: 97

You have an Azure Virtual Desktop deployment that contains a host pool named Pool1. Pool1 contains two session hosts. Pool1 is configured as shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE- Each correct selection is worth one point.



The screenshot shows the configuration for an Azure Virtual Desktop host pool named Pool1. The configuration includes the following settings:

- Personal desktop: Yes
- Start VM on connect: No
- Validation environment: No
- Friendly name: (empty)
- Description: Created through the Azure Virtual Desktop extension
- Load balancing algorithm: Depth-first
- Max session limit: 5

Below the configuration, there are two dropdown menus for service updates and new user connections:

- Service updates will be applied to Pool1 [answer choice]:
 - once every 30 days
 - as soon as the updates are released
 - once every 30 days**
 - once the updates are generally available
- New user connections will be [answer choice]:
 - connected to the session host that has the highest number of existing connections and has not reached the maximum session limit
 - connected to the session host that has the highest number of existing connections and has not reached the maximum session limit**
 - evenly distributed across all available hosts
 - rejected once five sessions are established

Answer:



NEW QUESTION: 98

You have the devices shown in the following table.

Name	Operating system
Device1	Windows 10 Home
Device2	Windows 8.1 Professional
Device3	Windows 10 IoT Enterprise

You plan to deploy Windows Virtual Desktop for client access to remove virtualized apps.

Which devices support the Remote Desktop client?

- A. Device1 and Device2 only
- B. Device1 and Device3 only
- C. Device1, Device2, and Device3
- D. Device1 only

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/windows-server/remote/remote-desktop-services/clients/windowsdesktop> Applies to: Windows 10, Windows 10 IoT Enterprise, and Windows 7 You can use the Remote Desktop client for Windows Desktop to access Windows apps and desktops remotely from a different Windows device.

The new Remote Desktop client (MSRDC) supports Windows 10, Windows 10 IoT Enterprise, and Windows 7 client devices:

Windows 64-bit

Windows 32-bit

Windows ARM64

Topic 2, Contoso.

Existing Infrastructure

Active Directory

The network contains an on-premises Active Directory domain named contoso.com and an Azure Active Directory (Azure AD) tenant. One of the domain controllers runs as an Azure virtual machine and connects to a virtual network named VNET1. All internal name resolution is provided by DNS server that run on the domain controllers.

The on-premises Active Directory domain contains the organizational units (OUs) shown in the following table.

Name	Description
MontrealUsers	An OU for all the users in the Montreal office: The OU syncs to Azure AD by using Azure AD Connect.
ParisUsers	An OU for all the users in the Paris office: The OU syncs to Azure AD by using Azure AD Connect.
SeattleUsers	An OU for all the users in the Seattle office: The OU does NOT sync to Azure AD.

The on-premises Active Directory domain contains the users shown in the following table.

Name	Container	Member of
Operator1	Users	Domain Admins
Operator2	MontrealUsers	Users
Operator3	SeattleUsers	Server Operators

The Azure AD tenant contains the cloud-only users shown in the following table.

Name	Role
Admin1	Virtual Machine Contributor
Admin2	Desktop Virtualization Contributor
Admin3	Desktop Virtualization Session Host Operator
Admin4	Desktop Virtualization Host Pool Contributor

Existing Infrastructure. Network Infrastructure

All the Azure virtual networks are peered. The on-premises network connects to the virtual networks.

All servers run Windows Server 2019. All laptops and desktop computers run Windows 10 Enterprise.

Since users often work on confidential documents, all the users use their computer as a client for connecting to Remote Desktop Services (RDS).

In the West US Azure region, you have the storage accounts shown in the following table.

Name	Account kind	Performance
storage1	StorageV2	Standard
storage2	StorageV2	Premium
storage3	BlobStorage	Standard
storage4	StorageV1	Premium

Existing Infrastructure. Remote Desktop Infrastructure

Contoso has a Remote Desktop infrastructure shown in the following table.

Office	Description
Montreal	<p>A Windows Virtual Desktop deployment that runs Windows 10 Enterprise multi-session hosts. The deployment contains the following:</p> <ul style="list-style-type: none"> • A host pool named Pool1 • An application group named Group1 • A workspace named Workspace1 • Virtual machines that have a prefix of Pool1
Seattle	<p>An on-premises virtual machine-based RDS deployment that has personal desktops: The personal desktop virtual machines have a prefix of Pool2.</p>
Paris	<p>An on-premises virtual machine-based RDS deployment that has pooled desktops: The pooled desktop virtual machines have a prefix of Pool3. User profile disks are used to preserve the user state.</p>

Requirements. Planned Changes

Contoso plans to implement the following changes:

Implement FSLogix profile containers for the Paris offices.

Deploy a Windows Virtual Desktop host pool named Pool4.

Migrate the RDS deployment in the Seattle office to Windows Virtual Desktop in the West US Azure region.

Requirements. Pool4 Configuration

Pool4 will have the following settings:

Host pool type: Pooled

Max session limit: 7

Load balancing algorithm: Depth-first

Images: Windows 10 Enterprise multi-session

Virtual machine size: Standard D2s v3

Name prefix: Pool4

Number of VMs: 5

Virtual network: VNET4

Requirements. Technical Requirements

Contoso identifies the following technical requirements:

Before migrating the RDS deployment in the Seattle office, obtain the recommended deployment configuration based on the current RDS utilization.

For the Windows Virtual Desktop deployment in the Montreal office, disable audio output in the device redirection settings.

For the Windows Virtual Desktop deployment in the Seattle office, store the FSLogix profile containers in Azure Storage.

Enable Operator2 to modify the RDP Properties of the Windows Virtual Desktop deployment in the Montreal office.

From a server named Server1, convert the user profile clicks to the FSLogix profile containers.

Ensure that the Pool1 virtual machines only run during business hours.

Use the principle of least privilege.

NEW QUESTION: 99

You need to evaluate the RDS deployment in the Seattle office. The solution must meet the technical requirements.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Create a project in Azure Migrate.
- Register the Lakeside tool with Azure Migrate.
- Add the Azure Advisor recommendation digest.
- Install agents on the virtual machines that have the Pool3 prefix.
- Install agents on the virtual machines that have the Pool2 prefix.
- Create a Recovery Service vault.

Answer Area

Actions

- Create a project in Azure Migrate.
- Register the Lakeside tool with Azure Migrate.
- Install agents on the virtual machines that have the Pool2 prefix.

Answer:

Answer Area

Answer Area

- Create a project in Azure Migrate.
- Register Lakeside tool with Azure Migrate.
- Install agents on the virtual machines that have the Pool2 prefix.

- 1 - Create a project in Azure Migrate.
- 2 - Register Lakeside tool with Azure Migrate.
- 3 - Install agents on the virtual machines that have the Pool2 prefix.

Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/migrate/azure-best-practices/contoso-migration-rds-to-wvd>

NEW QUESTION: 100

You have an Azure Virtual Desktop host pool named Pool1.

You need to ensure that you can create an Azure NetApp Files volume that will host user profiles for Pool1.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

- Register the NetApp Resource Provider.
- Create an Azure NetApp Files account.
- Create an Azure File Sync Storage Sync Service.
- Register for Azure NetApp Files.
- Create a capacity pool.
- Create a file share.

Answer Area

Microsoft

freepdfdumps.com

Answer:

Answer Area

- Register the NetApp Resource Provider.
- Register for Azure NetApp Files.
- Create an Azure NetApp Files account.
- Create a capacity pool.

Microsoft

freepdfdumps.com

- 1 - Register the NetApp Resource Provider.
- 2 - Register for Azure NetApp Files.
- 3 - Create an Azure NetApp Files account.
- 4 - Create a capacity pool.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-netapp-files/azure-netapp-files-quickstart-set-up-account-create-volumes?tabs=azure-portal>

NEW QUESTION: 101

Which three PowerShell modules should you install on Server1 to meet the technical requirements? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Pester
- B. RemoteDesktop
- C. ServerManager
- D. ActiveDirectory
- E. Hyper-V

Answer: A,D,E (LEAVE A REPLY)

Contoso identifies the following technical requirements:

From a server named Server1, convert the user profile disks to the FSLogix profile containers.

The PowerShell modules for Hyper-V, Active Directory, and Pester are prerequisites to running the cmdlets to convert user profile disks to FSLogix.

Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/migrate/azure-best-practices/contoso-migration-rds-to-wvd> This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

NEW QUESTION: 102

You have the devices shown in the following table.

Name	Operating system
Device1	Windows 10
Device2	Windows 8.1 Professional
Device3	Windows 10 IoT Enterprise

You plan to deploy Azure Virtual Desktop for client access to remote virtualized apps.

Which devices support the Remote Desktop client?

- A. Device1 only
- B. Device1 and Device2 only
- C. Device1 and Device3 only
- D. Device1, Device2, and Device3

Answer: C (LEAVE A REPLY)

NEW QUESTION: 103

You have a shared image gallery that contains the Windows 10 images shown in the following table.

Name	Location	Operating system state
Image1	West US	Generalized
Image2	West US	Specialized
Image3	West Europe	Generalized
Image4	West Europe	Specialized

You create a Windows Virtual Desktop deployment that has the following settings:

Host pool name: Pool1

Location: West US

Host pool type: Personal

Which images can you use for the session hosts?

- A. Image1 only
- B. Image1, Image2, Image3, and Image4
- C. Image2 only
- D. Image1 and Image2 only
- E. Image1 and Image3 only

Answer: E (LEAVE A REPLY)

Reference:

<https://azure.microsoft.com/en-in/blog/vm-image-blog-post/>

NEW QUESTION: 104

You plan to deploy Windows Virtual Desktop to meet the department requirements shown in the following table.

Department	Required Windows Virtual Desktop resource	Number of users	GPU required
Research	Single-session desktop	10	No
Engineering	Multi-session desktop	50	Yes
IT	Multi-session desktop	50	No
Finance	RemoteApp	10	No

You plan to use Windows Virtual Desktop host pools with load balancing and autoscaling.

You need to recommend a host pool design that meets the requirements. The solution must minimize costs.

What is the minimum number of host pools you should recommend?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/create-host-pools-azure-marketplace>

3 Host Pools - The RemoteApp can be joined inside the IT Multi-Session desktop or the Engineering.

<https://docs.microsoft.com/en-us/azure/virtual-desktop/manage-app-groups> The default app group created for a new Azure Virtual Desktop host pool also publishes the full desktop. In addition, you can create one or more RemoteApp application groups for the host pool.

NEW QUESTION: 105

You need to configure a conditional access policy to meet the authentication requirements.

What should you include in the policy configuration? To answer, select the appropriate options in the answer area.
NOTE Each correct selection is worth one point.

Answer Area

Set Cloud apps or actions to include:

- Azure Virtual Desktop
- Azure Virtual Desktop Azure Resource Manager Provider
- Azure Virtual Desktop Client

Set Session controls to include:

- Persistent browser session
- Sign-in frequency
- Use app enforced restrictions

Answer:

Answer Area

Set Cloud apps or actions to include:

- Azure Virtual Desktop
- Azure Virtual Desktop Azure Resource Manager Provider
- Azure Virtual Desktop Client

Set Session controls to include:

- Persistent browser session
- Sign-in frequency
- Use app enforced restrictions

Explanation

Table Description automatically generated

Set Cloud apps or actions to include:

- Azure Virtual Desktop
- Azure Virtual Desktop Azure Resource Manager Provider
- Azure Virtual Desktop Client

Set Session controls to include:

- Persistent browser session
- Sign-in frequency
- Use app enforced restrictions

NEW QUESTION: 106

You are planning the deployment of Pool4.

What will be the maximum number of users that can connect to Pool4, and how many session hosts are needed to support five concurrent user sessions? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Number of users that can connect to Pool4:

5
7
15
35
70

Number of session hosts to support five concurrent user sessions:

1
2
3
4
5

Answer:

Number of users that can connect to Pool4:

5
7
15
35
70

Number of session hosts to support five concurrent user sessions:

1
2
3
4
5

Explanation

Number of users that can connect to Pool4:

5
7
15
35
70

Number of session hosts to support five concurrent user sessions:

1
2
3
4
5

Valid AZ-140 Dumps shared by Actual4test.com for Helping Passing AZ-140 Exam! Actual4test.com now offer the **newest AZ-140 exam dumps**, the Actual4test.com AZ-140 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-140 dumps with Test Engine here:

https://www.actual4test.com/AZ-140_examcollection.html (302 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 107

Your network contains an on-premises Active Directory domain that syncs to an Azure Active Directory (Azure AD) tenant. The domain contains the domain controllers shown in the following table.

Name	Network location	IP address	Configuration
Server1	On-premises datacenter	10.10.1.1	Domain controller, DNS server
Server2	Azure virtual network named VNET1	10.20.1.1	Domain controller, DNS server

The DNS servers are configured to forward requests to an external DNS service.

You create a new virtual network named VNET2 that is peered to VNET1 and has gateway transit enabled.

You plan to implement an Azure Virtual Desktop host pool in VNET2. The session hosts will be joined to the Active Directory domain.

You need to configure DNS to meet the following requirements:

Ensure that Azure Virtual Desktop users can resolve on-premises servers and Azure resources.

Ensure that azure Virtual Desktop remains operational if a DNS server fails.

Minimize administrative effort.

What should you configure?

- A. the DNS settings of VNET2 to use Server2 and Served
- B. the DNS settings of VNET2 to use the Azure DNS service
- C. the DNS settings of the virtual machines to use Server2 and Server1
- D. the DNS settings of the virtual machines to use the Azure DNS service

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-name-resolution-for-vms-and-role-instances#name-resolution-that-uses-your-own-dns-server>

NEW QUESTION: 108

You have an Azure Virtual Desktop deployment that contains the resources shown in the following table.

Name	Location	Description
Profiles1	West US	Azure file share that stores FSLogix profile containers
HostPool1	West US	Pooled host pool containing session hosts that use the profile containers stored in Profiles1
HostPool2	West US	Personal host pool containing session hosts that each has an operating system disk and a data disk

You create the resources shown in the following table.

Name	Type	Location
Recovery1	Recovery Services vault	West US
Recovery2	Recovery Services vault	Central US
Backup1	Azure Backup vault	West US
Backup2	Azure Backup vault	Central US

You need to meet following requirements:

- * Back up the FSLogix profile containers used by HostPool1.
- * Backup the data disks in HostPool2.

To which resources can you back up the profile containers and the data disks? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

FSLogix profile containers:

▼

- Backup1 only
- Recovery1 only
- Backup1 and Backup2 only
- Backup1 and Recovery1 only
- Recovery1 and Recovery2 only
- Backup1, Backup2, Recovery1 and Recovery2

Data disks:


▼

- Backup1 only
- Recovery1 only
- Backup1 and Backup2 only
- Backup1 and Recovery1 only
- Recovery1 and Recovery2 only
- Backup1, Backup2, Recovery1 and Recovery2

Answer:


Answer Area

FSLogix profile containers:



A screenshot of a dropdown menu for 'FSLogix profile containers'. The menu is open, showing a list of options: 'Backup1 only', 'Recovery1 only', 'Backup1 and Backup2 only', 'Backup1 and Recovery1 only', 'Recovery1 and Recovery2 only', and 'Backup1, Backup2, Recovery1 and Recovery2'. A watermark 'freepdfapps.com' is visible across the image.

Data disks:



A screenshot of a dropdown menu for 'Data disks'. The menu is open, showing a list of options: 'Backup1 only', 'Recovery1 only', 'Backup1 and Backup2 only', 'Backup1 and Recovery1 only', 'Recovery1 and Recovery2 only', and 'Backup1, Backup2, Recovery1 and Recovery2'. A watermark 'freepdfapps.com' is visible across the image.

Explanation

Graphical user interface, text, application, email Description automatically generated



NEW QUESTION: 109

You have a Windows Virtual Desktop host pool.

You need to install Microsoft Antimalware for Azure on the session hosts.

What should you do?

- A. Add an extension to each session host.
- B. From a Group Policy Object (GPO), enable Windows 10 security features.
- C. Configure the RDP Properties of the host pool.
- D. Sign in to each session host and install a Windows feature.

Answer: A (LEAVE A REPLY)

Explanation/Reference:

<https://docs.microsoft.com/en-us/azure/security/fundamentals/antimalware>

NEW QUESTION: 110

You have an Azure Virtual Desktop deployment that contains a host pool named Pool1. Pool1 contains two session hosts. Pool1 is configured as shown in the following exhibit.

The screenshot shows the configuration page for an Azure Virtual Desktop host pool named 'Pool1'. The configuration is as follows:

- Name:** Pool1
- Configuration:**
 - Personal desktop:** No (selected)
 - Start VM on connect:** No (selected)
 - Validation environment:** No (selected)
 - Friendly name:** (empty)
 - Description:** Created through the Azure Virtual Desktop extension
 - Load balancing algorithm:** Depth-first
 - Max session limit:** 5

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

Service updates will be applied to Pool1 [answer choice].

as soon as the updates are released
once every 30 days
once the updates are generally available

New user connections will be [answer choice].

connected to the session host that has the highest number of existing connections and has not reached the maximum session limit
evenly distributed across all available hosts
rejected once five sessions are established

Answer:

The screenshot shows the 'Answer Area' with the Microsoft logo. It contains two questions. The first question is 'Service updates will be applied to Pool1 [answer choice]'. The dropdown menu is open, and the option 'once every 30 days' is highlighted with a red box. The second question is 'New user connections will be [answer choice]'. The dropdown menu is open, and the option 'connected to the session host that has the highest number of existing connections and has not reached the maximum session limit' is highlighted with a red box.

Topic 2, Contoso. Ltd

Overview

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

Contoso, Ltd. is a law firm that has a main office in Montreal and branch offices in Paris and Seattle. The Seattle branch office opened recently.

Contoso has an Azure subscription and uses Microsoft 365.

Existing Infrastructure. Active Directory

The network contains an on-premises Active Directory domain named contoso.com and an Azure Active Directory (Azure AD) tenant. One of the domain controllers runs as an Azure virtual machine and connects to a virtual network named VNET1. All internal name resolution is provided by DNS server that run on the domain controllers.

The on-premises Active Directory domain contains the organizational units (OUs) shown in the following table.

Name	Description
MontrealUsers	An OU for all the users in the Montreal office: The OU syncs to Azure AD by using Azure AD Connect.
ParisUsers	An OU for all the users in the Paris office: The OU syncs to Azure AD by using Azure AD Connect.
SeattleUsers	An OU for all the users in the Seattle office: The OU does NOT sync to Azure AD.

The on-premises Active Directory domain contains the users shown in the following table.

Name	Container	Member of
Operator1	Users	Domain Admins
Operator2	MontrealUsers	Users
Operator3	SeattleUsers	Server Operators

The Azure AD tenant contains the cloud-only users shown in the following table.

Name	Role
Admin1	Virtual Machine Contributor
Admin2	Desktop Virtualization Contributor
Admin3	Desktop Virtualization Session Host Operator
Admin4	Desktop Virtualization Host Pool Contributor

Existing Infrastructure. Network Infrastructure

All the Azure virtual networks are peered. The on-premises network connects to the virtual networks.

All servers run Windows Server 2019. All laptops and desktop computers run Windows 10 Enterprise.

Since users often work on confidential documents, all the users use their computer as a client for connecting to Remote Desktop Services (RDS).

In the West US Azure region, you have the storage accounts shown in the following table.

Name	Account kind	Performance
storage1	StorageV2	Standard
storage2	StorageV2	Premium
storage3	BlobStorage	Standard
storage4	StorageV1	Premium

Existing Infrastructure. Remote Desktop Infrastructure

Contoso has a Remote Desktop infrastructure shown in the following table.

Office	Description
Montreal	<p>A Windows Virtual Desktop deployment that runs Windows 10 Enterprise multi-session hosts. The deployment contains the following:</p> <ul style="list-style-type: none">• A host pool named Pool1• An application group named Group1• A workspace named Workspace1• Virtual machines that have a prefix of Pool1
Seattle	<p>An on-premises virtual machine-based RDS deployment that has personal desktops: The personal desktop virtual machines have a prefix of Pool2.</p>
Paris	<p>An on-premises virtual machine-based RDS deployment that has pooled desktops: The pooled desktop virtual machines have a prefix of Pool3. User profile disks are used to preserve the user state.</p>

Requirements. Planned Changes

Contoso plans to implement the following changes:

Implement FSLogix profile containers for the Paris offices.

Deploy a Windows Virtual Desktop host pool named Pool4.

Migrate the RDS deployment in the Seattle office to Windows Virtual Desktop in the West US Azure region.

Requirements. Pool4 Configuration

Pool4 will have the following settings:

Host pool type: Pooled

Max session limit: 7

Load balancing algorithm: Depth-first

Images: Windows 10 Enterprise multi-session

Virtual machine size: Standard D2s v3

Name prefix: Pool4

Number of VMs: 5

Virtual network: VNET4

Requirements. Technical Requirements

Contoso identifies the following technical requirements:

Before migrating the RDS deployment in the Seattle office, obtain the recommended deployment configuration based on the current RDS utilization.

For the Windows Virtual Desktop deployment in the Montreal office, disable audio output in the device redirection settings.

For the Windows Virtual Desktop deployment in the Seattle office, store the FSLogix profile containers in Azure Storage.

Enable Operator2 to modify the RDP Properties of the Windows Virtual Desktop deployment in the Montreal office.

From a server named Server1, convert the user profile clicks to the FSLogix profile containers.

Ensure that the Pool1 virtual machines only run during business hours.

Use the principle of least privilege.

NEW QUESTION: 111

You have a hybrid Azure Active Directory (Azure AD) tenant.

You plan to deploy an Azure Virtual Desktop personal host pool. The host pool will contain 15 virtual machines that run Windows 10 Enterprise. The virtual machines will be joined to the on-premises Active Directory domain and used by the members of a domain group named Department1.

You need to ensure that each user is added automatically to the local Administrators group on the virtual machine to which the user signs in.

What should you configure?

- A. a role assignment for the host pool
- B. a role assignment for each virtual machine
- C. a policy preference in a Group Policy Object (GPO)
- D. a device setting in Azure AD

Answer: ([SHOW ANSWER](#))

Explanation

<https://microsoftlearning.github.io/AZ-140-Configuring-and-Operating-Microsoft-Azure-Virtual-Desktop/Instruc>

NEW QUESTION: 112

You have an Azure subscription.

You plan to deploy an Azure Virtual Desktop solution to the East US Azure region. The solution will contain the resources shown in the following table.

Type	Name	Description
Azure storage account	storage1	Contains a share named Profiles
Host pool	HostPool1	Stores user profiles in the Profiles share

You need to recommend a business continuity solution that meets the following requirements:

- * Users must be able to connect to HostPool1 if a datacenter in the East US region fails.
- * Costs must be minimized.

What should you include in the recommendation for each resource? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

HostPool1:

	▼
Availability zones	
Azure Backup	
Azure Site Recovery	
Azure Traffic Manager	



storage1:

	▼
Geo-redundant storage (GRS)	
Geo-zone-redundant storage (GZRS)	
Locally-redundant storage (LRS)	
Zone-redundant storage (ZRS)	

Answer:

Microsoft
Answer Area

HostPool1:

	▼
Availability zones	
Azure Backup	
Azure Site Recovery	
Azure Traffic Manager	

storage1:

	▼
Geo-redundant storage (GRS)	
Geo-zone-redundant storage (GZRS)	
Locally-redundant storage (LRS)	
Zone-redundant storage (ZRS)	

Explanation
Availability Zones & ZRS storage.

NEW QUESTION: 113

You have an on-premises network.
All users have computers that run Windows 10 Pro.
You plan to deploy Azure Virtual Desktop to meet the department requirements shown in the following table.

Department	Requirement
Research	Run an application that can run only on Windows Server. The application will be published as a RemoteApp.
Finance	Run Windows 10 Enterprise multi-session.

You need to recommend licenses for the departments. The solution must minimize costs.
Which license should you recommend for each department? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Research:

- Microsoft 365 Enterprise E3 license
- Windows 10 Enterprise E3 license
- Windows Server client access license (CAL)
- Windows Server Remote Desktop Services client access license (RDS CAL)

Finance:

- Microsoft 365 Enterprise E3 license
- Windows 10 Enterprise E3 license
- Windows Server client access license (CAL)
- Windows Server Remote Desktop Services client access license (RDS CAL)

Answer:

Research:	<ul style="list-style-type: none"> Microsoft 365 Enterprise E3 license Windows 10 Enterprise E3 license Windows Server client access license (CAL) Windows Server Remote Desktop Services client access license (RDS CAL)
Finance:	<ul style="list-style-type: none"> Microsoft 365 Enterprise E3 license Windows 10 Enterprise E3 license Windows Server client access license (CAL) Windows Server Remote Desktop Services client access license (RDS CAL)

Explanation

Text, table, email Description automatically generated with medium confidence

Research:	<ul style="list-style-type: none"> Microsoft 365 Enterprise E3 license Windows 10 Enterprise E3 license Windows Server client access license (CAL) Windows Server Remote Desktop Services client access license (RDS CAL)
-----------	---

Finance:	<ul style="list-style-type: none"> Microsoft 365 Enterprise E3 license Windows 10 Enterprise E3 license Windows Server client access license (CAL) Windows Server Remote Desktop Services client access license (RDS CAL)
----------	---


Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/windows-10-multisession-faq>

<https://azure.microsoft.com/en-us/pricing/details/virtual-desktop/#pricing>

NEW QUESTION: 114


You have a Windows Virtual Desktop host pool that has a max session limit of 15. Disconnected sessions are signed out immediately. The session hosts for the host pool are shown in the following exhibit.



Name ↑↓	Status ↑↓	Drain mode ↑↓	Assigned User ↑↓	Active sessions	Resource group ↑↓
WVD-0	Available	Off	-	11	rg-wvd
WVD-1	Available	Off	-	2	RG-WVD
WVD-2	Available	On	-	0	RG-WVD
WVD-3	Available	Off	-	15	RG-WVD
WVD-5	Available	On	-	0	RG-WVD
WVD-6	Available	Off	-	13	RG-WVD
WVD-4	Unavailable	Off	-	0	RG-WVD

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.



The host pool type is [answer choice]

- pooled
- personal with direct assignment
- personal with automatic assignment

New sessions can occur on [answer choice] only.

- WVD-0, WVD-1, and WVD-6
- WVD-0, WVD-1, WVD-3, and WVD-6
- WVD-0, WVD-1, WVD-2, WVD-5, and WVD-6

Answer:



The host pool type is [answer choice].

Dropdown menu showing options: pooled, personal with direct assignment, personal with automatic assignment.

New sessions can occur on [answer choice] only.

Dropdown menu showing options: WVD-0, WVD-1, and WVD-6; WVD-0, WVD-1, WVD-3, and WVD-6; WVD-0, WVD-1, WVD-2, WVD-5, and WVD-6.

Explanation

The host pool type is [answer choice].

Dropdown menu showing options: pooled, personal with direct assignment, personal with automatic assignment.

New sessions can occur on [answer choice] only.

Dropdown menu showing options: WVD-0, WVD-1, and WVD-6; WVD-0, WVD-1, WVD-3, and WVD-6; WVD-0, WVD-1, WVD-2, WVD-5, and WVD-6.

Reference:


<https://docs.microsoft.com/en-us/azure/virtual-desktop/set-up-scaling-script>

NEW QUESTION: 115

You have an Azure subscription that contains the virtual machines shown in the following table.

Name	Resource group	Location
VM1	RG1	West Europe
VM2	RG1	East US
VM3	RG2	West US

You create a shared image gallery as shown in the SharedGallery1 exhibit. (Click the SharedGallery1 tab.)



You create an image definition as shown in the Image1 exhibit. (Click the Image1 tab.)

Add new image definition to shared image gallery



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
You can use the operating system disk of VM1 as a source for a version of Image1.	<input type="radio"/>	<input type="radio"/>
You can use the operating system disk of VM2 as a source for a version of Image1.	<input type="radio"/>	<input type="radio"/>
You can use the operating system disk of VM3 as a source for a version of Image1.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
You can use the operating system disk of VM1 as a source for a version of Image1.	<input checked="" type="radio"/>	<input type="radio"/>
You can use the operating system disk of VM2 as a source for a version of Image1.	<input checked="" type="radio"/>	<input type="radio"/>
You can use the operating system disk of VM3 as a source for a version of Image1.	<input type="radio"/>	<input checked="" type="radio"/>

Reference:

<https://www.robinhobo.com/windows-virtual-desktop-wvd-image-management-how-to-manage-and-deploy-custom-images-including-versioning-with-the-azure-shared-image-gallery-sig/>

NEW QUESTION: 116

You have a Windows Virtual Desktop deployment.

Many users have iOS devices that have the Remote Desktop Mobile app installed.

You need to ensure that the users can connect to the feed URL by using email discovery instead of entering the feed URL manually.

How should you configure the _msradc DNS record? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Record type:

A
CNAME
SRV
TXT

Record value:

https://rdweb.wvd.microsoft.com/api/arm/feeddiscovery
https://rdweb.wvd.microsoft.com/api/feeddiscovery
https://rdweb.wvd.microsoft.com/Feed/webfeed.aspx
webfeeddiscovery.aspx

Answer:

Record type:

A
CNAME
SRV
TXT

Record value:

https://rdweb.wvd.microsoft.com/api/arm/feeddiscovery
https://rdweb.wvd.microsoft.com/api/feeddiscovery
https://rdweb.wvd.microsoft.com/Feed/webfeed.aspx
webfeeddiscovery.aspx

NEW QUESTION: 117

Your network contains an on-premises Active Directory domain that syncs to an Azure Active Directory (Azure AD) tenant. The domain contains the domain controllers shown in the following table.

Name	Network location	IP address	Configuration
Server1	On-premises datacenter	10.10.1.1	Domain controller, DNS server
Server2	Azure virtual network named VNET1	10.20.1.1	Domain controller, DNS server

The DNS servers are configured to forward requests to an external DNS service.

You create a new virtual network named VNET2 that is peered to VNET1 and has gateway transit enabled.

You plan to implement an Azure Virtual Desktop host pool in VNET2. The session hosts will be joined to the Active Directory domain.

You need to configure DNS to meet the following requirements:

Ensure that Azure Virtual Desktop users can resolve on-premises servers and Azure resources.

Ensure that azure Virtual Desktop remains operational if a DNS server fails.

Minimize administrative effort.

What should you configure?

- A. the DNS settings of VNET2 to use Server2 and Served
- B. the DNS settings of VNET2 to use the Azure DNS service
- C. the DNS settings of the virtual machines to use Server2 and Server1

D. the DNS settings of the virtual machines to use the Azure DNS service

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-name-resolution-for-vms-and-role-insta>

NEW QUESTION: 118

You plan to deploy Windows Virtual Desktop.

You need to create Azure NetApp Files storage to store FSLogix profile containers.

Which four actions should you perform in sequence after you register the NetApp Resource Provider? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

- Create a NetApp account.
- Create and assign a managed identity.
- Create a volume.
- Create a capacity pool.
- Create an Azure file share.
- Configure an Active Directory connection.

Answer Area



Answer:

The screenshot shows the question interface with the correct answer sequence highlighted in a dashed red box. The sequence is: Create a NetApp account, Create a capacity pool, Configure an Active Directory connection, and Create a volume. The actions are listed in the 'Actions' column on the left, and the 'Answer Area' on the right shows the selected actions in the correct order. Navigation arrows are visible on the left and right sides of the answer area.

Explanation

1. Set up Azure NetApp Files account

2. Create capacity pool
3. Join Active Directory connection
4. Create new volume

<https://docs.microsoft.com/en-us/azure/virtual-desktop/create-fslogix-profile-container>

NEW QUESTION: 119


Your on-premises network contains an Active Directory domain named contoso.com that syncs with Azure AD. You deploy an Azure Virtual Desktop pooled host pool named HostPool1 that contains five hybrid-joined session hosts. You need to ensure that all the user sessions of HostPool1 meet the following requirements:

- * Users must use roaming user profiles.
- * Users must use Folder Redirection.


The solution must minimize administrative effort.

What should you use to meet each requirement? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.



Answer:



Explanation



NEW QUESTION: 120

You have an Azure Virtual Desktop host pool named HostPool1 that must support 60 sessions. The session hosts for HostPool1 are configured as shown in the following exhibit.

Name	Status	Drain mode	Assigned User	Active sessions
HP1-0	Available	Off	-	59
HP1-1	Available	Off	-	0
HP1-2	Available	Off	-	0
HP1-3	Available	Off	-	0

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Answer Area

HostPool1 is a [answer choice].


- personal host pool that uses automatic assignment.
- personal host pool that uses direct assignment.
- pooled host pool that uses breadth-first load balancing.
- pooled host pool that uses depth-first load balancing.

The Max session limit setting of HostPool1 must be set to [answer choice] to maximize performance and provide user access if a single session host fails.

- 15
- 20
- 30
- 60

Answer:

Answer Area



HostPool1 is a [answer choice].

The Max session limit setting of HostPool1 must be set to [answer choice] to maximize performance and provide user access if a single session host fails.


personal host pool that uses automatic assignment.
personal host pool that uses direct assignment.
pooled host pool that uses breadth-first load balancing.
pooled host pool that uses depth-first load balancing.

15
20
30
60

Explanation

Graphical user interface, text, application, email Description automatically generated

Answer Area



HostPool1 is a [answer choice].

The Max session limit setting of HostPool1 must be set to [answer choice] to maximize performance and provide user access if a single session host fails.

personal host pool that uses automatic assignment.
personal host pool that uses direct assignment.
pooled host pool that uses breadth-first load balancing.
pooled host pool that uses depth-first load balancing.


15
20
30
60

NEW QUESTION: 121


You have an Azure Virtual Desktop deployment that contains two users named User1 and User2 and the storage accounts shown in the following table.

Name	Role
storage1	Storage File Data SMB Share Contributor assigned to User1 Storage File Data SMB Share Elevated Contributor assigned to User2
storage2	Storage File Data SMB Share Contributor assigned to User1 Owner assigned to User2

The File share settings for storage1 are configured as shown in the following exhibit.



The File share settings for storage2 are configured as shown in the following exhibit.



For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Hot Area:

Statements	Yes	No
User1 can access share1 by using Windows credentials.	<input type="radio"/>	<input type="radio"/>
User2 can access share4 by using Windows credentials.	<input type="radio"/>	<input type="radio"/>
User2 can enable SMB Multichannel for storage2.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1 can access share1 by using Windows credentials.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can access share4 by using Windows credentials.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can enable SMB Multichannel for storage2.	<input checked="" type="radio"/>	<input type="radio"/>

Valid AZ-140 Dumps shared by Actual4test.com for Helping Passing AZ-140 Exam! Actual4test.com now offer the **newest AZ-140 exam dumps**, the Actual4test.com AZ-140 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-140 dumps with Test Engine here:

https://www.actual4test.com/AZ-140_examcollection.html (302 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 122

You have an Azure Virtual Desktop deployment that contains a session host named Host1.

You need to configure Windows Defender Firewall to allow inbound network traffic for RDP Shortpath on Host1.

Which program in the C:\Windows\System32 folder should you specify in the inbound firewall rule?

- A. Rdpshell.exe
- B. Svchost.exe
- C. Raserver.exe
- D. Mstsc.exe

Answer: B (LEAVE A REPLY)

New-NetFirewallRule -DisplayName 'Remote Desktop - RDP Shortpath (UDP-In)' -Action Allow -Description 'Inbound rule for the Remote Desktop service to allow RDP Shortpath traffic. [UDP 3390]' -Group '@FirewallAPI.dll,-28752' -Name 'RemoteDesktop-UserMode-In-RDPShortpath-UDP' -PolicyStore PersistentStore -Profile Domain, Private -Service TermService -Protocol UDP -LocalPort 3390 -Program '%SystemRoot%\system32\svchost.exe' -Enabled:True <https://learn.microsoft.com/en-us/azure/virtual-desktop/configure-rdp-shortpath?tabs=managed-networks>

NEW QUESTION: 123

You have a Windows Virtual Desktop host pool named Pool1 that runs Windows 10 Enterprise multi-session hosts.

You need to use Performance Monitor to troubleshoot a low frame quality issue that is affecting a current use session to Pool1.

What should you run to retrieve the user session ID?

- A. Get-ComputerInfo
- B. qwinsta
- C. whoami
- D. Get-LocalUser

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/troubleshoot-vm-configuration>

NEW QUESTION: 124

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Virtual Desktop deployment.

You need to ensure that users are signed out automatically when they disconnect from a session.

Solution: From the Local Group Policy Editor, you configure the Remote Session Environment settings.

Does this meet the goal?

- A. Yes
- B. No

Answer: (SHOW ANSWER)

NEW QUESTION: 125

You have an Azure subscription that contains the storage accounts shown in the following table.

Name	Performance	Type
storage1	Standard	General purpose v2
storage2	Premium	BlockBlobStorage
storage3	Premium	Page blobs
storage4	Premium	FileStorage

You have a custom generalized Windows 10 image.

You plan to deploy an Azure Virtual Desktop host pool that will use the custom image and FSLogix profile containers.

You need to recommend which storage accounts to use for the custom image and the profile containers. The solution must meet the following requirements:

Minimize costs to store the image.

Maximize performance of the profile containers.

Which account should you recommend for each type of content? To answer, drag the appropriate accounts to the correct content type. Each account may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Accounts

Answer Area

storage1

storage2 Custom image:

storage3 Profile containers:

storage4

Answer:

Accounts



Answer Area

storage1

storage2

storage3

storage4

Custom image:

storage2

Profile containers:

storage4

Explanation:

A picture containing text Description automatically generated



Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/set-up-customize-master-image#upload-master-image-to->

<https://docs.microsoft.com/en-us/azure/virtual-desktop/store-fslogix-profile>

NEW QUESTION: 126

You have an Azure Virtual Desktop deployment that contains a host pool named Pool1. Pool1 contains two session hosts.

Pool1 is configured as shown in the following exhibit.

Name

Pool1

Configuration

Personal desktop

Yes No

Start VM on connect ⓘ

No Yes

Validation environment ⓘ

No Yes

Friendly name

✓

Description

Created through the Azure Virtual Desktop extension ✓

Load balancing algorithm ⓘ

Depth-first ✓

Max session limit ⓘ

5 ✓

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

Service updates will be applied to Pool1 [answer choice].

as soon as the updates are released
once every 30 days
once the updates are generally available

New user connections will be [answer choice].

connected to the session host that has the highest number of existing connections and has not reached the maximum session limit
evenly distributed across all available hosts
rejected once five sessions are established

Answer:

Answer Area

Service updates will be applied to Pool1 [answer choice].

as soon as the updates are released
once every 30 days
 once the updates are generally available

New user connections will be [answer choice].

connected to the session host that has the highest number of existing connections and has not reached the maximum session limit
 evenly distributed across all available hosts
 rejected once five sessions are established

NEW QUESTION: 127

You need to ensure that you can implement user profile shares for the Boston office users. The solution must meet the user profile requirements.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create a file share and configure share permissions.	
Sign in to VM1 as Admin1.	
Run the <code>Join-AzStorageAccountForAuth</code> cmdlet.	
Sign in to VM1 as CloudAdmin1.	
Install the <code>AzFilesHybrid</code> PowerShell module.	

Answer:

Answer Area

Sign in to VM1 as Cloud Admin1.

Create a file share and configure share permissions.

Install the AzFilesHybrid PowerShell module.

Run the Join-AzStorageAccountForAuth cmdlet.

1 - Sign in to VM1 as Cloud Admin1.

- 2 - Create a file share and configure share permissions.
- 3 - Install the AzFilesHybrid PowerShell module.
- 4 - Run the Join-AzStorageAccountForAuth cmdlet.

Reference:

<https://www.christiaanbrinkhoff.com/2020/03/01/learn-here-how-to-configure-azure-files-with-active-directory-ad-authentication-for-fslogix-profile-container-and-msix-app-attach/>

NEW QUESTION: 128

You have an Azure Virtual Desktop deployment that contains two users named User1 and User2 and the storage accounts shown in the following table.

Name	Role
storage1	Storage File Data SMB Share Contributor assigned to User1 Storage File Data SMB Share Elevated Contributor assigned to User2
storage2	Storage File Data SMB Share Contributor assigned to User1 Owner assigned to User2

The File share settings for storage1 are configured as shown in the following exhibit.

The screenshot displays the Azure File share settings for storage1. At the top, there are controls for '+ File share' and 'Refresh'. Below this, the 'File share settings' section shows 'Active Directory: Configured', 'Soft delete: 7 days', and 'Share capacity: 5 TiB'. A search bar is available with the placeholder text 'Search file shares by prefix (case-sensitive)'. To the right of the search bar is a toggle for 'Show deleted shares'. The main content is a table of file shares:

Name	Modified	Performance	Capacity	Actions
share1	10/9/2021, 4:30:53 AM	Transaction optimized	5TiB	...
share2	10/9/2021, 4:34:05 AM	Hot	5TiB	...
share3	10/9/2021, 4:34:29 AM	Cool	5TiB	...

The File share settings for storage2 are configured as shown in the following exhibit.

+ File share Refresh

File share settings


Active Directory: Not configured

Soft delete: 7 days

Share capacity: 5 TiB

Search file shares by prefix (case-sensitive)

Show deleted shares

Name	Modified			
 share4	10/9/2021, 4:45:20 AM	Transaction optimized	5TiB	...

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements

Yes

No

User1 can access share1 by using Windows credentials.

User2 can access share4 by using Windows credentials.

User2 can enable SMB Multichannel for storage2.

Answer:

Answer Area

Statements



Yes

No

User1 can access share1 by using Windows credentials.

User2 can access share4 by using Windows credentials.

User2 can enable SMB Multichannel for storage2.

Explanation

YES, NO , Yes

<https://docs.microsoft.com/en-us/azure/storage/files/storage-files-identity-ad-ds-assign-permissions?tabs=azure-p>

"Once you've enabled Active Directory Domain Services (AD DS) authentication on your storage account, you must configure share-level permissions in order to get access to your file shares. There are two ways you can assign share-level permissions. You can assign them to specific Azure AD users/user groups and you can assign them to all authenticated identities as a default share level permission."

NEW QUESTION: 129

You have an Azure virtual machine named VM1 that runs Windows 10 Enterprise multi-session.

You plan to add language packs to VM1 and create a custom image of VM1 for a Windows Virtual Desktop host pool.

You need to ensure that modern apps can use the additional language packs when you deploy session hosts by using the custom image.

Which command should you run first? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- Disable-ScheduledTask
- Enable-ScheduledTask
- New-ScheduledTask
- Start-AppBackgroundTask

- "License Validation"
- "Pre-staged app cleanup"
- "RemoteFXvGPUDisableTask"

Answer:



Explanation



Reference:

<https://docs.microsoft.com/en-us/troubleshoot/windows-server/deployment/issues-appx-cleanup-maintenance-tas>

<https://docs.microsoft.com/en-us/powershell/module/scheduledtasks/disable-scheduledtask?view=windowsserve>

NEW QUESTION: 130

Your company has a main office and two branch offices. Each office connects directly to the internet. The router in each branch office is configured as an endpoint for the following VPNs:

A VPN connection to the main office

A site-to-site VPN to Azure

The routers in each branch office have the Quality of Service (QoS) rules shown in the following table.

Name	Destination	Available bandwidth allocated
Rule1	VPN traffic to the main office	25%
Rule2	Site-to-site VPN traffic to Azure	25%
Rule3	HTTP/HTTPS traffic to all Azure and Microsoft 365 public IP addresses	25%
Rule4	Traffic to non-Microsoft internet addresses	25%

Users in the branch office report slow responses and connection errors when they attempt to connect to Windows Virtual Desktop resources.

You need to modify the QoS rules on the branch office routers to improve Windows Virtual Desktop performance.

For which rule should you increase the bandwidth allocation?

- A. Rule2
- B. Rule3
- C. Rule4
- D. Rule1

Answer: B (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/azure/virtual-desktop/safe-url-list>

Any Remote Desktop clients you use must have access to the following URLs:

Remote Desktop clients

Address Outbound TCP port

*.wvd.microsoft.com 443

*.servicebus.windows.net 443

go.microsoft.com 443

aka.ms 443

docs.microsoft.com 443

privacy.microsoft.com 443

query.prod.cms.rt.microsoft.com 443

NEW QUESTION: 131

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Virtual Desktop host pool that runs Windows 10 Enterprise multi-session.

User sessions are load-balanced between the session hosts. Idle session timeout is 30 minutes.

You plan to shut down a session host named Host1 to perform routine maintenance.

You need to prevent new user sessions to Host1 without disconnecting active user sessions.

Solution: From the properties of the virtual machine of Host1, you configure the Auto-shutdown settings.

Does this meet the goal?

A. Yes

B. No

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-desktop/drain-mode>

Valid AZ-140 Dumps shared by Actual4test.com for Helping Passing AZ-140 Exam! Actual4test.com now offer the **newest AZ-140 exam dumps**, the Actual4test.com AZ-140 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-140 dumps with Test Engine here:

https://www.actual4test.com/AZ-140_examcollection.html (302 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)