

Microsoft.AZ-600.v2023-07-03.q78

Exam Code:	AZ-600
Exam Name:	Configuring and Operating a Hybrid Cloud with Microsoft Azure Stack Hub
Certification Provider:	Microsoft
Free Question Number:	78
Version:	v2023-07-03
# of views:	889
# of Questions views:	780
https://www.freepdfdumps.com/Microsoft.AZ-600.v2023-07-03.q78.html	

NEW QUESTION: 1

You have an Azure Stack Hub integrated system that has the following configurations:

- * A deployment prefix of AzS
- * A physical prefix of AzP

You need to renew the certificates for the integrated system.

To which virtual machine should you establish a PowerShell session?

- A. AzS-ERCS02
- B. AzS-CA01
- C. AzS-WAS01
- D. AzP-S1-N01

Answer: B (LEAVE A REPLY)

Explanation


<https://docs.microsoft.com/en-gb/learn/modules/manage-azure-stack-hub-use-privileged-endpoints/2-connect-pri>

NEW QUESTION: 2

You have an Azure Stack Hub integrated system.

You need to delegate the management of offers to a user named User1.

Which three actions should you perform in a sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Answer:

Explanation

Answer Area

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-delegated-provider?view=azs-2008>

NEW QUESTION: 3

You need to implement the App Service infrastructure to address the current issues and support the planned changes for Azure Functions in Boston.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-app-service-capacity-planning?view=azs-2008>

NEW QUESTION: 4

You have an Azure Stack Hub integrated system that connects to the Internet.

You are migrating several Hyper-V workloads to Azure Stack Hub. Billing for the workloads is consumption-based.

You need to predict the ongoing Microsoft subscription charges for the workloads.

You run an Azure Migrate assessment and receive the output shown in the following table.

The values from which three columns affect the ongoing Microsoft subscription charges? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A. Disk 1 size (In GB)

B. Network throughput (MB per second)

- C. Cores
- D. Memory (In MB)
- E. Disk 1 read ops (operations per second)
- F. Disk 1 write ops (operations per second)
- G. OS name

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-usage-related-faq?view=azs-2008>

NEW QUESTION: 5

You need to register the northcentralus region.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Actions	Answer area
Run the Remove-AzsRegistration cmdlet.	<input type="checkbox"/>
Notify all the users in the int1 region and schedule a maintenance window.	<input type="checkbox"/>
Run the Get-AzsRegistrationToken cmdlet.	<input type="checkbox"/>
Select the subscription that was used to perform the initial registration.	<input type="checkbox"/>
Run the Set-AzsRegistration cmdlet.	<input type="checkbox"/>

Answer:

The certificate field:

▼

Friendly name
Subject Alternative Name
Subject Name

Field value:

▼

azurestack.treyresearch.net
DNS Name = *.eventhub.east.azurestack.treyresearch.net
DNS Name = eventhub.east.azurestack.treyresearch.net
DNS Name = management.east.eventhub.



Explanation

The certificate field:

Friendly name
Subject Alternative Name
Subject Name



Field value:

azurestack.treyresearch.net
DNS Name = *.eventhub.east.azurestack.treyresearch.net
DNS Name = eventhub.east.azurestack.treyresearch.net
DNS Name = management.east.eventhub.

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-registration?view=azs-2008&tabs=az1%2Caz>


NEW QUESTION: 6

You are troubleshooting the chargeback issues of the dev1 region.


You need to query the usage for each tenant subscription.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



Explanation

Answer Area
Connect to teh privileged endpoint (PEP)
From an elevated PowerShell prompt, run the Connect To-TenantVm....
Connect to the Emergency Recovery Console Server...
From an elevated PowerShell prompt, run the Import -Module -Name...
Run the - Grant-RdpAccessToEracsVM cmdlet.

Box 1: Administrator management endpoint

Note: The developers report high chargeback costs for the dev1 region.

Two integrated systems that are dedicated to application development and have the following configurations:

- * The integrated systems are disconnected from the Internet. The workloads in the user subscriptions have Internet access.
- * One integrated system has a region name of dev1, and the other has a region name of dev2.
- * Both regions are used only by developers at Northwind Traders.

The request gets consumption details for the requested subscriptions and for the requested time frame. There is no request body.

This usage API is a provider API, so the caller must be assigned an Owner, Contributor, or Reader role in the provider's subscription.

Method, Request URI

GET

https://{armendpoint}/subscriptions/
 {subId}/providers/Microsoft.Commerce.Admin/subscriberUsageAggregates Arguments

* armendpoint

Azure Resource Manager endpoint of your Azure Stack Hub environment. The Azure Stack Hub convention is that the name of the Azure Resource Manager endpoint is in the format https://adminmanagement.{domain-name}. For example, for the Azure Stack Development Kit (ASDK), if the domain name is local.azurestack.external, then the Resource Manager endpoint is https://adminmanagement.local.azurestack.external.

* subId

Subscription ID of the user who makes the call.

* Etc.

Box 2: Get-AzsSubscriberUsage

Retrieve usage information

PowerShell

To generate the usage data, you should have resources that are running and actively using the system; for example, an active virtual machine (VM), or a storage account containing some data.

If you're not sure whether you have any resources running in the Azure Stack Hub Marketplace, deploy a VM, and verify the VM monitoring blade to make sure it's running. Use the following PowerShell cmdlets to view the usage data:

* Install PowerShell for Azure Stack Hub.

* Configure the Azure Stack Hub user or the Azure Stack Hub operator PowerShell environment.

* To retrieve the usage data, call the Get-AzsSubscriberUsage PowerShell cmdlet:

```
Get-AzsSubscriberUsage -ReportedStartTime "2017-09-06T00:00:00Z"
```

Reference: <https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-provider-resource-api>

NEW QUESTION: 7

You have an Azure Stack Hub integrated system.

You receive the following alert: "One or more guest Azure AD tenants must be configured." You need to identify which Azure AD tenants require configuration.

Which PowerShell cmdlet should you run?

A. Get-AzsDirectoryTenantIdentifier

B. Get-AzureADTenantDetail

C. Get-AzsHealthReport

D. Get-AzsAlerts

Answer: C (LEAVE A REPLY)

Explanation

Synopsis

Gets the health report of identity application in the Azure Stack home and guest directories

DESCRIPTION Gets the health report for Azure Stack identity applications in the home directory as well as guest directories of Azure Stack. Any directories with an unhealthy status need to have their permissions updated.

EXAMPLE

```
$adminResourceManagerEndpoint = "https://adminmanagement.local.azurestack.external"
```

```
$homeDirectoryTenantName = "<homeDirectoryTenant>.onmicrosoft.com"
```

```
Get-AzsHealthReport -AdminResourceManagerEndpoint $adminResourceManagerEndpoint `
-DirectoryTenantName $homeDirectoryTenantName -Verbose
```

Reference: [https://github.com/Azure/AzureStack-](https://github.com/Azure/AzureStack-Tools/blob/master/Identity/AzureStack.Identity.psm1)

[Tools/blob/master/Identity/AzureStack.Identity.psm1](https://github.com/Azure/AzureStack-Tools/blob/master/Identity/AzureStack.Identity.psm1)

<https://github.com/Azure/AzureStack-Tools/blob/master/Identity/README.md>

NEW QUESTION: 8

The priv2 region is redeployed according to the planned changes.

You need to restore App Service.

Which three components should you restore? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. the App Service roles and services

- B. the file server share content
- C. the infrastructure backup
- D. the worker role virtual machine
- E. the App Service databases
- F. the default domain certificate

Answer: A,B,E (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/app-service-recover?view=azs-2008>

NEW QUESTION: 9

As part of the planned changes for the int1 region, you need to remove all the user subscriptions and the associated resources. The solution must meet the technical requirements.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the user portal delete all the resources in the user subscriptions.
- B. From the Azure portal, remove all the guest user accounts.
- C. From the administrator portal, delete all the user subscriptions.
- D. Run the Set-AzsuserSubscription cmdlet against to the administrator management endpoint.

Answer: (SHOW ANSWER)

NEW QUESTION: 10

Your company is a Cloud Solution Provider (CSP) that provides Azure Stack Hub services to multiple customers in a multitenant environment.

User subscriptions are linked to Azure CSP subscriptions for billing reconciliation.

You need to view the usage of all the customers for the current day and the last seven days.

What should you do?

- A. Query the Azure Stack Hub usage API
- B. Query the Partner Center Usage API
- C. From Partner Center, download the daily-rated usage reconciliation CSV
- D. From Partner Center, view the usage associated to the Azure Partner Shared Services (APSS) subscription

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-provider-resource-api?view=azs-2008>

NEW QUESTION: 11

You have an Azure Stack Hub integrated system that is enabled for multi-tenancy.

You receive an alert that one or more guest Azure Active Directory (Azure AD) tenants requires updates to support new features.

You need to identify which Azure AD tenants you must update.

Which two options can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. the App registrations blade of the public Azure portal
- B. the Get-AzureADTenantDetail cmdlet
- C. the User subscriptions blade of the administrator portal in Azure Stack Hub
- D. the Get-AzDirectoryTenantIdentifier cmdlet
- E. the Directories blade of the administrator portal in Azure Stack Hub
- F. the Get-AzHealthReport cmdlet
- G. the Get-AzAlerts cmdlet

Answer: (SHOW ANSWER)

Explanation

E: You can determine whether an update is required for home or guest directories by viewing the directories pane in the admin portal. Each directory listing shows the type of directory. The type can be a home or guest directory, and its status is shown.

F: .Synopsis

Gets the health report of identity application in the Azure Stack home and guest directories

DESCRIPTION Gets the health report for Azure Stack identity applications in the home directory as well as guest directories of Azure Stack. Any directories with an unhealthy status need to have their permissions updated.

EXAMPLE

```
$adminResourceManagerEndpoint = "https://adminmanagement.local.azurestack.external"
```

```
$homeDirectoryTenantName = "<homeDirectoryTenant>.onmicrosoft.com"
```

```
Get-AzHealthReport -AdminResourceManagerEndpoint $adminResourceManagerEndpoint `
-DirectoryTenantName $homeDirectoryTenantName -Verbose
```

Examples.

Example 1: Get details for a tenant

```
PS C:\>Get-AzureADTenantDetail
```

```
ObjectId DisplayName VerifiedDomains
```

```
-----
```

```
85b5ff1e-0402-400c-9e3c-0f9e965325d1 Coho Vineyard & Winery {class VerifiedDomain {..
```

Reference: <https://learn.microsoft.com/en-us/azure-stack/operator/enable-multitenancy>

<https://github.com/Azure/AzureStack-Tools/blob/master/Identity/AzureStack.Identity.psm1>

NEW QUESTION: 12

You have an Azure Stack Hub integrated system that is enabled for multi-tenancy.

You deploy a new computer named Computer1 that runs Windows 11.

You need to connect to the Azure Stack Hub Resource Manager (user) endpoint from Computer1 by using PowerShell.

Which command should you run?

- A. Add-AzEnvironment -Name "AzureStackUser" -ArmEndpoint "https://adminmanagement.region1.fabrikam.com"

Connect-AzAccount -EnvironmentName "AzureStackUser"

B. Add-AzEnvironment -Name "AzureStackUser" -ArmEndpoint

"https://management.region1.fabrikam.com"

Connect-AzureRmAccount -EnvironmentName "AzureStackUser"

C. Add-AzEnvironment -Name "AzureStackUser" -ArmEndpoint

"https://portal.region1.fabrikam.com" Connect-AzAccount -EnvironmentName "AzureStackUser"

D. Add-AzureEnvironment -Name "AzureStackUser" -ArmEndpoint

"https://adminmanagement.region1.fabrikam.com" Connect-AzureRmAccount -EnvironmentName "AzureStackUser"

Answer: B (LEAVE A REPLY)

Explanation

A DNS entry is created for each endpoint in the external DNS zone that's specified at deployment time. For example, the user portal is assigned the DNS host entry of portal.<region>.<fqdn>.

* Azure Resource Manager (user)

Management.<region>.<fqdn>

Incorrect:

Not C: Portal (user)

Portal.<region>.<fqdn>

Not A, Not D: Azure Resource Manager (administrator)

Adminmanagement.<region>.<fqdn>

Note: Portal (administrator)

Adminportal.<region>.<fqdn>

Reference:

<https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-integrate-endpoints>

NEW QUESTION: 13

You have a connected Azure Stack Hub integrated system that uses Active Directory Federation Services (AD FS) as the identity provider.

You open a PowerShell session and store the GUID of an Azure subscription in a variable named \$SubscriptionID.

You need to validate the AD FS integration.

How should you complete the PowerShell script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Box 1: Connect-AzAccount

Steps to validate the Azure registration

1. Open an elevated PowerShell prompt, and then run the following command to install AzsReadinessChecker:

Install-Module -Name Az.BootStrapper -Force -AllowPrerelease

Install-AzProfile -Profile 2020-09-01-hybrid -Force

Install-Module -Name Microsoft.AzureStack.ReadinessChecker

2. From the PowerShell prompt, run the following command to set \$subscriptionID as the Azure subscription to use. Replace xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx with your own subscription ID:

```
$subscriptionID = "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx"
```

3. From the PowerShell prompt, run the following command:

```
Connect-AzAccount -subscription $subscriptionID
```

4. From the PowerShell prompt, run the following command to start validation of your subscription. Provide your Azure AD administrator and your Azure AD tenant name:

```
Invoke-AzsRegistrationValidation -RegistrationSubscriptionID $subscriptionID Box 2:  
Microsoft.AzureStack.ReadinessChecker Validate AD FS integration
```

1. On a computer that meets the prerequisites, open an administrative PowerShell prompt and then run the following command to install AzsReadinessChecker:

```
Install-Module Microsoft.AzureStack.ReadinessChecker -Force -AllowPrerelease
```

2. From the PowerShell prompt, run the following command to start validation. Specify the value for

-CustomADFSFederationMetadataEndpointUri as the URI for the federation metadata.

```
Invoke-AzsADFSValidation -CustomADFSFederationMetadataEndpointUri https://adfs.cont
```

Reference:

<https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-validate-registration>

<https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-validate-adfs>

NEW QUESTION: 14

You plan to deploy an Azure Stack Hub integrated system that will use an Azure Active Directory (Azure AD) identity provider.

You obtain certificates for the deployment.

You need to ensure that the certificates meet the prerequisites for Azure Stack Hub.

Which PowerShell cmdlet should you run?

- A. Invoke-AzsHubDeploymentCertificateValidation
- B. Test-Certificate
- C. ConvertTo-AzsPFX
- D. Get-PfxCertificate
- E. New-AzsHubDeploymentCertificateSigningRequest

Answer: A (LEAVE A REPLY)

Reference:

[https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-validate-pki-certs?](https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-validate-pki-certs?view=azs-2008)

view=azs-2008 To validate certificates for other Azure Stack Hub services, change the value for -CertificateType. For example:

```
# App Services
```

```
Invoke-AzsHubAppServicesCertificateValidation -CertificatePath C:\Certificates\AppServices -
pfxPassword
$PfxPassword -RegionName east -FQDN azurestack.contoso.com
# DBAdapter
Invoke-AzsHubDBAdapterCertificateValidation -CertificatePath C:\Certificates\DBAdapter -
pfxPassword
$PfxPassword -RegionName east -FQDN azurestack.contoso.com
# EventHubs
Invoke-AzsHubEventHubsCertificateValidation -CertificatePath C:\Certificates
https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-validate-pki-certs?
view=azs-2108#perform-co
```

NEW QUESTION: 15

You plan to install an update to an Azure Stack Hub integrated system.

You need to verify whether the integrated system is healthy, and whether you can apply the update. You must achieve the goal as quickly as possible.

Solution: From the administrator management endpoint, you run Test-AzureStack -Group "UpdateReadiness".

Does this meet the goal?

A. No

B. Yes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You plan to install an update to an Azure Stack Hub integrated system.

You need to verify whether the integrated system is healthy, and whether you can apply the update. You must achieve the goal as quickly as possible.

Solution: From a privileged endpoint (PEP) session, you run Test-AzureStack -Group "Default".

Does this meet the goal?

A. Yes

B. No

Answer: B ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-diagnostic-test?view=azs-2008>

Valid AZ-600 Dumps shared by Actual4test.com for Helping Passing AZ-600 Exam! Actual4test.com now offer the **newest AZ-600 exam dumps**, the Actual4test.com AZ-600 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-600 dumps with Test Engine here:
https://www.actual4test.com/AZ-600_examcollection.html (179 Q&As Dumps, **30%OFF**
Special Discount: Freepdfdumps)

NEW QUESTION: 17

You have an Azure Stack Hub integrated system that uses an Azure AD tenant named contoso.com as an identity provider. An Azure Stack Hub operator named Operator1 is a global administrator for the contoso.com Azure AD tenant. Operator1 creates a new user subscription as shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic NOTE: Each correct selection is worth one point

Answer:

Explanation

NEW QUESTION: 18

You need to update the Azure Stack Hub integrated system registration to support the planned changes.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

The screenshot shows a configuration window for Azure Stack Hub registration. It features two dropdown menus. The first, labeled 'Cryptographic provider:', has three options: 'Microsoft Enhanced Cryptographic Provider v1.0', 'Microsoft legacy cryptographic service provider (CSP) key provider' (highlighted with a red border), and 'Microsoft Strong Cryptographic Provider'. The second, labeled 'Certificate format:', has three options: '.p7c', '.pem', and '.pfx' (highlighted with a red border). A Microsoft logo is visible in the bottom right corner of the window.

Answer:

Values

adminmanagement.

adminportal.

management.

portal.

region1.

Answer Area

```
$GalleryEndpoint = (Invoke-WebRequest
-Uri "https:// [ ] [ ]
contoso.com/metadata/endpoints?api-version=1.0").Content |
ConvertFrom-Json
$GalleryEndpoint.GalleryEndpoint
```

Explanation

Graphical user interface, text, application Description automatically generated

Actions

From an elevated PowerShell session, run the New-OAW.ps1.

Connect to the privileged endpoint (PEP).

Connect to the Hardware Lifecycle Host (HLH).

From microsoft.com, download the OAW.zip file and extract the contents.

From an elevated PowerShell session, run New-VM -Name OAW -VHDPATH OAW.vhdx

Answer Area

Step 1: Run Get-AzsRegistrationToken

Change the Azure Stack Hub integrated system registration to use an Azure subscription named Subscription3 that has a GUID of 12345678-1234-1234-1234-222222222222.

Get-AzsRegistrationToken

Get-AzsRegistrationToken generates a registration token from the input parameters.

To register the Azure Stack Hub resource provider with Azure, start PowerShell ISE as an administrator and use PowerShell cmdlets with the EnvironmentName parameter set to the appropriate Azure subscription type.

Step 2: Run the Register-AszEnvironment cmdlet and specify the -RegistrationToken \$Token parameter.

Step 3: Run the Select-AzSubscription cmdlet and specify the -Subscription 12345678-1234-1234-1234-222222222222 parameter.

To change the azure subscription using PowerShell, we can use the Select-AZSubscription command. When you use this command, you can use either the subscription ID, Subscription Name, or the Tenant ID.

Step 4: Run Set-AszRegistration.

Before proceeding, in the same PowerShell session, verify again that you're signed in to the correct Azure PowerShell context.

This context is the Azure account that was used to register the Azure Stack Hub resource provider. In the same PowerShell session, run the Set-AzsRegistration cmdlet:

```
$CloudAdminCred = Get-Credential -UserName <Privileged endpoint credentials> -Message "Enter the cloud domain credentials to access the privileged endpoint."
```

```
$RegistrationName = "<unique-registration-name>"
```

```
Set-AzsRegistration `
```

```
-PrivilegedEndpointCredential $CloudAdminCred `
```

```
-PrivilegedEndpoint <PrivilegedEndPoint computer name> `
```

```
-AgreementNumber <EA agreement number> `
```

```
-BillingModel Capacity `
```

```
-RegistrationName $RegistrationName
```

Reference:

<https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-registration>

<https://learn.microsoft.com/en-us/azure-stack/mdc/operator/registration-tz/>

NEW QUESTION: 19

You have a connected Azure Stack Hub integrated system.

You need to validate the configuration of the integrated system by using the Test-AzureStack

-Include AzsScenarios command.

Which additional parameter should you specify?

A. -ComputerName

B. -ConfigurationName

C. -ServiceAdminCredential

D. -SessionOption

Answer: A (LEAVE A REPLY)

NEW QUESTION: 20

You have an Azure Stack Hub integrated system.

You need to add GPUs to the integrated system. The solution must minimize downtime of the existing Azure Stack Hub workloads.

Which PowerShell cmdlet should you run first?

A. Scop-AzureScack

B. Resec-DacacencerIncegrationConfiguration

C. Rescarc-AzsInfrascruccureRoleInscance

D. Disable-AzsScaleUnitNode

Answer: A (LEAVE A REPLY)

Explanation

Note: Upgrade GPUs or add to an existing node

The following section provides a high-level overview of the process to add a GPU.

* The entire scale unit must be shut down, as a rolling GPU upgrade isn't supported. Stop Azure Stack Hub using the steps documented in the Start and stop Azure Stack Hub article.

* Add or upgrade the memory on each physical computer using your hardware manufacturer's documentation.

* Start Azure Stack Hub using the steps in Start and stop Azure Stack Hub.

Note: Stop Azure Stack Hub

Stop or shut down Azure Stack Hub with the following steps:

1. Prepare all workloads running on your Azure Stack Hub environment's tenant resources for the upcoming shutdown.

2. Open a privileged endpoint session (PEP) from a machine with network access to the Azure Stack Hub ERCS VMs. For instructions, see Using the privileged endpoint in Azure Stack Hub.

3. From the PEP, run:

```
Stop-AzureStack
```

Wait for all physical Azure Stack Hub nodes to power off.

Note

You can verify the power status of a physical node by following the instructions from the original equipment manufacturer (OEM) who supplied your Azure Stack Hub hardware.

4. (Optional) If the stop operation times out, you can monitor its progress using the following PowerShell cmdlet:

```
Get-ActionStatus Stop-AzureStack
```

Reference: <https://learn.microsoft.com/en-us/azure-stack/operator/manage-gpu-capacity>

<https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-start-and-stop>

NEW QUESTION: 21

You have an Azure Stack Hub integrated system that is enabled for multi-tenancy and contains a user subscription. The subscription contains a user named User1.

The integrated system has the following configurations:

* Region name: region1

* Fully qualified domain name (FQDN): contoso.com

You need to identify which gallery endpoint URI User1 must use.

How should you complete the script? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Before you can make the [smalldisk] Windows Server 2019 Datacenter-Bring your own license image available, the currently installed image must be deleted.	<input checked="" type="radio"/>	<input type="radio"/>
There is an updated version of the [smalldisk] Windows Server 2019 Datacenter-Pay as you go image that can be downloaded.	<input type="radio"/>	<input checked="" type="radio"/>
You can delete the [smalldisk] Windows Server 2019 Datacenter-Pay as you go image.	<input checked="" type="radio"/>	<input type="radio"/>

Answer:

Actions	Answer Area
Connect to the public Azure Resource Manager (ARM) endpoint.	<input checked="" type="radio"/> <input checked="" type="radio"/>
Run the New-AzRoleAssignment cmdlet.	
Modify the permissions section of the JSON file.	
Modify the assignableScopes section of the JSON file.	
Connect to the administrator Azure Resource Manager (ARM) endpoint.	
Run the New-AzRoleDefinition cmdlet.	

Explanation

Box 1: portal.

A DNS entry is created for each endpoint in the external DNS zone that's specified at deployment time. For example, the user portal is assigned the DNS host entry of portal.<region>.<fqdn>.

* Portal (user)

Portal.<region>.<fqdn>

Box 2: region1.

Note: Once your item has been successfully published to the marketplace, you can delete the content from the storage account.

All default gallery artifacts and your custom gallery artifacts are now accessible without authentication under the following URLs:

[https://galleryartifacts.adminhosting.\[Region\].\[externalFQDN\]/artifact/20161101/](https://galleryartifacts.adminhosting.[Region].[externalFQDN]/artifact/20161101/)

[\[TemplateName\]/DeploymentT](#)

[https://galleryartifacts.hosting.\[Region\].\[externalFQDN\]/artifact/20161101/](https://galleryartifacts.hosting.[Region].[externalFQDN]/artifact/20161101/)

[\[TemplateName\]/DeploymentTempla Reference:](#)

<https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-integrate-endpoints>

<https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-create-and-publish-marketplace-item>

marketplace-item

NEW QUESTION: 22

You have an Azure Stack Hub integrated system that uses an Active Directory Federation Services (AD FS) identity provider and capacity-based billing.

You have a plan named Plan1 that has the following quota configurations for Microsoft.Compute:

* Maximum number of Availability Sets: 10

- * Maximum number of virtual machines: 50
- * Maximum number of virtual machine cores: 100
- * Maximum number of virtual machine scale sets: 10

You link two offers named Offer1 and Offer2 to Plan1.

Two user subscriptions named Customer1 and Customer2 are created based on Offer1. A user subscription named Customer3 is created based on Offer2.

Customer1 receives a warning that it provisioned 50 virtual machines.

You need to ensure that Customer1 can provision an additional 25 virtual machines within its existing subscription. The solution must NOT affect the quotas of the other user subscriptions.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add NewPlan as an add-on to Offer1
- B. Create a new plan named NewPlan that has the maximum number of virtual machines quota set to 75
- C. Add NewPlan to the Customer1 user subscription
- D. Create a new plan named NewPlan that has the maximum number of virtual machines quota set to 25
- E. Update the quota for Microsoft.Compute in Plan1 to have the maximum number of virtual machines set to 75
- F. Create a new offer named Offer3 based on Plan1 and create a new user subscription for Customer1 by using Offer3

Answer: A,D (LEAVE A REPLY)

Reference:


<https://docs.microsoft.com/en-us/azure-stack/operator/service-plan-offer-subscription-overview?view=azs-2008>

<https://docs.microsoft.com/en-us/azure-stack/operator/create-add-on-plan?view=azs-2008>

NEW QUESTION: 23

You need to change the int1 region to use the capacity model. The solution must meet the technical requirements.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer Area 

```

...
# Deploy OAW
$OAWRootPath = "D:\OAWExtracted"
$SecurePassword = Read-Host -Prompt "Enter password for Azure Stack OAW's local administrator" -AsSecureString
Set-Location -Path $OAWRootPath
if (Get-ChildItem -Path $OAWRootPath -Recurse | Get-Item -Stream Zone* -ErrorAction SilentlyContinue | Select-Object -Property FileName)
{ Write-Error -Message "Execution failed, unblock the script files first" }
else {
    .\New-OAW.ps1 -LocalAdministratorPassword $SecurePassword -
    New-AzVM
    New-AzVMConfig
    \New-OAW.ps1
    -SubnetMask "255.255.255.255" 10.30.1.253
    -DefaultGateway "10.30.1.193" 10.30.1.193
    -DNS "8.8.8.8" "10.30.1.194" 10.30.1.253
    -TimeServer "10.31.1.1" 10.30.1.254
}

```

Answer:

Actions


- To the container, upload the alias template as an XML file.
- Create a storage account.
- Create a blob container and set Public access level to Private.
- To the container, upload the alias template as a JSON file.
- Create a blob container and set Public access level to Blob.

Answer area

⬅
⬇

⬆
⬇

Explanation

Answer Area 

Create a storage account

Create a blob container and set the Public access to Blob.

To the container, upload the alias template as a JSON file.

Topic 1, Northwind Traders

Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

A company named Northwind Traders has a main office and a datacenter. All development occurs at the main office.

Existing Environment

Identity Environment

The network contains an Active Directory forest named northwind.com. The forest and an Azure Active Directory (Azure AD) tenant named northwind.onmicrosoft.com are integrated by using Active Directory Federation Service (AD FS).

All Azure subscriptions use the northwind.onmicrosoft.com Azure AD tenant.

Northwind Traders uses an Enterprise Agreement (EA) subscription.

All operators are global administrators in northwind.onmicrosoft.com.

Azure Stack Hub Environment

Northwind Traders has the following five Azure Stack Hub integrated systems:

* One integrated system that connects to an internet-facing network and has the following configurations:

- The region name is int1.
- The operators do not have access to the user subscriptions.
- The integrated system is used for customer and partner applications.
- The partners and customers of NorthWind Traders use guest user accounts to access various user resources.

* Two integrated systems that connect to a private network, are accessed only from inside the company, and have the following configurations:

- The integrated systems are dedicated to research and development.
- One integrated system has a region name of priv1, and the other has a region name of priv2.
- The integrated systems are used for various data rendering, AI workloads, inference, and data visualization.

* Two integrated systems that are dedicated to application development and have the following configurations:

- The integrated systems are disconnected from the Internet. The workloads in the user subscriptions have Internet access.
- One integrated system has a region name of dev1, and the other has a region name of dev2.
- Both regions are used only by developers at Northwind Traders.

The external domain name of all the integrated systems is northwind.com. All the integrated systems have Azure App Service and the Azure Kubernetes Service (AKS) engine deployed. The computer of the operator in each region has all the prerequisite software installed for managing Azure Stack Hub.

Current Problems

You identify the following issues in the current environment:

- * The priv2 region recently experienced a catastrophic failure.
- * The developers report high chargeback costs for the dev1 region.
- * The int1 region runs a high number of Windows virtual machines that use pay-as-you-use images.
- * The Northwind Traders partners and customers report that use of the guest user accounts is too complex.
- * Users in the priv1 region recently deployed NCas_v4 virtual machines for various AI workload. The users discover that the virtual machines do not use GPUs.

Requirements

Planned Changes

Northwind Traders plans to implement the following changes:

- * Remove all guest user accounts.
- * Change the DNS forwarder of the priv1 region.
- * Change the billing model and registration name of the int1 region.
- * After the catastrophic failure, restore the priv2 region to its original state.
- * Provide each partner with its own dedicated user subscription that will use its own dedicated Azure AD tenant.

Technical Requirements

Northwind Traders identifies the following technical requirements:

- * Minimize hardware and software costs.
- * Standardize all datacenter workloads on Azure Stack Hub.
- * In the priv1 region, implement a disaster recovery plan for App Service.
- * Whenever possible, implement solutions by using the minimum amount of administrative effort.
- * In the dev2 region, update the AKS Base Ubuntu image to the latest version in Azure Stack Hub Marketplace.
- * Whenever possible, implement solutions by using built-in tools, features, and services without acquiring additional third-party tools.

* For the users' virtual machines and the associated resources in the dev1 and dev2 regions, implement a business continuity and disaster recovery plan that includes an automated failback process.

* If changes to the Azure Stack Hub infrastructure cause workload downtime outside of planned maintenance windows, notify all users in the region where the downtime occurred and schedule a maintenance window.

NEW QUESTION: 24

You have an Azure Stack Hub integrated system.

The security department at your company wants a list of all the users who can manage the integrated system from the privileged endpoint (PEP).

You need to create the list.

Solution: From a privileged endpoint (PEP) session, you run the `Get-CloudAdminUserList cmcHet`.

Does this meet the goal?

A. Yes

B. No

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 25

You need to resolve the performance issue reported by the users in the priv1 region.

What should you do?

A. Redeploy the virtual machines to a new Azure Stack Hub node

B. Install the NVIDIA drivers on the virtual machines

C. Install the AMD drivers on the virtual machines

D. Add an additional scale unit node

Answer: C ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/n-series-amd-driver-setup>

Topic 2, Litware Office

Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

Existing Environment

Network Environment

The Litware offices and the Fabrikam office connect by using a private circuit. Each office connects directly to the Internet.

Identity Environment

The Litware network contains an Active Directory forest named litwareinc.com. The forest and an Azure Active Directory (Azure AD) tenant named litwareinc.com are integrated by using Active Directory Federation Services (AD FS). Litware has an enterprise certification authority (CA).

The Azure subscriptions of Litware are associated to the litwareinc.com Azure AD tenant.

Fabrikam also has an Azure AD tenant.

Azure Stack Hub Environment

Litware has the following two Azure Stack Hub integrated systems:

* A fully operational integrated system in Boston that connects to the Internet and has the following configurations:

- Is managed by using an administrator management endpoint of:

<https://adminportal.eastus.litwareinc.com>

- Has an Azure App Service deployment that has two dedicated, large web workers

- Currently uses version 2005 of Azure Stack Hub

* A newly delivered integrated system in Chicago that is disconnected from the Internet and will be managed by using an administrator management endpoint of:

<https://adminportal.northcentralus.litwareinc.com>

Datacenter Environment

The Chicago datacenter of Litware contains the infrastructure shown in the following table.

Current Problems

During heavy usage, requests to App Service in Boston fail despite low utilization of the web workers.

Requirements

Planned Changes

Litware plans to implement the following changes:

* Deploy an Event Hubs resource provider to the integrated system in Boston.

- * Make Azure Functions available to Azure Stack Hub users in Boston.
- * Prepare the integrated system in Chicago to be production-ready.

Technical Requirements

Litware identifies the following technical requirements:

- * Implement an infrastructure to support Azure Functions on the integrated system in Boston.
- * Provision the certificates required to deploy the Event Hubs resource provider to the integrated system in Boston.
- * Configure an identity provider for the integrated system in Chicago.
- * Locate the IP address of the privileged endpoint (PEP) of the integrated system in Chicago.
- * Ensure that only operators have control over the creation of subscriptions on the integrated system in Chicago.
- * Provision a certificate to provide access to the Azure Resource Manager endpoint of the integrated system in Chicago.
- * Identify which PowerShell setting on CLIENT1 and CLIENT2 must be modified to register the integrated system in Chicago.
- * Implement a management app that will use Azure Resource Manager to inventory the resources of the integrated system in Chicago.

Security and Compliance Requirements

Litware has the following security and compliance requirements:

- * All infrastructure software must run the latest version, including hotfixes.
- * Litware must have control over certificate revocations.

Business Requirements

Litware wants to ensure that the users at Fabrikam have secure access to the workloads on the integrated system in Boston.

Updates and Hotfixes

The current hotfixes and updates available for Azure Stack Hub are:

- * 2005
- * 2005 hotfix 1
- * 2005 hotfix 2
- * 2005 hotfix 3
- * 2008
- * 2008 hotfix 1
- * 2008 hotfix 2
- * 2011 (latest version)

NEW QUESTION: 26

You have an Azure Stack Hub integrated system that uses an Azure Active Directory (Azure AD) tenant named fabrikam.com as an identity provider. The integrated system region name is region1, and the external domain name is fabrikam.com.

The integrated system has the following domains enabled for multitenancy:

- * fabrikam.onmicrosoft.com

- * contoso.onmicrosoft.com
- * fabrikam.com
- * contoso.com

You need to disable multitenancy for contoso.com.

How should you complete the PowerShell script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Graphical user interface, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-enable-multitenancy?view=azs-2008>

NEW QUESTION: 27

You need to create the planned changes and meet the business requirements.

Which subscription should you use to host the SQL Server instance, and what should you configure on the instance? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The screenshot shows a Microsoft interface with two dropdown menus. The first dropdown is labeled "To propagate the routes:" and has a list of options: BGP, HSRP, and VRRP. The second dropdown is labeled "To connect the ToR switches to the border devices:" and has a list of options: Layer 2 uplinks, Layer 3 uplinks with point-to-point connectivity, and Multi-chassis link aggregation (MLAG). A watermark "freepdfdumps.com" is visible across the image.

Answer:

Actions

Answer Area

Connect to the administrator portal.

Open the **Infrastructure backup** blade.

Select **hr12943**.

Select **Recover**.

Open the **Storage accounts** blade.

Connect to the user portal.



Explanation

Graphical user interface, text, application, chat or text message Description automatically generated

Answer Area

Connect to the administrator portal

Open the Storage accounts blade.

Select hr12943.

Select Recover.



Box 1: The Default Provider Subscription


A default Microsoft SQL Server instance will host the database of the App Service resource provider.

In Azure Stack Hub Subscriptions, select the Default Provider Subscription. Azure App Service on Azure Stack Hub must be deployed in the Default Provider Subscription.

Box 2:

Enter the SQL Server details for the server instance used to host the App Service resource provider database and then select Next. The installer validates the SQL connection properties.

Graphical user interface, website Description automatically generated

Answer Area  Microsoft

Connect to the administrator portal.

From the Resource providers blade, select Network, and then view the Public IP pools usage tile.

Select Add IP pool and enter 192.168.204.0/24 as the new IP pool.

Reference:

<https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-app-service-deploy>

NEW QUESTION: 28

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Stack Hub integrated system that connects to the Internet. The integrated system uses an Enterprise Agreement (EA) for licensing.

You are creating an Azure Resource Manager template to generate a marketplace item for a virtual machine that runs Windows Server 2019 Datacenter and a custom application.

You need to ensure that Windows Server is licensed by using the bring-your-own-license model.

Solution: You add licenseType: None to the Azure Resource Manager template.

Does this meet the goal?

A. Yes

B. No


Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-windows-server-faq?view=azs-2008&tabs=az>

NEW QUESTION: 29

You have an Azure Stack Hub integrated system that is enabled for multi-tenancy and contains a tenant. The integrated system is configured as shown in the following table.



You need to configure the URI that will be used by the tenant to query the subscription usage. How should you complete the URI? To answer, select the appropriate options in the answer area.


Actions

Answer Area

- Connect to the administrator portal
- Export the client certificate
- Select **Region management**
- Connect to the privileged endpoint (PEP)
- Run the `Set-SyslogClient` cmdlet
- Run the `Set-SyslogServer` cmdlet



Answer:



Explanation

Users of the user subscription can deploy **[answer choice]** successfully.

You must make the **[answer choice]** resource provider available before users of the user subscription can create virtual machines.

Box 1: <https://management.contoso.com>

Do not include the region1 in the URI.

Use management not adminmanagement (see below).

Note: Tenant resource usage API reference

A tenant can use the tenant APIs to view the tenant's own resource usage data. These APIs are consistent with the Azure usage APIs.

You can use the Windows PowerShell cmdlet Get-UsageAggregates to get usage data, just like in Azure.

API call

Request

The request gets consumption details for the requested subscriptions and for the requested time frame. There is no request body.

Method Request URI

GET

[https://{armendpoint}/subscriptions/{subId}/providers/Microsoft.Commerce/usageAggregates?](https://{armendpoint}/subscriptions/{subId}/providers/Microsoft.Commerce/usageAggregates?reportedStartTime)

Parameters

* Armendpoint

Azure Resource Manager endpoint of your Azure Stack Hub environment. The Azure Stack Hub convention is that the name of Azure Resource Manager endpoint is in the format

<https://management.{domain-name}>. For example, for the development kit, the domain name is local.azurestack.external, then the Resource Manager endpoint is

<https://management.local.azurestack.external>.

Box 2: 22f2d01-...

Use the tenant subscription identifier.

Parameters continued

* subId

Subscription ID of the user who is making the call. You can use this API only to query for a single subscription's usage. Providers can use the provider resource usage API to query usage for all tenants.

Reference:

<https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-tenant-resource-usage-api>

NEW QUESTION: 30

You are planning the deployment of two Azure Stack Hub integrated systems that will be located in Seattle and Redmond, respectively.

Workloads will run on infrastructure as a service (IaaS) virtual machines that have a static IIS web front-end and a Microsoft SQL Server 2019 cluster backend for database storage.

You plan to leverage Azure Traffic Manager to direct DNS requests to the integrated system in Seattle by default and use the Redmond integrated system in the event of a disaster.

What should you use to replicate application consistent database changes to the Redmond site?

- A. Hyper-V Replica
- B. Azure Blob storage replication
- C. SQL Server replication
- D. Azure SQL Database replication

Answer: C (LEAVE A REPLY)

Reference:

<https://azure.microsoft.com/en-gb/blog/protecting-applications-and-data-on-azure-stack/>

NEW QUESTION: 31

You plan to deploy a disconnected Azure Stack Hub integrated system that has the following configurations:

* FQDN: contoso.local

* Region name: region1

* Internal domain name: contoso.com

You need to generate a certificate signing request (CSR) for the new deployment. The solution must prevent the common name (CN) value from being included in the certificate subject.

How should you complete the script? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Name	Severity	Component	State	Created time	Last Modified Time
Pending internal certificate expiration	Warning	AZS-SRNG01	Active	2 days ago	6 hours ago

Answer:

The AZS-SRNG01 certificate will expire in less than [answer choice] days.

▼
30
60
90

Operator1 will renew the certificate by [answer choice].

▼
running the Start-SecretRotation -Internal PowerShell cmdlet from the privileged endpoint (PEP) session
running the Start-SecretRotation -Internal PowerShell cmdlet from a computer that can access the internal certification authority (CA)
purchasing a new certificate from a third-party certification authority (CA) and installing the certificate on the Azure Stack Hub integrated system

Explanation

Graphical user interface, text, application, email Description automatically generated



Valid AZ-600 Dumps shared by Actual4test.com for Helping Passing AZ-600 Exam! Actual4test.com now offer the **newest AZ-600 exam dumps**, the Actual4test.com AZ-600 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-600 dumps with Test Engine here:

https://www.actual4test.com/AZ-600_examcollection.html (179 Q&As Dumps, **30%OFF**)

Special Discount: Freepdfdumps)

NEW QUESTION: 32

You have a disconnected Azure Stack Hub integrated system.

You deploy an Operator Access Workstation (OAW) virtual machine image.

Which management tool should be installed manually on the image?

- A. AzureStack-Tools
- B. Azure Storage Explorer
- C. Windows Admin Center
- D. AzCopy

Answer: (SHOW ANSWER)

Explanation

Windows Admin Center is a new, locally-deployed, browser-based management tool set that lets you manage your Windows Servers with no Azure or cloud dependency. Windows Admin Center

gives you full control over all aspects of your server infrastructure and is particularly useful for managing servers on private networks that are not connected to the Internet.

Reference:

<https://learn.microsoft.com/en-us/azure-stack/operator/operator-access-workstation>

NEW QUESTION: 33

You have a connected Azure Stack Hub integrated system that contains a user named User1. You need to ensure that User1 can onboard a new guest tenant directory. The solution must use the principle of least privilege.

Which role should you assign to User1?

- A. Owner
- B. Global administrator
- C. Hybrid identity administrator
- D. Domain name administrator

Answer: C (LEAVE A REPLY)

Explanation

Hybrid Identity Administrator role is now available with Cloud Provisioning Type: New feature
Service category: Azure AD Cloud Provisioning Product capability: Identity Lifecycle Management
IT Admins can start using the new "Hybrid Admin" role as the least privileged role for setting up Azure AD Connect Cloud Provisioning. With this new role, you no longer have to use the Global Admin role to set up and configure Cloud Provisioning.

Note: Hybrid Identity Administrator

Users in this role can create, manage and deploy provisioning configuration setup from AD to Azure AD using Cloud Provisioning as well as manage Azure AD Connect, Pass-through Authentication (PTA), Password hash synchronization (PHS), Seamless Single Sign-On (Seamless SSO), and federation settings. Users can also troubleshoot and monitor logs using this role.

Reference: <https://learn.microsoft.com/en-us/azure/active-directory/fundamentals/whats-new-archive>

<https://learn.microsoft.com/en-us/azure/active-directory/roles/permissions-reference#hybrid-identity-administrato>

NEW QUESTION: 34

You open the Resource providers blade for a user subscription as shown in the following exhibit.

Actions

Answer Area

- Modify the retention period for deleted storage accounts
- Create a storage account that uses the Cool access tier
- Open the configurations for the Storage resource provider
- Connect to the administrator portal
- Connect to the user portal
- Connect to the privileged endpoint (PEP)
- Open the configurations for the Compute resource provider



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area  Microsoft

- Connect to the administrator portal
- Open the configurations for the Storage resource provider
- Modify the retention period for deleted storage accounts


Answer:

Answer Area

- Connect to the privileged endpoint (PEP)
- Run the Get-AzureStackLog cmdlet and specify a local...
- From a workstation that has internet access,....

Explanation

Graphical user interface, text, application, email Description automatically generated



Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/azure-services-resource-providers>

NEW QUESTION: 35

You have an Azure Stack Hub integrated system that is configured as shown in the following table.

You need to generate certificate signing requests (CSRs) for certificate renewal.

How should you complete the PowerShell script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

NEW QUESTION: 36

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Stack Hub integrated system that connects to the Internet. The integrated system uses an Enterprise Agreement (EA) for licensing.

You are creating an Azure Resource Manager template to generate a marketplace item for a virtual machine that runs Windows Server 2019 Datacenter and a custom application. You need to ensure that Windows Server is licensed by using the bring-your-own-license model. Solution: You remove the licenseType section from the Azure Resource Manager template. Does this meet the goal?

- A. Yes
- B. No

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 37

You need to configure the log forwarding. The solution must meet the Azure Stack Hub requirements.

What should you do?

- A. Connect to 192.168.101.101 and run the Set-EventLogLevel and Add-AzLogProfile cmdlets.
- B. Connect to 192.168.100.224 and run the Set-SyslogServer and Set-SyslogClient cmdlets.
- C. Connect to 192.168.100.224 and run the Set-EventLogLevel and Add-AzLogProfile cmdlets.
- D. Connect to 192.168.101.101 and run the Set-SyslogServer and Set-SyslogClient cmdlets.

Answer: D ([LEAVE A REPLY](#))

Explanation

Integrate Azure Stack Hub with monitoring solutions using syslog forwarding The syslog channel exposes audits, alerts, and security logs from all the components of the Azure Stack Hub infrastructure. Use syslog forwarding to integrate with security monitoring solutions and to retrieve all audits, alerts, and security logs to store them for retention.

Cmdlets to configure syslog forwarding

Configuring syslog forwarding requires access to the privileged endpoint (PEP). Two PowerShell cmdlets have been added to the PEP to configure the syslog forwarding:

```
### cmdlet to pass the syslog server information to the client and to configure the transport protocol, the encryption and the authentication between the client and the server Set-SyslogServer [-ServerName <String>] [-ServerPort <UInt16>] [-NoEncryption] [-SkipCertificateCheck] [-SkipCNCheck] [-UseUDP] [-Remove]
```

```
### cmdlet to configure the certificate for the syslog client to authenticate with the server Set-SyslogClient [-pfxBinary <Byte[]>] [-CertPassword <SecureString>] Reference:
```

<https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-integrate-security>

NEW QUESTION: 38

You plan to install an update to an Azure Stack Hub integrated system.

You need to verify whether the integrated system is healthy, and whether you can apply the update. You must achieve the goal as quickly as possible.

Solution: From a privileged endpoint (PEP) session, you run `Test-AzureStack -Group "Default"`.

Does this meet the goal?

A. No

B. Yes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You plan to install an update to an Azure Stack Hub integrated system.

You need to verify whether the integrated system is healthy, and whether you can apply the update. You must achieve the goal as quickly as possible.

Solution: From the administrator management endpoint, you run Test-AzureStack -Group "Default".

Does this meet the goal?

A. Yes

B. No

Answer: B ([LEAVE A REPLY](#))

Explanation

Correct: Solution: From a privileged endpoint (PEP) session, you run Test-AzureStack -Group "UpdateReadiness".

Use a privileged endpoint (PEP) session and Test-AzureStack with UpdateReadiness.

Note:

Running the validation tool and accessing results

You can use the PEP to run the validation tool. The tool can take a while to run. The length of the time depends on the number of virtual machines in your system. Each test returns a PASS/FAIL status in the PowerShell window.

Here's an outline of the end-to-end validation testing process:

1. Establish the trust. On an integrated system, run the following command from an elevated Windows PowerShell session to add the PEP as a trusted host on the hardened VM running on the hardware lifecycle host or the Privileged Access Workstation.

2. Access the PEP.

3. Once you're in the PEP, run:

```
Test-AzureStack
```

Groups

To improve the operator experience, a Group parameter has been enabled to run multiple test categories at the same time. Currently, there are three groups defined: Default, UpdateReadiness, and SecretRotationReadiness.

UpdateReadiness: A check to see if the Azure Stack Hub instance can be updated. When the UpdateReadiness group is run, warnings are displayed as errors in the console output, and they should be considered as blockers for the update.

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-diagnostic-test?view=azs-2008>

NEW QUESTION: 40

You have an Azure Stack Hub integrated system.

A scale unit node has a hardware failure.

You replace the physical server based on the field replacement unit (FRU) documentation of the OEM hardware vendor.

You need to reintroduce the node to the scale unit.

Which PowerShell cmdlet should you run?

- A. Enable-AzsScaleUnitNode
- B. Repair-AzsScaleUnitNode
- C. Start-AzsScaleUnitNode
- D. Restart-AzsInfrastructureRole
- E. Add-AzsScaleUnitNode

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-node-actions?view=azs-2008&tabs=az1#repair>

NEW QUESTION: 41

You need to create User2. The solution must support the planned changes.

What should you use?

- A. the tenant portal
- B. Azure Stack Hub Administrator Resource Management Endpoint
- C. HLH
- D. ASZ-ERCS01

Answer: A (LEAVE A REPLY)

Explanation

Create a new cloudadmin user named User2.

Add a new Azure Stack Hub user account in Azure Active Directory (Azure AD) Before you can test offers and plans and create resources, you'll need a user account for the Azure Stack Hub user portal. You create a user account in your Azure AD tenant, by using the Azure portal or PowerShell.

Reference:

<https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-add-new-user-aad>

NEW QUESTION: 42

Which three components are required to configure an Azure Stack Hub infrastructure backup?
Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. an SMB file share in the trusted network perimeter
- B. credentials that have write access to storage
- C. an Azure Blob storage account
- D. an encryption certificate
- E. an SMB file share in Azure

Answer: A,B,D ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-backup-reference?view=azs-2008>

NEW QUESTION: 43

Your company is a Cloud Solution Provider (CSP) named contoso.com.

The company has an Azure Stack Hub integrated system enabled for multitenancy.

You plan to add a new customer. For the customer, you already created an Azure user subscription that uses an Azure AD tenant named the fabrikam.com.

You collect the following information:

- * Customer subscription ID: Q7daa8e5-f301-4\$65-99c3-dUae36620df
- * Registration subscription ID 52949927-abbe-4bb0-ae2a-dfe8f9636899
- * Registration resource group name: AzureStack
- * Registration name: AzureStack-id9de6l0-9Oc4-48ff-b455-d6ad9eb1b7a4

You need to ensure that the fabrikam.com user subscription is billed separately from other user subscriptions.

How should you complete the PowerShell script? To answer select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

NEW QUESTION: 44

You have an Azure Stack Hub integrated system that uses an Azure Active Directory (Azure AD) identity provider.

You have a computer that runs Windows 10. You use the computer to manage the integrated system.

You create a custom marketplace item on the computer.

You need to publish the item to Azure Stack Hub Marketplace.

You create a storage account.

What should you create next?

- A. a container that has a public access level of private
- B. a file share that has the performance tier set to Hot
- C. a container that has a public access level of blob
- D. a file share that has the performance tier set to Transaction optimized

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-create-and-publish-marketplace-item?view=az>

NEW QUESTION: 45

You plan to deploy a disconnected Azure Stack Hub integrated system named eastus.azurestack.contoso.com.

Azure Stack Hub clients will be isolated from the internet.

You need to identify which certificates and certificate type to use for the deployment.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

\$ArmEndpoint =
 "https://adminmanagement.region1.fabrikam.com"
 "https://adminportal.region1.fabrikam.com"
 "https://management.region1.fabrikam.com"
 "https://portal.region1.fabrikam.com"

\$DirectoryTenantName =
 "contoso.com"
 "contoso.onmicrosoft.com"
 "fabrikam.com"
 "fabrikam.onmicrosoft.com"

\$GuestDirectorySettings =
 AdminResourceManagerEndpoint \$ArmEndpoint -DirectoryTenantName \$DirectoryTenantName
 Get-AzsDirectoryTenantIdentifier
 Get-AzsHealthReport
 Get-AzsUserSubscription
 Get-AzureADDirectorySetting
 Get-AzureADUserDirectReport

Write-Output -InputObject "Healthy guest directory tenants:"
 \$GuestDirectorySettings.DirectoryTenants | Where status -EQ 'Healthy' | Select -Object -Property TenantName,
 TenantId, Status | Format-Table
 Write-Output -InputObject "Unhealthy guest directory tenants:"
 \$GuestDirectorySettings.DirectoryTenants | Where status -NE 'Healthy' | Select
 -Property TenantName, TenantId, Status, | Format-Table

Answer:

Answer Area

\$ArmEndpoint =
 "https://adminmanagement.region1.fabrikam.com"
 "https://adminportal.region1.fabrikam.com"
 "https://management.region1.fabrikam.com"
 "https://portal.region1.fabrikam.com"

\$DirectoryTenantName =
 "contoso.com"
 "contoso.onmicrosoft.com"
 "fabrikam.com"
 "fabrikam.onmicrosoft.com"

\$GuestDirectorySettings =
 AdminResourceManagerEndpoint \$ArmEndpoint -DirectoryTenantName \$DirectoryTenantName
 Get-AzsDirectoryTenantIdentifier
 Get-AzsHealthReport
 Get-AzsUserSubscription
 Get-AzureADDirectorySetting
 Get-AzureADUserDirectReport

Write-Output -InputObject "Healthy guest directory tenants:"
 \$GuestDirectorySettings.DirectoryTenants | Where status -EQ 'Healthy' | Select -Object -Property TenantName,
 TenantId, Status | Format-Table
 Write-Output -InputObject "Unhealthy guest directory tenants:"
 \$GuestDirectorySettings.DirectoryTenants | Where status -NE 'Healthy' | Select
 -Property TenantName, TenantId, Status, | Format-Table

Explanation

D:\mudassar\Untitled.jpg

The screenshot shows a user interface with two main sections: "Actions" and "Answer Area".

Actions:

- Import the Directory module
- Download AzureStack-Tools
- From the fabrikam.onmicrosoft.com Azure AD tenant, register the Azure Stack Hub directory
- Configure the contoso.onmicrosoft.com Azure AD tenant to allow sign-ins from fabrikam.onmicrosoft.com
- Generate a service principal for identity synchronization

Answer Area:

Navigation arrows are present: a right arrow and a left arrow between the actions and answer area, and up and down arrows on the right side of the answer area.

A watermark "freepdf dumps.com" is visible across the center, and the Microsoft logo is at the bottom right.

NEW QUESTION: 46

You have an Azure Stack Hub integrated system that connects to the internet.

You need to update the Azure Event Hubs service.

Solution: From the Updates blade of the administrator portal, you trigger the installation of the latest update listed in the Resource provider section.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Explanation

Instead: Solution: From a privileged endpoint (PEP) session, you run the Install-AzsUpdate cmdlet.

You can use the Azure Stack Hub administrative endpoints to monitor and manage your updates. They're accessible with PowerShell. For instructions on getting set up with PowerShell on Azure Stack Hub.

You can use the following PowerShell cmdlet to manage your updates:

* Install-AzsUpdate

Apply a specific update at an update location.

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-update-monitor?view=azs-2008>

Valid AZ-600 Dumps shared by Actual4test.com for Helping Passing AZ-600 Exam!
Actual4test.com now offer the **newest AZ-600 exam dumps**, the Actual4test.com AZ-600 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-600 dumps with Test Engine here:

https://www.actual4test.com/AZ-600_examcollection.html (179 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 47

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Stack Hub integrated system that connects to the Internet. The integrated system uses an Enterprise Agreement (EA) for licensing.

You are creating an Azure Resource Manager template to generate a marketplace item for a virtual machine that runs Windows Server 2019 Datacenter and a custom application.

You need to ensure that Windows Server is licensed by using the bring-your-own-license model.

Solution: You add OsType: Windows to the Azure Resource Manager template.

Does this meet the goal?

A. No

B. Yes

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 48

You have an Azure Stack Hub integrated system. The current VIP pool uses a subnet of 192.168.203.0/24 and has routing configured to use BGP.

In the administrator portal, you receive an alert that the public IP addresses are at 95 percent utilization.

You need to add 192.168.204.0/24 to the public IP address pool.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

Explanation

Graphical user interface, text Description automatically generated

Add public IP addresses

Add the IP address range to Azure Stack Hub

* In a browser, go to your administrator portal dashboard. For this example, we'll use <https://adminportal.local.azurestack.external>.

* Sign in to the Azure Stack Hub administrator portal as a cloud operator. (Step 1)

* On the default dashboard, find the Region management list and select the region you want to manage.

For this example, we use local.

* Find the Resource providers tile and click on the network resource provider. (Step 2)

* Click on the Public IP pools usage tile. (Step 2)

* Click on the Add IP pool button. (Step 3)

* Provide a name for the IP pool. The name you choose helps you easily identify the IP pool. You can't use a special character like "/" in this field. It's a good practice to make the name the same as the address range, but that isn't required.

* Enter the address block you want to add in CIDR notation. For example: 192.168.203.0/24

* When you provide a valid CIDR range in the Address range (CIDR block) field the Start IP address, End IP address and Available IP addresses fields will automatically populate. They're read-only and automatically generated so you can't change these fields without modifying the value in the Address range field.

* After you review the info on the blade and confirm that everything looks correct, select Ok to commit the change and add the address range to Azure Stack Hub.

Reference:

<https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-add-ips>

NEW QUESTION: 49

You have an Azure Stack Hub integrated system that is linked to an Azure AD tenant named contoso.onmicrosoft.com. The Azure Stack Hub portals are configured as shown in the following table.

```
-Environment AzureCloud -Tenant 'contoso.com'
```

Add-AzureRmEnvironment
Connect-AzureRmAccount
Select-AzureRmContext
Set-AzureRmEnvironment

```
Install-Module -Name
```

Azs.AzureBridge.Admin
Azs.Commerce.Admin
Azs.Gallery.Admin
Azs.Syndication.Admin


```
$MarketplaceItems =
```

Add-AzsGalleryItem
Export-AzsMarketplaceItem
Import-AzsMarketplaceItem
Select-AzsMarketplaceItem

```
$MarketplaceItems |
```

Add-AzsGalleryItem
Export-AzsMarketplaceItem
Import-AzsMarketplaceItem
Select-AzsMarketplaceItem

```
-RepositoryDir "D:\MarketplaceItems"
```



You register a guest Azure AD tenant named adatum.onmicrosoft.com that contains a user named user1@fabrikam.com. User1 needs to subscribe to an Azure Stack Hub integrated system offer. Which URL should User1 use?

- A. <https://portal.eastus.contoso.com/>
- B. <https://portal.eastus.contoso.com/fabrikam.com>
- C. <https://adminportal.eastus.contoso.com/fabrikam.com>
- D. <https://portal.eastus.contoso.com/adatum.onmicrosoft.com>

Answer: (SHOW ANSWER)

Explanation

For multinode systems, the user portal URL is formatted as <https://portal.<region>.<FQDN>>. For an ASDK deployment, the URL is <https://portal.local.azurestack.external>.

In our case we must also direct any foreign principals (users in the Adatum directory without the suffix of adatum.onmicrosoft.com) to sign in using <https://<user-portal-url>/adatum.onmicrosoft.com>. If they don't specify the /adatum.onmicrosoft.com directory tenant in the URL, they're sent to their default directory and receive an error that says their administrator hasn't consented.

Reference: <https://learn.microsoft.com/en-us/azure-stack/operator/enable-multitenancy>

NEW QUESTION: 50

In which three situations should you update the registration of an Azure Stack Hub integrated system? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. when you add or remove nodes for capacity-based billing
- B. when you change the billing model
- C. when you add or remove nodes for consumption-based billing
- D. when you renew an annual capacity subscription
- E. when you enable Azure Stack Hub for multitenancy
- F. when you update the Azure Active Directory (Azure AD) home directory

Answer: A,B,D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-registration?view=azs-2008&tabs=az1%2Caz>


NEW QUESTION: 51

You need to change the int1 region to use the capacity model. The solution must meet the technical requirements.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Attribute	Value
Region name	region1
FQDN	contoso.com
Guest directory name	fabrikam.com
Default provider subscription identifier	9ea460a5-611c-4363-b551-8b1b1796d341
Tenant subscription identifier	33f2e2b2-40f4-4d99-9b99-978fa5a33d55
Consumption subscription identifier	229f2d01-adb5-4a73-87a4-767392e9895c
Metering identifier (MID)	a4e0e964-3bd3-4b3e-a12d-7ff35a0300a6

Answer:



Explanation

Step 1: Notify all the users in the int1 region and schedule a maintenance window.

Step 2: Select the subscription that was used to perform the initial registration.

Note: You need to change the int1 region to use the capacity model.

Change the billing model and registration name of the int1 region.

The int1 region runs a high number of Windows virtual machines that use pay-as-you-use images.

Change billing model, how features are offered, or re-register your instance This section applies if you want to change the billing model, how features are offered, or you want to re-register your instance. For all of these cases, you call the registration function to set the new values. You don't need to first remove the current registration.

select the subscription used during the registration

Select-AzSubscription -Subscription '<Registration subscription ID from portal>'

rerun registration with new BillingModel (or same billing model in case of re-registration) but using other parameters values from portal Set-AzsRegistration -PrivilegedEndpointCredential \$YourCloudAdminCredential -PrivilegedEndpoint

\$YourPrivilegedEndpoint -BillingModel '<New billing model>' -RegistrationName '<Registration name from portal>' -ResourceGroupName '<Registration resource group from portal>' Step 3:

Run the Set-AzsRegistration cmdlet.

You can use Set-AzsRegistration to register Azure Stack Hub with Azure and enable or disable the offer of items in the marketplace and usage reporting.

To run the cmdlet, you need:

A global Azure subscription of any type.

To be signed in to Azure PowerShell with an account that's an owner or contributor to that subscription.

Reference: <https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-registration>

NEW QUESTION: 52

You plan to deploy a highly available Azure App Service resource provider to an Azure Stack Hub integrated system.

You need to ensure that the App Service resource meets the prerequisites. The solution must minimize costs.

Which two resources should you deploy? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a highly available Microsoft SQL Server 2019 instance in the default provider subscription
- B. a highly available file server in a dedicated user subscription
- C. a highly available file server in the default provider subscription
- D. a highly available Microsoft SQL Server 2019 instance in a dedicated user subscription
- E. a single file server in the default provider subscription
- F. a single Microsoft SQL Server 2019 instance in the default provider subscription

Answer: A,C ([LEAVE A REPLY](#))

Reference:

<https://blog.apps.id.au/adventures-cloud-operator-highly-available-app-service-1-4-azure-stack-step-2-deployme>

NEW QUESTION: 53

You have an Azure Stack Hub integrated system that uses an Azure Active Directory (Azure AD) tenant named contoso.com as an identity provider.

You need to create a certificate file named AzSIBCCert for infrastructure backup.

How should you complete the PowerShell script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

NEW QUESTION: 54

You have an Azure Stack Hub integrated system that uses the latest version.

You discover an alert for an external certificate that will expire. You obtain new certificates.

You need to validate that all the components required to change the certificates are in a healthy state, and then renew the certificates.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Run the Test-AzureStack cmdlet and specify the -Group UpdateReadiness parameter.
- B. Run Start-SecretRotation cmdlet and specify the Internal parameter.
- C. Run the Start-SecretRotation and specify the PfxFilePath parameter.
- D. Copy the certificates to Azure Blob storage.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 55

You have an Azure Stack Hub integrated system that is disconnected from the Internet. During an update, an error occurs that prevents you from accessing the administrator portal. While troubleshooting the issue, a Microsoft Support Engineer requests that you collect and send the relevant logs.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

Explanation

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-get-azurestacklog?view=azs-2008>

NEW QUESTION: 56

You start the update of an Azure Stack Hub integrated system. The Update run details are shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-apply-updates?view=azs-2008>

NEW QUESTION: 57

You have an Azure Stack Hub integrated system.

The Volumes list for the integrated system is shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

NEW QUESTION: 58

You have an Azure Stack Hub integrated system.

You unlock the privileged endpoint (PEP).

How long will the PEP session remain unlocked?

- A. 30 minutes
- B. one hour
- C. 24 hours
- D. eight hours

Answer: D (LEAVE A REPLY)

Explanation

Unlocking the privileged endpoint for support scenarios

During a support scenario, the Microsoft support engineer might need to elevate the privileged endpoint PowerShell session to access the internals of the Azure Stack Hub infrastructure. This process is sometimes informally referred to as "break the glass" or "unlock the PEP".

An elevated PEP session has a validity of 8 hours, after which, if not terminated, the elevated PEP session will automatically lock back to a regular PEP session.

Reference: <https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-privileged-endpoint>

NEW QUESTION: 59

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You deploy a disconnected Azure Stack Hub integrated system.

You need to identify the IP address of the privileged endpoint (PEP).

Solution: From the administrator portal of Azure Stack Hub, you review the Region management blade.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Explanation

Instead: Solution: You run the nslookup AzS-ERCS01.azurestack.local command.

Note: nslookup is a network administration command-line tool for querying the Domain Name System to obtain the mapping between domain name and IP address, or other DNS records.

ASDK architecture, Virtual machine roles

The ASDK offers services using the following VMs hosted on the development kit host computer:

* AzS-ERCS01 - Emergency Recovery Console VM.

Reference:

<https://docs.microsoft.com/en-us/azure-stack/asdk/asdk-architecture?view=azs-2008>

NEW QUESTION: 60

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Stack Hub integrated system.

The security department at your company wants a list of all the users who can manage the integrated system from the privileged endpoint (PEP).

You need to create the list.

Solution: From a privileged endpoint (PEP) session, you run the Get-AzureStackStampInformation cmdlet.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Reference: <https://docs.microsoft.com/en-us/azure-stack/reference/pep-2002/get-cloudadminuserlist>

NEW QUESTION: 61

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You deploy a disconnected Azure Stack Hub integrated system.

You need to identify the IP address of the privileged endpoint (PEP).

Solution: You review the AzureStackStampDeploymentInfo JSON file.

Does this meet the goal?

A. Yes

B. No

Answer: (SHOW ANSWER)

Explanation

Instead: Solution: You run the nslookup AzS-ERCS01.azurestack.local command.

Note: nslookup is a network administration command-line tool for querying the Domain Name System to obtain the mapping between domain name and IP address, or other DNS records.

ASDK architecture, Virtual machine roles

The ASDK offers services using the following VMs hosted on the development kit host computer:

* AzS-ERCS01 - Emergency Recovery Console VM.

Reference:

<https://docs.microsoft.com/en-us/azure-stack/asdk/asdk-architecture?view=azs-2008>

Valid AZ-600 Dumps shared by Actual4test.com for Helping Passing AZ-600 Exam!
Actual4test.com now offer the **newest AZ-600 exam dumps**, the Actual4test.com AZ-600 exam **questions have been updated** and **answers have been corrected** get the **newest**

Actual4test.com AZ-600 dumps with Test Engine here:

https://www.actual4test.com/AZ-600_examcollection.html (179 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 62

You have a disconnected Azure Stack Hub integrated system.

You plan to implement an app named App1.

You need to create a new service principal for App1. The solution must maximize security.

What should you do first?

- A. Create an app registration in Azure AD.
- B. Create a group managed service account (gMSA)
- C. Generate an Azure Key Vault secret.
- D. Generate an X.509 certificate.

Answer: (SHOW ANSWER)

Explanation

You start by creating a new app registration in your directory, which creates an associated service principal object to represent the app's identity within the directory.

Your choice of either Azure AD or AD FS is determined by the mode in which you deploy Azure Stack Hub:

When you deploy it in a connected mode, you can use either Azure AD or AD FS.

When you deploy it in a disconnected mode, without a connection to the internet, only AD FS is supported.

Manage an AD FS app

If you deployed Azure Stack Hub with AD FS as your identity management service, you must use PowerShell to manage your app's identity. The following examples demonstrate both an X509 certificate and a client secret credential.

Once you have a certificate, use a PowerShell script to register your app and sign in using the app's identity.

Reference:

<https://learn.microsoft.com/en-us/azure-stack/operator/give-app-access-to-resources>

NEW QUESTION: 63

You have an Azure Stack Hub integrated system that is disconnected from the Internet.

You need to make a new image available in Azure Stack Hub Marketplace in the disconnected environment.

From a computer that has Internet access, you download all the required tools.

Which four actions should you perform in sequence next? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

Explanation

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-download-azure-marketplace-item?view=azs->

NEW QUESTION: 64

You have an Azure Stack Hub integrated system that contains a user named User1.

User1 creates a new virtual machine named VM01.

You need to grant User1 console access to VM01.

Which five actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

Explanation

Graphical user interface, application Description automatically generated

NEW QUESTION: 65

You need to configure name resolution to support the planned changes.

Which PowerShell cmdlet should you run?

- A. Sec-DnsServer
- B. Regiscer-CuscomDnsServer
- C. Set-AzSDnsForwarder
- D. Set-DNSClientServerAddress

Answer: B (LEAVE A REPLY)

Explanation

Configure the integrated system to resolve external names by using a DNS Server that has an IP address of

10.100.100.100.

Resolving external DNS names from Azure Stack Hub

To resolve DNS names for endpoints outside Azure Stack Hub (for example: www.bing.com), you need to provide DNS servers that Azure Stack Hub can use to forward DNS requests for which Azure Stack Hub isn't authoritative. For deployment, DNS servers that Azure Stack Hub forwards requests to are required in the Deployment Worksheet (in the DNS Forwarder field). Provide at least two servers in this field for fault tolerance. Without these values, Azure Stack Hub deployment fails. You can edit the DNS Forwarder values with the `Set-AzSDnsForwarder` cmdlet after deployment.

Configure conditional DNS forwarding

Important

This only applies to an AD FS deployment.

To enable name resolution with your existing DNS infrastructure, configure conditional forwarding.

To add a conditional forwarder, you must use the privileged endpoint.

For this procedure, use a computer in your datacenter network that can communicate with the privileged endpoint in Azure Stack Hub.

1. Open an elevated Windows PowerShell session (run as administrator), and connect to the IP address of the privileged endpoint. Use the credentials for CloudAdmin authentication.

```
$cred=Get-Credential
```

```
Enter-PSSession -ComputerName <IP Address of ERCS> -ConfigurationName
```

```
PrivilegedEndpoint
```

```
-Credential $cred
```

2. After you connect to the privileged endpoint, run the following PowerShell command. Substitute the sample values provided with your domain name and IP addresses of the DNS servers you want to use.

```
Register-CustomDnsServer -CustomDomainName "contoso.com" -Custom
```

```
Reference:
```

<https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-integrate-dns>

NEW QUESTION: 66

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Stack Hub integrated system that connects to the Internet.

You need to update the Azure Event Hubs service.

Solution: From a privileged endpoint (PEP) session, you run the Install-AzsUpdate cmdlet.

Does this meet the goal?

A. Yes

B. No

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-update-monitor?view=azs-2008>

NEW QUESTION: 67

You have a disconnected Azure Stack Hub integrated system that contains a user named User1.

You need to ensure that User1 can assign role-based access control (RBAC) roles in Azure Stack Hub. The solution must use the principle of least privilege.

Which Azure Stack Hub built-in role should you assign to User1?

A. Owner

B. User Access Administrator

C. Security Admin

D. Managed Identity Contributor

Answer: B ([LEAVE A REPLY](#))

Explanation

User Access Administrator

Lets you manage user access to Azure resources.

*/read Read resources of all types, except secrets.

Microsoft.Authorization/* Manage authorization

Microsoft.Support/* Create and update a support ticket

Reference:

<https://learn.microsoft.com/en-us/azure/role-based-access-control/built-in-roles>

NEW QUESTION: 68

You have a connected Azure Stack Hub integrated system.

You need to offer users the Azure Kubernetes Service (AKS) engine for production workloads.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a Docker extension to Azure Stack Hub Marketplace.
- B. Add an AKS base image to Azure Stack Hub Marketplace.
- C. From the Azure Active Directory admin center, create a service principal.
- D. Add a custom script extension to Azure Stack Hub Marketplace.
- E. Add an ubuntu Server image to Azure Stack Hub Marketplace.
- F. From the Azure Active Directory admin center, create a user-assigned managed identify.

Answer: C,E (LEAVE A REPLY)

NEW QUESTION: 69

You have an Azure Stack Hub integrated system that is disconnected from the internet.

A new Microsoft update package is released.

You need to apply the update.

Which five actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

Sign in to the Azure portal

Connect to the administrator portal

Add a certificate to an Azure key vault

Create an app registration

Generate a client secret

Create a managed identify

Add the app to a group

Answer Area



Answer:

Run the Unlock-SupportSession cmdlet

Connect to the privileged endpoint (PEP)

From the administrator portal, create an Azure Storage account and a file share

Create a shared access signature (SAS)

Run the Get-AzureStackLog cmdlet

From the administrator portal, create an Azure Storage account and a container

Create an app registration



Explanation

Text, table Description automatically generated with medium confidence

Answer Area

From the administrator portal, create an Azure Storage.....

Create a shared access signature (SAS)

Connect to the privileged endpoint (PEP)

Run the Get-AzureStackLog cmdlet

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-update-prepare-package?view=azs-2008>

NEW QUESTION: 70

You have an Azure Stack Hub integrated system that is disconnected from the Internet.

You need to collect diagnostic logs, but do not have access to an SMB share.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

Explanation

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-get-azurestacklog?view=azs-2008>

NEW QUESTION: 71

You have an Azure Stack Hub integrated system.

You install the Azure Gallery Packager (.azpkg) tool on a management workstation.

You need to define a custom Azure Stack Hub Marketplace item that will provision a virtual machine from a base image.

Which file should you configure for each requirement? To answer, drag the appropriate files to the correct requirements. Each file may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Answer:

Explanation

NEW QUESTION: 72

You have an Azure Stack Hub integrated system that has syslog forwarding configured.

You need to remove syslog forwarding and the associated certificate.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Answer:



Explanation



Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-integrate-security?view=azs-2008>

NEW QUESTION: 73

You have an Azure Stack Hub integrated system that is disconnected from the internet. The integrated system has an Azure App Service resource provider.

You generate a new certificate.

You need to rotate the certificate of the App Service identity application to use the new certificate.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the administrator portal, get the value of the default provider subscription object ID.
- B. From a privileged endpoint (PEP) session, run the Export-Certificate cmdlet. and then run the Import-Certificate cmdlet
- C. From a privileged endpoint (PEP) session, run the New-Object cmdlet. and then run the import-PfxCertificate cmdlet

D. From a privileged endpoint (PEP) session, run the New-Objecc cmdlet, and then run the Sec-GraphApplicacion cmdlet

E. From the administrator portal, get the value of the AzureStack-AppService object ID.

Answer: ([SHOW ANSWER](#))

Explanation

Your choice of either Azure AD or AD FS is determined by the mode in which you deploy Azure Stack Hub:

When you deploy it in a connected mode, you can use either Azure AD or AD FS.

When you deploy it in a disconnected mode, without a connection to the internet, only AD FS is supported.

E:

Rotate certificate for AD FS identity application

The identity application is created by the operator before deployment of Azure App Service on Azure Stack Hub. If the application's object ID is unknown, follow these steps to discover it:

- * Go to the Azure Stack Hub administrator portal.
- * Go to Subscriptions and select Default Provider Subscription.
- * Select Access Control (IAM) and select the AzureStack-AppService-<guid> application.
- * Take a note of the Object ID, this value is the ID of the Service Principal that must be updated in AD FS.

D: To rotate the certificate for the application in AD FS, you need to have access to the privileged endpoint (PEP). Then you update the certificate credential using PowerShell.

Sign in to PowerShell interactively, using credentials that have access to the VM running the Privileged Endpoint

```
$Creds = Get-Credential
```

Create a new Certificate object from the identity application certificate exported as .cer file

```
$Cert = New-Object
```

```
System.Security.Cryptography.X509Certificates.X509Certificate2("<CertificateFileLocation>")
```

Create a new PSSession to the PrivelegedEndpoint VM

```
$Session = New-PSSession -ComputerName "<PepVm>" -ConfigurationName
```

```
PrivilegedEndpoint
```

```
-Credential $Creds -SessionOption (New-PSSessionOption -Culture en-US -UICulture en-US)
```

Use the privileged endpoint to update the certificate thumbprint, used by the service principal associated with the App Service identity application

```
$SpObject = Invoke-Command -Session $Session -ScriptBlock {Set-GraphApplication -
```

```
ApplicationIdentifier
```

```
"<ApplicationObjectId>" -ClientCertificates $using:Cert}
```

```
$Session | Remove-PSSession
```

```
# Output the updated service principal details
```

```
$SpObject
```

Reference:

<https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-identity-overview>

<https://learn.microsoft.com/en-us/azure-stack/operator/app-service-rotate-certificates>

NEW QUESTION: 74

You have an Azure Stack Hub integrated system that is enabled for multitenancy. The Directories list for the integrated system is shown in the following exhibit.

Parameter	Selected Value
-AdminResourceManagerEndpoint	https://adminmanagement.region1.fabrikam.com
-DirectoryTenantName	fabrikam.onmicrosoft.com
-GuestDirectoryTenantName	contoso.onmicrosoft.com
-HomeDirectoryTenantName	fabrikam.onmicrosoft.com

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Parameter	Selected Value
\$adminResourceManagerEndpoint	https://adminmanagement.chicago.contoso.com
\$homeDirectoryTenantName	chicago.onmicrosoft.com

```
Update-AzSHomeDirectoryTenant -AdminResourceManagerEndpoint  
$adminResourceManagerEndpoint -DirectoryTenantName  
$homeDirectoryTenantName -Verbose
```

Answer:

- From the user portal, run the Repair action.
- Replace the node.
- From a privileged endpoint (PEP) session, run the Stop-AzureStack cmdlet.
- From the administrator portal, stop the node.
- From the user portal, stop all the virtual machines that use unmanaged disks.
- From the administrator portal, run the Repair action.
- From the administrator portal, shut down the node.

ANSWER AREA



Explanation

Box 1: 3


3 registered, and one in need of an update.

Note: Update the Azure Stack Hub directories

When an Azure Stack Hub directory update is required, a status of Update Required is shown.

For example:

Graphical user interface, application Description automatically generated



To update the directory, select the Directory name checkbox, and then select Update.

Box 2: global administrator of ITHCSubAS2021.onmicrosoft.com

The guest directory ITHCSubAS2021.onmicrosoft.com needs an update.

Update the guest directory

An Azure Stack Hub operator should also inform the guest directory owner that they need to update their directory by using the URL shared for registration.

Reference:

<https://learn.microsoft.com/en-us/azure-stack/operator/enable-multitenancy>

NEW QUESTION: 75

Your company is a Cloud Solution Provider (CSP).

You plan to create an Azure subscription for a new Azure Stack Hub integrated system and configure Azure Stack Hub to be available to multiple customers. Your company will also have its own workloads deployed to the Azure Stack Hub.

You need to perform the deployment so that usage data for future customers is directed to their Azure subscription.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

Explanation

A picture containing text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-add-manage-billing-as-a-csp?view=azs-2008>

<https://docs.microsoft.com/en-us/azure-stack/operator/azure-stack-csp-howto-register-tenants?view=azs-2008&ta>

NEW QUESTION: 76

You have an Azure Stack Hub integrated system that contains 20 subscriptions. The subscriptions use custom storage and compute quotas.

You need to delete the custom quotas.

Which three Azure Stack Hub objects should you delete in sequence before you can delete the quotas? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

Explanation

Step 1: user subscriptions

If you want to delete a quota, you must work back through any plans and offers that use that quota. Starting with the offers, ensure they have no subscriptions, delete each offer, then delete the plans that use the quota, and so on.

Step 2: offers

Deleting an offer is only possible if there are no subscriptions that belong to that offer.

Step 3: plans

You can't delete a quota if there are any current plans that use it. You must first delete the plan that references the quota.

Reference:

<https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-delete-offer>

exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-600 dumps with Test Engine here:

https://www.actual4test.com/AZ-600_examcollection.html (179 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 77

You plan to deploy an Azure Stack Hub integrated system to a datacenter.

You need to connect the top-of-rack (ToR) switches to the existing border devices. The solution must ensure that routes propagate dynamically between the ToR switches and the border devices.

What should you include in the solution? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Box 1: BGP

BGP routing

Using a dynamic routing protocol like BGP guarantees that your system is always aware of network changes and facilitates administration. For enhanced security, a password may be set on the BGP peering between the TOR and the Border.

Box 2: Layer 3 uplinks with point-to-point connectivity

To integrate Azure Stack Hub to the network it requires uplinks from the Top-of-Rack switches (ToR) to the nearest switch or router, which on this documentation is referred as Border. The ToRs can be uplinked to a single or a pair of Borders.

The top of rack (TOR) switches require Layer 3 uplinks with Point-to-Point IPs (/30 networks) configured on the physical interfaces. Layer 2 uplinks with TOR switches supporting Azure Stack Hub operations isn't supported Reference:

<https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-border-connectivity>

<https://learn.microsoft.com/en-us/azure-stack/operator/azure-stack-network>

NEW QUESTION: 78

You have a Windows Server-based certification authority (CA) and a disconnected Azure Stack Hub integrated system.

You need to issue a certificate that will be used to authenticate a service principal when the service principal accesses Azure Stack Hub resources.

How should you configure the certificate? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Box 1: Microsoft legacy Cryptographic Service Provider (CSP) key provider Give an app access to Azure Stack Hub resources An application that deploys or configures resources through Azure Resource Manager must be represented by its own identity, known as a security principal. Just as a user is represented by a user principal, an app is represented by a service principal.

Create an app registration that uses a certificate credential

When creating a certificate credential, the following requirements must be met:

- * The cryptographic provider must be specified as a Microsoft legacy Cryptographic Service Provider (CSP) key provider.

- * The certificate format must be in PFX file, as both the public and private keys are required.

Windows servers use .pfx files that contain the public key file (TLS/SSL certificate file) and the associated private key file.

- * Etc.

Box 2: .pfx

Reference: <https://learn.microsoft.com/en-us/azure-stack/operator/give-app-access-to-resources>

Valid AZ-600 Dumps shared by Actual4test.com for Helping Passing AZ-600 Exam!

Actual4test.com now offer the **newest AZ-600 exam dumps**, the Actual4test.com AZ-600 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-600 dumps with Test Engine here:

https://www.actual4test.com/AZ-600_examcollection.html (179 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)