

Microsoft.AZ-800.v2023-11-06.q59

Exam Code:	AZ-800
Exam Name:	Administering Windows Server Hybrid Core Infrastructure
Certification Provider:	Microsoft
Free Question Number:	59
Version:	v2023-11-06
# of views:	1105
# of Questions views:	590
https://www.freepdfdumps.com/Microsoft.AZ-800.v2023-11-06.q59.html	

NEW QUESTION: 1

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. The network contains the servers shown in the following table.

Name	Role	Domain/workgroup	Operating system
DC1	Active Directory Domain Services, DNS Server	contoso.com	Windows Server
Server1	DHCP Server	contoso.com	Windows Server
Server2	None	contoso.com	Windows Server Core
Server3	None	Workgroup1	Windows Server Core

You plan to implement IP Address Management (IPAM).

You need to use the Group Policy based provisioning method for managed servers. The solution must support server discovery.


What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Server on which to deploy the IPAM server role:

Servers that must be provisioned for IPAM:

Servers that must be provisioned for IPAM:



Answer:

Answer Area



Server on which to deploy the IPAM server role:

Servers that must be provisioned for IPAM:

Servers that must be provisioned for IPAM:

Explanation

Answer Area



Server on which to deploy the IPAM server role:

Servers that must be provisioned for IPAM:

NEW QUESTION: 2

You need to meet the technical requirements for Server4.

Which cmdlets should you run on Server1 and Server4? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Server1:

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>

Server4:

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>

Answer:

Server1:

Enable-PSRemoting
Enable-ServerManagerStandardUserRemoting
Set-Item
Start-Service

Server4:

Enable-PSRemoting
Enable-ServerManagerStandardUserRemoting
Set-Item
Start-Service

Explanation

Graphical user interface, text, application, email Description automatically generated

Server1:

Enable-PSRemoting
Enable-ServerManagerStandardUserRemoting
Set-Item
Start-Service

Server4:

Enable-PSRemoting
Enable-ServerManagerStandardUserRemoting
Set-Item
Start-Service

Reference:

<https://4sysops.com/wiki/enable-powershell-remoting/>

NEW QUESTION: 3

You need to configure remote administration to meet the security requirements. What should you use?

A. just in time (JIT) VM access

- B. Azure AD Privileged Identity Management (PIM)
- C. the Remote Desktop extension for Azure Cloud Services
- D. an Azure Bastion host

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/azure/defender-for-cloud/just-in-time-access-usage?tabs=jit-config-asc%2Cjit-r>

NEW QUESTION: 4

Your network contains two Active Directory Domain Services (AD DS) forests named contoso.com and fabrikam.com. Contoso.com contains three child domains named amer.contoso.com, apac.contoso.com, and emea.contoso.com. Fabrikam.com contains a child domain named apac.fabrikam.com. A bidirectional forest trust exists between contoso.com and fabrikam.com.


You need to provide users in the contoso.com forest with access to the resources in the fabrikam.com forest.

The solution must meet the following requirements:

- * Users in contoso.com must only be added directly to groups in the contoso.com forest.
- * Permissions to access the resources in fabrikam.com must only be granted directly to groups in the fabrikam.com forest.
- * The number of groups must be minimized.

Which type of groups should you use to organize the users and to assign permissions? To answer, drag the appropriate group types to the correct requirements. Each group type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.


NOTE: Each correct selection is worth one point.



Answer:



Explanation



NEW QUESTION: 5

You need to sync files from an on premises server named Server1 to Azure by using Azure File Sync.

You have a cloud tiering policy that is configured for 30 percent free space and 70 days.

Volume E on Server1 is 500 GB.

A year ago, you configured E:\Data on Server1 to sync by using Azure File Sync. The files that are visible in E:\Data are shown in the following table.

Name	Size	Last accessed
File1	200 GB	2 days ago
File2	100 GB	10 days ago
File3	200 GB	60 days ago
File4	50 GB	100 days ago

Volume E does NOT contain any other files.

Where are File1 and File3 located? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

File1:

- Server1 only
- The Azure file share only
- Server1 and the Azure file share

File3:

- Server1 only
- The Azure file share only
- Server1 and the Azure file share

Answer:

File1:


- Server1 only
- The Azure file share only
- Server1 and the Azure file share

File3:

- Server1 only
- The Azure file share only
- Server1 and the Azure file share

Explanation

Graphical user interface, text, application, email Description automatically generated



Reference:

<https://docs.microsoft.com/en-us/windows-server/manage/windows-admin-center/azure/azure-file-sync>

<https://docs.microsoft.com/en-us/azure/storage/file-sync/file-sync-cloud-tiering-overview>

NEW QUESTION: 6

Your network contains an Active Directory Domain Services (AD DS) domain.

You have a Group Policy Object (GPO) named GPO1 that contains Group Policy preferences.

You plan to link GPO1 to the domain.

You need to ensure that the preference in GPO1 apply only to domain member servers and NOT to domain controllers or client computers. All the other Group Policy settings in GPO1 must apply to all the computers.

The solution must minimize administrative effort.

Which type of item level targeting should you use?

- A. Domain
- B. Operating System
- C. Security Group
- D. Environment Variable

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2012-r2-and-2012/dn789189>

NEW QUESTION: 7

You have a server named Server1 that runs Windows Server and has the Hyper V server role installed. Server1 hosts a virtual machine named VM1.

Server1 has an NVMe storage device. The device is currently assigned to VM1 by using Discrete Device Assignment.

You need to make the device available to Server1.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From Server1, stop VM1.


From Server1, run the Remove-VMAssignableDevice cmdlet.

From Server1, run the Mount-VMHostAssignableDevice cmdlet.

From Server1, enable the device by using Device Manager.

From VM1, disable the device by using Device Manager.

Answer Area



Microsoft

Navigation arrows: > and <

Answer:

Actions

From Server1, stop VM1.

From Server1, run the Remove-VMAssignableDevice cmdlet.

From Server1, run the Mount-VMHostAssignableDevice cmdlet.

From Server1, enable the device by using Device Manager.

From VM1, disable the device by using Device Manager.


Answer Area

From Server1, stop VM1.

From Server1, run the Remove-VMAssignableDevice cmdlet.

From Server1, run the Mount-VMHostAssignableDevice cmdlet.

From Server1, enable the device by using Device Manager.



Microsoft

Navigation arrows: > and <

Explanation

Graphical user interface, application Description automatically generated

From Server1, stop VM1. 

From Server1, run the Remove-VMAssignableDevice cmdlet.

From Server1, run the Mount-VMHostAssignableDevice cmdlet.

From Server1, enable the device by using Device Manager.

Reference:

<https://docs.microsoft.com/en-us/windows-server/virtualization/hyper-v/deploy/deploying-storage-devices-using>

NEW QUESTION: 8

Your network contains an on-premises Active Directory Domain Services (AD DS) domain named contoso.com. The domain contains three servers that run Windows Server and have the Hyper-V server role installed. Each server has a Switch Embedded Teaming (SET) team. You need to verify that Remote Direct Memory Access (RDMA) and all the required Windows Server settings are configured properly on each server.

What should you use?

- A. Server Manager
- B. the validate-DCB cmdlet
- C. the Get-NetAdapter cmdlet
- D. Failover Cluster Manager

Answer: B ([LEAVE A REPLY](#))

Reference:

<https://github.com/Microsoft/Validate-DCB>

NEW QUESTION: 9

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com.

You need to identify which server is the PDC emulator for the domain.

Solution: From Active Directory Sites and Services, you right-click Default-First-Site-Name in the console tree, and then select Properties.

Does this meet the goal?

- A. No
- B. Yes

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 10

Your network contains an Active Directory Domain Service (AD DS) forest named contoso.com. The forest root domain contains a server named server1.contoso.com.

A two-way forest trust exists between the contoso.com forest and an AD DS forest named fabrikam.com. The fabrikam.com forest contains 10 child domains.

You need to ensure that only the members of a group named fabrikam\Group1 can authenticate to server1.contoso.com.

What should you do first?

- A. Enable SID filtering for the trust.
- B. Add fabrikam\Group1 to the local Users group on server1.contoso.com.
- C. Change the trust to a one-way external trust.
- D. Enable Selective authentication for the trust.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Your network contains two Active Directory Domain Services (AD DS) forests named contoso.com and fabrikam.com. A two-way forest trust exists between the forests. Each forest contains a single domain. The domains contain the servers shown in the following table.

Name	Domain	Description
Server1	contoso.com	Hosts a Windows Admin Center gateway
Server2	fabrikam.com	Hosts resources that will be managed remotely by using Windows Admin Center on Server1

You need to configure resources based constrained delegation so that the users in contoso.com can use Windows Admin Center on Server1 to connect to Server2. How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

```
Set-ADComputer -Identity
```

```
(Get-ADComputer server1.contoso.com)
(Get-ADComputer server2.fabrikam.com)
(Get-ADGroup 'Contoso\Domain Users')
(Get-ADGroup 'Fabrikam\Domain Users')
```

```
-PrincipalsAllowedToDelegateToAccount
```

```
(Get-ADComputer server1.contoso.com)
(Get-ADComputer server2.fabrikam.com)
(Get-ADGroup 'Contoso\Domain Users')
(Get-ADGroup 'Fabrikam\Domain Users')
```

Answer:

Answer Area

```
Set-ADComputer -Identity
```

```
(Get-ADComputer server1.contoso.com)
(Get-ADComputer server2.fabrikam.com)
(Get-ADGroup 'Contoso\Domain Users')
(Get-ADGroup 'Fabrikam\Domain Users')
```

```
-PrincipalsAllowedToDelegateToAccount
```

```
(Get-ADComputer server1.contoso.com)
(Get-ADComputer server2.fabrikam.com)
(Get-ADGroup 'Contoso\Domain Users')
(Get-ADGroup 'Fabrikam\Domain Users')
```

Explanation

Text Description automatically generated

```
Set-ADComputer -Identity
```

```
(Get-ADComputer server1.contoso.com)
(Get-ADComputer server2.fabrikam.com)
(Get-ADGroup 'Contoso\Domain Users')
(Get-ADGroup 'Fabrikam\Domain Users')
```

```
-PrincipalsAllowedToDelegateToAccount
```

```
(Get-ADComputer server1.contoso.com)
(Get-ADComputer server2.fabrikam.com)
(Get-ADGroup 'Contoso\Domain Users')
(Get-ADGroup 'Fabrikam\Domain Users')
```


Reference:

<https://docs.microsoft.com/en-us/windows-server/security/kerberos/kerberos-constrained-delegation-overview>

<https://docs.microsoft.com/en-us/powershell/module/activedirectory/set-adcomputer?view=windowsserver2022->

NEW QUESTION: 12

Your network contains three Active Directory Domain Services (AD DS) forest as shown in the following exhibit.



The network contains the users shown in the following table.

Name	Domain
User1	east.contoso.com
User2	fabrikam.com

The network contains the security groups shown in the following table.

Name	Type	Domain
Group1	Domain local	west.adatum.com
Group2	Universal	contoso.com
Group3	Universal	east.contoso.com

For each of the following statements, select Yes if the statement is true, Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
You can add User1 to Group1.	<input type="radio"/>	<input type="radio"/>
You can add User2 to Group3.	<input type="radio"/>	<input type="radio"/>
You can grant Group2 permissions to the resources in the fabrikam.com domain.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statements

You can add User1 to Group1.

Yes

No

You can add User2 to Group3.

You can grant Group2 permissions to the resources in the fabrikam.com domain.

Explanation
Answer Area



Statements

You can add User1 to Group1.

Yes

No

You can add User2 to Group3.

You can grant Group2 permissions to the resources in the fabrikam.com domain.

NEW QUESTION: 13

You have 10 on-premises servers that run Windows Server.

You plan to use Azure Network Adapter to connect the servers to the resources in Azure.

Which prerequisites do you require on-premises and in Azure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

To configure the on-premises servers, use:

Azure CLI
Routing and Remote Access
Server Manager
Windows Admin Center

To connect the Azure resources and Azure Network Server Manager Adapter, use:

Azure Bastion
Azure Firewall
An Azure virtual network gateway
A private endpoint
A public Azure Load Balancer

Answer:

To configure the on-premises servers, use:

Azure CLI
Routing and Remote Access
Server Manager
Windows Admin Center

To connect the Azure resources and Azure Network Server Manager Adapter, use:

Azure Bastion
Azure Firewall
An Azure virtual network gateway
A private endpoint
A public Azure Load Balancer

Explanation

Text, table Description automatically generated with medium confidence

To configure the on-premises servers, use:



- | |
|---------------------------|
| Azure CLI |
| Routing and Remote Access |
| Server Manager |
| Windows Admin Center |

To connect the Azure resources and Azure Network Server Manager Adapter, use:


- | |
|----------------------------------|
| Azure Bastion |
| Azure Firewall |
| An Azure virtual network gateway |
| A private endpoint |
| A public Azure Load Balancer |

Reference:

<https://docs.microsoft.com/en-us/windows-server/manage/windows-admin-center/azure/use-azure-network-adap>

NEW QUESTION: 14

Your network contains two Active Directory forests and a domain trust as shown in the following exhibit.



The domain trust has the following configurations:

- * Name: adatum.com
- * Type: External

* Direction: One-way. outgoing

* Outgoing trust authentication level: Domain-wide authentication

Name	Domain
User1	adatum.com
User2	contoso.com
User3	east.contoso.com

The forests contain the network shares shown in the following table.

Name	In domain
Share1	adatum.com
Share2	contoso.com
Share3	east.contoso.com

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can be assigned permissions for Share3.	<input type="radio"/>	<input type="radio"/>
User2 can be assigned permissions for Share1.	<input type="radio"/>	<input type="radio"/>
User3 can be assigned permissions for Share1.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1 can be assigned permissions for Share3.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can be assigned permissions for Share1.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can be assigned permissions for Share1.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation

Answer Area



Statements

User1 can be assigned permissions for Share3.

Yes

No

User2 can be assigned permissions for Share1.

User3 can be assigned permissions for Share1.

NEW QUESTION: 15

You have a server that runs Windows Server and contains a shared folder named UserData.

You need to limit the amount of storage space that each user can consume in UserData.

What should you use?

- A. Storage Spaces
- B. Work Folders
- C. Distributed File System (DFS) Namespaces
- D. File Server Resource Manager (FSRM)

Answer: D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/windows-server/storage/fsrm/fsrm-overview>

NEW QUESTION: 16

You create a new Azure subscription.

You plan to deploy Azure Active Directory Domain Services (Azure AD DS) and Azure virtual machines.

You need to ensure that the virtual machines can join Azure AD DS.

Which three actions should perform in sequence? To answer, move the appropriate actions from the list of action of the answer area and arrange them in the correct order.

Actions

- Run the Active Directory Domain Services Installation Wizard.
- Create an Azure virtual network.
- Install the Active Directory Domain Services role.
- Install Azure AD Connect.
- Modify the settings of the Azure virtual network.
- Create an Azure AD DS instance.

Answer Area

←

→

↑

↓

Answer:

Actions

- Run the Active Directory Domain Services Installation Wizard
- Create an Azure virtual network.
- Install the Active Directory Domain Services role.
- Install Azure AD Connect.
- Modify the settings of the Azure virtual network.
- Create an Azure AD DS instance.

Answer Area

- Create an Azure virtual network.
- Create an Azure AD DS instance.
- Modify the settings of the Azure virtual network.

Explanation

Answer Area

- 1 Create an Azure virtual network.
- 2 Create an Azure AD DS instance.
- 3 Modify the settings of the Azure virtual network.

Valid AZ-800 Dumps shared by Actual4test.com for Helping Passing AZ-800 Exam! Actual4test.com now offer the **newest AZ-800 exam dumps**, the Actual4test.com AZ-800 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-800 dumps with Test Engine here: https://www.actual4test.com/AZ-800_examcollection.html (269 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

You have an Azure virtual machine named VM1 that runs Windows Server and has the following configurations:

Size: D2s_v4

Operating system disk: 127-GiB standard SSD

Data disk 128-GiB standard SSD

Virtual machine generation: Gen 2

You plan to perform the following changes to VM1:

Change the virtual machine size to D4s_v4.

Detach the data disk.

Add a new standard SSD.

Which changes require downtime for VM1?

- A. Detaching the data disk only and adding a new standard SSD.
- B. Detaching the data disk only.
- C. Changing the virtual machine size only.
- D. Adding a new standard SSD only.

Answer: C (LEAVE A REPLY)

Explanation

Data disks can be added and detached without requiring downtime. Changing the VM size requires the VM to be restarted.

NEW QUESTION: 18

Your company has offices in Boston and Montreal. The offices are connected by using a 10-Mbps WAN link that is often saturated. The office in Boston contains the following:

* An Active Directory Domain Services (AD DS) domain controller named DC1.


* A server named Server1 that runs Windows Server and has the File Server role installed. The office in Montreal contains 20 client computers that run Windows 10. Montreal does NOT have any servers.

The company plans to deploy a new line of business (LOB) application to all the client computers. The installation source files for the application are in \\Server\Apps.

Answer Area

On Server1:

On the client computers:




Answer:

Answer Area

On Server1:

On the client computers:



Explanation

Answer Area

On Server1:

On the client computers:



NEW QUESTION: 19

You plan to deploy an Azure virtual machine that will run Windows Server. The virtual machine will host an Active Directory Domain Services (AD DS) domain controller and a drive named f: on a new virtual disk.

You need to configure storage for the virtual machine. The solution must meet the following requirements

* Maximize resiliency for AD DS.

* Prevent accidental data loss.


How should you configure the storage? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

ANSWER AREA



Answer:



Explanation



NEW QUESTION: 20

You have an on-premises server named Server1 that runs Windows Server. You have an Azure virtual network that contains an Azure virtual network gateway. You need to connect only Server1 to the Azure virtual network. What should you use?

A. Azure Network Adapter

B. a Site-to-Site VPN

C. an ExpressRoute circuit

D. Azure Extended Network

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/windows-server/manage/windows-admin-center/azure/use-azure-network-adap>

NEW QUESTION: 21

Your on-premises network contains an Active Directory domain named contoso.com. You have an Azure AD tenant. You plan to sync contoso.com with the Azure AD tenant by using Azure AD Connect cloud sync. You need to create an account that will be used by Azure AD Connect cloud sync. Which type of account should you create?

- A. user
- B. system-assigned managed identity
- C. InetOrgPerson
- D. group managed service account (gMSA)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

You need to meet the technical requirements for VM2.

What should you do?

- A. Enable enhanced session mode.
- B. Implement shielded virtual machines.
- C. Implement Credential Guard.
- D. Enable the Guest services integration service.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

You have a server that runs Windows Server and has the DHCP Server role installed. The server has a scope named Scope1 that has the following configurations:

- * Address range: 192.168.0.2 to 192.168.1.200 . Mask 255.255.254.0
- * Router: 192.168.0.1
- * Lease duration: 3 days
- * DNS server 172.16.0.254

You have 50 Microsoft Teams Phone devices from the same vendor. All the devices have MAC addresses within the same range.

You need to ensure that all the Teams Phone devices that receive a lease from Scope1 have IP addresses in the range of 192.168.1.100 to 192.168.1.200. The solution must NOT affect other DHCP clients that receive IP configurations from Scope1.

What should you create?

- A. a policy
- B. a scope
- C. a filter
- D. scope options

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2012-R2-and-2012/dn42504>

NEW QUESTION: 24

You plan to deploy an Azure virtual machine that will run Windows Server.

You need to ensure that an Azure Active Directory (Azure AD) user named user1@contoso.com can connect to the virtual machine by using the Azure Serial Console.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Microsoft

Configure on the Azure virtual machine:

- Boot diagnostics with a custom storage account
- Operating system guest diagnostics
- A system-assigned managed identity

Assign the following role to User1:

- Virtual Machine Contributor
- Virtual Machine Administrator Login
- Virtual Machine User Login

Answer:

Answer Area

Microsoft

Configure on the Azure virtual machine:

- Boot diagnostics with a custom storage account
- Operating system guest diagnostics
- A system-assigned managed identity

Assign the following role to User1:

- Virtual Machine Contributor
- Virtual Machine Administrator Login
- Virtual Machine User Login

Explanation

Answer Area

Microsoft

Configure on the Azure virtual machine: Boot diagnostics with a custom storage account

Assign the following role to User1: Virtual Machine Contributor

Reference:

<https://docs.microsoft.com/en-us/troubleshoot/azure/virtual-machines/serial-console-overview>

NEW QUESTION: 25

Your network contains an Active Directory Domain Services (AD DS) forest named contoso.com. The root domain contains the domain controllers shown in the following table.

Name	FSMO role
DC1	Domain naming master
DC2	RID master
DC3	PDC emulator
DC4	Schema master
DC5	Infrastructure master

A failure of which domain controller will prevent you from creating application partitions?

- A. DC1
- B. DC2
- C. DC3
- D. DC4

E. DC5

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/troubleshoot/windows-server/identity/fsmo-roles>

NEW QUESTION: 26

You need to sync files from an on-premises server named Server1 to Azure by using Azure File Sync. You have a cloud tiering policy that is configured for 30 percent free space and 70 days. Volume f on Server1 is 500 GB.

A year ago, you configured E:\Data on Server1 to sync by using Azure File Sync. The files that are visible in E:\Data are shown in the following table.

Name	Size	Last accessed
File1	200 GB	2 days ago
File2	100 GB	10 days ago
File3	200 GB	60 days ago
File4	50 GB	100 days ago

Volume E does NOT contain any other files.

Where are File1 and File3 located? To answer, select the appropriate options in the answer area.

Answer Area

File1: Server1 only, The Azure file share only, Server1 and the Azure file share

File3: Server1 only, The Azure file share only, Server 1 and the Azure file share

Answer:

Answer Area

File1: Server1 only, The Azure file share only, Server1 and the Azure file share

File3: Server1 only, The Azure file share only, Server 1 and the Azure file share

Explanation

Answer Area

File1: The Azure file share only

File3: Server 1 and the Azure file share

NEW QUESTION: 27

You need to implement an availability solution for DHCP that meets the networking requirements.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. On DHCP1, create a scope that contains 25 percent of the IP addresses from Scope2.

B. On the router in each office, configure a DHCP relay.

- C. DHCP2. configure a scope that contains 25 percent of the IP addresses from Scope 1 .
- D. On each DHCP server, install the Failover Clustering feature and add the DHCP cluster role.
- E. On each DHCP scope, configure DHCP failover.

Answer: B,E (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2012-r2-and-2012/hh831385>

NEW QUESTION: 28

Your network contains an Active Directory Services (AD DS) forest. The forest contains three domains. Each domain contains 10 domain controllers.

You plan to store a DNS zone in a custom active Directory partition.

You need to create the Active Directory partition for the zone. The partition replicate to only four of the domain controllers.

What should you use?

- A. DNS Manager
- B. Active Directory Administrator Center
- C. Active Directory Sites and Services
- D. dnscmd.exe

Answer: (SHOW ANSWER)

NEW QUESTION: 29

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are planning the deployment of DNS to a new network.

You have three internal DNS servers as shown in the following table.

Name	Location	IP address	Local DNS zone
Server1	Montreal	10.0.1.10	contoso.local
Server2	Toronto	10.0.2.10	east.contoso.local
Server3	Seattle	10.0.3.10	west.contoso.local

The contoso.local zone contains zone delegations for east.contoso.local and west.contoso.local. All the DNS servers use root hints.

You need to ensure that all the DNS servers can resolve the names of all the internal namespaces and internet hosts.

Solution: On Server2, you create a conditional forwarder for west.contoso.local. On Server3, you create a conditional forwarder for east.contoso.local.

Does this meet the goal?

- A. Yes
- B. No

Answer: B (LEAVE A REPLY)

NEW QUESTION: 30

Your network contains a multi-site Active Directory Domain Services (AD DS) forest. Each Active Directory site is connected by using manually configured site links and automatically generated connections.

You need to minimize the convergence time for changes to Active Directory.

What should you do?

- A. For each site link, modify the options attribute.
- B. For each site link, modify the site link costs.
- C. For each site link, modify the replication schedule.
- D. Create a site link bridge that contains all the site links.

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/windows-server/identity/ad-ds/plan/determining-the-interval>

NEW QUESTION: 31

You have a Windows Server container host named Server 1 and a container image named Image1.

You need to start a container from image1. The solution must run the container on a Hyper-V virtual machine.

Which parameter should you specify when you run the docker run command?

- A. --expose
- B. --privileged
- C. --runtime
- D. --entrypoint
- E. --isolation

Answer: E (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/virtualization/windowscontainers/manage-containers/hyperv-container>

Valid AZ-800 Dumps shared by Actual4test.com for Helping Passing AZ-800 Exam! Actual4test.com now offer the **newest AZ-800 exam dumps**, the Actual4test.com AZ-800 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-800 dumps with Test Engine here: https://www.actual4test.com/AZ-800_examcollection.html (269 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

Your network contains an Active Directory Domain Services (AD DS) forest. The forest contains three Active Directory sites named Site1, Site2, and Site3. Each site contains two domain controllers. The sites are connected by using DEFAULTIPSITELINK.

You open a new branch office that contains only client computers.

You need to ensure that the client computers in the new office are primarily authenticated by the domain controllers in Site1.

Solution: You configure the Try Next Closest Site Group Policy Object (GPO) setting in a GPO that is linked to Site1.

Does this meet the goal?

- A. Yes
- B. No

Answer: B (LEAVE A REPLY)

NEW QUESTION: 33

Your network contains an Active Directory domain, a web app named App1, and a perimeter network. The perimeter network contains a server named Server1 that runs Windows Server.

You plan to provide external access to App1.

You need to implement the Web Application Proxy role service on Server1.

Which role should you add to Server1, and which role should you add to the network? To answer, drag the appropriate roles to the correct targets. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.



Answer:



Explanation



NEW QUESTION: 34


For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

ANSWER AREA

Statements	Yes	No
Admin1 must use a password that has at least 14 characters.	<input type="radio"/>	<input type="radio"/>
User1 must use a password that has at least 10 characters.	<input type="radio"/>	<input type="radio"/>
If Admin1 creates a new local user on Server1, the password for the new user must be at least eight characters.	<input type="radio"/>	<input type="radio"/>

Answer:



Explanation

Answer Area

Statements

Admin1 must use a password that has at least 14 characters.

Yes

No

User1 must use a password that has at least 10 characters.

If Admin1 creates a new local user on server1, the password for the new user must be at least eight characters.

NEW QUESTION: 35

Your network contains an Active Directory Domain Services (AD DS) forest named contoso.com. The forest contains a child domain named east.contoso.com. In the contoso.com domain, you create two users named Admin1 and Admin2.

You need to ensure that the users can perform the following tasks:

- * Admin1 can create and manage Active Directory sites.
- * Admin2 can deploy domain controller to the east.contoso.com domain.

The solution must use the principle of least privilege.

To which group should you add each user? To answer, select the appropriate options in the answer area.

NOTE Each correct selection is worth one point.

Answer Area

Admin1:
Contoso\Administrators
Contoso\Domain Admins
Contoso\Enterprise Admins
East\Administrators
East\Domain Admins

Admin2:
Contoso\Administrators
Contoso\Domain Admins
Contoso\Enterprise Admins
East\Administrators
East\Domain Admins

Answer:

Answer Area

Admin1:
Contoso\Administrators
Contoso\Domain Admins
Contoso\Enterprise Admins
East\Administrators
East\Domain Admins

Admin2:
Contoso\Administrators
Contoso\Domain Admins
Contoso\Enterprise Admins
East\Administrators
East\Domain Admins

Explanation

Answer Area

Admin1: Contoso\Enterprise Admins

Admin2: East\Domain Admins



Reference:

<https://docs.microsoft.com/en-us/windows-server/remote/remote-access/ras/multisite/configure/step-2-configure->

NEW QUESTION: 36

You create a new Azure subscription.

You plan to deploy Azure Active Directory Domain Services (Azure AD DS) and Azure virtual machines. The virtual machines will be joined to Azure AD DS.

You need to deploy Active Directory Domain Services (AD DS) to ensure that the virtual machines can be deployed and joined to Azure AD DS.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Modify the settings of the Azure virtual network.	
Install the Active Directory Domain Services role.	
Install Azure AD Connect.	
Create an Azure virtual network.	
Create an Azure AD DS instance.	
Run the Active Directory Domain Service installation Wizard.	


Microsoft

freepdfdumps.com

⤴

⤵

Answer:



Explanation

Graphical user interface, text, application Description automatically generated with medium confidence



Reference:

<https://docs.microsoft.com/en-us/azure/active-directory-domain-services/tutorial-create-instance>

NEW QUESTION: 37

You have an Azure subscription that contains a virtual machine named VM1 as shown in the following exhibit.

VM1 Virtual machine

Connect Start Restart Stop Capture Delete Refresh Open in mobile CLI / PS

Essentials JSON View

Resource group (move) RG1	Operating system Windows (Windows Server 2022 Datacenter Azure Edition)
Status Running	Size Standard D8s v3 (8 vcpus, 32 GiB memory)
Location East US (Zone 1)	Public IP address 20.84.95.86
Subscription (move) Visual Studio Enterprise Subscription	Virtual network/subnet VNet1/Subnet2
Subscription ID 7fef66e-8694-4b54-beae-17fd819d4873	DNS name Not configured
Availability zone 1	

The subscription has the disks shown in the following table.

Name	Resource group	Location	Availability zone
Disk1	RG1	East US	None
Disk2	RG2	East US	1
Disk3	RG1	Central US	None
Disk4	RG1	Central US	1

Which disks can you attach as data disks to VM1?

- A. Disk1, Disk3, and Disk4 only
- B. Disk1, Disk2, Disk3, and Disk4
- C. Disk2 only
- D. Disk1 and Disk2 only
- E. Disk4 only
- F. Disk2 and Disk4 only

Answer: D (LEAVE A REPLY)

NEW QUESTION: 38

Which groups can you add to Group3 and Group5? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Group3:	
	Group6 only
	Group1 and Group2 only
	Group1 and Group4 only
	Group1, Group2, Group4, and Group5 only
	Group1, Group2, Group4, Groups, and Group6
Group5:	
	Group1 only
	Group4 only
	Group6 only
	Group2 and Group4 only
	Group4 and Group6 only

Answer:

Group3:

Group6 only
Group1 and Group2 only
Group1 and Group4 only
Group1, Group2, Group4, and Group5 only
Group1, Group2, Group4, Groups, and Group6

Group5:

Group1 only
Group4 only
Group6 only
Group2 and Group4 only
Group4 and Group6 only

Explanation

Table Description automatically generated

Group3:

Group6 only
Group1 and Group2 only
Group1 and Group4 only
Group1, Group2, Group4, and Group5 only
Group1, Group2, Group4, Groups, and Group6

Group5:

Group1 only
Group4 only
Group6 only
Group2 and Group4 only
Group4 and Group6 only

Reference:

<https://docs.microsoft.com/en-us/windows/security/identity-protection/access-control/active-directory-security-g>

NEW QUESTION: 39

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant. You have several Windows 10 devices that are Azure AD hybrid-joined.

You need to ensure that when users sign in to the devices, they can use Windows Hello for Business.

Which optional feature should you select in Azure AD Connect?

- A. Device writeback
- B. Group writeback
- C. Password writeback
- D. Directory extension attribute sync
- E. Azure AD app and attribute filtering

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/windows/security/identity-protection/hello-for-business/hello-hybrid-cert-trust->

NEW QUESTION: 40

Your network contains a single domain Active Directory Domain Services (AD DS) forest named contoso.com. The forest contains a single Active Directory site.

You plan to deploy a read only domain controller (RODC) to a new datacenter on a server named Server1. A user named User1 is a member of the local Administrators group on Server1.

You need to recommend a deployment plan that meets the following requirements:

Ensures that a user named User1 can perform the RODC installation on Server1 Ensures that you can control the AD DS replication schedule to the Server1 Ensures that Server1 is in a new site named RemoteSite1 Uses the principle of least privilege Which three actions should you recommend performing in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Instruct User1 to run the Active Directory Domain Services installation Wizard on Server1.
- Create a site and a subnet.
- Create a site link.
- Pre-create an RODC account.
- Add User1 to the Contoso\Administrators group.

Answer Area

Microsoft

freepdfcamps.com

>

<

Answer:

Actions

- Instruct User1 to run the Active Directory Domain Services installation Wizard on Server1.
- Create a site and a subnet.
- Create a site link.
- Pre-create an RODC account.
- Add User1 to the Contoso\Administrators group.

Answer Area

- Create a site and a subnet.
- Pre-create an RODC account.
- Instruct User1 to run the Active Directory Domain Services installation Wizard on Server1.

Microsoft


freepdfcamps.com

>

<

Explanation

Application Description automatically generated with medium confidence

Create a site and a subnet. 

Pre-create an RODC account.

Instruct User1 to run the Active Directory Domain Services installation Wizard on Server1.

Box 1.

We need to create a site and subnet for the remote site. The new site will be added to the Default IP Site Link so we don't need to create a new site link. You configure the replication schedule on the site link.

Box 2.

When we pre-create an RODC account, we can specify who is allowed to attach the server to the prestaged account. This means that the User1 does not need to be added to the Domain Admins group.

Box3.

User1 can connect the RODC to the prestaged account by running the AD DS installation wizard.

Reference:

<https://mehic.se/2018/01/02/how-to-install-and-configure-read-only-domain-controller-rod-2016/>

NEW QUESTION: 41

Your network contains an Active Directory Domain Services (AD DS) forest named contoso.com. The forest contains a child domain named east.contoso.com and the servers shown in the following table.


Name	Domain	Description
DC1	contoso.com	Has the schema master, infrastructure master, and domain naming master roles
DC2	east.contoso.com	Has the PDC emulator and RID master roles and is a global catalog server
Server1	contoso.com	Has the File Server, DFS Namespaces, and DFS Replication server roles

You need to create a folder for the Central Store to manage Group Policy template files for the entire forest.

What should you name the folder, and on which server should you create the folder? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Answer:
ANSWER AREA



Explanation



NEW QUESTION: 42

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant. You plan to deploy 100 new Azure virtual machines that will run Windows Server. You need to ensure that each new virtual machine is joined to the AD DS domain. What should you use?

- A. Azure AD Connect
- B. a Group Policy Object (GPO)
- C. an Azure Resource Manager (ARM) template
- D. an Azure management group

Answer: C ([LEAVE A REPLY](#))

Reference:

<https://www.ludovicmedard.com/create-an-arm-template-of-a-virtual-machine-automatically-joined-to-a-domain/>

NEW QUESTION: 43

You have an Azure virtual machine named VM1 that runs Windows Server. You perform the following actions on VM1:

- * Create a folder named Folder1 on volume C
- * Create a folder named Folder2 on volume D.
- * Add a new data disk to VM1 and create a new volume that is assigned drive letter E.
- * Install an app named App1 on volume E.

You plan to resize VM1.

Which objects will present after you resize VM1 ?

- A. Folder1, volume E, and App1 only
- B. Folder1, Folder2, App1, and volume E
- C. Folder1 and Folder2 only
- D. Folder1 only

Answer: B (LEAVE A REPLY)

NEW QUESTION: 44

You have an Azure Active Directory Domain Services (Azure AD DS) domain.

You create a new user named Admin1.

You need Admin1 to deploy custom Group Policy settings to all the computers in the domain. The solution must use the principle of least privilege.

What should you include in the solution? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point

The screenshot shows two configuration sections in the Azure portal. The first section is titled "Add Admin1 to the following group:" and contains a list of three groups: "AAD DC Administrators", "Domain Admins", and "Group Policy Creator Owners". The second section is titled "Instruct Admin1 to apply the custom Group Policy settings by:" and contains a list of three tasks: "Creating a new Group Policy Object (GPO) and linking the GPO to the domain", "Modifying AADDC Computers GPO", and "Modifying the default domain GPO". A large watermark "freedumps.com" is visible across the screenshot.

Answer:

Add Admin1 to the following group:

AAD DC Administrators
Domain Admins
Group Policy Creator Owners

Instruct Admin1 to apply the custom Group Policy settings by:

Creating a new Group Policy Object (GPO) and linking the GPO to the domain
Modifying AADDC Computers GPO
Modifying the default domain GPO

Explanation

Graphical user interface, text, application Description automatically generated

Add Admin1 to the following group:

AAD DC Administrators
Domain Admins
Group Policy Creator Owners

Instruct Admin1 to apply the custom Group Policy settings by:

Creating a new Group Policy Object (GPO) and linking the GPO to the domain
Modifying AADDC Computers GPO
Modifying the default domain GPO

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory-domain-services/manage-group-policy>

NEW QUESTION: 45


You have an Azure subscription named sub1 and 500 on-premises virtual machines that run Windows Server.

You plan to onboard the on-premises virtual machines to Azure Arc by running the Azure Arc deployment script. You need to create an identity that will be used by the script to authenticate access to sub1. The solution must use the principle of least privilege.

How should you complete the command? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.

Answer Area



Answer:

Answer Area



Explanation

Text Description automatically generated



Reference:

<https://docs.microsoft.com/en-us/azure/azure-arc/servers/onboard-service-principal>

NEW QUESTION: 46

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are planning the deployment of DNS to a new network.

You have three internal DNS servers as shown in the following table.

Name	Location	IP address	Local DNS zone
Server1	Montreal	10.0.1.10	contoso.local
Server2	Toronto	10.0.2.10	east.contoso.local
Server3	Seattle	10.0.3.10	west.contoso.local

The contoso.local zone contains zone delegations for east.contoso.local and west.contoso.local. All the DNS servers use root hints.

You need to ensure that all the DNS servers can resolve the names of all the internal namespaces and internet hosts.

Solution: On Server2, you create a conditional forwarder for contoso.local and west.contoso.local. On Server3, you create a conditional forwarder for contoso.local and east.contoso.local.

Does this meet the goal?

A. Yes

B. No

Answer: A (LEAVE A REPLY)

Valid AZ-800 Dumps shared by Actual4test.com for Helping Passing AZ-800 Exam! Actual4test.com now offer the **newest AZ-800 exam dumps**, the Actual4test.com AZ-800 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-800 dumps with Test Engine here: https://www.actual4test.com/AZ-800_examcollection.html (269 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 47

You have a server named Server1.

You plan to use Storage Spaces to expand the storage available to Server1. You attach eight physical disks to Server1. Four disks are HDDs and four are SSDs.

You need to create a volume on Server1 that will use the storage on all the new disks. The solution must provide the fastest read performance for frequently used files.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Create a virtual disk.

Convert each new disk into a dynamic disk.

Create a storage pool.

Create a spanned volume.

Convert each new disk into a GPT disk.

Create a simple volume



Answer:

Actions

Microsoft

- Create a virtual disk.
- Convert each new disk into a dynamic disk.
- Create a storage pool.
- Create a spanned volume.
- Convert each new disk into a GPT disk.
- Create a simple volume

Answer Area

Create a storage pool.

Create a virtual disk.

Create a simple volume

Explanation

Graphical user interface, text, application Description automatically generated

Reference:

- <https://redmondmag.com/articles/2018/07/31/storage-spaces-windows-server-2016-1.aspx>
- <https://redmondmag.com/articles/2018/08/02/storage-spaces-windows-server-2016-2.aspx>

NEW QUESTION: 48

You have on-premises servers that run Windows Server as shown in the following table.

Name	Local content
Server1	D:\Folder1\File1.docx
Server2	D:\Data1\File3.docx

You have an Azure file share named share1 that stores two files named File2.docx and File3.docx.

You create an Azure File Sync sync group that includes the following endpoints:

share

D:\Folder1 on Server1

D:\Data1 on Server2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.


NOTE: Each correct selection is worth one point.

Statements	Yes	No
You can create a file named File2.docx in D:\Folder1 on Server1.	<input type="checkbox"/>	<input type="checkbox"/>
You can create a file named File1.docx in D:\Data1 on Server2.	<input type="checkbox"/>	<input type="checkbox"/>
File3.docx will sync to Server1.	<input type="checkbox"/>	<input type="checkbox"/>



Answer:

Statements	Yes	No
You can create a file named File2.docx in D:\Folder1 on Server1.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
You can create a file named File1.docx in D:\Data1 on Server2.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
File3.docx will sync to Server1.	<input type="checkbox"/>	<input checked="" type="checkbox"/>



Explanation

Graphical user interface, text, application, email Description automatically generated

Statements



You can create a file named File2.docx in D:\Folder1 on Server1.

You can create a file named File1.docx in D:\Data1 on Server2.

File3.docx will sync to Server1.

Yes

No

Reference:

<https://docs.microsoft.com/en-us/azure/storage/file-sync/file-sync-introduction>

NEW QUESTION: 49

You have an Azure virtual machine named VM1 that runs Windows Server.

You have an Azure subscription that has Microsoft Defender for Cloud enabled.

You need to ensure that you can use the Azure Policy guest configuration feature to manage VM1.

What should you do?

- A. Add the PowerShell Desired State Configuration (DSC) extension to VM1.
- B. Configure VM1 to use a user-assigned managed identity.
- C. Configure VM1 to use a system-assigned managed identity.
- D. Add the Custom Script Extension to VM1.

Answer: **C** ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/extensions/guest-configuration>

NEW QUESTION: 50

You have two servers that have the Hyper-V server role installed. The servers are joined to a failover cluster both servers can connect to the same disk on an iSCSI storage device. You plan to use the iSCSI storage to store highly available Hyper-V virtual machines that will support live migration functionality. You need to configure a storage resource in the failover cluster to store the virtual machines.

What should you configure?

- A. Cluster Shared volumes (CSV)
- B. a mirrored volume
- C. a storage pool
- D. attributed File System (DFS) Replication

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com.

You need to identify which server is the PDC emulator for the domain.

Solution: From a command prompt, you run netdom.exe query fsmo.

Does this meet the goal?

A. Yes

B. No

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://activedirectorypro.com/how-to-check-fsmo-roles/>

NEW QUESTION: 52

You need to meet the security requirements for passwords.

Where should you configure the components for Azure AD Password Protection? To answer, drag the appropriate components to the correct locations. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE Each correct selection is worth one point.




Answer:



Explanation

Graphical user interface Description automatically generated with medium confidence



Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-password-ban-bad-on-premises>

NEW QUESTION: 53

Your network contains an Active Directory Domain Services (AD DS) domain named adatum.com. The domain contains a server named Server1 and the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group3

Server1 contains a folder named D:\Folder1. The advanced security settings for Folder1 are configured as shown in the Permissions exhibit. (Click the Permissions tab.)

Advanced Security Settings for Folder1

Name: D:\Folder1

Owner: Administrators (SERVER1\Administrators) [Change](#)

Permissions | Share | Auditing | Effective Access

For additional information, double-click a permission entry. To modify a permission entry, select the entry and click Edit (if available).

Permission entries:

Type	Principal	Access	Inherited from	Applies to
Allow	Administrators (SERVER1\Administrators)	Full control	None	This folder, subfolders and files
Allow	Group1 (ADATUM\Group1)	Read	None	This folder, subfolders and files
Allow	Group2 (ADATUM\Group2)	Write	None	This folder, subfolders and files

[Add](#) [Remove](#) [View](#)

[Enable inheritance](#)

Replace all child object permission entries with inheritable permission entries from this object

[OK](#) [Cancel](#) [Apply](#)

Folder1 is shared by using the following configurations:

Path : D:\Folder1
Name : Share1
ShareType : FileSystemDirectory
FolderEnumerationMode : Unrestricted

The share permissions for Share1 are shown in the following table.

Group	Permission
Group1	Allow – Change
Group3	Allow – Full Control

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can read the files in Share1.	<input type="radio"/>	<input type="radio"/>
User3 can delete files in Share1.	<input type="radio"/>	<input type="radio"/>
If User2 connects to \\Server1.adatum.com from File Explorer, Share1 will be listed.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1 can read the files in Share1.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can delete files in Share1.	<input type="radio"/>	<input checked="" type="radio"/>
If User2 connects to \\Server1.adatum.com from File Explorer, Share1 will be listed.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation

To access files in a shared folder, you need to be granted permissions on the folder (NTFS permissions) AND permissions on the share. The most restrictive permission of the folder permissions and share permissions apply.

Box 1: Yes

Group1 has Read access to Folder1 and Change access to Share1. Therefore, User1 can read the files in Share1.

Box 2: No

Group3 has Full Control access to Share1. However, Group3 has no permissions configured Folder1.

Therefore, User3 cannot access the files in Share1.

Box 3: Yes

Group2 has write permission to Folder1. However, Group2 has no permission on Share1. Therefore, users in Group2 cannot access files in the shared folder.

Access Based Enumeration when enabled hides files and folders that users do not have permission to access.

However, Access Based Enumeration is not enabled on Share1. This is indicated by the FolderEnumerationMode - Unrestricted setting. Therefore, the share will be visible to User2 even though User2 cannot access the shared folder.

NEW QUESTION: 54

Your network contains a two-domain on-premises Active Directory Domain Services (AD DS) forest named Contoso.com. The forest contains the domain controllers shown in the following table.

Name	Description	Domain	Active Directory site
DC1	Forest-wide and domain-wide FSMO role holder	contoso.com	Hub
DC2	Domain-wide FSMO role holder	child.contoso.com	Site1
RODC3	Read-only domain controller (RODC)	contoso.com	Site2

You create an Active Directory site named Site3. Site1, Site2 and Site3 each has a dedicated site link to the Hub site.

In Site3, you install a new server named Server1.

You need to promote Server1 to an ROOC in child.contoso.com by using the install from Media (IFM) option.

The solution must minimize network traffic.

What should you do? To answer select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Server to use to create the IFM source:

- DC1
- DC2
- Server1
- RODC3

Tool to use to create the IFM source:

- Azure Backup
- Dcdiag.exe
- Ntdsutil.exe
- Repadmin.exe
- Windows Server Backup

Answer:

Answer Area

Server to use to create the IFM source:

- DC1
- DC2
- Server1
- RODC3

Tool to use to create the IFM source:

- Azure Backup
- Dcdiag.exe
- Ntdsutil.exe
- Repadmin.exe
- Windows Server Backup



freepdfdumps.com

NEW QUESTION: 55

You have a server named Server1 that has Windows Admin Center installed. The certificate used by Windows Admin Center was obtained from a certification authority (CA). The certificate expires.

You need to replace the certificate.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Copy the certificate thumbprint.

From Internet Information Services (IIS) Manager, bind a certificate.

Rerun **Windows Admin Center Setup** and select **Change**.

Rerun **Windows Admin Center Setup** and select **Repair**.

Rerun **Windows Admin Center Setup** and select **Remove**.

Answer:

Answer Area



Actions	Answer Area
Copy the certificate thumbprint.	From Internet Information Services (IIS) Manager, bind a certificate.
From Internet Information Services (IIS) Manager, bind a certificate.	Copy the certificate thumbprint.
Rerun Windows Admin Center Setup and select Change .	Rerun Windows Admin Center Setup and select Change .
Rerun Windows Admin Center Setup and select Repair .	
Rerun Windows Admin Center Setup and select Remove .	

Explanation

Graphical user interface, text, application Description automatically generated with medium confidence

From Internet Information Services (IIS) Manager, bind a certificate.
Copy the certificate thumbprint.
Rerun Windows Admin Center Setup and select Change .

Reference:

<https://www.starwindsoftware.com/blog/change-the-windows-admin-center-certificate>

NEW QUESTION: 56

Your on-premises network contains a server named Server1 and uses an IP address space of 192.168.10.0/24.

You have an Azure virtual network that contains a subnet named Subnet1. Subnet1 uses an IP address space of

192.168.10.0/24.

You need to migrate Server1 to Subnet1. You must use Azure Extended Network to maintain the existing IP address of Server1.

What is the minimum number of virtual machines that you should deploy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point

Answer Area

Virtual machines that run Windows Server 2022 Azure Edition:

Virtual machines that run Windows Server 2019 or Windows Server 2022:

Answer:


Answer Area

Virtual machines that run Windows Server 2022 Azure Edition:

Virtual machines that run Windows Server 2019 or Windows Server 2022:

Explanation

D:\mudassar\Untitled.jpg



NEW QUESTION: 57

You have a server named Server1 that runs Windows Server. Server1 has the storage pools shown in the following table.

Name	Number of 7,200-RPM HDDs	Number of 10,000-RPM HDDs	Number of SSDs
Pool1	4	4	None
Pool2	None	2	2
Pool3	8	None	4

You plan to create a virtual disk named VDisk1 that will use storage tiers. Which pools can you use to create VDisk1?

- A. Pool2 and Pool3 only
- B. Pool 2only
- C. Pool only
- D. Pool, Pool2, and Pool3
- E. Pool1 and Pool2 only
- F. Pool1 and Pool3 only
- G. Pool3 only

Answer: A (LEAVE A REPLY)

Explanation

Storage tiering requires both standard HDDs and SSDs. We cannot use Pool1 because it does not have any SSDs.

NEW QUESTION: 58

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant Group writeback is enabled in Azure AD Connect.

The AD DS domain contains a server named Server1 Server 1 contains a shared folder named share1.

You have an Azure Storage account named storage2 that uses Azure AD-based access control. The storage2 account contains a share named shared You need to create a security group that meets the following requirements:

- * Can contain users from the AD DS domain
- * Can be used to authorize user access to share 1 and share2

What should you do?

- A. in the Azure AD Tenant create a security group that has dynamic membership.
- B. in the Azure AD tenant create a Microsoft 365 group
- C. in the AD DS domain, create a universal security group

D. in the Azure AD tenant create a security group that has assigned membership

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 59

You have a server named Server1 that runs Windows Server and contains three volumes named C, D, and E.

Files are stored on Server1 as shown in the following table.

Name	On volume	Size
File1	C	500 KB
File2	D	10 KB
File3	D	1 MB

For volume D, Data Deduplication is enabled and set to General purpose file server.

You perform the following actions:

- * Move File1 to volume D.
- * Copy File2 to volume D and name the copy File4.
- * Move File3 to volume E

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
File1 is deduplicated after the deduplication job runs.	<input type="radio"/>	<input type="radio"/>
File3 is deduplicated after the deduplication job runs.	<input type="radio"/>	<input type="radio"/>
File4 is deduplicated after the deduplication job runs.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statements	Yes	No
File1 is deduplicated after the deduplication job runs.	<input type="radio"/>	<input checked="" type="radio"/>
File3 is deduplicated after the deduplication job runs.	<input type="radio"/>	<input checked="" type="radio"/>
File4 is deduplicated after the deduplication job runs.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation

Answer Area



File1 is deduplicated after the deduplication job runs.

Yes

No

File3 is deduplicated after the deduplication job runs.

File4 is deduplicated after the deduplication job runs.

Valid AZ-800 Dumps shared by Actual4test.com for Helping Passing AZ-800 Exam! Actual4test.com now offer the **newest AZ-800 exam dumps**, the Actual4test.com AZ-800 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com AZ-800 dumps with Test Engine here: https://www.actual4test.com/AZ-800_examcollection.html (269 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)