

Microsoft.MD-100.v2023-08-22.q165

Exam Code:	MD-100
Exam Name:	Windows Client
Certification Provider:	Microsoft
Free Question Number:	165
Version:	v2023-08-22
# of views:	1938
# of Questions views:	1650
https://www.freepdfdumps.com/Microsoft.MD-100.v2023-08-22.q165.html	

NEW QUESTION: 1

You have a computer named Computer1. Computer1 runs Windows 10 Pro.
You attempt to start Computer1 but you receive the following error message:
Bootmgr is missing.

You need to be able to start Computer1.

What should you do?

- A. Start the computer in recovery mode and run the boocrec /rebuildbcd command.
- B. Start the computer in recovery mode and run the dislparc /repair command.
- C. Start the computer in recovery mode and run the bcdboot /s command.
- D. Start the computer in recovery mode and run the booccfg /debug command.

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://neosmart.net/wiki/bootmgr-is-missing/>

NEW QUESTION: 2

You have a computer named Computer1 that runs Windows 10.

You need to prevent standard users from changing the wireless network settings on Computer1. The solution must allow administrators to modify the wireless network settings.

What should you use?

- A. Local Group Policy Editor
- B. MSConfig
- C. an MMC console that has the Group Policy Object Editor snap-in
- D. Windows Configuration Designer

Answer: (SHOW ANSWER)

NEW QUESTION: 3

You have a computer named Computer1 that runs Windows 11.

You need to ensure that you can use the ping command to validate network connectivity to Computer 1.

How should you configure Windows Defender Firewall on Computer1?

- A. Create a new connection security rule.
- B. Enable the Core Networking - Teredo (UDP-In) inbound rule.
- C. Add a new port rule to allow ports 80 and 443.
- D. Enable the File and Printer Sharing (Echo Request - ICMPv4-In) inbound rule.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 4

You have a computer named Computer1 that runs Windows 10.

Computer1 has the local users shown in the following table.

Name	Member of
User1	Administrators
User2	Event Log readers
User3	Device Owners
User4	Power Users
User5	Users

Which users can analyze the event logs on Computer1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Users who can analyze security event logs:

- User1 only
- User1 and User2 only
- User1 and User2, and User3 only
- User1, User2, User3, and User4 only
- User1, User2, User3, User4, and User5

Users who can analyze system event logs:

- User1 only
- User1 and User2 only
- User1 and User2, and User3 only
- User1, User2, User3, and User4 only
- User1, User2, User3, User4, and User5

Answer:



Reference:

<https://docs.microsoft.com/en-us/windows/security/identity-protection/access-control/local-accounts#sec-localsystem>

NEW QUESTION: 5

You have a computer named Computer1 that runs Windows 10.

You need to modify the Security Settings of Computer1 to meet the following requirements:

A local group named Branch_Admins must be able to view and clear the Security log.

Local users must be prompted to change their password three days before the password expires.

Which two nodes of the Local Group Policy Editor should you access to configure the settings? To answer, select the appropriate nodes in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



NEW QUESTION: 6

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Username and password



Use the following login credentials as needed:

To enter your password, place your cursor in the Enter password box and click on the password below.

Username: Contoso/Administrator

Password: Passw0rd!

The following information is for technical support purposes only:

Lab Instance: 11145882

Dashboard

- Local Server
- All Servers
- AD DS
- DNS
- File and Storage Services >

WELCOME TO SERVER MANAGER

QUICK START

- 1 **Configure this local server**
- 2 Add roles and features
- 3 Add other servers to manage
- 4 Create a server group
- 5 Connect this server to cloud services

[Hide](#)

WHAT'S NEW

[LEARN MORE](#)



ROLES AND SERVER GROUPS

Roles: 3 | Server groups: 1 | Servers total: 1

BPA results

AD DS 1

- Manageability
- Events
- Services
- Performance
- BPA results

DNS 1

- Manageability
- Events
- Services
- Performance
- BPA results

File and Storage Services 1

- Manageability
- Events
- Services
- Performance
- BPA results

Local Server 1

- Manageability
- Events
- 2 Services
- Performance
- BPA results

1/23/2020 9:30 PM

All Servers 1

- Manageability
- Events
- 2 Services
- Performance
- BPA results

1/23/2020 9:30 PM

freepdfdumps.com



You need to ensure that all the current and future users in the Active Directory domain can establish Remote Desktop connections to Client1. The solution must use the principle of least privilege. To complete this task, sign in to the required computer or computers.

A. Step 1. Add Remote Desktop Users to the Remote Desktop Users Group.

Answer: A ([LEAVE A REPLY](#))

Open Server Manager.

From Tools menu, select Active Directory Users and Computers

Double click at your domain on the left and then select Built-in.

Open Remote Desktop Users on the right pane.

At Members tab, click Add.

Type the AD users that you want to give Remote access to the RDS Server and click OK.

After selecting the remote desktop users, click OK again to close the window.

Step 2. Allow the log on through remote desktop Services.

1. Open Group Policy Editor. To do that:



b. Type gpedit.msc and press Enter.

2. In Group Policy Editor navigate to: Computer Configuration > Windows Settings > Security Settings > Local Policies > User Rights Assignment.

3. At the right Pane: double click at Allow log on through Remote Desktop Services.
4. Click Add User or Group.
5. Type remote and then click Check Names.
6. Select the Remote Desktop Users and click OK.
7. Click OK at 'Select users, computers...' window.
8. Finally click OK again and close Group Policy Editor.

Reference:

<https://www.wintips.org/fix-to-sign-in-remotely-you-need-the-right-to-sign-in-through-remote-desktop-services-server-2016/>

NEW QUESTION: 7

You have a computer that runs Windows 10.

You need to view the Windows Update diagnostic log.

What should you do first?

- A. From File Explorer, go to the C:\Windows\Logs\WindowsUpdate folder and select Show hidden files, folders, and drives.
- B. From Windows Update in the Settings app. configure Advanced options.
- C. From Event Viewer, modify the properties of the WindowsUpdateClient operational log.
- D. From Windows PowerShell, run the Get-WindowsUpdateLog cmdlet.

Answer: D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/powershell/module/windowsupdate/get-windowsupdate-log?view=windows-server-2022-ps>

NEW QUESTION: 8

Your network contains an Active Directory domain. The domain contains computers that run Windows 10.

You need to provide a user with the ability to remotely create and modify shares on the computers. The solution must use the principle of least privilege.

To which group should you add the user?

- A. Remote Management Users
- B. Power Users
- C. Network Configuration Operators
- D. Administrators

Answer: D (LEAVE A REPLY)

NEW QUESTION: 9

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a computer that runs Windows 10. The computer contains a folder. The folder contains sensitive data.

You need to log which user reads the contents of the folder and modifies and deletes files in the folder.

Solution: From the properties of the folder, you configure the Auditing settings and from the Audit Policy in the local Group Policy, you configure Audit privilege use.

Does this meet the goal?

- A. Yes
- B. No

Answer: B (LEAVE A REPLY)

Files and folders are objects and are audited through object access, not through privilege use.

Reference:

https://www.netwrix.com/how_to_detect_who_changed_file_or_folder_owner.html

NEW QUESTION: 10

Your company is not connected to the internet. The company purchases several new computers with Windows 10 Pro for its users.

None of the new computers are activated.

You need to activate the computers without connecting the network to the Internet.

What should you do?

- A. Make use of the Volume Activation Management Tool (VAMT).
- B. Make use of the Key Management Service (KMS).
- C. Make use of the Windows Process Activation Service.
- D. Run the Get-WmiObject -query cmdlet.

Answer: B (LEAVE A REPLY)

You can configure one of the computers as a Key Management Service (KMS) host and activate the KMS host by phone. The other computers in the isolated network can then activate using the KMS host.

Installing a KMS host key on a computer running Windows 10 allows you to activate other computers running Windows 10 against this KMS host and earlier versions of the client operating system, such as Windows 8.1 or Windows 7. Clients locate the KMS server by using resource records in DNS, so some configuration of DNS may be required. This scenario can be beneficial if your organization uses volume activation for clients and MAK-based activation for a smaller number of servers. To enable KMS functionality, a KMS key is installed on a KMS host; then, the host is activated over the Internet or by phone using Microsoft's activation services.

Reference:

<https://docs.microsoft.com/en-us/windows/deployment/volume-activation/activate-using-key-management-service-vamt>

NEW QUESTION: 11

Your network contains an Active Directory domain. All users have been issued with new computers that run Windows 10 Enterprise. All users have Microsoft 365 E3 licenses.

A user named Mia Hamm has an Active Directory user account named MHam and a computer named Computer1. Mia Hamm reports that Computer1 is not activated.

You need to ensure that Mia Hamm can activate Computer1.

What should you do?

- A. From System Properties on Computer1, enter a Volume License Key, and then activate Computer1.
- B. From the Microsoft Deployment Toolkit (MDT), redeploy Computer1.
- C. Instruct Mia Hamm to perform a local AutoPilot Reset on Computer1, and then activate Computer1.
- D. Assign a Windows 10 Enterprise license to MHam, and then activate Computer1.

Answer: (SHOW ANSWER)

NEW QUESTION: 12

You have several computers that run Windows 10.

All users have Microsoft OneDrive for Business installed.

Users frequently save files to their desktop.

You need to ensure that all the users can recover the files on their desktop from OneDrive for Business.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Copy ADMX and ADML files to C:\Users\Public\Desktop\
- B. From Backup in the Settings app, add a drive
- C. Configure the Silently move Windows known folders to OneDrive settings
- D. Copy ADMX and ADML files to C:\Windows\PolicyDefinitions
- E. Configure the Save documents to OneDrive by default setting

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/onedrive/plan-onedrive-enterprise>


<https://docs.microsoft.com/en-us/onedrive/use-group-policy#KFMOptInNoWizard>

NEW QUESTION: 13

Your network contains an Active Directory domain. The domain contains computers that run Windows 10.

A user named Mia Hamm has a computer named Computer1. Mia Hamm reports that when she logs on to Computer1, she cannot access servers on the network but she can access computers on the internet.

You run the ipconfig command on Computer1 and receive the following output.



```
Command Prompt

Ethernet adapter Ethernet:


    Connection-specific DNS Suffix  . : test.local
    Description . . . . . : Intel(R) Ethernet Connection (2) I218-V
    Physical Address. . . . . : 78-22-AF-D6-7C-93
    DHCP Enabled. . . . . : Yes
    Autoconfiguration Enabled . . . . : Yes
    Link-local IPv6 Address . . . . . : fe80::520:245f:638d:7ee6%19(Preferred)
    IPv4 Address. . . . . : 192.168.1.197(Preferred)
    Subnet Mask . . . . . : 255.255.255.0
    Lease Obtained. . . . . : Monday, 20 May 2019 08:31:40
    Lease Expires . . . . . : Wednesday, 23 May 2019 10:11:06
    Default Gateway . . . . . : 192.168.1.1
    DHCP Server . . . . . : 192.168.1.2
    DHCPv6 IAID . . . . . : 447488523
    DHCPv6 Client DUID. . . . . : 00-01-00-01-22-E2-A7-79-78-24-AF-8C-0C-9B
    DNS Servers . . . . . : 131.167.19.4
                             192.168.1.3

    Primary WINS Server . . . . . :
    NetBIOS over Tcpi. . . . . : Enabled
```

You successfully ping the default gateway, the DNS servers, and the DHCP server.

You need to resolve the connectivity problem on Computer1.

Which setting should you configure? To answer, select the appropriate options in the answer area.



Answer:



NEW QUESTION: 14

You sign in to a computer that runs Windows 10 Pro.

You need to ensure that after a restart, the computer starts automatically in Safe Mode with Networking.

What should you use to configure the restart options?

- A. bootcfg
- B. BCDEdit
- C. Windows System Image Manager (Windows SIM)
- D. bootrec

Answer: B (LEAVE A REPLY)

Reference:

<https://www.lifewire.com/how-to-force-windows-to-restart-in-safe-mode-2625163>

NEW QUESTION: 15

You have a computer named Computer1 that runs Windows 10.

From Event Viewer on Computer1, you have a task named Action1 that is attached to the following event:

Log: System

Source: Kernel-General

Event ID: 16

You need to modify the settings of Action1.

What should you use?

- A. the Settings app
- B. Task Scheduler
- C. Event Viewer
- D. System Configuration

Answer: C (LEAVE A REPLY)

An Event Viewer task is created and modified in Event Viewer.

Reference:


<https://www.techrepublic.com/article/how-to-use-custom-views-in-windows-10s-event-viewer/>

NEW QUESTION: 16

Your network contains an Active Directory domain named adatum.com. The domain contains the users shown in the following table.

Name	Member of
User1	Group1, Group3
User2	Group1, Group2
User3	Group2, Group3

The domain contains a computer named Computer1 that runs Windows10. Computer1 has a file named File1.txt that has the permissions shown in the exhibit. (Click the Exhibit tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can modify File1.txt.	<input type="radio"/>	<input type="radio"/>
User2 can modify File1.txt.	<input type="radio"/>	<input type="radio"/>
User3 can read File1.txt.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1 can modify File1.txt.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can modify File1.txt.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can read File1.txt.	<input type="radio"/>	<input checked="" type="radio"/>

Valid MD-100 Dumps shared by Actual4test.com for Helping Passing MD-100 Exam! Actual4test.com now offer the **newest MD-100 exam dumps**, the Actual4test.com MD-100 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MD-100 dumps with Test Engine here:

https://www.actual4test.com/MD-100_examcollection.html (379 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

Your network contains an Active Directory domain named adatum.com. The domain contains two computers named Computer1 and Computer2 that run Windows 10.

The domain contains the user accounts shown in the following table.

Name	Member of
User1	Domain Admins
User2	Domain Users
User3	Domain Users

Computer2 contains the local groups shown in the following table.

Name	Members
Group1	ADATUM\User2 ADATUM\User3
Group2	ADATUM\User2
Group3	ADATUM\User3
Administrators	ADATUM\Domain Admins ADATUM\User3
Remote Desktop Users	Group1

The relevant user rights assignments for Computer2 are shown in the following table.

Policy	Security Setting
Allow log on through Remote Desktop Services	Administrators, Remote Desktop Users
Deny log on through Remote Desktop Services	Group2
Deny log on locally	Group3

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can establish a Remote Desktop session to Computer2.	<input type="radio"/>	<input type="radio"/>
User2 can establish a Remote Desktop session to Computer2.	<input type="radio"/>	<input type="radio"/>
User3 can establish a Remote Desktop session to Computer2.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1 can establish a Remote Desktop session to Computer2.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can establish a Remote Desktop session to Computer2.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can establish a Remote Desktop session to Computer2.	<input checked="" type="radio"/>	<input type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/azure/devops/organizations/security/about-permissions?view=azure-devops&tabs=preview-page%2Ccurrent-page>

NEW QUESTION: 18

You have a public computer named Computer1 that runs Windows 10/ Computer1 contains a folder named Folder1.

You need to provide a user named User1 with the ability to modify the permissions of Folder1. The solution must use the principle of least privilege.

Which NTFS permission should you assign to User1?

- A. Full control
- B. Modify
- C. Write
- D. Read & execute

Answer: A (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2008-R2-and-2008/cc732880%28v%3dws.10%29>

<http://www.mdmarra.com/2013/11/full-control-v-modify-why-you-should-be.html>

NEW QUESTION: 19

You have a computer named Computer1 that runs Windows 10.

You restart Computer1 by using Advanced startup and select Boot log.

In which folder is the boot log file stored?

- A. C:\
- B. C:\Windows
- C. C:\Windows\debug
- D. C:\Windows\System32\LogFiles

Answer: ([SHOW ANSWER](#))

Reference:

<https://winaero.com/enable-boot-log-windows-10/>

NEW QUESTION: 20

You have a computer named Computer1 that runs Windows 7. Computer1 has a local user named User1 who has a customized profile.

On Computer1, you perform a clean installation of Windows 10 without formatting the drives.

You need to migrate the settings of User1 from Windows7 to Windows 10.

Which two actions should you perform? To answer, drag the appropriate actions to the correct targets. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Actions

Run scanstate.exe and specify the C:\Users subfolder.

Run loadstate.exe and specify the C:\Users subfolder.

Run scanstate.exe and specify the C:\Windows.old subfolder.

Run loadstate.exe and specify the C:\Windows.old subfolder.

Run usmutils.exe and specify the C:\Users subfolder.

Run usmutils.exe and specify the C:\Windows.old subfolder.

Answer Area

First action:

Action

Second action:

Action

Answer:

Actions

Run scanstate.exe and specify the C:\Users subfolder.

Run loadstate.exe and specify the C:\Users subfolder.

Run scanstate.exe and specify the C:\Windows.old subfolder.

Run loadstate.exe and specify the C:\Windows.old subfolder.

Run usmutils.exe and specify the C:\Users subfolder.

Run usmutils.exe and specify the C:\Windows.old subfolder.

Reference:

<https://docs.microsoft.com/en-us/windows/deployment/usmt/usmt-how-it-works>

Answer Area

First action: Run scanstate.exe and specify the C:\Users subfolder.

Second action: Run loadstate.exe and specify the C:\Users subfolder.

NEW QUESTION: 21

You have Windows 10 devices that use custom device drivers.

You need to test new builds of Windows before the builds are made available to the general public. The solution must ensure that the builds are installed as soon as possible.

Which Windows readiness level should you configure?

- A. Semi-Annual Channel
- B. Release Preview
- C. Preview Build - Slow
- D. Preview Build - Fast

Answer: D (LEAVE A REPLY)

NEW QUESTION: 22

You have a computer named Computer1 that runs Windows 10 and has an application named App1.

You need to use Performance Monitor to collect data about the processor utilization of App1.

Which performance object should you monitor?

- A. Process
- B. Processor Performance
- C. Processor Information
- D. Processor

Answer: (SHOW ANSWER)

Reference:

https://www.cse.wustl.edu/~jain/cse567-06/ftp/os_monitors/index.html

NEW QUESTION: 23

You need to meet the technical requirement for Computer1.

What should you do? To answer, select the appropriate options in the answer area.

User who should configure assigned access:

User1
User2
User3
User11
User12

Configure assigned access for:

User4
User5
User12
User13

Answer:

User who should configure assigned access:

User1
User2
User3
User11
User12

Configure assigned access for:

User4
User5
User12
User13

NEW QUESTION: 24

You have a computer named Computer1 that runs Windows 10.

On Computer1, you create the local users shown in the following table.

Name	Member of
User1	Users
User2	Users, Guests
User3	Power Users, Guest
User4	Guests, Users, Administrators
User5	Users, Distributed COM Users

Which three user profiles will persist after each user signs out? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. User2
- B. User1
- C. User3
- D. User5
- E. User4

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

You have a Windows 11 Pro device.

You need to perform a scan in Microsoft Defender to check for rootkits.

Which type of scan should you use?

- A. full
- B. quick
- C. offline
- D. custom

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

You plan to install Windows 10 on a new computer by using an answer file.

You need to create the answer file.

Which tool should you use to create the answer file, and which file is required by the tool? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Tool to create the answer file: 

- Windows PE (WinPE)
- Windows Configuration Designer
- Microsoft Deployment Toolkit (MDT)
- Windows System Image Manager (Windows SIM)

File required by the tool:

- Boot.wim
- Setup.exe
- Install.wim
- Autorun.inf

Answer:

Tool to create the answer file: 

- Windows PE (WinPE)
- Windows Configuration Designer
- Microsoft Deployment Toolkit (MDT)
- Windows System Image Manager (Windows SIM)


File required by the tool:

- Boot.wim
- Setup.exe
- Install.wim
- Autorun.inf

NEW QUESTION: 27

User1 is a member of the Administrators group on a computer that runs Windows 10.

When User1 attempts to view the security settings of a folder named C:\SecretData, the user receives the message in the Security exhibit.



On the computer, you sign in as a member of the Administrators group and view the permissions to C:\SecretData as shown in the Permissions exhibit.



You need to restore User1's access to C:\SecretData.

What should you do first?

- A. From the Permissions tab of Advanced Security Settings for SecretData, select Change to take ownership of the folder.
- B. From the Permissions tab of Advanced Security Settings for SecretData, select Continue to attempt the operation by using administrative privileges.
- C. Assign User1 Full control permissions to the C folder and set the inheritance to This folder, subfolders and files.

D. From an elevated command prompt, run `cacls.exe c:\secretdata /g user1:F`.

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/troubleshoot/windows-server/windows-security/dont-have-permission-access-folder>

NEW QUESTION: 28

You have a computer named LON-CL1.Adatum.com that runs Windows 10.

From Event Viewer, you create a custom view named View1 that has the following filter:

User: User1

Logged: Any time


Event logs: System

Computer: LON-CL1

Event IDs: 10000 - 11000

Event level: Error, Verbose

You open Event Viewer and discover the event shown in the exhibit. (Click the Exhibit tab.)



The event does not appear in View1.
You need to ensure that the event appears in View1.
What should you do?

- A. Add a Task Category setting to the filter.
- B. Add the computer account to the Event Log Readers group.
- C. Create an event subscription.
- D. Modify the Computer setting in the filter.

Answer: A (LEAVE A REPLY)

Reference:

<https://www.techrepublic.com/article/how-to-use-custom-views-in-windows-10s-event-viewer/>

NEW QUESTION: 29

You have an app named App1 that uses an on-premises Microsoft SQL Server database named DB1.

You plan to migrate DB1 to an Azure SQL managed instance.

You need to enable customer-managed Transparent Data Encryption (TDE) for the instance. The solution must maximize encryption strength.

Which type of encryption algorithm and key length should you use for the TDE protector?

- A. RSA3072
- B. AES256
- C. RSA2048
- D. RSA4096

Answer: B (LEAVE A REPLY)

NEW QUESTION: 30

You have computers that run Windows 11 as shown in the following table.

Name	IP address	Joined to
Computer1	192.168.10.10	Active Directory
Computer2	192.168.10.15	Workgroup

You ping 192.168.10.15 from Computer1 and discover that the request timed out. You need to ensure that you can successfully ping 192.168.10.15 from Computer1.

Solution: On Computers you allow incoming ICMPv6 traffic in Windows Defender Firewall.

Does this meet the goal?

- A. No
- B. Yes

Answer: A (LEAVE A REPLY)


NEW QUESTION: 31

You have computers that run Windows 10.


You have users who report issues about computers as shown in the following table.

User name	Computer name	Issue
User1	Computer1	After User1 installs a new application, Computer1 is much slower, occasionally crashes, and must restart.
User2	Computer2	After User2 installs a feature update, Computer2 freezes frequently and fails to load devices.

You need to resolve the issues as quickly as possible. The solution must minimize manual reconfigurations of the computers. What should you do on each computer? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.



Answer:



Valid MD-100 Dumps shared by Actual4test.com for Helping Passing MD-100 Exam! Actual4test.com now offer the **newest MD-100 exam dumps**, the Actual4test.com MD-100 exam questions have been updated and answers have been corrected get the **newest** Actual4test.com MD-100 dumps with Test Engine here:

https://www.actual4test.com/MD-100_examcollection.html (379 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

Your network an Active Directory domain named adatum.com. The domain contains 50 computers that runs Windows 8.1. The computer has locally installed desktop application that are compatible with Windows 10.

You need to upgrade the computers to windows 10, The solution must preserver the locally installed desktop applications.

Solution: You use Windows Autopilot and create a deployment profile. You generalize each computer, and the you restart the computers.

Does this meet the goal?

- A. No
- B. Yes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

Your company has a branch office that contains 25 workgroup computers. The computers run Windows 10 Pro.

Users report that they cannot see other computers from Network in File Explorer.

What should you do to resolve the issue?

- A. Set Network profile to Public.
- B. Configure the network connection as a metered connection.
- C. Turn off random hardware addresses for the network connection.
- D. Set Network profile to Private.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

You deploy 100 computers that run Windows 10. Each computer has a cellular connection and a Wi-Fi connection.

You need to prevent the computers from using the cellular connection unless a user manually connects to the cellular network.

What should you do?

- A. Set the Use cellular instead of Wi-Fi setting for the cellular connection to Never
- B. Run the netsh wlan set hostednetwork mode=disallow command
- C. Clear the Let Windows manage this connection check box for the cellular connection
- D. Select the Let Windows manage this connection check box for the Wi-Fi connection

Answer: C ([LEAVE A REPLY](#))

Reference:

<https://support.microsoft.com/en-za/help/10739/windows-10-cellular-settings>

NEW QUESTION: 35

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a computer that runs Windows 10. The computer contains a folder named D:\Scripts. D:\Scripts contains several PowerShell scripts.

You need to ensure that you can run the PowerShell scripts without specifying the full path to the scripts. The solution must persist between PowerShell sessions.

Solution: From a command prompt, you run set.exe PATHEXT=d:\scripts.

Does this meet the goal?

- A. Yes
- B. No

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

You have a computer that runs Windows 10 Pro. The computer contains the users shown in the following table.

Name	Description
User1	Member of the local Administrators group
User2	Standard user
User3	Standard user

You need to use a local Group Policy Object (GPO) to configure one group of settings for all the members of the local Administrators group and another group of settings for all non-administrators.

What should you do?

- A. Use the runas command to open Gpedit.msc as each user.

- B. Run mmc as Used and add the Group Policy Object Editor snap-in twice.
- C. Open Gpedit.msc as User1 and add two Administrative Templates.
- D. Run mmc as User1 and add the Security Templates snap-in twice.

Answer: B (LEAVE A REPLY)

Add the Group Policy Object Editor snap-in twice. Select Browse > Users > Administrators when you add the first snap-in and select Browse > Users > Non-Administrators when you add the second snap-in.

NEW QUESTION: 37

Your network contains an Active Directory domain. The domain contains 1,000 computers that run Windows 10.

You configure Microsoft Edge settings by using domain and local Group Policy Objects (GPOs).

You need to generate a report that contains all the Microsoft Edge policy settings applied to a computer.

What should you do?

- A. From PowerShell, run the Gec-GPO cmdlet.
- B. From PowerShell, run the Gec-GPOReport cmdlet.
- C. From Microsoft Edge, open edge://policy.
- D. From Microsoft Edge, open edge://settings.

Answer: C (LEAVE A REPLY)

The Get-GPOReport cmdlet would generate a report for all domain group policy objects. However, this would not display the settings that are applied by local group policy objects.

To display the settings applied by both domain and local GPOs, you would have to open Microsoft Edge and enter edge://policy in the address bar.

NEW QUESTION: 38

You have computers that run Windows 11 as shown in the following table.

Name	IP address	Joined to
Computer1	192.168.10.10	Active Directory
Computer2	192.168.10.15	Workgroup

You ping 192.168.10.15 from Computer1 and discover that the request timed out.

You need to ensure that you can successfully ping 192.168.10.15 from Computer1.

Solution: On Computer2, you enable PowerShell Remoting.

Does this meet the goal?

- A. No
- B. Yes

Answer: (SHOW ANSWER)

NEW QUESTION: 39

Your network contains an Active Directory domain. The domain contains a user named Admin1. All computers run Windows 10.

You enable Windows PowerShell remoting on the computers.

You need to ensure that Admin1 can establish remote PowerShell connections to the computers. The solution must use the principle of least privilege.

To which group should you add Admin1?

- A. Access Control Assistance Operators
- B. Power Users

- C. Remote Desktop Users
- D. Remote Management Users

Answer: D ([LEAVE A REPLY](#))

Reference:

<https://4sysops.com/wiki/enable-powershell-remoting/>

NEW QUESTION: 40

Your network contains an Active Directory domain named contoso.com. The domain contains the objects shown in the following table.

Name	Description	Located in
OU1	Organizational unit (OU)	Contoso.com
OU2	Organizational unit (OU)	Contoso.com
User1	User account	OU1
Computer1	Computer that runs Windows 11	OU2

BitLocker Drive Encryption (BitLocker) recovery passwords are stored in Active Directory.

User1 enables the following on Computer 1:


- * BitLocker on drive C
- * BitLocker on a removable drive named E

Which object stores the BitLocker recovery passwords for each drive? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The screenshot shows an Active Directory console interface. On the left, under 'Active Directory Object', there is a list of objects: Computer1, OU1, OU2, TPM devices, and User1. On the right, under 'Answer Area', there are two checkboxes: 'Drive C: Active Directory Object' and 'Drive E: Active Directory Object'. Both checkboxes are currently unchecked.

Answer:



NEW QUESTION: 41

You have a computer that runs Windows 10 and has File History enabled. File History is configured to save copies of files every 15 minutes.

At 07:55, you create a file named D:\Folder1\File1.docx.

You add D:\Folder1 to File History and manually run File History at 08:00.

You modify File1.docx at the following times:

08:05

08:12

08:20

08:24

08:50

At 08:55, you attempt to restore File1.docx.

How many previous versions of File1.docx will be available to restore?

A. 5

B. 3

C. 4

D. 2

Answer: C (LEAVE A REPLY)

NEW QUESTION: 42

Your network contains an Active Directory domain. The domain contains a computer named Computer1 that runs Windows 10.

You need to ensure that Computer1 will respond to ping requests.

How should you configure Windows Defender Firewall on Computer1? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.

Rule to create: ▼

- A server-to-server connection security rule
- An authentication exemption connection security rule
- An inbound rule
- An outbound rule

Protocol type to allow: ▼

- ICMPv4
- IGMP
- PGM
- TCP
- UDP



Answer:

Rule to create: ▼

- A server-to-server connection security rule
- An authentication exemption connection security rule
- An inbound rule
- An outbound rule

Protocol type to allow: ▼

- ICMPv4
- IGMP
- PGM
- TCP
- UDP

NEW QUESTION: 43

Your company has a wireless access point that uses WPA2-Enterprise. You need to configure a computer to connect to the wireless access point. What should you do first?

- A. Create a provisioning package in Windows Configuration Designer.
- B. Request a passphrase.
- C. Request and install a certificate.
- D. Create a Connection Manager Administration Kit (CMAK) package.

Answer: B (LEAVE A REPLY)

Reference:

<https://support.microsoft.com/en-za/help/17137/windows-setting-up-wireless-network>

NEW QUESTION: 44

Your company has an on-premises network that contains an Active Directory domain. The domain is synced to Microsoft Azure Active Directory (Azure AD). All computers in the domain run Windows 10 Enterprise.

You have a computer named Computer1 that has a folder named Folder1.

You must provide users in group named Group1 with the ability to view the list of files in Folder1. Your solution must ensure that the principle of least privilege is maintained.

What should you do?

- A. Assign the Full control permissions for the Folder1 folder to Group1.
- B. Assign the Read permissions for the Folder1 folder to Group1.
- C. Assign the List folder permissions for the Folder1 folder to Group1.
- D. Assign the Take ownership permissions for the Folder1 folder to Group1.

Answer: C ([LEAVE A REPLY](#))

Reference:

<https://www.online-tech-tips.com/computer-tips/set-file-folder-permissions-windows/>

NEW QUESTION: 45

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You manage devices that run Windows 10.

Ten sales users will travel to a location that has limited bandwidth that is expensive. The sales users will be at the location for three weeks.

You need to prevent all Windows updates from downloading for the duration of the trip. The solution must not prevent access to email and the Internet.

Solution: From Network & Internet in the Settings app, you set the network connections as metered connections.

Does this meet the goal?

- A. Yes
- B. No

Answer: ([SHOW ANSWER](#))

Reference:

<https://www.makeuseof.com/tag/5-ways-temporarily-turn-off-windows-update-windows-10/>

NEW QUESTION: 46

You need to meet the technical requirements for the San Diego office computers. Which Windows 10 deployment method should you use?

- A. wipe and load refresh
- B. Windows Autopilot
- C. provisioning Packages
- D. in-place upgrade

Answer: B ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/windows/deployment/windows-autopilot/windows-autopilot>

Valid MD-100 Dumps shared by Actual4test.com for Helping Passing MD-100 Exam! Actual4test.com now offer the **newest MD-100 exam dumps**, the Actual4test.com MD-100 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MD-100 dumps with Test Engine here:

https://www.actual4test.com/MD-100_examcollection.html (379 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 47

Your network contains an Active Directory domain. The domain contains a user named User1.

User1 creates a Microsoft account.

User1 needs to sign in to cloud resources by using the Microsoft account without being prompted for credentials.

Which settings should User1 configure?

- A. User Accounts in Control Panel
- B. Email & app accounts in the Settings app
- C. Users in Computer Management
- D. Users in Active Directory Users and Computers

Answer: B (LEAVE A REPLY)

Reference:

<https://support.microsoft.com/en-za/help/4028195/microsoft-account-how-to-sign-in>

NEW QUESTION: 48

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Username and password



Use the following login credentials as needed:

To enter your password, place your cursor in the Enter password box and click on the password below.

Username: Contoso/Administrator

Password: Passw0rd!

The following information is for technical support purposes only:

Lab Instance: 10921597

Tasks Computers



Client1

Client2

Client3

DC1

You need to connect to your company's network and create a VPN connection on Client2 named VPN1 that meets the following requirements:

VPN1 must connect to a server named vpn.contoso.com.

Only traffic to your company's network must be routed through VPN1.

To complete this task, sign in to the required computer or computers.

A. On Client2, click on the Start button and go to settings.

Answer: ([SHOW ANSWER](#))

Select Network & Internet.

Select VPN on the left-hand side

Click on the Add a VPN connection button.

Next, select the VPN provider-This will almost always be Windows (built-in).

Name your connection and enter the server name as provided by your IT technician. (VPN1 and vpn.contoso.com).

Add in your username and password as provided by your IT technician.

Click Save when done.


Closeout the PC settings windows.

Reference:


<https://www.themillergroup.com/vpn-windows-10/>

NEW QUESTION: 49

You need to implement a solution to configure the contractors' computers.
What should you do? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.



Answer:



Reference:

<https://docs.microsoft.com/en-us/windows/configuration/provisioning-packages/provisioning-install-icd>

NEW QUESTION: 50

You are troubleshooting an issue that prevents you from installing Windows 10 updates.
You discover that the issue relates to corrupt protected system files.
You need to restore the corrupt system files.
Which command should you run?

- A. scanstate
- B. sfc
- C. chldslc
- D. chkntfs

Answer: (SHOW ANSWER)

Reference:

<https://support.microsoft.com/en-us/topic/use-the-system-file-checker-tool-to-repair-missing-or-corrupted-system-files-79aa86cb-ca52-166a-92a3-966e85d4094e>

NEW QUESTION: 51

You have the source files shown in the following table.

Source	Location
Custom Windows 10 image	D:\Folder1\image1.wim
Windows 10 language pack DVD	E:\

You mount an image from Image1.wim to a folder named C:\Mount.

You need to add the French language pack to the mounted image.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The screenshot shows a command prompt window with a dropdown menu open for the `/Image` parameter. The dropdown options are: "C:\Mount", "C:\Mount\Windows", "C:\Windows", and "D:\Folder1\image1.wim". The text input field for the `/Add-Package` parameter contains the command: `/Add-Package /PackagePath:"E:\x64\lanqpacks\Microsoft-Windows-Client-Language-Pack_x64_fr-fr.cab"`. A Microsoft logo is visible in the background.

Answer:

The screenshot shows the same command prompt window as above, but with the correct options selected. In the `/Image` dropdown menu, "C:\Mount" is selected and highlighted with a red box. In the `/Add-Package` text input field, "Dism.exe" is selected and highlighted with a red box. The command text in the input field is: `/Add-Package /PackagePath:"E:\x64\lanqpacks\Microsoft-Windows-Client-Language-Pack_x64_fr-fr.cab"`. A Microsoft logo is visible in the background.

Reference:

<https://docs.microsoft.com/en-us/windows-hardware/manufacture/desktop/add-language-packs-to-windows>

NEW QUESTION: 52

You have 10 computers that run Windows 10 and have BitLocker Drive Encryption (BitLocker) enabled.

You plan to update the firmware of the computers.

You need to ensure that you are not prompted for the BitLocker recovery key on the next restart. The drive must be protected by BitLocker on subsequent restarts.

Which cmdlet should you run?

- A. Unlock-BitLocker
- B. Disable-BitLocker
- C. Add-BitLockerKeyProtector
- D. Suspend-BitLocker

Answer: D (LEAVE A REPLY)

Reference:

<https://support.microsoft.com/en-us/help/4057282/bitlocker-recovery-key-prompt-after-surface-uefi-tpm-firmware-update>

NEW QUESTION: 53

Your network contains an Active Directory domain. The domain contains 1,000 computers that run Windows 10. You configure Microsoft Edge settings by using domain and local Group Policy Objects (GPOs). You need to generate a report that contains all the Microsoft Edge policy settings applied to a computer. What should you do?

- A. From a command prompt, run scanstate and specify the /apps parameter.
- B. From a command prompt, run scanstate and specify the /genconfig parameter.
- C. From Microsoft Edge, open edge://settings.
- D. From a command prompt, run gpresult and specify the /H parameter.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 54

You have a computer named Computer1 that runs Windows 10. Computer1 contains the folders shown in the following table.

Name	File system	BitLocker Drive Encryption (BitLocker)
C:\Folder1	NTFS	Disabled
D:\Folder2	NTFS	Enabled
E:\Folder3	FAT32	Disabled

You include Folder1, Folder2, and Folder3 in the Documents library. You configure File History to run every 15 minutes, and then turn on File History. For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
Folder1 is protected by File History.	<input type="radio"/>	<input type="radio"/>
Folder2 is protected by File History.	<input type="radio"/>	<input type="radio"/>
Folder3 is protected by File History.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
Folder1 is protected by File History.	<input checked="" type="radio"/>	<input type="radio"/>
Folder2 is protected by File History.	<input checked="" type="radio"/>	<input type="radio"/>
Folder3 is protected by File History.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 55

You have two computers named Client1 and Client2 that run Windows 10. You perform the following actions on Client1:

- * Enable Hyper-V.
- * Create a virtual machine named VM1 that runs Windows 10 Pro.
- * Install a Microsoft SQL Server 2019 instance on VM1.

You plan to deploy a copy of VM1 to Client2.

You need to create an export of VM1. The solution must ensure that the captured state is transactional^ consistent.

Which three PowerShell commands should you run in sequence on Client1? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Commands

- Get-VMCheckpoint -VMName VM1
- Set-VM -Name VM1 -CheckpointType Production
- Checkpoint-VM Name VM1
- Restore-VMCheckpoint -Name VM1Checkpoint -Confirm:\$false
- Export-VMCheckpoint -VMName VM1 -Name VM1Checkpoint -Path C:\Export

Answer Area

Navigation icons: > < ^ v

Answer:

Answer Area

Checkpoint-VM Name VM1

Restore-VMCheckpoint -Name VM1Checkpoint -Confirm:\$false

Export-VMCheckpoint -VMware VM1 -Name VM1Checkpoint -Path C:\Export

- 1 - Checkpoint-VM Name VM1
- 2 - Restore-VMCheckpoint -Name VM1Checkpoint -Confirm:\$false
- 3 - Export-VMCheckpoint -VMware VM1 -Name VM1Checkpoint -Path C:\Export

NEW QUESTION: 56

You have a workgroup computer named Computer1 that runs Windows 10 and has the users shown in the following table.

Name	Member of
User1	Administrators
User2	Power Users, Users
User3	Backup Operators, Users
User4	Users

You plan to add a key named Key1 to the following three registry branches:

HKEY_CURRENT_CONFIG\Software

HKEY_LOCAL_MACHINES\Software

HKEY_CURRENT_USER\Software

You need to identify which users can add Key1.

What user or users should you identify for each branch? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

HKEY_CURRENT_CONFIG\Software:

HKEY_LOCAL_MACHINE\Software:

HKEY_CURRENT_USER\Software:

Answer:

HKEY_CURRENT_CONFIG\Software:

HKEY_LOCAL_MACHINE\Software:

HKEY_CURRENT_USER\Software:

Box 1 and Box 2.

These are system-wide registry keys so only Administrators can modify them.

Box 3.

This key affects only the logged in user. Therefore, any user can modify this key.

NEW QUESTION: 57

Your network contains an Active Directory domain. The domain contains 10 computers that run Windows 10.

On a different computer named Computer1, you plan to create a collector-initiated subscription to gather the event logs from the Windows 10 computers.

You need to configure the environment to support the event log collection.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add Computer1 to the Event Log Readers group on the Windows 10 computers
- B. Add Computer1 to the Event Log Readers group on Computer1
- C. On the Windows 10 computers, change the Startup Type of Windows Event Collector to Automatic
- D. Enable Windows Remote Management (WinRM) on the Windows 10 computers
- E. Enable Windows Remote Management (WinRM) on Computer1

Answer: ([SHOW ANSWER](#))

Reference:

[https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2008-R2-and-2008/cc748890\(v=ws.11\)](https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2008-R2-and-2008/cc748890(v=ws.11))

NEW QUESTION: 58

You have two computers named Computer1 and Computer2 that run Windows 10. The computers are in a workgroup.

You perform the following configurations on Computer1:

Create a user named User1.

Add User1 to the Remote Desktop Users group.

You perform the following configurations on Computer2:

Create a user named User1 and specify the same user password as the one set on Computer1.

Create a share named Share2 and grant User1 Full control access to Share2.

Enable Remote Desktop.

What are the effects of the configurations? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

If User1 attempts to access Share2 from Computer1, the user will:

<input type="checkbox"/>	Access Share2 without a prompt
<input type="checkbox"/>	Be prompted for credentials
<input type="checkbox"/>	Be denied access to Share2

If User1 attempts to sign in to Remote Desktop on Computer2 from Computer1, the user will:

<input type="checkbox"/>	Sign in to Remote Desktop without a prompt
<input type="checkbox"/>	Be prompted for credentials and be able to sign in as User1.
<input type="checkbox"/>	Be prompted for credentials and be prevented from signing in as User1.

Answer:

If User1 attempts to access Share2 from Computer1, the user will:

<input checked="" type="checkbox"/>	Access Share2 without a prompt
<input type="checkbox"/>	Be prompted for credentials
<input type="checkbox"/>	Be denied access to Share2

If User1 attempts to sign in to Remote Desktop on Computer2 from Computer1, the user will:

<input checked="" type="checkbox"/>	Sign in to Remote Desktop without a prompt
<input checked="" type="checkbox"/>	Be prompted for credentials and be able to sign in as User1.
<input type="checkbox"/>	Be prompted for credentials and be prevented from signing in as User1.

NEW QUESTION: 59

You have a computer named Computer1 that runs Windows 10.

From Event Viewer on Computer1, you have a task named Action1 that is attached to the following event:

Log: System

Source: Kernel-General

Event ID: 16

You need to modify the settings of Action1.

What should you use?

- A. Event Viewer
- B. System Configuration
- C. the Settings app
- D. Task Scheduler

Answer: A (LEAVE A REPLY)

An Event Viewer task is created and modified in Event Viewer.

Reference:

<https://www.techrepublic.com/article/how-to-use-custom-views-in-windows-10s-event-viewer/>

NEW QUESTION: 60

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Username and password



Use the following login credentials as needed:

To enter your password, place your cursor in the Enter password box and click on the password below.

Username: Contoso/Administrator

Password: Passw0rd!

The following information is for technical support purposes only:

Lab Instance: 11145882

Dashboard

- Local Server
- All Servers
- AD DS
- DNS
- File and Storage Services >

WELCOME TO SERVER MANAGER

QUICK START

WHAT'S NEW

LEARN MORE

1 Configure this local server

- 2 Add roles and features
- 3 Add other servers to manage
- 4 Create a server group
- 5 Connect this server to cloud services

Hide

ROLES AND SERVER GROUPS

Roles: 3 | Server groups: 1 | Servers total: 1

AD DS 1

- Manageability
- Events
- Services
- Performance
- BPA results

DNS 1

- Manageability
- Events
- Services
- Performance
- BPA results

File and Storage Services 1

- Manageability
- Events
- Services
- Performance
- BPA results

Local Server 1

- Manageability
- Events
- 2** Services
- Performance
- BPA results

1/23/2020 9:30 PM

All Servers 1

BPA results

freepdfdumps.com

Microsoft



Tasks

Computers



Client1

Client2

Client3

DC1

You need to prevent user names and passwords from being filled in on forms automatically when a user browses to websites from Client2.

To complete this task, sign in to the required computer or computers.

A. Open the Local Group Policy Editor.

Answer: A (LEAVE A REPLY)

In the left pane of Local Group Policy Editor, navigate to Computer Configuration\Administrative Templates\Windows Components\Microsoft Edge In the right pane of Microsoft Edge in Local Group Policy Editor, double click/tap on the Configure Autofill policy to edit it.

Select Disabled, click/tap on OK.

In the right pane of Microsoft Edge in Local Group Policy Editor, double click/tap on the Configure Password Manager policy to edit it.

Select Disabled, click/tap on OK.

You can now close the Local Group Policy Editor.

Reference:

<https://docs.microsoft.com/en-us/microsoft-edge/deploy/available-policies>

<https://www.tenforums.com/tutorials/115069-enable-disable-autofill-microsoft-edge-windows-10-a.html>

NEW QUESTION: 61

Your network contains an Active Directory domain. The domain contains 1,000 computers that run Windows 10.

A user reports that his computer has a compatibility issue with the latest Windows 10 feature update.

You need to prevent other computers from installing the feature update for 10 days while you mitigate the issue.

Which Windows Update setting should you configure by using a Group Policy Object (GPO)?

- A. Select when Preview Builds and Feature Updates are received
- B. Reschedule Automatic Updates scheduled installations
- C. Disable safeguards for Feature Updates
- D. Automatic Updates detection frequency

Answer: A (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/windows/deployment/update/waas-wufb-group-policy>

Valid MD-100 Dumps shared by Actual4test.com for Helping Passing MD-100 Exam! Actual4test.com now offer the **newest MD-100 exam dumps**, the Actual4test.com MD-100 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MD-100 dumps with Test Engine here:

https://www.actual4test.com/MD-100_examcollection.html (379 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 62

Your network contains an Active Directory domain named contoso.com. The domain contains two computers named Computer1 and Computer2 that run Windows 10.

On Computer1, you need to run the Invoke-Command cmdlet to execute several PowerShell commands on Computer2.

What should you do first?

- A. On Computer2, run the Enable-PSRemoting cmdlet
- B. From Active Directory, configure the Trusted for Delegation setting for the computer account of Computer2
- C. On Computer1, run the New-PSSession cmdlet
- D. On Computer2, add Computer1 to the Remote Management Users group

Answer: A (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/powershell/module/microsoft.powershell.core/enable-psremoting?view=powershell-6>

NEW QUESTION: 63

You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com that contain the users shown in the following table.

Name	Role
Admin1@contoso.com	Security administrator
Admin2@contoso.com	Cloud device administrator
User1@contoso.com	None

You have a computer named Computer1 that runs Windows 10.

Name	Member of
Admin1	Network Configuration Operators
Admin2	Power Users
User1	Administrators

User1 joins Computer1 to Azure AD by using user1@contoso.com.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1@contoso.com is a member of the local Administrators group on Computer1.	<input type="radio"/>	<input type="radio"/>
Admin1@contoso.com can configure the firewall and Windows Defender on Computer1.	<input type="radio"/>	<input type="radio"/>
Admin2@contoso.com can install software on Computer1.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1@contoso.com is a member of the local Administrators group on Computer1.	<input checked="" type="radio"/>	<input type="radio"/>
Admin1@contoso.com can configure the firewall and Windows Defender on Computer1.	<input type="radio"/>	<input checked="" type="radio"/>
Admin2@contoso.com can install software on Computer1.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION: 64

You need to recommend a solution to monitor update deployments.

What should you include in the recommendation?

- A. Windows Server Update (WSUS)
- B. the Update Management solution in Azure Automation
- C. the Update Compliance solution in Azure Log Analytics
- D. the Azure Security Center

Answer: C ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/windows/deployment/update/update-compliance-monitor>

NEW QUESTION: 65

Your company uses Microsoft Deployment Toolkit (MDT) to deploy Windows 10 to new computers.

The company purchases 1,000 new computers.

You need to ensure that the Hyper-V feature is enabled on the computers during the deployment.

What are two possible ways to achieve the goal? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a task sequence step that adds a provisioning package.
- B. In a Group Policy object (GPO), from Computer Configuration, configure Application Control Policies.
- C. Add a custom command to the Unattend.xml file.
- D. Add a configuration setting to Windows Deployment Services (WDS).
- E. Add a task sequence step that runs dism.exe.

Answer: ([SHOW ANSWER](#))

Reference:

Provisioning package works with Windows Configuration Designer to provision win10 features and runtime settings. WCD (provisioning Package) is GUI based while DISM is command line based and dose same function. Unattend.xml / answer files are used with installation media. It contains settings, definitions and values to use during Windows Setup. In an answer file, you specify various setup options. These options include how to partition disks, where to find the Windows image that will be installed, and which product key to apply.

<https://docs.microsoft.com/en-us/windows/deployment/deploy-windows-mdt/create-a-windows-10-reference-image>

NEW QUESTION: 66

You have a computer that runs Windows 10. The computer is in a workgroup. The computer is used to provide visitors with access to the Internet.


You need to configure the computer to meet the following requirements:

Always sign in automatically as User1.

Start an application named App1.exe at sign-in.

What should you use to meet each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:

Always sign in automatically as User1:

Group Policy preferences
BCDEdit
Registry Editor
MSConfig

Start an application named App1.exe at sign-in:

Group Policy preferences
BCDEdit
Registry Editor
MSConfig

Reference:

<http://www.itexpertmag.com/server/complete-manageability-at-no-extra-cost>

NEW QUESTION: 67

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have two computers named Computer1 and Computer2 that run Windows 10.

You have an Azure Active Directory (Azure AD) user account named admin@contoso.com that is in the local Administrators group on each computer.

You sign in to Computer1 by using admin@contoso.com.

You need to ensure that you can use Event Viewer on Computer1 to connect to the event logs on Computer2.

Solution: On Computer2, you create a Windows Defender Firewall rule that allows eventvwr.exe.

Does this meet the goal?

- A. Yes
- B. No

Answer: ([SHOW ANSWER](#))

Reference:

[https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2008-R2-and-2008/cc766438\(v=ws.11\)?redirectedfrom=MSDN](https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2008-R2-and-2008/cc766438(v=ws.11)?redirectedfrom=MSDN)

NEW QUESTION: 68

You have a computer that runs Windows 10 and has the Windows Assessment and Deployment Kit (Windows ADK) installed. You need to perform the following tasks:

- * Prepare a Windows PE (WinPE) working directory.
- * Add scripting support to a WinPE image.
- * Mount and unmount a WinPE image.

Which command should you use for each task? To answer, drag the appropriate commands to the correct tasks. Each command may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Commands

dism.exe
cotype.cmd
mount.exe
diskpart.exe

Answer Area

Prepare a WinPE working directory: Command

Mount and unmount a WinPE image: Command

Add scripting support to a WinPE image: Command

Answer:

Commands

dism.exe
cotype.cmd
mount.exe
diskpart.exe

Answer Area

Prepare a WinPE working directory: cotype.cmd and

Mount and unmount a WinPE image: dism.exe and

Add scripting support to a WinPE image: mount.exe and

NEW QUESTION: 69

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a computer named Computer1 that runs Windows 10. The computer contains a folder. The folder contains sensitive data.

You need to log which user reads the contents of the folder and modifies and deletes files in the folder.

Solution: From the properties of the folder, you configure the Auditing settings and from the Audit Policy in the local Group Policy, you configure Audit directory service access.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Reference:

https://www.netwrix.com/how_to_detect_who_changed_file_or_folder_owner.html

NEW QUESTION: 70

You need to sign in as LocalAdmin on Computer11.

What should you do first?

- A. From the LAPS UI tool, view the administrator account password for the computer object of Computer11.
- B. From Local Security Policy, edit the policy password settings on Computer11.
- C. From the LAPS UI tool, reset the administrator account password for the computer object of Computer11.
- D. From Microsoft Intune, edit the policy password settings on Computer11.

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://technet.microsoft.com/en-us/mt227395.aspx>

NEW QUESTION: 71

You have a computer that runs Windows 10.

A feature update is installed automatically.

You need to roll back the feature update.

Up to how many days after the feature update is installed can you roll back the installation, and what should you use to perform the roll back? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

To roll back the feature update, use:

<input type="checkbox"/>
<input type="checkbox"/> Go back to the previous version of Windows 10
<input type="checkbox"/> Reset this PC option
<input type="checkbox"/> Uninstall an update in Control Panel

The rollback can be performed up to:

<input type="checkbox"/>
<input type="checkbox"/> 7 days after
<input type="checkbox"/> 10 days after
<input type="checkbox"/> 35 days after

Answer:

To roll back the feature update, use:

Go back to the previous version of Windows 10
Reset this PC option
Uninstall an update in Control Panel

The rollback can be performed up to:



7 days after
10 days after
35 days after

Reference:

<https://www.howtogeek.com/235474/how-to-roll-back-builds-and-uninstall-updates-on-windows-10/>

NEW QUESTION: 72

Your company has a main office and a branch office. The offices connect to each other by using a WAN link.

Access to the Internet is provided through the main office.

The branch office contains 25 computers that run Windows 10. The computers contain small hard drives that have very little free disk space.

You need to prevent the computers in the branch office from downloading updates from peers on the network.

What should you do?

- A. From the Settings app, modify the Delivery Optimizations settings.
- B. Configure the network connections as metered connections.
- C. Configure the computers to use BranchCache in hosted cache mode.
- D. Configure the updates to use the Semi-Annual Channel (Targeted) channel.

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/windows/deployment/update/waas-branchcache>

NEW QUESTION: 73

You need to enable BitLocker Drive Encryption (BitLocker) on a computer named Computer1 that runs Windows 10. Computer1 has the following configurations:

Contains only one 200-GB NTFS volume named C:\

Contains 50 GB of unallocated disk space

Is the member of a workgroup

Has TPM enabled

What should you do first?

- A. Create a VHD.
- B. Disable TPM.
- C. Create an additional volume.
- D. Join Computer1 to an Azure Active Directory (Azure AD) tenant.

Answer: C (LEAVE A REPLY)

Two partitions are required to run BitLocker because pre-startup authentication and system integrity verification must occur on a separate partition from the encrypted operating system drive. This configuration helps protect the operating system and the information in the encrypted drive.


Reference:

<https://docs.microsoft.com/en-us/windows/security/information-protection/bitlocker/bitlocker-overview-and-requirements-faq>

NEW QUESTION: 74

You have a computer that runs Windows 10. The computer contains a folder named C:\ISOs that is shared in ISOs.

You run several commands on the computer as shown in the following exhibit.



```
Administrator: Windows PowerShell
PS C:\> Get-SMBShareAccess -name ISOs
Name ScopeName Account Name AccessControlType AccessRight
-----
ISOs * DESKTOP-A0TN8Q4\User1 Allow Full
ISOs * DESKTOP-A0TN8Q4\User2 Allow Read
ISOs * DESKTOP-A0TN8Q4\User3 Allow Read

PS C:\> Get-Item Isos | Get-ACL | Select -ExpandProperty Access
FileSystemRights : FullControl
AccessControlType : Allow
IdentityReference : NT AUTHORITY\SYSTEM
IsInherited : False
InheritanceFlags : ContainerInherit, ObjectInherit
PropagationFlags : None
FileSystemRights : FullControl
AccessControlType : Allow
IdentityReference : BUILTIN\Administrators
IsInherited : False
InheritanceFlags : ContainerInherit, ObjectInherit
PropagationFlags : None
FileSystemRights : ReadAndExecute, Synchronize
AccessControlType : Allow
IdentityReference : BUILTIN\Users
IsInherited : False
InheritanceFlags : ContainerInherit, ObjectInherit
PropagationFlags : None
FileSystemRights : FullControl
AccessControlType : Allow
IdentityReference : DESKTOP-A0TN8Q4\User2
IsInherited : False
InheritanceFlags : ContainerInherit, ObjectInherit
PropagationFlags : None
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

[answer choice] can delete files in the ISOs share.

- None of the users
- Only User1
- Only User2
- Only User3
- Only User1 and User2
- Only User1 and User3
- Only User2 and User3
- User1, User2, and User3

[answer choice] can read the files in the ISOs share.

- None of the users
- Only User1
- Only User2
- Only User3
- Only User1 and User2
- Only User1 and User3
- Only User2 and User3
- User1, User2, and User3

Answer:

[answer choice] can delete files in the ISOs share.

- None of the users
- Only User1
- Only User2
- Only User3
- Only User1 and User2
- Only User1 and User3
- Only User2 and User3
- User1, User2, and User3

[answer choice] can read the files in the ISOs share.

- None of the users
- Only User1
- Only User2
- Only User3
- Only User1 and User2
- Only User1 and User3
- Only User2 and User3
- User1, User2, and User3

NEW QUESTION: 75

You have a computer named Computer1. Computer1 runs Windows 10 Pro.
You have a mobile device. You use Bluetooth to pair the mobile device to Computer1.
You want to enable dynamic lock on Computer1.

What should you do?

To complete this task, sign in to the required computer or computers.

A. On Computer1, select the Start button > Settings > Accounts > Sign-in options.

Answer: (SHOW ANSWER)

Under Dynamic lock, select the Allow Windows to automatically lock your device when you're away check box.


Reference:

<https://support.microsoft.com/en-za/help/4028111/windows-lock-your-windows-10-pc-automatically-when-you-step-away-from>

NEW QUESTION: 76

You have a computer named Computer1 that runs Windows 10 and is joined to an Active Directory domain named adatum.com.

A user named Admin1 signs in to Computer1 and runs the whoami command as shown in the following exhibit.



```
Command Prompt
c:\Users\admin1>whoami /user /groups /priv

USER INFORMATION
-----
User Name      SID
=====
adatum\admin1  S-1-5-21-4534338-1127018997-2609994386-4602

GROUP INFORMATION
-----
Group Name                                           Type          SI
=====
Everyone                                             well-known group  S-
BUILTIN\Users                                       Alias          S-
BUILTIN\Administrators                             Alias          S-
NT AUTHORITY\INTERACTIVE                           well-known group  S-
CONSOLE LOGON                                       well-known group  S-
NT AUTHORITY\Authenticated Users                   well-known group  S-
NT AUTHORITY\This Organization                     well-known group  S-
LOCAL                                               well-known group  S-
ADATUM\Domain Admins                               Group          S-
Authentication authority asserted identity         well-known group  S-
ADATUM\Denied RODC Password Replication Group     Alias          S-
Mandatory Label\Medium Mandatory Level           Label          S-

Privilege Name                                       Description
=====
SeShutdownPrivilege                               Shut down the system
SeChangeNotifyPrivilege                           Bypass traverse checking
SeUndockPrivilege                                  Remove computer from docking station
SeIncreaseWorkingSetPrivilege                     Increase a process working set
SeTimeZonePrivilege                               Change the time zone

C:\Users\admin1>
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

On Computer1, if Admin attempts to open Device Manager, [answer choice].	<input type="text" value="Admin1 will be prompted for credentials"/> <input type="text" value="Admin1 will be prompted for consent"/> <input type="text" value="Admin1 will be denied access"/> <input type="text" value="Device Manager will open without a prompt"/>
On Computer1, if Admin attempts to run the command prompt as an administrator, [answer choice].	<input type="text" value="Admin1 will be prompted for credentials"/> <input type="text" value="Admin1 will be prompted for consent"/> <input type="text" value="Admin1 will be denied access"/> <input type="text" value="Device Manager will open without a prompt"/>

Answer:

On Computer1, if Admin attempts to open Device Manager, [answer choice].	<input type="text" value="Admin1 will be prompted for credentials"/> <input type="text" value="Admin1 will be prompted for consent"/> <input type="text" value="Admin1 will be denied access"/> <input checked="" type="text" value="Device Manager will open without a prompt"/>
On Computer1, if Admin attempts to run the command prompt as an administrator, [answer choice].	<input type="text" value="Admin1 will be prompted for credentials"/> <input checked="" type="text" value="Admin1 will be prompted for consent"/> <input type="text" value="Admin1 will be denied access"/> <input type="text" value="Device Manager will open without a prompt"/>

Valid MD-100 Dumps shared by Actual4test.com for Helping Passing MD-100 Exam! Actual4test.com now offer the **newest MD-100 exam dumps**, the Actual4test.com MD-100 exam questions have been updated and answers have been corrected get the **newest** Actual4test.com MD-100 dumps with Test Engine here: https://www.actual4test.com/MD-100_examcollection.html (379 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 77

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a workgroup computer that runs Windows 10. The computer contains the local user accounts shown in the following table.

Name	Member of
Administrator	Administrators
User1	Administrators
User2	Users
User3	Usersoft

You need to configure the desktop background for User1 and User2 only.

Solution: You create a new local group to which you add User1 and User2. You create a local Group Policy Object (GPO) and configure the Desktop Wallpaper setting in the GPO. At a command prompt, you run the gpupdate.exe/Force command.

Does this meet the goal?

A. Yes

B. No

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://www.windowscentral.com/how-apply-local-group-policy-settings-specific-users-windows-10>

NEW QUESTION: 78

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
When User1 attempts to open D:\Folder1\Report.docx, an event is created in the security event log.	<input type="checkbox"/>	<input type="checkbox"/>
When User1 attempts to save changes to D:\Folder1\Report.docx, an event is created in the security event log.	<input type="checkbox"/>	<input type="checkbox"/>
When User2 attempts to open D:\Folder1\Report.docx, an event is created in the security event log.	<input type="checkbox"/>	<input type="checkbox"/>

Answer:

Statements	Yes	No
When User1 attempts to open D:\Folder1\Report.docx, an event is created in the security event log.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
When User1 attempts to save changes to D:\Folder1\Report.docx, an event is created in the security event log.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
When User2 attempts to open D:\Folder1\Report.docx, an event is created in the security event log.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Reference:

<https://www.sciencedirect.com/topics/computer-science/security-event-log>


NEW QUESTION: 79

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time. When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design. Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Username and password



Use the following login credentials as needed:

To enter your password, place your cursor in the Enter password box and click on the password below.

Username: Contoso/Administrator

Password: Passw0rd!

The following information is for technical support purposes only:

Lab Instance: 11145882

Dashboard

- Local Server
- All Servers
- AD DS
- DNS
- File and Storage Services >

WELCOME TO SERVER MANAGER

QUICK START

- 1 Configure this local server**
- 2 Add roles and features
- 3 Add other servers to manage
- 4 Create a server group
- 5 Connect this server to cloud services

WHAT'S NEW

LEARN MORE

Hide

ROLES AND SERVER GROUPS

Roles: 3 | Server groups: 1 | Servers total: 1

AD DS 1	DNS 1
Manageability	Manageability
Events	Events
Services	Services
Performance	Performance
BPA results	BPA results
File and Storage Services 1	Local Server 1
Manageability	Manageability
Events	Events
Services	2 Services
Performance	Performance



freepdfdumps.com

BPA results

BPA results

1/23/2020 9:30 PM

All Servers 1

- Manageability
- Events
- 2** Services
- Performance
- BPA results

1/23/2020 9:30 PM

Tasks Computers

Microsoft

Client1

Client2

Client3

DC1

You have already prepared Client1 for remote management.
You need to forward all events from the Application event log on Client1 to DC1.

To complete this task, sign in to the required computer or computers.

A. Configuring the event source computer

Answer: A (LEAVE A REPLY)

1. Run the following command from an elevated privilege command prompt on the Windows Server domain controller to configure Windows Remote Management:

```
winrm qc -q
```

2. Start group policy by running the following command:

```
%SYSTEMROOT%\System32\gpedit.msc
```

3. Under the Computer Configuration node, expand the Administrative Templates node, then expand the Windows Components node, then select the Event Forwarding node.

4. Right-click the SubscriptionManager setting, and select Properties. Enable the SubscriptionManager setting, and click the Show button to add a server address to the setting. Add at least one setting that specifies the event collector computer. The SubscriptionManager Properties window contains an Explain tab that describes the syntax for the setting.

5. After the SubscriptionManager setting has been added, run the following command to ensure the policy is applied:

```
gpupdate /force
```

Configuring the event collector computer

1. Run the following command from an elevated privilege command prompt on the Windows Server domain controller to configure Windows Remote Management:

```
winrm qc -q
```

2. Run the following command to configure the Event Collector service:

```
wecutil qc /q
```

3. Create a source initiated subscription. This can either be done programmatically, by using the Event Viewer, or by using Wecutil.exe. If you use Wecutil.exe, you must create an event subscription XML file and use the following command:

```
wecutil cs configurationFile.xml
```

Reference:

<https://docs.microsoft.com/en-us/windows/win32/wec/setting-up-a-source-initiated-subscription#forwarding-the-security-log>

NEW QUESTION: 80

You have computers that run Windows 10 and are configured as shown in the following table.

Name	TPM	BitLocker Drive Encryption enabled on drive C	BitLocker Drive Encryption enabled on drive D
Computer1	No	Yes	Yes
Computer2	Yes	No	Yes
Computer3	Yes	Yes	No

You have a removable USB drive named USBDrive1 that is encrypted by using BitLocker to Go.

You plan to use USBDrive1 on Computer1, Computer2, and Computer3.

You need to identify on which computers you can enable automatic unlocking of BitLocker on USBDrive1.

Which computers should you identify?

A. Computer2 and Computer3 only

B. Computer3 only

C. Computer1 and Computer3 only

D. Computer1, Computer2, and Computer3

Answer: C (LEAVE A REPLY)

The BitLocker key is stored in the registry when you enable auto-unlock but only if the operating system drive is encrypted with BitLocker. A TPM is not required.

NEW QUESTION: 81

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a workgroup computer that runs Windows 10. The computer contains the local user accounts shown in the following table.

Name	Member of
Administrator	Administrators
User1	Administrators
User2	Users
User3	Usersoft

You need to configure the desktop background for User1 and User2 only.

Solution: From the local computer policy, you configure the Filter Options settings for the user policy. At a command prompt, you run the `gpupdate.exe/Target:user` command.

Does this meet the goal?

- A. Yes
- B. No

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 82

You need to reduce the amount of time it takes to restart Application1 when the application crashes.

What should you include in the solution? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Tool to use:

- Event Viewer
- Performance Monitor
- Windows Memory Diagnostic
- Windows Performance Analyzer

Task to perform:

- Create a subscription
- Attach a task to an event
- Enable an event trace provider
- Create an alert

Answer:



Reference:

<https://www.howto-connect.com/how-to-attach-a-task-to-this-event-in-event-viewer-in-windows-10/>

Topic 1, Fabrikam, Inc.

Existing Environment

Fabrikam, Inc. is a distribution company that has 500 employees and 100 contractors.

Active Directory

The network contains an Active Directory forest named fabrikam.com. The forest is synced to Microsoft Azure Active Directory (Azure AD). All the employees are assigned Microsoft 365 E3 licenses.

The domain contains a user account for an employee named User10.

Client Computers

All the employees have computers that run Windows 10 Enterprise. All the computers are installed without Volume License Keys. Windows 10 license keys are never issued.

All the employees register their computer to Azure AD when they first receive the computer.

User10 has a computer named Computer10.

All the contractors have their own computer that runs Windows 10. None of the computers are joined to Azure AD.

Operational Procedures

Fabrikam has the following operational procedures:

Updates are deployed by using Windows Update for Business.

When new contractors are hired, administrators must help the contractors configure the following settings on their computer:

- User certificates
- Browser security and proxy settings
- Wireless network connection settings

Security policies

The following security policies are enforced on all the client computers in the domain:

All the computers are encrypted by using BitLocker Drive Encryption (BitLocker). BitLocker recovery information is stored in Active Directory and Azure AD.

The local Administrators group on each computer contains an enabled account named LocalAdmin.

The LocalAdmin account is managed by using Local Administrator Password Solution (LAPS).

Problem Statements

Fabrikam identifies the following issues:

Employees in the finance department use an application named Application1. Application1 frequently crashes due to a memory error. When Application1 crashes, an event is written to the

application log and an administrator runs a script to delete the temporary files and restart the application.

When employees attempt to connect to the network from their home computer, they often cannot establish a VPN connection because of misconfigured VPN settings.

An employee has a computer named Computer11. Computer11 has a hardware failure that prevents the computer from connecting to the network.

User10 reports that Computer10 is not activated.

Technical Requirements

Fabrikam identifies the following technical requirements for managing the client computers:

Provide employees with a configuration file to configure their VPN connection.

Use the minimum amount of administrative effort to implement the technical requirements.

Identify which employees' computers are noncompliant with the Windows Update baseline of the company.

Ensure that the service desk uses Quick Assist to take remote control of an employee's desktop during support calls.

Automate the configuration of the contractors' computers. The solution must provide a configuration file that the contractors can open from a Microsoft SharePoint site to apply the required configurations.

NEW QUESTION: 83

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com. The domain contains the users shown in the following table.

Name	Member of
User2	Domain Users
User3	Domain Admins
User4	Server Operators

You have a computer named Computer1 that runs Windows 10 and is in a workgroup.

A local standard user on Computer1 named User1 joins the computer to the domain and uses the credentials of User2 when prompted.

You need to ensure that you can rename Computer1 as Computer33.

Solution: You use the credentials of User2 on Computer1.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Renaming a domain-joined computer will also rename the computer account in the domain. To do this, you need domain administrator privileges.

User2 is a domain user, not an administrator. Use User3's credentials instead.

Reference:

<https://docs.microsoft.com/en-us/windows/security/identity-protection/access-control/active-directory-security-groups>


NEW QUESTION: 84

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a computer named Computer1 that runs Windows 10.

A service named Application1 is configured as shown in the exhibit.



You discover that a user used the Service1 account to sign in to Computer1 and deleted some files.

You need to ensure that the identity used by Application1 cannot be used by a user to sign in to the desktop on Computer1. The solution must use the principle of least privilege.

Solution: On Computer1, you assign Service1 the deny log on locally user right.

Does this meet the goal?

A. Yes

B. No

Answer: A (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/windows/security/threat-protection/security-policy-settings/deny-log-on-locally>

NEW QUESTION: 85

Your network contains an Active Directory domain named contoso.com. The domain contains computers that run Windows 11.

You have a workgroup computer named Computer1 that runs Windows 11 and contains a user named User1.

Each computer contains a folder named C:\Folder1. Each C:\Folder1 contains three files named Image1.jpg, Image2.jpg, and Image3.jpg.

Contoso.com has the Default Domain Policy configured as shown in the following table.

Policy	Value
Minimum password length	7
Desktop Wallpaper	Enabled C:\Folder1\Image1.jpg

Contoso.com has the Default Domain Controllers Policy configured as shown in the following table.

Policy	Value
Minimum password length	10
Desktop Wallpaper	Enabled C:\Folder1\Image2.jpg

Computer1 has a local Group Policy configured as shown in the following table.

Policy	Value
Minimum password length	5
Desktop Wallpaper	Enabled C:\Folder1\Image3.jpg

You join Computer1 to contoso.com and User1 signs in to the computer.

What is the minimum password length and the desktop wallpaper for User1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Minimum password length:

Desktop wallpaper:

Image3.jpg
Image1.jpg
Image2.jpg
Image3.jpg



Answer:



NEW QUESTION: 86

You have a computer named Computer1 that runs Windows 10.

The relevant services on Computer1 are shown in the following table.

Name	Startup type	Status	Dependent on
Service1	Automatic	Stopped	Service2, Service3
Service2	Automatic	Stopped	Service6
Service3	Disabled	Running	None
Service4	Disabled	Stopped	Service5
Service5	Automatic	Running	None
Service6	Manual	Stopped	None

Which service will start after you restart Computer1?

- A. Service3 and Services only
- B. Service 1, Setvice2. and Services
- C. Service2, Services, and Service6
- D. Services only

Answer: C (LEAVE A REPLY)

Service1 cannot start because it is dependent on Service3 which is disabled.

Service2 will start because it is set to Automatic. Service2 starting will cause Service6 to start.

Service3 will not start because it is disabled.

Service4 will not start because it is disabled.

Service5 will start because it is set to Automatic and is not dependent on any other services.

Service6 will start because Service2 is dependent on Service6.

NEW QUESTION: 87

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain. The domain contains a computer named Computer1 that runs Windows 8.1.

Computer1 has apps that are compatible with Windows 10.

You need to perform a Windows 10 in-place upgrade on Computer1.

Solution: You add Windows 10 startup and install images to a Windows Deployment Services (WDS) server. You start Computer1 by using WDS and PXE, and then you initiate the Windows 10 installation.

Does this meet the goal?

A. Yes

B. No

Answer: [\(SHOW ANSWER\)](#)

Use Microsoft Deployment Toolkit (MDT) instead.

NEW QUESTION: 88

You have a file named Reg1.reg that contains the following content.

```
Windows Registry Editor Version 5.00
```



```
[HKEY_CLASSES_ROOT\Directory\Background\shell\Notepad]
```

```
[HKEY_CLASSES_ROOT\Directory\Background\shell\Notepad\command]
```

```
@="notepad.exe"
```

What is the effect of importing the file?

A. In a key named Notepad, the command value will be set to @="notepad.exe".

B. A key named command will be renamed as notepad.exe.

C. In a key named command, the default value will be set to notepad.exe.

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 89

You are troubleshooting the failed installation of a VPN application on a device. During the installation, the application displays a Stop error, and you must restart the device. After the restart you discover that the device can no longer connect to the network. What should you use to resolve the issue?

A. Network Adapter troubleshooter

B. Remote Assistance

C. Incoming Connections troubleshooter


D. Network reset

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 90

You have a computer that runs Windows 10.

From the Settings app, you view the connection properties shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

To enable Windows Remote Management (WinRM), you must first [answer choice].	<ul style="list-style-type: none">set the Network profile to Privaterun winrm qc at the command promptturn off Metered connection
To ensure that Microsoft OneDrive syncs, you must first [answer choice].	<ul style="list-style-type: none">set the Network profile to Privaterun winrm qc at the command promptturn off Metered connection

Answer:

To enable Windows Remote Management (WinRM), you must first [answer choice].

- set the Network profile to Private
- run winrm qc at the command prompt
- turn off Metered connection

To ensure that Microsoft OneDrive syncs, you must first [answer choice].

- set the Network profile to Private
- run winrm qc at the command prompt
- turn off Metered connection

NEW QUESTION: 91

Your network contains an Active Directory domain. The domain contains a computer named Computer1 that runs Windows 10. You need to view the settings to Computer1 by Group Policy objects (GPOs) in the domain and local Group Policies.

Which command should you run?

- A. gpresult
- B. secedit
- C. gpupdate
- D. gpfixup

Answer: A (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/windows-server/administration/windows-commands/gpresult>

Valid MD-100 Dumps shared by Actual4test.com for Helping Passing MD-100 Exam! Actual4test.com now offer the **newest MD-100 exam dumps**, the Actual4test.com MD-100 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MD-100 dumps with Test Engine here: https://www.actual4test.com/MD-100_examcollection.html (379 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 92

You need to take remote control of an employee's computer to troubleshoot an issue.

What should you send to the employee to initiate a remote session?

- A. a numeric security code
- B. a connection file
- C. an Easy Connect request
- D. a password

Answer: A (LEAVE A REPLY)

Reference:

<https://support.microsoft.com/en-us/help/4027243/windows-10-solve-pc-problems-with-quick-assist>

NEW QUESTION: 93

You have a computer named Computer1 that runs Windows 10 and has Windows Assessment and Deployment Kit (Windows ADK) installed.

Computer1 has the drives shown in the following table.

Letter	Description
C	Operating system
D	Data drive
E	DVD drive that contains the Windows 10 installation files

You need to create Windows 10 unattended answer file.

What should you do first?

- A. From File Explorer, copy Install.wim from drive E to drive D.
- B. From Windows System Image Manager, select Select Windows Image, and then select Install.wim from drive E.
- C. From Windows System Image Manager, select Select Windows Image, and then select Boot.wim from drive E.
- D. From File Explorer, copy Boot.wim from drive E to drive D.

Answer: ([SHOW ANSWER](#))

Reference:

<https://www.windowscentral.com/how-create-unattended-media-do-automated-installation-windows-10>

NEW QUESTION: 94


You are a network administrator at your company.

A user attempts to start a computer and receives the following error message: "Bootmgr is missing." You need to resolve the issue.

You start the computer in the recovery mode.

Which command should you run next? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



Reference:

<https://neosmart.net/wiki/bootmgr-is-missing/>

NEW QUESTION: 95

You install Windows 10 Pro on a computer named CLIENT1.

You need to ensure that all per-user services are disabled on CLIENT1. The solution must minimize administrative effort.

What should you use?

- A. the sc command
- B. Task Manager
- C. Services
- D. the sfc command

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 96

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a laptop named Computer1 that runs Windows 10.
When in range, Computer1 connects automatically to a Wi-Fi network named Wireless1.
You need to prevent Computer1 from automatically connecting to Wireless1.
Solution: From a command prompt, you run netsh wlan delete profile name="Wireless1".
Does this meet the goal?

- A. Yes
- B. No

Answer: A (LEAVE A REPLY)

Reference:

<https://lifelifehacker.com/remove-wi-fi-profiles-from-windows-8-1-from-the-command-1449954864>

NEW QUESTION: 97

You have a Microsoft 365 tenant that contains 70 remote users.
The remote users work from various locations.
Recently, each remote user purchased a personal computer that runs Windows 10 Home.
You need to configure the VPN settings on the computers automatically by using the least amount of administrative effort.
What should you use?

- A. an unattend answer file
- B. a Group Policy Object (GPO)
- C. Windows Autopilot
- D. a provisioning package

Answer: D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/windows/configuration/provisioning-packages/provisioning-packages>

NEW QUESTION: 98

You are planning a recovery strategy for computers that run Windows 10.
You need to create recovery procedures to roll back feature updates and quality updates.
What should you include in the procedures? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

To roll back feature updates:

<input type="checkbox"/>	Recovery from the Settings app
<input type="checkbox"/>	Windows Update from the Settings app
<input type="checkbox"/>	Programs and Features from the Control Panel
<input type="checkbox"/>	Troubleshoot from the Settings app

To roll back quality updates:

<input type="checkbox"/>	Recovery from the Settings app
<input type="checkbox"/>	Windows Update from the Settings app
<input type="checkbox"/>	Programs and Features from the Control Panel
<input type="checkbox"/>	Troubleshoot from the Settings app

Answer:

To roll back feature updates:

- Recovery from the Settings app
- Windows Update from the Settings app
- Programs and Features from the Control Panel
- Troubleshoot from the Settings app

To roll back quality updates:

- Recovery from the Settings app
- Windows Update from the Settings app
- Programs and Features from the Control Panel
- Troubleshoot from the Settings app

Reference:

<https://www.thewindowsclub.com/rollback-uninstall-windows-10-creators-update>

<https://www.dummies.com/computers/pcs/undo-windows-update/>

NEW QUESTION: 99

An employee reports that she must perform a BitLocker recovery on her laptop. The employee does not have her BitLocker recovery key but does have a Windows 10 desktop computer. What should you instruct the employee to do from the desktop computer?

- A. Run the manage-bde.exe -status command
- B. From BitLocker Recovery Password Viewer, view the computer object of the laptop
- C. Go to <https://account.activedirectory.windowsazure.com> and view the user account profile
- D. Run the Enable-BitLockerAutoUnlock cmdlet

Answer: C (LEAVE A REPLY)

Reference:

<https://celedonpartners.com/blog/storing-recovering-bitlocker-keys-azure-active-directory/>

NEW QUESTION: 100

You need to meet the technical requirements for the helpdesk users.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Add the help desk users to:

- The local Administrators group on the Windows 10 computers
- The Domain Computers group in the domain group
- The Event Log Readers group in the domain group
- The local Event Log Readers group on the Windows 10 computers
- The Group Policy Creators Owners group in the domain group
- The local Power Users group on the Windows 10 computers

Troubleshooting tool that the helpdesk users should use:

- Get-GPOReport
- GPRResult
- GPUpdate
- Group Policy Object Editor

Answer:

Add the help desk users to:

- The local Administrators group on the Windows 10 computers
- The Domain Computers group in the domain group
- The Event Log Readers group in the domain group
- The local Event Log Readers group on the Windows 10 computers
- The Group Policy Creator's Owners group in the domain group
- The local Power Users group on the Windows 10 computers

Troubleshooting tool that the helpdesk users should use:

- Get-GPOReport
- GPRresult
- GPOupdate
- Group Policy Object Editor

Reference:

<https://www.itprotoday.com/compute-engines/what-group-policy-creator-owners-group>

NEW QUESTION: 101

You need to meet the technical requirements for the HR department users.

Which permissions should you assign to the HR department users for the D:\Reports folder? To answer, select the appropriate permissions in the answer area.

NOTE: Each correct selection is worth one point.

Permission Entry for Reports

Principal: HR (CONTOSO\HR) [Select a principal](#)

Type: Allow

Applies to: This folder only

Advanced permissions: [Show basic permissions](#)


<input type="checkbox"/> Full control	<input type="checkbox"/> Write attributes
<input type="checkbox"/> Traverse folder / execute file	<input type="checkbox"/> Write extended attributes
<input type="checkbox"/> List folder / read data	<input type="checkbox"/> Delete subfolders and files
<input type="checkbox"/> Read attributes	<input type="checkbox"/> Delete
<input type="checkbox"/> Read extended attributes	<input type="checkbox"/> Read permissions
<input type="checkbox"/> Create files / write data	<input type="checkbox"/> Change permissions
<input type="checkbox"/> Create folders / append data	<input type="checkbox"/> Take ownership

Only apply these auditing settings to objects and/or containers within this container [Clear all](#)

Add a condition to limit the scope of this auditing entry. Security events will be logged only if conditions are met.

[Add a condition](#)

Answer:



Reference:

<https://www.online-tech-tips.com/computer-tips/set-file-folder-permissions-windows/>

NEW QUESTION: 102

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Username and password



Use the following login credentials as needed:

To enter your password, place your cursor in the Enter password box and click on the password below.

Username: Contoso/Administrator

Password: Passw0rd!

The following information is for technical support purposes only:

Lab Instance: 10921597

Tasks Computers



You need to ensure that a local user named User1 can establish a Remote Desktop connection to Client2.

To complete this task, sign in to the required computer or computers.

A. Add User to Remote Desktop Users Group via Settings App

Answer: ([SHOW ANSWER](#))

Open the Settings app on Client2 and go to System -> Remote Desktop. Click on the Select users that can remotely access this PC link on the right side.

When the Remote Desktop Users dialog opens, click on Add.

Click on Advanced.

Click on Find Now and then select any user account you want to add to the "Remote Desktop Users" group, and click OK.

Click OK and you're done.

Reference:

<https://www.top-password.com/blog/add-user-to-remote-desktop-users-group-in-windows-10/>

NEW QUESTION: 103

You have two workgroup computers named Computer1 and Computer2 that run Windows 10. The Guest account is enabled on both computers.

The computers contain the users shown in the following table.

Computer name	User name	User password
Computer1	User1	P@ssword1
Computer1	User2	P@ssword2
Computer2	User1	P@ssword1
Computer2	User2	P@ssword2
Computer2	User3	P@ssword3

The computers contain the shared folders shown in the following table.

Computer name	Shared folder name	Permission
Computer1	Share1	Everyone – Read
Computer2	Share2	Everyone – Read

Computer1 has password-protected sharing turned on. Computer2 has password-protected sharing turned off.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements

- | | Yes | No |
|--|-----------------------|-----------------------|
| From Computer1, User1 can access Share2. | <input type="radio"/> | <input type="radio"/> |
| From Computer2, User2 can access Share1. | <input type="radio"/> | <input type="radio"/> |
| From Computer2, User3 can access Share1. | <input type="radio"/> | <input type="radio"/> |

Answer:

Statements	Yes	No
From Computer1, User1 can access Share2.	<input checked="" type="radio"/>	<input type="radio"/>
From Computer2, User2 can access Share1.	<input checked="" type="radio"/>	<input type="radio"/>
From Computer2, User3 can access Share1.	<input checked="" type="radio"/>	<input type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/troubleshoot/windows-server/networking/guest-access-in-smb2-is-disabled-by-default>

NEW QUESTION: 104

You have a computer named Computer1 that runs Windows 10. Computer1 is in a workgroup. Computer1 contains the local users shown in the following table.

Name	Member of
Administrator	Administrators, Users
User1	Users
User2	Users

Computer1 contains the folders shown in the following table.

Name	Path
Folder1	D:\Folder1
Folder2	D:\Folder2
Folder3	E:\Folder3

The Users group has Full control permissions to Folder1, Folder2, and Folder3.

User1 encrypts two files named File1.docx and File2.docx in Folder1 by using EFS.

Which users can move each file? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Microsoft

Users who can move File1.docx to Folder2:

- User1 only
- User1 and Administrator only
- User1, User2, and Administrator

Users who can move File2.docx to Folder3:

- User1 only
- User1 and Administrator only
- User1, User2, and Administrator

freepdfdump.com

Answer:

Users who can move File1.docx to Folder2:

- User1 only
- User1 and Administrator only
- User1, User2, and Administrator

Users who can move File2.docx to Folder3:

- User1 only
- User1 and Administrator only
- User1, User2, and Administrator

Microsoft

NEW QUESTION: 105

You are a network administrator at your company.

The company uses an application that checks for network connectivity to a server by sending a ping request to the IPv6 address of the server replies, the application loads.

A user cannot open the application.

You manually send the ping request from the computer of the user and the server does not reply. You send the ping request from your computer and the server replies.

You need to ensure that the ping request works from the user's computer.

Which Windows Defender firewall rule is a possible cause of the issue?

- A. File and Printer Sharing (NB-Datagram-In)
- B. File and Printer Sharing (Echo request ICMPv6-Out)
- C. File and Printer Sharing (Echo Request ICMPv6-In)
- D. File and Printer Sharing (NB-Datagram-Out)

Answer: B (LEAVE A REPLY)

NEW QUESTION: 106

You have a computer that runs Windows 10.

The computer fails to start, and you receive the following error message: "BOOTMGR image is corrupt. The system cannot boot".

You need to repair the system partition.

Which command should you run from Windows Recovery Environment (WinRE)?

- A. fdisk.exe
- B. chkdsk.exe
- C. diskpart.exe
- D. bcdboot.exe

Answer: (SHOW ANSWER)

DiskPart, which has replaced fdisk, is a command-line utility that provides the ability to manage disks, partitions or volumes in your computer running all versions of operating system since Windows 2000.

Reference:

<https://www.diskpart.com/windows-10/diskpart-windows-10-1203.html>

Valid MD-100 Dumps shared by Actual4test.com for Helping Passing MD-100 Exam! Actual4test.com now offer the **newest MD-100 exam dumps**, the Actual4test.com MD-100 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MD-100 dumps with Test Engine here:

https://www.actual4test.com/MD-100_examcollection.html (379 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 107

You have a computer named Computer1 that runs Windows 10. Computer1 belongs to a workgroup.

You run the following commands on Computer1.

```
New-LocalUser -Name User1 -NoPassword
```

```
Add-LocalGroupMember User -Member User1
```

What is the effect of the configurations?

- A. User1 is prevented from signing in until the user is assigned additional user rights.
- B. User1 appears on the sign-in screen and can sign in without a password.
- C. User1 is prevented from signing in until an administrator manually sets a password for the user.
- D. User1 appears on the sign-in screen and must set a new password on the first sign-in attempts.

Answer: D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/powershell/module/microsoft.powershell.localaccounts/new-localuser?view=powershell-5.1>

NEW QUESTION: 108

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a workgroup computer that runs Windows 10. The computer contains the local user accounts shown in the following table.

Name	Member of
Administrator	Administrators
User1	Administrators
User2	Users
User3	Users

You need to configure the desktop background for User1 and User2 only.

Solution: You create two new local Group Policy Objects (GPOs) and apply one GPO to User1 and the other GPO to User2. You configure the Desktop Wallpaper setting in each GPO.

Does this meet the goal?

A. Yes

B. No

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://www.windowscentral.com/how-apply-local-group-policy-settings-specific-users-windows-10>

NEW QUESTION: 109

You have the computers shown in the following table.

You need to identify which computers support the features.

BitLocker Drive Encryption (BitLocker)

Microsoft Application Virtualization (App-V)

Which computers support the features? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

BitLocker:
Computer1 only
Computer2 only
Computer3 only
Computer1 and Computer3 only
Computer2 and Computer3 only
Computer1, Computer2, and Computer3

App-V:
Computer1 only
Computer2 only
Computer3 only
Computer1 and Computer3 only
Computer2 and Computer3 only
Computer1, Computer2, and Computer3

Answer:

BitLocker:
Computer1 only
Computer2 only
Computer3 only
Computer1 and Computer3 only
Computer2 and Computer3 only
Computer1, Computer2, and Computer3

App-V:
Computer1 only
Computer2 only
Computer3 only
Computer1 and Computer3 only
Computer2 and Computer3 only
Computer1, Computer2, and Computer3

Reference:

<https://www.microsoft.com/en-us/windowsforbusiness/compare>

NEW QUESTION: 110

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com. The domain contains the users shown in the following table.

Name	Member of
User2	Domain Users
User3	Domain Admins
User4	Server Operators

You have a computer named Computer1 that runs Windows 10 and is in a workgroup.

A local standard user on Computer1 named User1 joins the computer to the domain and uses the credentials of User2 when prompted.

You need to ensure that you can rename Computer1 as Computer33.

Solution: You use the credentials of User1 on Computer1.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Renaming a domain-joined computer will also rename the computer account in the domain. To do this, you need domain administrator privileges.

User1 is a standard user.

Reference:

<https://docs.microsoft.com/en-us/windows/security/identity-protection/access-control/active-directory-security-groups#bkmk-domainadmins>


NEW QUESTION: 111

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a computer named Computer1 that runs Windows10.

A service named Application1 is configured as shown in the exhibit.



You discover that a user used the Service1 account to sign in to Computer1 and deleted some files.

You need to ensure that the identity used by Application1 cannot be used by a user to sign in to the desktop on Computer1. The solution must use the principle of least privilege.

Solution: On Computer1, you configure Application1 to sign in as the LocalSystem account and select the Allow service to interact with desktop check box. You delete the Service1 account.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/windows/win32/services/localsystem-account>

NEW QUESTION: 112

You need to meet the technical requirement for the IT department users.

What should you do first?

A. Issue computer certificates

B. Distribute USB keys to the IT department users.

C. Enable screen saver and configure a timeout.

D. Turn on Bluetooth.

Answer: D (LEAVE A REPLY)

Reference:


<https://support.microsoft.com/en-za/help/4028111/windows-lock-your-windows-10-pc-automatically-when-you-step-away-from>

NEW QUESTION: 113

You have a computer that runs Windows 10. The computer contains two local user accounts named User1 and User2. User2 is a member of the local Administrators group. User1 performs the actions shown in the following table. User2 performs the actions shown in the following table. For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can use File History to restore File1.docx to the contents contained in the file at 10:05 AM.	<input type="radio"/>	<input type="radio"/>
User1 can use File History to restore File2.txt to the contents contained in the file at 10:15 AM.	<input type="radio"/>	<input type="radio"/>
User1 can use File History to restore File2.txt to the contents contained in the file at 10:20 AM.	<input type="radio"/>	<input type="radio"/>

Answer:



NEW QUESTION: 114

You have a computer named Client1 that runs Windows 10 and has Windows Sandbox enabled. You create a script named Script1.cmd. On Client1, you save Script1.cmd to a folder named C:\Scripts. You need to ensure that when you sign in to Windows Sandbox, Script1.cmd runs automatically. How should you complete the configuration file? To answer, select the appropriate options in the answer area.


Answer Area

```
<Configuration>
  <MappedFolders>
    <MappedFolder>
      <HostFolder>C:\Scripts</HostFolder>
      <ReadOnly>>true</ReadOnly>
    </MappedFolder>
  </MappedFolders>
  <LogonCommand>
    <Command>C:\Users\Administrator\C\Scripts\Script1.cmd</Command>
  </LogonCommand>
</Configuration>
```

A screenshot of a configuration file editor. It shows two dropdown menus. The first dropdown menu is for the user, with 'Administrator' selected. The second dropdown menu is for the path, with 'C:\Scripts' selected. The text '\Script1.cmd' is visible to the right of the second dropdown menu.

Answer:

```
<Configuration>
  <MappedFolders>
    <MappedFolder>
      <HostFolder>C:\Scripts</HostFolder>
      <ReadOnly>true</ReadOnly>
    </MappedFolder>
  </MappedFolders>
  <LogonCommand>
    <Command>C:\Users\Administrator\C:\Scripts\Script1.cmd</Command>
  </LogonCommand>
</Configuration>
```



NEW QUESTION: 115

Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2016 and a computer named Computer1 that runs Windows 10.

Server1 contains a share named Backup. All users can read and write data in Backup.


On Monday at 13:00, you configure Backup and Restore (Windows 7) on Computer1 to use the following settings:

Backup Destination: \\Server1\Backup


What do you want to back up?: Local Disk (D:), Include a system image of drives: System Reserved, (C:) Schedule: Daily at 23:00 You need to identify how many backups will be available on Thursday at 17:00.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



Reference:

https://www.windowscentral.com/how-make-full-backup-windows-10#create_system_image_windows10<https://www.bleepingcomputer.com/tutorials/create-system-image-in-windows-7-8/>

NEW QUESTION: 116

You have a workgroup computer named Computer1 that runs Windows 10. Computer1 contains five local user accounts. You need to ensure that all users who sign in to Computer1 see a picture named image1.jpg as the desktop background.

What should you do?

- A. From the local Group Policy Editor, modify the Desktop settings.
- B. Rename Image1.jpg as Desktop.jpg and copy the picture to the C:\Windows\system32\ folder.
- C. Desktop.jpg and copy the picture to the C:\Users\Default\Desktop folder
- D. From the Settings app, modify the Background settings.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 117

You have a computer that runs Windows 10. The computer contains a folder. The folder contains sensitive data.

You need to log which user reads the contents of the folder and modifies and deletes files in the folder.

You need to log which user reads the contents of the folder and modifies and deletes files in the folder.

Solution: from the properties of the folder, you configure the Auditing settings and from the Audit Policy in the local Group Policy, you configure Audit system events.

Does this meet the goal?

- A. Yes
- B. No

Answer: (SHOW ANSWER)

Files and folders are objects and are audited through object access, not through system events.

Reference:

https://www.netwrix.com/how_to_detect_who_changed_file_or_folder_owner.html

NEW QUESTION: 118

You install Windows 10 Enterprise on a new computer.

You need to force activation on the computer.

Which command should you run?

- A. slmgr /upk
- B. Sec-RDLicenseConfiguration -Force
- C. Sec-MsolLicense -AddLicense
- D. slmgr /ato

Answer: D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/windows/deployment/volume-activation/activate-using-key-management-service-vamt>

NEW QUESTION: 119

You need to configure Device! to meet the following requirements:

* Deny User1 the right to sign in locally.

* Ensure that a logon script runs only when User2 signs in to Device1.

* Ensure that no login scripts run when User1 or Admin! sign in to Device1.

Which two policies should you modify? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Local Computer\Admin1 Policy
- B. Local Computer\Administrators Policy
- C. Local Computer\User2 Policy
- D. Local Computer\Non-Administrators Policy IS
- E. Local Computer\User1 Policy
- F. Local Computer Policy

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 120

Your company has a Remote Desktop Gateway (RD Gateway).

You have a server named Server1 that is accessible by using Remote Desktop Services (RDS) through the RD Gateway.

You need to configure a Remote Desktop connection to connect through the gateway.

Which setting should you configure?

- A. Connect from anywhere
- B. Connection settings
- C. Local devices and resources
- D. Server authentication

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 121

You have the computers shown in the following table.

Name	Windows 10 edition	Servicing channel
Computer1	Windows 10 Education	Semi-annual
Computer2	Windows 10 Pro	Semi-annual
Computer3	Windows 10 Enterprise	Semi-annual

You apply the 20H2 feature update as soon as the update is available.

How many months of servicing does each computer support without installing another feature update? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Computer1:

- 6 months
- 12 months
- 18 months
- 30 months

Computer2:

- 6 months
- 12 months
- 18 months
- 30 months

Computer3:

- 6 months
- 12 months
- 18 months
- 30 months

Answer:

Computer1:

- 6 months
- 12 months
- 18 months
- 30 months**

Computer2:

- 6 months
- 12 months
- 18 months**
- 30 months

Computer3:

- 6 months
- 12 months
- 18 months**
- 30 months

Reference:

<https://docs.microsoft.com/en-us/windows/deployment/update/get-started-updates-channels-tools>

Valid MD-100 Dumps shared by Actual4test.com for Helping Passing MD-100 Exam! Actual4test.com now offer the **newest MD-100 exam dumps**, the Actual4test.com MD-100 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MD-100 dumps with Test Engine here:

https://www.actual4test.com/MD-100_examcollection.html (379 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 122

You have a computer named Computer1 that runs Windows 10.

You complete a full back up of Computer1 to an external USB drive. You store the USB drive offsite.

You delete several files from your personal Microsoft OneDrive account by using File Explorer, and then you empty the Recycle Bin on Computer1.

You need to recover the files 60 days after you deleted them in the least amount of time possible.

What should you use?

- A. the OneDrive recycle bin
- B. the full backup on the external USB drive
- C. Recovery in the Settings app

Answer: B (LEAVE A REPLY)

Reference:

<https://support.office.com/en-us/article/restore-deleted-files-or-folders-in-onedrive-949ada80-0026-4db3-a953-c99083e6a84f>

NEW QUESTION: 123

You plan to deploy Windows 10 Enterprise to company-owned devices.

You capture a Windows 10 image file from a reference device.


You need to generate catalog files and answer files for the deployment.

What should you use for each file? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Catalog file:	<input type="text"/> Deployment Image Servicing and Management (DISM) Windows Configuration Designer Windows Deployment Services (WDS) Windows System Image Manager (Windows SIM)
Answer file:	<input type="text"/> Deployment Image Servicing and Management (DISM) Windows Configuration Designer Windows Deployment Services (WDS) Windows System Image Manager (Windows SIM)

Answer:



Reference:

<https://docs.microsoft.com/en-us/windows-hardware/customize/desktop/wsim/open-a-windows-image-or-catalog-file>

NEW QUESTION: 124

HOTSPOT -

You have 20 computers that run Windows 11.

You need to enable Windows Sandbox on the computers.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

-FeatureName	-All	-Online
Add-AppxPackage		
Add-WindowsCapability		
Add-WindowsPackage		
Enable-WindowsOptionalFeature		

"Containers-DisposableClientVM"
"HostGuardian"
"HypervisorPlatform"
"VirtualMachinePlatform"

Answer:

Answer Area

-FeatureName	-All	-Online
Add-AppxPackage		
Add-WindowsCapability		
Add-WindowsPackage		
Enable-WindowsOptionalFeature		

"Containers-DisposableClientVM"
"HostGuardian"
"HypervisorPlatform"
"VirtualMachinePlatform"



NEW QUESTION: 125

You have an Azure Active Directory (Azure AD) tenant that contains a user named user1@contoso.com.

You have a computer named Computer1 that runs Windows 10.

You join Computer1 to Azure AD. You enable Remote Desktop on Computer1.

User1@contoso.com attempts to connect to Computer1 by using Remote Desktop and receives the following error message: "The logon attempt failed." You need to ensure that the user can connect to Computer1 by using Remote Desktop.

What should you do first?

- A. In Azure AD, assign user1@contoso.com the Cloud device administrator role.
- B. From the local Group Policy, modify the Allow log on through Remote Desktop Services user right.
- C. In Azure AD, assign user1@contoso.com the Security administrator role.
- D. On Computer1, create a local user and add the new user to the Remote Desktop Users group.

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/windows/client-management/connect-to-remote-aadj-pc>

NEW QUESTION: 126

You have a workgroup computer named Computer1 that runs Windows 10 and has the users shown in the following table.

Name	Member of
User1	Administrators
User2	Users

You have a file named File1.reg that contains the following content.

```
Windows Registry Editor Version 5.00
[HKEY_CURRENT_USER\System\Key1]
[HKEY_LOCAL_MACHINE\System\Key2]
```

You need to identify what occurs when User1 and User2 double-click File1.reg.
What should you identify? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

When User1 double-clicks **File1.reg**:

- No change is made to registry.
- Only Key1 is added to the registry.
- Only Key2 is added to the registry.
- Key1 and Key2 are added to the registry.

When User2 double-clicks **File1.reg**:

- No change is made to registry.
- Only Key1 is added to the registry.
- Only Key2 is added to the registry.
- Key1 and Key2 are added to the registry.

Answer:

When User1 double-clicks **File1.reg**:

- No change is made to registry.
- Only Key1 is added to the registry.
- Only Key2 is added to the registry.
- Key1 and Key2 are added to the registry.

When User2 double-clicks **File1.reg**:

- No change is made to registry.
- Only Key1 is added to the registry.
- Only Key2 is added to the registry.
- Key1 and Key2 are added to the registry.

NEW QUESTION: 127

Your network contains an Active Directory domain. The domain contains a computer named Computer 1 that runs Windows 10. You need to be able to reset computer accounts from Computer!.
What should you do first?

- A. Add the RSAT: Active Directory Domain Services and Lightweight Directory Services Tools optional feature.
- B. From Windows Defender Firewall, allow Windows Remote Management
- C. Add the RSAT: Server Manager optional feature.
- D. From Windows Defender Firewall, allow Remote Service Management

Answer: A (LEAVE A REPLY)

NEW QUESTION: 128

You plan to install Windows 10 Pro by using an answer file.

You open Windows System Image Manager.

You need to create an answer file.


What should you do first?

- A. Open the Install.wim file from the Windows 10 installation media.
- B. Install the Windows Assessment and Deployment Kit (Windows ADK).
- C. Open the Boot.wim file from the Windows 10 installation media.
- D. Install the WinPE add-on for the Windows Assessment and Deployment Kit (Windows ADK).

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 129

You have a computer named Computer1 that runs Windows 10. Computer1 contains a registry key named Key1 that has the values shown in the exhibit. (Click the Exhibit tab.)



You have a Registration Entries (.reg) file named File1.reg that contains the following text.

```
Windows Registry Editor Version 5.00
```

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Key1]
```

```
"String1"=-
```

```
@="2"
```

You need to identify the effect of importing File1.reg to Computer1.

What should you identify? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.

String1 will: ▼

- be deleted
- have a value of –
- have a value of Word1
- have no value

Value1 will: ▼

- be deleted
- have a value of 1
- have a value of 2
- have no value




Answer:

String1 will: ▼

- be deleted
- have a value of –
- have a value of Word1
- have no value

Value1 will: ▼

- be deleted
- have a value of 1
- have a value of 2
- have no value



Reference:

<https://www.computerhope.com/issues/ch000848.htm>

<https://www.computerperformance.co.uk/vista/reg-create/>

NEW QUESTION: 130

You have 15 computers that run Windows 10. Each computer has two network interfaces named Interface1 and Interface2.

You need to ensure that network traffic uses Interface1, unless Interface1 is unavailable.

What should you do?

- A. Run the Set-NetIPInterface -InterfaceAlias Interface1 -InterfaceMetric 1 command.
- B. Run the Set-NetAdapterBinding -Name Interface2 -Enabled \$true -ComponentID ms_tcpip - ThrottleLimit 0 command.
- C. Set a static IP address on Interface 1.
- D. From Network Connections in Control Pane, modify the Provider Order.

Answer: ([SHOW ANSWER](#))


Reference:

<https://tradingtechnologies.atlassian.net/wiki/spaces/KB/pages/27439127/How+to+Change+Network+Adapter+Priorities+in+Windows+10>

<https://docs.microsoft.com/en-us/powershell/module/nettcpip/set-netipinterface?view=win10-ps>

NEW QUESTION: 131

You customize the Start menu on a computer that runs Windows 10 as shown in the following exhibit.



You need to add Remote Desktop Connection to Group1 and remove Group3 from the Start menu.
Which two actions should you perform from the Start menu customizations? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Rename Group3 as Group1.
- B. Delete Group3.
- C. Unlock Group!
- D. Add Remote Desktop Connection to Group1.
- E. Remove Command Prompt from Group1.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 132

Your network contains an Active Directory domain that is synced to a Microsoft Azure Active Directory (Azure AD) tenant.

Your company purchases a Microsoft 365 subscription.

You need to migrate the Documents folder of users to Microsoft OneDrive for Business.

What should you configure?

- A. One Drive Group Policy settings
- B. roaming user profiles
- C. Enterprise State Roaming
- D. Folder Redirection Group Policy settings

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/onedrive/redirect-known-folders?redirectSourcePath=%252fen-us%252farticle%252fredirect-windows-known-folders-to-onedrive-e1b3963c-7c6c-4694-9f2f-fb8005d9ef12>


NEW QUESTION: 133

You have a workgroup computer named Computer1 that runs Windows 10 and has the users shown in the following table.



Name	Member of
Administrator	Administrators
User1	Administrators
User2	Users

User Account Control (UAC) on Computer1 is configured as shown in the following exhibit.



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
When Administrator opens a command prompt by using the Run as administrator option, the user will be prompted for consent.	<input type="radio"/>	<input type="radio"/>
When User1 opens a command prompt by using the Run as administrator option, the user will be prompted for consent.	<input type="radio"/>	<input type="radio"/>
When User2 opens a command prompt by using the Run as administrator option, the user will be prompted for credentials.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
When Administrator opens a command prompt by using the Run as administrator option, the user will be prompted for consent.	<input checked="" type="radio"/>	<input type="radio"/>
When User1 opens a command prompt by using the Run as administrator option, the user will be prompted for consent.	<input checked="" type="radio"/>	<input type="radio"/>
When User2 opens a command prompt by using the Run as administrator option, the user will be prompted for credentials.	<input checked="" type="radio"/>	<input type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/windows/security/identity-protection/user-account-control/user-account-control-security-policy-settings>

NEW QUESTION: 134

You need to meet the quality update requirement for ComputerA.

For how long should you defer the updates?

- A. 14 days
- B. 10 years
- C. 5 years
- D. 180 days
- E. 30 days

Answer: (SHOW ANSWER)

Reference:

<https://www.thewindowsclub.com/delay-defer-feature-updates-365-days-windows-10>

NEW QUESTION: 135

You have an isolated network segment that contains only three computers named Computer1, Computer2, and Computer3 that run Windows 10. The network settings for each computer are shown in the following table.

Name	TCP/IPv4		TCP/IPv6
	General	Alternate configuration	
Computer1	IP assignment: Automatic (DHCP)	Automatic private IP address	Obtain an IPv6 address automatically
Computer2	IP assignment: Manual IP address: 169.254.15.10 Mask: 255.255.0.0	<i>Not applicable</i>	IPv6 address: 2001::15 Subnet prefix length: 64
Computer3	IP assignment: Manual IP address: 192.168.15.5 Mask: 255.255.0.0	<i>Not applicable</i>	IPv6 address: FE80::5 Subnet prefix length: 64

Windows Defender Firewall is configured to allow ICMP and ICMPv6 traffic.


For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area	Statements	Yes	No
	On Computer1, the ping Computer2 command will return a successful result.	<input type="radio"/>	<input type="radio"/>
	On Computer1, the ping FE80::5 command will return a successful result.	<input type="radio"/>	<input type="radio"/>
	On Computer1, the ping 192.168.15.5 command will return a successful result.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area


Microsoft

Statements	Yes	No
On Computer1, the ping Computer2 command will return a successful result.	<input type="radio"/>	<input checked="" type="checkbox"/>
On Computer1, the ping FE80::5 command will return a successful result.	<input type="radio"/>	<input checked="" type="checkbox"/>
On Computer1, the ping 192.168.15.5 command will return a successful result.	<input type="radio"/>	<input checked="" type="checkbox"/>

NEW QUESTION: 136

You have several computers that run Windows 10. The computers are in a workgroup.
 You need to prevent users from using Microsoft Store apps on their computer.
 What are two possible ways to achieve the goal? Each correct answer presents part of the solution.
 NOTE: Each correct selection is worth one point.

- A. From Security Settings in the local Group Policy, configure Security Options.
- B. From Administrative Templates in the local Group Policy, configure the Store settings.
- C. From Security Settings in the local Group Policy, configure Software Restriction Policies.
- D. From Security Settings in the local Group Policy, configure Application Control Policies.

Answer: B,D (LEAVE A REPLY)

Reference:

<https://www.techrepublic.com/article/how-to-manage-your-organizations-microsoft-store-group-policy/>

Valid MD-100 Dumps shared by Actual4test.com for Helping Passing MD-100 Exam! Actual4test.com now offer the **newest MD-100 exam dumps**, the Actual4test.com MD-100 exam questions have been updated and answers have been corrected get the **newest** Actual4test.com MD-100 dumps with Test Engine here:

https://www.actual4test.com/MD-100_examcollection.html (379 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 137

You have a computer that runs Windows 10. You use the computer to test new Windows features.
 You need to configure the computer to receive preview builds of Windows 10 as soon as possible.
 What should you configure from Update & Security in the Settings app?

- A. Windows Insider Program
- B. Windows Update
- C. Delivery Optimization
- D. For developer

Answer: A (LEAVE A REPLY)

Reference:

<https://insider.windows.com/en-us/getting-started/>

NEW QUESTION: 138

Your network contains an Active Directory domain. The domain contains a computer named Computer1 that runs Windows 10. The domain contains the users shown in the following table.

Name	Member of
User1	Domain Users
User2	Domain Users, Guests
User3	Domain Users, Administrators

Computer has the local users shown in the following table.

Name	Member of
User4	Users
User5	Administrators

All users have Microsoft accounts.

Which two user can be configured to sign in by using their Microsoft account? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. User 4
- B. User 5
- C. User 2
- D. User 1
- E. User 3

Answer: ([SHOW ANSWER](#))


NEW QUESTION: 139

Your network contains the segments shown in the following table.

Name	IP address space	Covered by DHCP	Next available IP address
Segment1	172.16.0.0/24	Yes	172.16.0.58
Segment2	192.168.1.0/24	No	<i>Not applicable</i>

You have a computer that runs Windows 10.

The network interface of the computer is configured as shown in the exhibit. (Click the Exhibit tab.)



You need to identify which IP address the computer will have on the network when the computer connects to the segments. Which IP address should you identify for each segment? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Segment1:

Segment2:

Answer:

Segment1: ▼

172.16.0.10
 172.16.0.58
 An address that starts with 169.254

Segment2: ▼

172.16.0.10
 172.16.0.58
 An address that starts with 169.254
 An address that starts with 192.168.1

NEW QUESTION: 140

You enable controlled folder access in audit mode for several computers that run Windows 10.

You need to review the events audited by controlled folder access.

Which Event Viewer log should you view?

- A. Applications and Services\Microsoft\Windows\Windows Defender\Operational
- B. Applications and Services\Microsoft\Windows\Known Folders\Operational
- C. Windows\Security

Answer: (SHOW ANSWER)

<https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/evaluate-controlled-folder-access>

NEW QUESTION: 141

You implement the planned changes for Computer1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can write to D:\Folder1\Report.docx.	<input type="radio"/>	<input type="radio"/>
User2 can write to D:\Folder1\Report.docx.	<input type="radio"/>	<input type="radio"/>
User3 can write to D:\Folder1\Report.docx.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1 can write to D:\Folder1\Report.docx.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can write to D:\Folder1\Report.docx.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can write to D:\Folder1\Report.docx.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 142

You install Windows 10 Pro on a computer named CLIENT1.

You need to ensure that all per-user services are disabled on CLIENT1. The solution must minimize administrative effort.

What should you use?

- A. a Group Policy administrative template
- B. Device Manager
- C. Task Manager
- D. Group Policy preferences

Answer: D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/windows/application-management/per-user-services-in-windows>

NEW QUESTION: 143

You have two workgroup computers named Computer1 and Computer2 that run Windows 10. The computers contain the local security principals shown in the following table.

Name	Type	Computer
User1	User	Computer1
GroupA	Group	Computer1
GroupB	Group	Computer1
User2	User	Computer2
GroupC	Group	Computer2

Which security principals can be members of GroupA and GroupC? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

GroupA:

- User1 only
- User1 and User2 only
- User1 and GroupB only
- User1, User2, GroupB, and GroupC

GroupC:

- User2 only
- User1 and User2 only
- User1, User2, GroupA, and GroupB

Answer:

GroupA:  Microsoft

- User1 only
- User1 and User2 only
- User1 and GroupB only
- User1, User2, GroupB, and GroupC


GroupC:

- User2 only
- User1 and User2 only
- User1, User2, GroupA, and GroupB

NEW QUESTION: 144

You need to ensure that User1 can perform a Resultant Set of Policy (RSOP) analysis for User2. The solution must use the principle of least privilege.

Do not display user policy settings in the results (display computer policy settings only)

 Microsoft

What should you do first?

- A. Add User2 to the local Performance Monitor Users group.
- B. Run RSoP from an elevated-privilege account.
- C. Add User1 to the local Administrators group.

D. Add User1 to the local Performance Monitor Users group.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 145

You have several computers that run Windows 10. The computers are in a workgroup and have BitLocker Drive Encryption (BitLocker) enabled.

You join the computers to Microsoft Azure Active Directory (Azure AD).

You need to ensure that you can recover the BitLocker recovery key for the computers from Azure AD.

What should you do first?

- A. Disable BitLocker.
- B. Add a BitLocker key protector.
- C. Suspend BitLocker.
- D. Disable the TPM chip.

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/windows/security/information-protection/bitlocker/prepare-your-organization-for-bitlocker-planning-and-policies#bitlocker-key-protectors>

NEW QUESTION: 146

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Username and password



Use the following login credentials as needed:

To enter your password, place your cursor in the Enter password box and click on the password below.

Username: Contoso/Administrator

Password: Passw0rd!

The following information is for technical support purposes only:

Lab Instance: 10921597

Tasks

Computers



Client1

Client2

Client3


DC1

You need to enable the Prohibit User from manually redirecting Profile Folders Group Policy setting only for the administrative users of Client3.
To complete this task, sign in to the required computer or computers.

A. 1. Open the Administrator Group Local Group Policy Editor.


Answer: A ([LEAVE A REPLY](#))

2. In the left pane, click on User Configuration, Administrative Templates, and Desktop.



3. In the right pane, right click on Prohibit User from Manually redirecting Profile Folders and click on Properties.

4. To Prevent User Profile Folders Location Change
Select (dot) Enabled and click on OK.



5. Close the Local Group Policy Editor window.

Reference:

<https://www.vistax64.com/threads/user-profile-folders-prevent-or-allow-location-change.180719/>

NEW QUESTION: 147

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A user named User1 has a computer named Computer1 that runs Windows 10. Computer1 is joined to an Azure Active Directory (Azure AD) tenant named contoso.com. User1 joins Computer1 to contoso.com by using user1@contoso.com.

Computer1 contains a folder named Folder1. Folder1 is in drive C and is shared as Share1. Share1 has the permission shown in the following table.

Group	Share permission
Everyone	Full control
AzureAD\user1@contoso.com	Owner

A user named User2 has a computer named Computer2 that runs Windows 10. User2 joins Computer2 to contoso.com by using user2@contoso.com.

User2 attempts to access Share1 and receives the following error message: "The username or password is incorrect." You need to ensure that User2 can connect to Share1.

Solution: In Azure AD, you create a group named Group1 that contains User1 and User2. You grant Group1 Modify access to Folder1.

Does this meet the goal?

A. Yes

B. No

Answer: A ([LEAVE A REPLY](#))

Reference:

[https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2008-R2-and-2008/cc754178\(v%3dws.10\)](https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2008-R2-and-2008/cc754178(v%3dws.10))

NEW QUESTION: 148

Your network contains an Active Directory domain. The domain contains two computers named Computer1 and Computer2 that run Windows 10.

You need to modify the registry of Computer1 by using Registry Editor from Computer2.

Which two registry hives can you modify? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. HKEY_CLASSES_ROOT

B. HKEY_CURRENT_USER

C. HKEY_LOCAL_MACHINE

D. HKEY_CURRENT_CONFIG

E. HKEY_USERS

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 149

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Username and password



Use the following login credentials as needed:

To enter your password, place your cursor in the Enter password box and click on the password below.

Username: Contoso/Administrator

Password: Passw0rd!

The following information is for technical support purposes only:

Lab Instance: 10921597



You need to create a user account named User5 on Client2. The solution must meet the following requirements:

Prevent User5 from changing the password of the account.

Ensure that User5 can perform backups.

Use the principle of least privilege.

To complete this task, sign in to the required computer or computers.

A. On Client2, press the Win + X keys on your keyboard. Then, click or tap the Computer Management option from the menu.

Answer: (SHOW ANSWER)

Expand the Local Users and Groups from the left side of the window, and select Users.

Right-click somewhere on the blank space found in the middle section of the window, and click or tap on New User. This opens the New User window, where you can enter all the details about the new user account.

Type the user name and, optionally, its full name and description.

Type the password to be used for that user and confirm it.

Select the User cannot change password check box.

Click Create and Windows immediately creates the user account. When you are done creating user accounts, click Close in the New User window.

Press the Win + R keys to open Run, type secpol.msc into Run, and click/tap on OK to open Local Security Policy.

Expand open Local Policies in the left pane of Local Security Policy, click/tap on User Rights Assignment, and double click/tap on the Back up files and directories policy in the right pane.

Click/tap on the Add User or Group button.

Click/tap on the Object Types button.

Check all the boxes for Object types, and click/tap on the OK.

Click/tap on the Advanced button.

Click/tap on the Find Now button, select the name of the user or group

Click/tap on OK.

Click/tap on OK.

When finished, you can close Local Users and Groups.

Reference:

<https://www.digitalcitizen.life/geeks-way-creating-user-accounts-and-groups>

<https://docs.microsoft.com/en-us/windows/security/threat-protection/security-policy-settings/user-rights-assignment>

NEW QUESTION: 150

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a computer named Computer1 that runs Windows 10.

You test Windows updates on Computer1 before you make the updates available to other users at your company.

You install a quality update that conflicts with a customer device driver.

You need to remove the update from Computer1.

Solution: From System Restore, you revert the system state to a restore point that was created before the update was installed.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Reference:

<https://support.microsoft.com/en-us/help/934307/description-of-the-windows-update-standalone-installer-in-windows>

NEW QUESTION: 151

You have a workgroup computer named Computer1 that runs Windows 10.

You need to configure Windows Hello for sign-in to Computer1 by using a physical security key.

What should you use?

A. a USB 3.0 device that supports BitLocker Drive Encryption (BitLocker)

B. a USB device that supports FIDO2

C. a USB 3.0 device that has a certificate from a trusted certification authority (CA)

D. a USB device that supports RSA SecurID

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/user-help/security-info-setup-security-key>

Valid MD-100 Dumps shared by Actual4test.com for Helping Passing MD-100 Exam! Actual4test.com now offer the **newest MD-100 exam dumps**, the Actual4test.com MD-100 exam questions have been updated and answers have been corrected get the **newest** Actual4test.com MD-100 dumps with Test Engine here:

https://www.actual4test.com/MD-100_examcollection.html (379 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 152

You have a computer named Computer1 that runs Windows 10.

Computer1 has a folder named C:\Folder1.

You need to meet the following requirements:

Log users that access C:\Folder1.

Log users that modify and delete files in C:\Folder1.

Which two actions should you perform?

- A. From the properties of C:\Folder1, configure the Auditing settings.
- B. From the properties of C:\Folder1, select the Encryption contents to secure data option.
- C. From the Audit Policy in the local Group Policy, configure Audit directory service access.
- D. From the Audit Policy in the local Group Policy, you configure Audit object access.
- E. From the Audit Policy in the local Group Policy, you configure Audit system events.

Answer: (SHOW ANSWER)

Files and folders are objects and are audited through object access.

Reference:

https://www.netwrix.com/how_to_detect_who_changed_file_or_folder_owner.html

NEW QUESTION: 153

You have computers that run Windows 11 as shown in the following table.

Name	IP address	Joined to
Computer1	192.168.10.10	Active Directory
Computer2	192.168.10.15	Workgroup

You ping 192.168.10.15 from Computer1 and discover that the request timed out.

You need to ensure that you can successfully ping 192.168.10.15 from Computer1.

Solution: On Computer you share a folder. Does this meet the goal?

- A. No
- B. Yes

Answer: (SHOW ANSWER)

NEW QUESTION: 154

Your network an Active Directory domain named adatum.com. The domain contains 50 computers that runs Windows 8.1. The computer has locally installed desktop application that are compatible with Windows 10.

You need to upgrade the computers to windows 10, The solution must preserver the locally installed desktop applications.

Solution: You use Microsoft Deployment Toolkit (MDT) and create a task sequence. One each compute, you run the task sequence.

Does the meet the goal?

- A. Yes

B. No

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 155

Your network contains an Active Directory domain named contoso.com. The domain contains named Computer1 that runs Windows 10.

On Computer1, you create an NTFS folder and assign Full control permissions to Everyone.

You share the folder as Share1 and assign the permissions shown in the following table.

Name	Permission
User1	Full control
User2	Change

When accessing Share1, which two actions can be performed by User1 but not by User2? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Delete a file created by another user.
- B. Set the permissions for a file.
- C. Rename a file created by another user.
- D. Take ownership of file.
- E. Copy a file created by another user to a subfolder.

Answer: ([SHOW ANSWER](#))

Reference:

<https://www.varonis.com/blog/ntfs-permissions-vs-share/>

NEW QUESTION: 156

You have a public computer named Public1 that runs Windows 10.

Users use Public1 to browse the internet by using Microsoft Edge.

You need to view events associated with website phishing attacks on Public1.


Which Event Viewer log should you view?

- A. Applications and Services Logs > Microsoft > Windows > Windows Defender > Operational
- B. Applications and Services Logs > Microsoft > Windows > DeviceGuard > Operational
- C. Applications and Services Logs > Microsoft > Windows > Security-Mitigations > User Mode
- D. Applications and Services Logs > Microsoft > Windows > SmartScreen > Debug

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 157


You have the network shown in the following exhibit.



Computer1, Computer2, and Computer3 run Windows 10. Windows Defender Firewall is configured to allow ICMP traffic. RTR1 is a router. For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
If Computer1 pings the IP address of Computer2, Computer1 will receive a reply.	<input type="radio"/>	<input type="radio"/>
If Computer1 pings the IP address of Computer3, Computer1 will receive a reply.	<input type="radio"/>	<input type="radio"/>
If Computer2 pings the IP address of Computer3, Computer2 will receive a reply.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area  Microsoft

Statements

	Yes	No
If Computer1 pings the IP address of Computer2, Computer1 will receive a reply.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
If Computer1 pings the IP address of Computer3, Computer1 will receive a reply.	<input type="checkbox"/>	<input type="checkbox"/>
If Computer2 pings the IP address of Computer3, Computer2 will receive a reply.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

NEW QUESTION: 158

You have a computer named Computer1 that runs Windows 10.

On Computer1, you turn on File History.

You need to protect a folder named D:\Folder1 by using File History.

What should you do?

- A. From File Explorer, modify the General settings of D:\Folder1
- B. From File Settings app, configure the Backup settings
- C. From the Settings app, configure the Recovery settings
- D. From File History in Control Panel, configure the Select drive settings

Answer: B (LEAVE A REPLY)

To configure File History, click More options on the Backup screen. The Backup options screen allows you to set how often File History backs up your files and how long versions are saved.

Reference:

<https://www.groovypost.com/howto/configure-windows-10-file-history/>


NEW QUESTION: 159

Your office has a dedicated wireless network for guests.

You plan to provide access cards that will have a QR code for guests. The QR code will link to a network configuration file stored on a publicly accessible website and provide the wireless network settings for Windows 10 devices.

Which tool should you use to create the configuration file and which file type should you use for the configuration file? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



Reference:

<https://docs.microsoft.com/en-us/windows/configuration/provisioning-packages/provisioning-packages>

NEW QUESTION: 160

You have computers that run Windows 11 as shown in the following table.

Name	IP address	Joined to
Computer1	192.168.10.10	Active Directory
Computer2	192.168.10.15	Workgroup

You ping 192.168.10.15 from Computer1 and discover that the request timed out. You need to ensure that you can successfully ping 192.168.10.15 from Computer1.

Solution: On Computer2, you share a folder.

Does this meet the goal?

A. No

B. Yes

Answer: A (LEAVE A REPLY)

NEW QUESTION: 161

Your network contains an Active Directory domain. The domain contains computers that run Windows 10.

You must ensure that Windows BitLocker Drive Encryption is enabled on all client computers, even though a Trusted Platform Module (TPM) chip is installed in only some of them.

You need to accomplish this goal by using one Group Policy object (GPO).

What should you do?

- A. Enable the Allow enhanced PINs for startup policy setting, and select the Allow BitLocker without a compatible TPM check box
- B. Enable the Enable use of BitLocker authentication requiring preboot keyboard input on slates policy setting, and select the Allow BitLocker without a compatible TPM check box
- C. Enable the Require additional authentication at startup policy setting, and select the Allow BitLocker without a compatible TPM check box
- D. Enable the Control use of BitLocker on removable drives policy setting, and select the Allow BitLocker without a compatible TPM check box

Answer: C (LEAVE A REPLY)

We need to allow Windows BitLocker Drive Encryption on all client computers (including client computers that do not have Trusted Platform Module (TPM) chip).

We can do this by enabling the option to allow BitLocker without a compatible TPM in the group policy. The "Allow BitLocker without a compatible TPM" option is a checkbox in the "Require additional authentication at startup" group policy setting. To access the "Allow BitLocker without a compatible TPM" checkbox, you need to first select Enabled on the "Require additional authentication at startup" policy setting.

Reference:

<https://docs.microsoft.com/en-us/windows/security/information-protection/bitlocker/bitlocker-group-policy-settings#bkmk-unlockpol4>

NEW QUESTION: 162


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your password, place your cursor in the Enter password box and click on the password below.

Username: Contoso/Administrator

Password: Passw0rd!

The following information is for technical support purposes only:

Lab Instance: 11145882

WELCOME TO SERVER MANAGER

- Local Server
- All Servers
- AD DS
- DNS
- File and Storage Services >

QUICK START

1 Configure this local server

- 2 Add roles and features
- 3 Add other servers to manage
- 4 Create a server group
- 5 Connect this server to cloud services

Hide

WHAT'S NEW

LEARN MORE

ROLES AND SERVER GROUPS

Roles: 3 | Server groups: 1 | Servers total: 1

BPA results

AD DS 1

- Manageability
- Events
- Services
- Performance
- BPA results

DNS 1

- Manageability
- Events
- Services
- Performance
- BPA results

File and Storage Services 1

- Manageability
- Events
- Services
- Performance
- BPA results

Local Server 1

- Manageability
- Events
- 2 Services
- Performance
- BPA results

1/23/2020 9:30 PM

All Servers 1

- Manageability
- Events
- 2 Services
- Performance
- BPA results

1/23/2020 9:30 PM

Tasks

Computers



Client1

Client2

Client3

DC1

A web service installed on Client1 is used for testing.

You discover that users cannot connect to the web service by using HTTP.

You need to allow inbound HTTP connections to Client1.

To complete this task, sign in to the required computer or computers.

A. To create an inbound port rule

Answer: A (LEAVE A REPLY)

Open the Group Policy Management Console to Windows Defender Firewall with Advanced Security.

In the navigation pane, click Inbound Rules.

Click Action, and then click New rule.

On the Rule Type page of the New Inbound Rule Wizard, click Custom, and then click Next.

On the Program page, click All programs, and then click Next.

On the Protocol and Ports page, select the protocol type that you want to allow. To restrict the rule to a specified port number, you must select either TCP or UDP. Because this is an incoming rule, you typically configure only the local port number. TCP port 80. When you have configured the protocols and ports, click Next.

On the Scope page, you can specify that the rule applies only to network traffic to or from the IP addresses entered on this page. Configure as appropriate for your design, and then click Next.

On the Action page, select Allow the connection, and then click Next.

On the Profile page, select the network location types to which this rule applies, and then click Next.

On the Name page, type a name and description for your rule, and then click Finish.

Reference:

<https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-firewall/create-an-inbound-port-rule>

https://en.wikipedia.org/wiki/List_of_TCP_and_UDP_port_numbers

NEW QUESTION: 163

You have a workgroup computer named Computer1 that runs Windows 10. Computer1 contains five local user accounts.

You need to ensure that all users who sign in to Computer1 see a picture named Image1.jpg as the desktop background.

What should you do?

- A. From the Settings app, modify the Background settings.
- B. From the Local Group Policy Editor, modify the Desktop settings.
- C. Rename Image1.jpg as Desktop.jpg and copy the picture to the C:\Windows\system32\folder.
- D. Rename Image1.jpg as Desktop.jpg and copy the picture to the C:\Users\Default\Desktop\folder.

Answer: (SHOW ANSWER)

Reference:

<https://www.top-password.com/blog/set-a-default-background-wallpaper-for-windows-10-desktop/>

NEW QUESTION: 164

You have a computer named Computer1. Computer1 runs Windows 10 Pro. Computer1 has a cellular connection and a Wi-Fi connection.

You want to prevent Computer1 from using the cellular connection unless you manually connect to the cellular network.

What should you do?

To complete this task, sign in to the required computer or computers.

- A. Select the Network icon on the lower right corner of the taskbar, and then select the cellular network icon.

Answer: A (LEAVE A REPLY)

Clear the Let Windows manage this connection check box.

Reference:

<https://support.microsoft.com/en-za/help/10739/windows-10-cellular-settings>

NEW QUESTION: 165

Your company has an on-premises network that contains an Active Directory domain. The domain is synced to Microsoft Azure Active Directory (Azure AD). All computers in the domain run Windows 10 Enterprise.

You have a computer named Computer1 that has a folder named C:\Folder1.

You want to use File History to protect C:\Folder1.

Solution: You enable File History on Computer1. You then encrypt the contents of Folder1.

Does this meet the goal?

- A. Yes
- B. No

Answer: B (LEAVE A REPLY)

File History only backs up copies of files that are in Libraries, and Desktop folders and the OneDrive files available offline on your PC. If you have files or folders elsewhere that you want backed up, you can add them to one of these folders.

Reference:

<https://support.microsoft.com/en-us/help/17128/windows-8-file-history>

Valid MD-100 Dumps shared by Actual4test.com for Helping Passing MD-100 Exam! Actual4test.com now offer the **newest MD-100 exam dumps**, the Actual4test.com MD-100 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MD-100 dumps with Test Engine here:

https://www.actual4test.com/MD-100_examcollection.html (379 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)