

Microsoft.MS-100.v2023-04-19.q180

Exam Code:	MS-100
Exam Name:	Microsoft 365 Identity and Services
Certification Provider:	Microsoft
Free Question Number:	180
Version:	v2023-04-19
# of views:	1624
# of Questions views:	1800
https://www.freepdfdumps.com/Microsoft.MS-100.v2023-04-19.q180.html	

NEW QUESTION: 1

You are securing a web API by using the Microsoft identity Platform. The web API must meet the following requirements:

* Authenticated Azure Active Directory (Azure AD) users must be able to retrieve user information from Azure AD.

* Authenticated Azure AD users must be able to manage Microsoft 365 groups.

You need to grant permissions for the web API. The solution must use the principle of least privilege. What should you grant? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Configured permissions

Applications are authorized to call APIs when they are granted permissions by users/admins as include all the permissions the application needs. [Learn more about permissions and consent](#)

+ Add a permission

Grant admin consent for nuborocks



Microsoft

API - Permissions name

Type

Description

Microsoft Graph (2)

Directory.AccessAsUser.All
Group.Create
Group.Read
Group.ReadWrite.All

Delegated

Read and write all groups

User.Read
User.Read.All
User.ReadBasic.All
User.ReadWrite.All

Delegated

Read all users' basic profiles

Answer:

Configured permissions

Applications are authorized to call APIs when they are granted permissions by users/admins as include all the permissions the application needs. [Learn more about permissions and consent](#)

[+ Add a permission](#) [Grant admin consent for nuborocks](#)

API / Permissions name	Type	Description
Microsoft Graph (2) <ul style="list-style-type: none"> Directory.AccessAsUser.All Group.Create Group.Read Group.ReadWrite.All 	Delegated	Read and write all groups
<ul style="list-style-type: none"> User.Read User.Read.All User.ReadBasic.All User.ReadWrite.All 	Delegated	Read all users' basic profiles

NEW QUESTION: 2

You are evaluating the use of multi-factor authentication (MFA).

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Users will have 14 days to register for MFA after they sign in for the first time.	<input type="radio"/>	<input type="radio"/>
Users must use the Microsoft Authenticator app to complete MFA.	<input type="radio"/>	<input type="radio"/>
After registering, users must use MFA for every sign-in.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
Users will have 14 days to register for MFA after they sign in for the first time.	<input type="radio"/>	<input type="radio"/>
Users must use the Microsoft Authenticator app to complete MFA.	<input type="radio"/>	<input type="radio"/>
After registering, users must use MFA for every sign-in.	<input type="radio"/>	<input type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-configure-mfa-policy>

<https://blog.admindroid.com/configuring-and-managing-mfa-in-office-365/>

NEW QUESTION: 3

Your network contains an on-premises Active Directory forest named contoso.com. The forest contains the following domains:

Contoso.com

East.contoso.com

The forest contains the users shown in the following table.

Name	UPN suffix
User1	Contoso.com
User2	East.contoso.com
User3	Fabrikam.com

The forest syncs to an Azure Active Directory (Azure AD) tenant named contoso.com as shown in the exhibit. (Click the Exhibit tab.)

PROVISION FROM ACTIVE DIRECTORY

Azure AD Connect cloud provisioning
This feature allows you to manage provisioning from the cloud.
[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Disabled

USER SIGN-IN

Federation	Disabled	0 domains
Seamless single sign-on	Enabled	1 domain
Pass-through authentication	Enabled	2 agents

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	NO
User1 can authenticate to Azure AD by using a username of user1@contoso.com.	<input type="radio"/>	<input type="radio"/>
User2 can authenticate to Azure AD by using a username of user2@contoso.com.	<input type="radio"/>	<input type="radio"/>
User3 can authenticate to Azure AD by using a username of user3@contoso.com.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	NO
User1 can authenticate to Azure AD by using a username of user1@contoso.com.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can authenticate to Azure AD by using a username of user2@contoso.com.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can authenticate to Azure AD by using a username of user3@contoso.com	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 4

You publish an enterprise application named App1 that process financial data.

You need to ensure that access to App1 is revoked for users who no longer require view the processed financial data.

What should you configure?

- A. An access review
- B. An app protection policy
- C. A conditional access policy
- D. An owner

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review>

NEW QUESTION: 5

You are developing a new application named App1 that uses the Microsoft identity platform to authenticate to Azure Active Directory (Azure AD).

Currently, App1 can read user profile information.

You need to allow App1 to read the user's calendar.

Solution: Perform a POST request against <https://graph.microsoft.com/v1.0/me/events>.

Does this meet the goal?

- A. Yes
- B. No

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 6

Your network contains an Active Directory domain named contoso.com. The domain contains five domain controllers.

You purchase Microsoft 365 and plan to implement several Microsoft 365 services.

You need to identify an authentication strategy for the planned Microsoft 365 deployment. The solution must meet the following requirements:

Ensure that users can access Microsoft 365 by using their on-premises credentials.

Use the existing server infrastructure only.

Store all user passwords on-premises only.

Be highly available.

Which authentication strategy should you identify?

- A. pass-through authentication and seamless SSO
- B. pass-through authentication and seamless SSO with password hash synchronization
- C. password hash synchronization and seamless SSO
- D. federation

Answer: A (LEAVE A REPLY)

Azure AD Pass-through Authentication. Provides a simple password validation for Azure AD authentication services by using a software agent that runs on one or more on-premises servers. The servers validate the users directly with your on-premises Active Directory, which ensures that the password validation doesn't happen in the cloud.

Reference:

<https://docs.microsoft.com/en-us/azure/security/fundamentals/choose-ad-authn>

NEW QUESTION: 7

Your on-premises network contains a Microsoft Exchange Server 2019 organization.

You purchase a Microsoft 365 E5 subscription.

You need to integrate the on-premises network and Exchange Online.

What should you do first?

- A. implement Azure AD Connect.
- B. Run the Hybrid Configuration wizard
- C. install an Azure Active Directory (Azure AD) Application Proxy connector.
- D. Add a connector in Exchange Online.

Answer: (SHOW ANSWER)

NEW QUESTION: 8

You need to provide users with access to SalesApp. The solution must meet the technical requirements What should you include in the solution?

- A. App Catalog in SharePoint Online
- B. Microsoft AppSource
- C. sideloading
- D. Centralized Deployment

Answer: B (LEAVE A REPLY)

NEW QUESTION: 9

You need to modify the HRApp manifest to provide a tab that supports querying the third-party HR system.

Which section of the manifest should you modify, and which value should you set as the scope?


To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Section:

- bots
- staticTabs
- configurableTabs
- composeExtensions

Scope:


- team 
- meeting
- personal

Answer:

Section:

- bots
- staticTabs
- configurableTabs**
- composeExtensions

Scope:

- team**
- meeting 
- personal


Reference:

<https://docs.microsoft.com/en-us/microsoftteams/platform/resources/schema/manifest-schema#composeextensions>

NEW QUESTION: 10

You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com. An external user has a Microsoft account that uses an email address of user1@outlook.com.

An administrator named Admin1 attempts to create a user account for the external user and receives the error message shown in the following exhibit.



You need to ensure that Admin1 can add the user.

What should you do from the Azure Active Directory admin center?

- A. Add a custom domain name named outlook.com.
- B. Modify the Authentication methods.
- C. Modify the External collaboration settings.
- D. Assign Admin1 the Security administrator role.

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/b2b/delegate-invitations>

NEW QUESTION: 11

Your company recently purchased a Microsoft 365 subscription.

You enable Microsoft Azure Multi-Factor Authentication (MFA) for all 500 users in the Azure Active Directory (Azure AD) tenant.

You need to generate a report that lists all the users who completed the Azure MFA registration process.

What is the best approach to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. From Azure Cloud Shell, run the Get-AzureADUser cmdlet.
- B. From Azure Cloud Shell, run the Get-MsolUser cmdlet
- C. From the Azure Active Directory admin center, use the MFA Server blade.
- D. From the Azure Active Directory admin center, use the Risky sign-ins blade.

Answer: (SHOW ANSWER)

You can use the Get-MsolUser cmdlet to generate a report that lists all the users who completed the Azure MFA registration process. The full command would look like this:

```
Get-MsolUser -All | Where-Object {$_.StrongAuthenticationMethods.Count -eq 0} | Select-Object -Property UserPrincipalName
```

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-reporting>

NEW QUESTION: 12

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the users shown in the following table.

Name	UPN suffix
User1	Contoso.com
User2	Fabrikam.com

The domain syncs to an Azure Active Directory (Azure AD) tenant named contoso.com as shown in the exhibit. (Click the Exhibit tab.)

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Enabled

USER SIGN-IN

	Federation	Disabled	0 domains
	Seamless single sign-on	Enabled	1 domain
	Pass-through authentication	Enabled	2 agents

User2 fails to authenticate to Azure AD when signing in as user2@fabrikam.com.

You need to ensure that User2 can access the resources in Azure AD.

Solution: From the on-premises Active Directory domain, you set the UPN suffix for User2 to @contoso.com. You instruct User2 to sign in as user2@contoso.com.

Does this meet the goal?

A. Yes

B. No

Answer: A (LEAVE A REPLY)

The on-premises Active Directory domain is named contoso.com. You can enable users to sign on using a different UPN (different domain), by adding the domain to Microsoft 365 as a custom domain. Alternatively, you can configure the user account to use the existing domain (contoso.com).

NEW QUESTION: 13

You have an on premises web application that is published by using a URL of https://app.contoso.local.

You purchase a Microsoft 365 subscription.

Several external users must be able to connect to the web application

You need to recommend a solution for external access to the application. The solution must support multi-factor authentication.

Which two actions should you recommend? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. From an on-premises server, install a connector, and then publish the app.

B. From the Azure Active Directory admin center, enable an Application Proxy.

C. From the Azure Active Directory admin center, treat a conditional access policy.

D. From an on premises server, install an Authentication Agent.

E. Republish the web-application by using http//app.contoso.com

Answer: A,B (LEAVE A REPLY)

Azure Active Directory (Azure AD) has an Application Proxy service that enables users to access on-premises applications by signing in with their Azure AD account. The application proxy enables you to take advantage of Azure AD security features like Conditional Access and Multi-Factor Authentication.

To use Application Proxy, install a connector on each Windows server you're using with the Application Proxy service. The connector is an agent that manages the outbound connection from the on-premises application servers to Application Proxy in Azure AD.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/application-proxy-add-on-premises-application>

NEW QUESTION: 14

You use Microsoft System Center Configuration manager (Current Branch) to manage devices.

Your company uses the following types of devices:

Windows 10

Windows 8.1

Android

iOS

Which devices can be managed by using co-management?

A. Windows 10 and Windows 8.1 only

B. Windows 10, Android, and iOS only

C. Windows 10 only

D. Windows 10, Windows 8.1, Android, and iOS

Answer: C (LEAVE A REPLY)

You can manage only Windows 10 devices by using co-management.

When you concurrently manage Windows 10 devices with both Configuration Manager and Microsoft Intune, this configuration is called co-management. When you manage devices with Configuration Manager and enroll to a third-party MDM service, this configuration is called coexistence.

Reference:

<https://docs.microsoft.com/en-us/configmgr/comanage/overview>

NEW QUESTION: 15

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Office 365 tenant.

You suspect that several Office 365 features were recently updated.

You need to view a list of the features that were recently updated in the tenant.

Solution: You review the Security & Compliance report in the Microsoft 365 admin center.

Does this meet the goal?

A. Yes

B. No

Answer: (SHOW ANSWER)

The Security & Compliance reports in the Microsoft 365 admin center are reports regarding security and compliance for your Office 365 Services. For example, email usage reports, Data Loss Prevention reports etc. They do not display a list of the features that were recently updated in the tenant so this solution does not meet the goal.

To meet the goal, you need to use Message center in the Microsoft 365 admin center.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/download-existing-reports>

NEW QUESTION: 16

Your company has a Microsoft 365 tenant.

You plan to allow users from the engineering department to enroll their mobile device in mobile device management (MDM).

The device type restrictions are configured as shown in the following table.

Priority	Name	Allowed platform	Assigned to
1	iOS	iOS	Marketing
2	Android	Android	Engineering
Default	All users	All platforms	All users

The device limit restrictions are configured as shown in the following table.

Priority	Name	Device limit	Assigned to
1	Engineering	15	Engineering
2	West Region	5	Engineering
Default	All users	10	All users

What is the effective configuration for the members of the Engineering group? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The screenshot shows a configuration interface for Microsoft MDM. It features two dropdown menus. The first is labeled 'Device limit:' and has a list of options: 5, 10, and 15. The second is labeled 'Allowed platform:' and has a list of options: Android only, iOS only, and All platforms. A watermark 'freepdfdumps.com' is visible across the interface.

Answer:

Device limit: 5, 10, 15

Allowed platform: Android only, iOS only, All platforms

Microsoft

Reference:

<https://docs.microsoft.com/en-us/intune/enrollment/enrollment-restrictions-set>

Valid MS-100 Dumps shared by Actual4test.com for Helping Passing MS-100 Exam!
Actual4test.com now offer the **newest MS-100 exam dumps**, the Actual4test.com MS-100 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-100 dumps with Test Engine here:

https://www.actual4test.com/MS-100_examcollection.html (431 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 17

You create an incoming webhook named webhook1 for a Microsoft Teams team.

You need to test webhook1. What should you do?

- A. @Perform an http get operation against the generated URL for webhook1.
- B. @Perform an http post operation against the generated URL for webhook1.
- C. @mention webhook1 in a private message.
- D. @mention webhook1 in a channel.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 18

You have a Microsoft 365 subscription.

You recently configured a Microsoft SharePoint Online tenant in the subscription.

You plan to create an alert policy.

You need to ensure that an alert is generated only when malware is detected in more than five documents stored in SharePoint Online during a period of 10 minutes.

What should you do first?

- A. Enable Microsoft Office 365 Cloud App Security.
- B. Deploy Windows Defender Advanced Threat Protection (Windows Defender ATP).
- C. Enable Microsoft Office 365 Analytics.

Answer: (SHOW ANSWER)

An alert policy consists of a set of rules and conditions that define the user or admin activity that generates an alert, a list of users who trigger the alert if they perform the activity, and a threshold that defines how many times the activity has to occur before an alert is triggered.

In this question, we would use the "Malware detected in file" activity in the alert settings then configure the threshold (5 detections) and the time window (10 minutes).

The ability to configure alert policies based on a threshold or based on unusual activity requires Advanced Threat Protection (ATP).

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/alert-policies>

NEW QUESTION: 19

You have a Microsoft Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Role
User1	Global administrator
User2	Billing administrator
User3	None

You enable self-service password reset for all users. You set Number of methods required to reset to 1, and you set Methods available to users to Security questions only.

What information must be configured for each user before the user can perform a self-service password reset? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

User1: Email address only
Phone number only
Security questions only
Phone number and email address

User2: Email address only
Phone number only
Security questions only
Phone number and email address

User3: Email address only
Phone number only
Security questions only
Phone number and email address

Answer:
Answer Area

User1: Email address only
Phone number only
Security questions only
Phone number and email address

User2: Email address only
Phone number only
Security questions only
Phone number and email address

User3: Email address only
Phone number only
Security questions only
Phone number and email address

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-policy#administrator-password-policy-differences>

NEW QUESTION: 20

You need to ensure that all the sales department users can authenticate successfully during Project1 and Project2.

Which authentication strategy should you implement for the pilot projects?

- A. password hash synchronization and seamless SSO
- B. pass-through authentication
- C. password hash synchronization
- D. pass-through authentication and seamless SSO

Answer: A ([LEAVE A REPLY](#))

Project1: During Project1, the mailboxes of 100 users in the sales department will be moved to Microsoft 365.

Project2: After the successful completion of Project1, Microsoft Teams & Skype for Business will be enabled in Microsoft 365 for the sales department users.

After the planned migration to Microsoft 365, all users must be signed in to on-premises and cloud-based applications automatically.

Fabrikam does NOT plan to implement identity federation.

After the planned migration to Microsoft 365, all users must continue to authenticate to their mailbox and to SharePoint sites by using their UPN.

You need to enable password hash synchronization to enable the users to continue to authenticate to their mailbox and to SharePoint sites by using their UPN.

You need to enable SSO to enable all users to be signed in to on-premises and cloud-based applications automatically.

Reference:

<https://docs.microsoft.com/en-us/azure/security/azure-ad-choose-authn>

NEW QUESTION: 21

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains a Microsoft Exchange Server 2019 organization.

You plan to sync the domain to Azure Active Directory (Azure AD) and to enable device writeback and group writeback.

You need to identify which group types will sync from Azure AD.

Which two group types should you identify? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

NOTE: Each correct selection is worth one point.

A. A security group that uses the Dynamic Device membership type.

B. An Office 365 group that uses the assigned membership type

C. A security group that uses the Dynamic User membership type

D. A security group uses the Assigned membership type

E. An Office 365 group that uses the Dynamic User membership type

Answer: B,E (LEAVE A REPLY)

Group writeback in Azure AD Connect synchronizes Office 365 groups only from Azure Active Directory back to the on-premise Active Directory.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-preview>

NEW QUESTION: 22

You have a Microsoft 365 subscription

You have an Azure AD tenant that contains the users shown in the following table.

Name	Role
User1	Security administrator
User2	Global administrator
User3	Service support administrator

You configure Tenant properties as shown in the following exhibit

Technical contact  Microsoft
 ✓

Global privacy contact
 ✓

Privacy statement URL
 ✓

Which users will be contacted by Microsoft if the tenant experiences a data breach?

- A. User2 only
- B. User2 and User3 only
- C. User1 only
- D. User3 only
- E. User1 and User2 only

Answer: C (LEAVE A REPLY)

NEW QUESTION: 23

You recently migrated your on-premises email solution to Microsoft Exchange Online and are evaluating which licenses to purchase.

You want the members of two groups named IT and Managers to be able to use the features shown in the following table.

Feature	Available to
Microsoft Azure Active Directory (Azure AD) conditional access	IT group, Managers group
Microsoft Azure Active Directory (Azure AD) Privileged Identity Management	IT group

The IT group contains 50 users. The Managers group contains 200 users.

You need to recommend which licenses must be purchased for the planned solution. The solution must minimize licensing costs.

Which licenses should you recommend?

- A. 250 Microsoft 365 E3 only
- B. 50 Microsoft 365 E 3 and 200 Microsoft 365 E5
- C. 250 Microsoft 365 E5 only
- D. 200 Microsoft 365 E3 and 50 Microsoft 365 E5

Answer: D (LEAVE A REPLY)

Microsoft Azure Active Directory Privileged Identity Management requires an Azure AD Premium P2 license. This license comes as part of the Microsoft 365 E5 license. Therefore, we need 50 Microsoft 365 E5 licenses for the IT group.

Conditional Access requires the Azure AD Premium P1 license. This comes as part of the Microsoft E3 license. Therefore, we need 200 Microsoft 365 E3 licenses for the Managers group.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/subscription-requirements>

NEW QUESTION: 24

You have a Microsoft 365 subscription.

All users are assigned Microsoft 365 Apps for enterprise licenses.

You need to ensure that reports display the names of users that have activated Microsoft 365 apps and on how many devices. What should you modify in the Microsoft 365 admin center?

- A. Organization information
- B. Org settings for Reports
- C. the Reports reader role
- D. Org settings for Privacy profile

Answer: B (LEAVE A REPLY)

You should modify Org settings for Reports in the Microsoft 365 admin center. In the Microsoft 365 admin center, you can configure the Org settings for Reports to generate usage reports that display the names of users who have activated Microsoft 365 apps and the number of devices they have activated the apps on. This information is especially useful for keeping track of usage and ensuring that users have access to the apps they need.

NEW QUESTION: 25

Your company has a Microsoft 365 subscription that contains the users shown in the following table.

Name	Role
User1	Global administrator
User2	Security administrator, Guest inviter
User3	None
User4	Password administrator

You need to identify which users can perform the following administrative tasks:

Modify the password protection policy.

Create guest user accounts.

Which users should you identify for each task? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Modify the password protection policy:

Create new guest users in Microsoft Azure Active Directory (Azure AD):

User1 only
User1 and User2 only
User1, User2, and User4 only
User1, User2, User3, and User4

User1 only
User1 and User2 only
User1, User2, and User4 only
User1, User2, User3, and User4

Answer:

Modify the password protection policy:

Create new guest users in Microsoft Azure Active Directory (Azure AD):

User1 only
User1 and User2 only
User1, User2, and User4 only
User1, User2, User3, and User4

User1 only
User1 and User2 only
User1, User2, and User4 only
User1, User2, User3, and User4

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premises-operations>

NEW QUESTION: 26

You have a Microsoft 365 E5 subscription that uses Endpoint security.

You need to create a group and assign the Endpoint Security Manager role to the group, Which type of group can you use?

- A. distribution, mail-enabled security. Microsoft 365 and security
- B. mail-enabled security, Microsoft 365. and security only
- C. mail-enabled security and security only
- D. security only
- E. Microsoft 365 only

Answer: (SHOW ANSWER)

NEW QUESTION: 27

You have a new Microsoft 365 subscription.

A user named User1 has a mailbox in Microsoft Exchange Online.

You need to log any changes to the mailbox folder permissions of User1.

Which command should you run? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User1	\$true
Set-AdminAuditLogConfig	-AdminAuditLogEnabled
Set-Mailbox	-AuditEnabled
Set-UnifiedAuditSetting	-UnifiedAuditLogIngestionEnabled

Answer:

User1	\$true
Set-AdminAuditLogConfig	-AdminAuditLogEnabled
Set-Mailbox	-AuditEnabled
Set-UnifiedAuditSetting	-UnifiedAuditLogIngestionEnabled

Reference:

<https://support.microsoft.com/en-us/help/4026501/office-auditing-in-office-365-for-admins>

<https://docs.microsoft.com/en-us/powershell/module/exchange/mailboxes/set-mailbox?view=exchange-ps>

NEW QUESTION: 28

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

You configure a multi-factor authentication (MFA) registration policy that has the following settings:

Assignments:

- Include: Group1
- Exclude: Group2

Access controls: Require Azure MFA registration

Enforce Policy: On

You create a conditional access policy that has the following settings:

Name: Policy1

Assignments:

- Include: Group2
- Exclude: Group1

Access controls:

- Grant, Require multi-factor authentication

Enable policy: On

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 will be required to use MFA on the next sign-in.	<input type="radio"/>	<input type="radio"/>
User2 will be required to use MFA on the next sign-in.	<input type="radio"/>	<input type="radio"/>
User3 will be required to use MFA on the next sign-in.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1 will be required to use MFA on the next sign-in.	<input type="radio"/>	<input checked="" type="radio"/>
User2 will be required to use MFA on the next sign-in.	<input type="radio"/>	<input checked="" type="radio"/>
User3 will be required to use MFA on the next sign-in.	<input checked="" type="radio"/>	<input type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-configure-mfa-policy>

<https://docs.microsoft.com/en-us/microsoft-365/admin/security-and-compliance/set-up-multi-factor-authentication?view=o365-worldwide>

NEW QUESTION: 29

You have a Microsoft 365 subscription.

You need to be notified to your personal email address when a Microsoft Exchange Online service issue occurs.

What should you do?

- A. From the Exchange admin center create a contact.
- B. From the Microsoft 365 admin center, update the technical contact details
- C. From the Microsoft 365 admin center, customize the Service health settings.
- D. From the Microsoft Outlook client configure an Inbox rule.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 30

You are developing a Microsoft Teams app that will use an Azure function to send scheduled messages from a bot to users. What is required for the Teams app to send a proactive message to the users?

- A. The users must send at least one message to the bot.
- B. The bot must be approved in Azure Active Directory (Azure AD).
- C. The bot must be granted admin access to the users.

D. The Teams app must be added for each user.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

Your company has a Microsoft 365 subscription that contains the following domains:

Contoso.onmicrosoft.com

Contoso.com

You plan to add the following domains to Microsoft 365 and to use them with Exchange Online:

Sub1.contoso.onmicrosoft.com

Sub2.contoso.com

Fabrikam.com

You need to identify the minimum number of DNS records that must be added for Exchange Online to receive inbound email messages for the three domains.

How many DNS records should you add? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The screenshot shows a configuration interface for DNS records. It contains two dropdown menus. The first is labeled 'MX records:' and the second is labeled 'CNAME records:'. Both dropdown menus have a list of options: 0, 1, 2, and 3. A watermark 'freemofdumps.com' is visible across the interface. The Microsoft logo is in the bottom left corner of the screenshot area.

Answer:

MX records:

0
1
2
3

CNAME records:

0
1
2
3

Microsoft

Valid MS-100 Dumps shared by Actual4test.com for Helping Passing MS-100 Exam!

Actual4test.com now offer the **newest MS-100 exam dumps**, the Actual4test.com MS-100 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-100 dumps with Test Engine here:

https://www.actual4test.com/MS-100_examcollection.html (431 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 32

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Office 365 tenant.

You suspect that several Office 365 features were recently updated.

You need to view a list of the features that were recently updated in the tenant.

Solution: You review the Windows release health in the Microsoft 365 admin center.

Does this meet the goal?

A. Yes

B. No

Answer: (SHOW ANSWER)

Reference:

<https://techcommunity.microsoft.com/t5/windows-it-pro-blog/windows-release-health-now-available-in-the-admin-center/ba-p/2235908>

NEW QUESTION: 33

You have a hybrid deployment of Microsoft 365 and an Azure Active Directory (Azure AD) tenant. The tenant contains the users shown in the following table.

Name	Type	Source
User1	Member	Azure AD
User2	Member	Windows Server Active Directory
User3	Guest	Microsoft account

Password protection in Azure AD is configured as shown in the following exhibit.



Which users will be prevented from using the word "Contoso" as part of their password?

- A. User1 only
- B. User1 and User2 only
- C. User1 and User3 only
- D. User1, User2, and User3

Answer: D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-password-ban-bad>

NEW QUESTION: 34

You are developing an interactive invoicing application that will be used by end users. The application will have the following features:

- * Save invoices generated by a user to the user's OneDrive for Business.

* Email daily automated reminders.

You need to identify which permissions to grant for the application features. The solution must use the principle of least privilege. Which permission type should you grant for each feature? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Save invoices:

- Administrator
- Application
- Delegated
- Super User

Send automated reminders:

- Administrator
- Application
- Delegated
- Super User

Answer:

Administrator



Save invoices:

- Administrator
- Application
- Delegated**
- Super User

Send automated reminders:

- Administrator
- Application**
- Delegated
- Super User

NEW QUESTION: 35

You have a document in Microsoft OneDrive that is encrypted by using Microsoft Azure Information Protection as shown in the following exhibit.

Protection settings ⓘ

Azure (cloud key) HYOK (AD RMS)

Select the protection action type ⓘ

- Set permissions
- Set user-defined permissions (Preview)

USERS	PERMISSIONS	
M365x901434.onmicrosoft.com	Co-Owner	...
+ Add permissions		

Content expiration

Always Never **By days**

Number of days the content is valid

30 ✓

Allow offline access

Balance security requirements (includes access after revocation) with the flexibility to open protected content without an Internet connection. [More information and recommended settings](#)

Always Never **By days**

Number of days the content is available without an Internet connection

7 ✓

Protection template ID - template id is automatically generated after template is saved

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

If you copy the file from OneDrive to your internet connected computer, you [answer choice].

If you email the document to a user outside your organization, the user [answer choice].

cannot open the document
can open the document indefinitely
can open the document for up to 7 days
can open the document for up to 30 days

cannot open the document
can open the document indefinitely
can open the document for up to 7 days
can open the document for up to 30 days

Answer:

If you copy the file from OneDrive to your internet connected computer, you [answer choice].



- cannot open the document
- can open the document indefinitely
- can open the document for up to 7 days
- can open the document for up to 30 days

If you email the document to a user outside your organization, the user [answer choice].

- cannot open the document
- can open the document indefinitely
- can open the document for up to 7 days
- can open the document for up to 30 days

Reference:

<https://docs.microsoft.com/en-us/azure/information-protection/configure-policy-protection>

NEW QUESTION: 36

Your company has 500 client computers that run Windows 10.

You plan to deploy Microsoft Office 365 ProPlus to all the computers.

You create the following XML file for the planned deployment.

```
<Configuration>  
  <Add OfficeClientEdition="64" Channel="Broad" ForceUpgrade="TRUE">  
    <Product ID="0365ProPlusRetail">  
      <Language ID="en-us"/>  
      <ExcludeApp ID="Groove"/>  
      <ExcludeApp ID="Publisher"/>  
    </Product>  
  </Add>  
  <Updates Enabled="TRUE" Channel="Broad" Deadline="03/31/2019, 00:00"  
  UpdatePath="\\scm\updates"/>  
  <Display Level="Full" AcceptEULA="TRUE"/>  
  <Property Name="FORCEAPPSHUTDOWN" Value="TRUE"/>  
  <Property Name="SharedComputerLicensing" Value="0"/>  
  <Property Name="PinIconsToTaskbar" Value="TRUE"/>  
</Configuration>
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.


When the installation is complete [answer choice].

- all users will be prompted to accept the EULA
- all users will be prompted to install several updates
- all semi-channel updates will be installed automatically

Office 365 ProPlus will [answer choice].

- include Microsoft OneDrive for Business and Microsoft Outlook only
- be installed on all the computers
- be installed only on the computers that run a 64-bit version of Windows 10

Answer:



Reference:

<https://docs.microsoft.com/en-us/deployoffice/configuration-options-for-the-office-2016-deployment-tool>

NEW QUESTION: 37

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You need to prevent users from accessing your Microsoft SharePoint Online sites unless the users are connected to your on-premises network.

Solution: From the Azure Active Directory admin center, you create a trusted location and a conditional access policy.

Does this meet the goal?

- A. Yes
- B. No

Answer: A (LEAVE A REPLY)

Conditional Access in SharePoint Online can be configured to use an IP Address white list to allow access.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition>

<https://techcommunity.microsoft.com/t5/Microsoft-SharePoint-Blog/Conditional-Access-in-SharePoint-Onlineand-OneDrive-for/ba-p/46678>

NEW QUESTION: 38

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a main office and three branch offices. All the branch offices connect to the main office by using a WAN link. The main office has a high-speed Internet connection. All the branch offices connect to the Internet by using the main office connections.

Users use Microsoft Outlook 2016 to connect to a Microsoft Exchange Server mailbox hosted in the main office.

The users report that when the WAN link in their office becomes unavailable, they cannot access their mailbox.

You create a Microsoft 365 subscription, and then migrate all the user data to Microsoft 365.

You need to ensure that all the users can continue to use Outlook to receive email messages if a WAN link fails.

Solution: You enable Cached Exchange Mode for all the Outlook profiles.

Does this meet the goal?

A. No

B. Yes

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 39

You need to ensure that Admin4 can use SSPR.


Which tool should you use, and which action should you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



The screenshot shows a quiz question interface with two dropdown menus. The first dropdown menu is labeled 'Action:' and has a downward arrow on the right. The options listed are: 'Enable app registrations.', 'Enable password writeback.', 'Enable password hash synchronization', and 'Disable password hash synchronization'. The second dropdown menu is labeled 'Tool:' and also has a downward arrow on the right. The options listed are: 'Azure AD Connect', 'Synchronization Rules Editor', and 'Azure Active Directory admin center'. A watermark 'freepdfdrive.com' is visible across the middle of the image.

Answer:



Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-sspr-deployment>

NEW QUESTION: 40

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Role
Admin1	Exchange Administrator
Admin2	SharePoint Administrator
Admin3	Global Reader
Admin4	Usage Summary Reports Reader

You enable Microsoft 365 usage analytics for Microsoft Power BI.

Which users can use Power BI to connect to Microsoft 365 usage analytics and review usage analytics reports?

- A. Admin1, Admm2, and Admm3 only
- B. Admin 1 and Admin2 only
- C. Admin3 only
- D. Admm1, Admm2, Admin3, and Admin4
- E. Admin3 and Admin4 only

Answer: C (LEAVE A REPLY)

NEW QUESTION: 41

You have a multitenant app named App1.

You need to ensure that App1 supports token acquisition when a user accesses the app by using a web browser that has a popup blocker extension enabled. How should you complete the Microsoft Authentication Library (MSAL) for JavaScript v2.0 code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```

const msalConfig = {
  auth: {
    clientId: '5d29ddcd-6e77-42bc-946b-daae35e96665',
    authority: [REDACTED],
    redirectUri: [REDACTED]
  },
  scope: [
    'https://graph.microsoft.com/v1.0/me',
    'https://login.microsoftonline.com/common/',
    'https://graph.microsoft.com/v1.0/users/a9514a90-30ac-4c14-8d34-fda811ff84dd',
    'https://login.microsoftonline.com/a9514a90-30ac-4c14-8d34-fda811ff84dd/'
  ]
};

const msalInstance = new msal.PublicClientApplication(msalConfig);

const response = await msalInstance.loginPopup({ scope: [REDACTED] });
} catch (err) {
  // handle error
}

```

These are the selections for the first missing value.

loginPopup
loginRedirect
getAccountByHomeId
getAccountByUsername

Answer:
Answer Area

```

const msalConfig = {
  auth: {
    clientId: '5d29ddcd-6e77-42bc-946b-daae35e96665',
    authority: [REDACTED],
    redirectUri: [REDACTED]
  },
  scope: [
    'https://graph.microsoft.com/v1.0/me',
    'https://login.microsoftonline.com/common/',
    'https://graph.microsoft.com/v1.0/users/a9514a90-30ac-4c14-8d34-fda811ff84dd',
    'https://login.microsoftonline.com/a9514a90-30ac-4c14-8d34-fda811ff84dd/'
  ]
};

const msalInstance = new msal.PublicClientApplication(msalConfig);

try {
  const response = await msalInstance.loginPopup({ scope: [REDACTED] });
} catch (err) {
  // handle error
}

```

These are the selections for the first missing value.

loginPopup
loginRedirect
getAccountByHomeId
getAccountByUsername

NEW QUESTION: 42

Your network contains an Active Directory domain and a Microsoft Azure Active Directory (Azure AD) tenant.

You implement directory synchronization for all 10,000 users in the organization.

You automate the creation of 100 new user accounts.

You need to ensure that the new user accounts synchronize to Azure AD as quickly as possible.


Which command should you run? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Start-ADSyncSyncCycle	PolicyType
Set-ADSyncScheduler	Delta
Invoke-ADSyncRunProfile	Initial
	Full

Answer:



Reference:

<https://blogs.technet.microsoft.com/rmilne/2014/10/01/how-to-run-manual-dirsync-azure-active-directory-sync-updates/>

NEW QUESTION: 43

Your network contains an on-premises Active Directory domain. The domain contains a server named Server1. Server1 has a share named Share1 that contains the files shown in the following table.

Name	Created	Modified	Permission
File1.txt	12/15/2018	03/15/2019	Domain Users: Allow Read
File2.txt	01/15/2019	03/15/2019	User1: Allow Read
File3.txt	03/05/2019	03/15/2019	Domain Users: Allow Read User1: Deny Read

You have a hybrid deployment of Microsoft 365.

You create a Microsoft SharePoint site collection named Collection1.

You plan to migrate Share1 to a document library in Collection1

You configure the SharePoint Migration Tool as shown in the exhibit. (Click the Exhibit tab.) For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

All migration settings

Only perform scanning 

Off

Preserve file share permissions 

On

Users

Azure Active Directory lookup 

On

User mapping file 

Choose File

Filters

Keep all versions 

On

Migrate hidden files 

On

Migrate files created after 

Migrate files modified after 

Save

Cancel

Answer Area



Statements

File1.txt will be migrated to SharePoint.

Yes No

File2.txt will be migrated to SharePoint.

User1 will be denied access to read File3.txt in SharePoint when the migration is complete.

Answer:

Answer Area

Statements	Yes	No
File1.txt will be migrated to SharePoint.	<input type="radio"/>	<input checked="" type="radio"/>
File2.txt will be migrated to SharePoint.	<input checked="" type="radio"/>	<input type="radio"/>
User1 will be denied access to read File3.txt in SharePoint when the migration is complete.	<input checked="" type="radio"/>	<input type="radio"/>



Reference:

<https://docs.microsoft.com/en-us/sharepointmigration/spmt-settings>

NEW QUESTION: 44

You are developing a single-page application (SPA) that authenticates users by using MSALjs. The SPA must meet the following requirements:

- * Only allow access to the users in an organization named contoso.onmicrosoft.com.
- * Support single sign-on (SSO) across tabs and user sessions.

How should you complete the code for the SPA? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

```
const config = {  
  auth: {  
    clientId: "c10639eb-18ca-452b-a94d-ad8c43682819",  
    authority: [  
      "https://login.microsoftonline.com/consumers/",  
      "https://login.microsoftonline.com/organizations/",  
      "https://login.microsoftonline.com/contoso.onmicrosoft.com",  
    ],  
  },  
};  
const myMSALObj = new UserAgentApplication(config);
```

These are the selections for Authority

Answer:

Answer Area

```
const config = {  
  auth: {  
    clientId: "c10639eb-18ca-452b-a94d-ad8c43682819",  
    authority: [  
      "https://login.microsoftonline.com/consumers/",  
      "https://login.microsoftonline.com/organizations/",  
      "https://login.microsoftonline.com/contoso.onmicrosoft.com",  
    ],  
  },  
};  
const myMSALObj = new UserAgentApplication(config);
```

These are the selections for Authority

NEW QUESTION: 45

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Office 365 tenant.

You suspect that several Office 365 features were recently updated.

You need to view a list of the features that were recently updated in the tenant.

Solution: You use the View service requests option in the Microsoft 365 admin center.

Does this meet the goal?

A. Yes

B. NO

Answer: B (LEAVE A REPLY)

A service request is a support ticket. Therefore, the View service requests option in the Microsoft 365 admin center displays a list of support tickets. It does not display a list of the features that were recently updated in the tenant so this solution does not meet the goal.

To meet the goal, you need to use Message center in the Microsoft 365 admin center.

Reference:

<https://docs.microsoft.com/en-us/office365/admin/manage/message-center?view=o365-worldwide>

NEW QUESTION: 46

You have a Microsoft 365 subscription.

You create an alert policy as shown in the following exhibit.

Policy1



Edit policy

Delete policy

Status On

Description Description

Severity Low

[Edit](#)

Category Threat management



Conditions Activity is Detected malware in file

[Edit](#)

Aggregation Aggregated

Threshold 20 activities

Window 120 minutes

Scope All users

Email recipients User1@sk190107outlook.onmicrosoft.com

Daily notification limit No limit

[Edit](#)

Close

Use the drop-down menus to select the answer choice that completes each statement based on the information in the graphic.

NOTE: Each correct selection is worth one point.

Policy1 will trigger an alert if malware is detected in [answer choice].

Exchange Online only
SharePoint Online only
SharePoint Online or OneDrive only
Exchange Online, SharePoint Online, or OneDrive

The maximum number of email messages that Policy1 will generate per day is [answer choice].

5
12
20
100

Answer:

Policy1 will trigger an alert if malware is detected in [answer choice].

Exchange Online only
SharePoint Online only
SharePoint Online or OneDrive only
Exchange Online, SharePoint Online, or OneDrive

The maximum number of email messages that Policy1 will generate per day is [answer choice].

5
12
20
100

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/alert-policies>

Valid MS-100 Dumps shared by Actual4test.com for Helping Passing MS-100 Exam! Actual4test.com now offer the **newest MS-100 exam dumps**, the Actual4test.com MS-100 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-100 dumps with Test Engine here:

https://www.actual4test.com/MS-100_examcollection.html (431 Q&As Dumps, **30%OFF**

Special Discount: **Freepdfdumps**)

NEW QUESTION: 47

You have a Microsoft 365 E5 subscription that is linked to an Azure Active Directory (Azure AD) tenant named contoso.com.

You purchase a DNS domain named fabnkam.com.

You need to ensure that Microsoft Exchange Online users can receive emails sent to the fabrikam.com domain.

What should you use?

- A. the Exchange admin center
- B. the Microsoft 365 compliance center
- C. the Microsoft Endpoint Manager admin center
- D. the Microsoft 365 admin center

Answer: D (LEAVE A REPLY)

NEW QUESTION: 48

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory forest.

You deploy Microsoft 365.

You plan to implement directory synchronization.

You need to recommend a security solution for the synchronized identities. The solution must meet the following requirements:

Users must be able to authenticate successfully to Microsoft 365 services if Active Directory becomes unavailable.

Users passwords must be 10 characters or more.

Solution: Implement pass-through authentication and configure password protection in the Azure AD tenant.

Does this meet the goal?

- A. Yes
- B. No

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-password-hash-synchronization>

NEW QUESTION: 49

Your company has a sales system that emails an alert to all the members of the sales department when a new sale is made.

You need to ensure that a notification is posted to a team channel when a new sale is made. The solution must minimize development effort.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Set the configurationUrl property of a connector in the manifest
- B. Post JSON to the webhook URL from the existing sales system.
- C. Post XML to the webhook URL from the existing sales system.
- D. Get an incoming webhook for the channel

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 50

Your company has an on-premises Microsoft Exchange Server 2013 organization.

The company has 100 users.

The company purchases Microsoft 365 and plans to move its entire.- infrastructure to the cloud.

The company does NOT plan to sync the on-premises Active Directory domain to Microsoft Azure Active Directory (Azure AD).

You need to recommend which type of migration to use to move all email messages, contacts, and calendar items to Exchange Online.

What should you recommend?

- A. cutover migration
- B. IMAP migration
- C. remote move migration
- D. staged migration

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/cutover-migration-to-office-365> A cutover migration and an IMAP migration do not require the company to sync the on-premises Active Directory domain to Microsoft Azure Active Directory (Azure AD). Only a cutover migration meets the requirements in this question.

With a cutover migration, user accounts will need to be created in Azure Active Directory for each user. The mailboxes are all migrated in one go and MX records configured to redirect email to Microsoft 365.

NEW QUESTION: 51

Your network contains an Active Directory domain and a Microsoft Azure Active Directory (Azure AD) tenant.

The network uses a firewall that contains a list of allowed outbound domains.

You began to implement directory synchronization.

You discover that the firewall configuration contains only the following domain names in the list of allowed domains:

* *.microsof.com

* *.office.com

Directory synchronization fails.

You need to ensure that directory synchronization completes successfully.

What is the best approach to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. From the firewall, allow the IP address range of the Azure data center for outbound communication.
- B. From Azure AD Connect, modify the Customize synchronization options task
- C. Deploy an Azure AD Connect sync server in staging mode.
- D. From the firewall, create a list of allowed inbound domains.
- E. From the firewall, modify the list of allowed outbound domains.

Answer: E (LEAVE A REPLY)

Azure AD Connect needs to be able to connect to various Microsoft domains such as login.microsoftonline.com. Therefore, you need to modify the list of allowed outbound domains on the firewall.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/reference-connect-ports>

NEW QUESTION: 52

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time. When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab.

Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:


admin@LODSe1211885.onmicrosoft.com

Microsoft 365 Password: oL9z0=?Nq@ox

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 11098651



You need to ensure that all the users in your organization are prompted to change their password every 180 days.

To answer the question, sign in to the Microsoft 365 portal.

Answer:

You need to configure the Password Expiration Policy.

1. Sign in to the Microsoft 365 Admin Center.
2. In the left navigation pane, expand the Settings section then select the Settings option.
3. Click on Security and Privacy.
4. Select the Password Expiration Policy.
5. Ensure that the checkbox labelled "Set user passwords to expire after a number of days" is ticked.
6. Enter 180 in the "Days before passwords expire" field.
7. Click the 'Save changes' button.

NEW QUESTION: 53

Your company has on-premises servers and a Microsoft Azure Active Directory (Azure AD) tenant.

Several months ago, the Azure AD Connect Health agent was installed on all the servers.

You review the health status of all the servers regularly.

Recently, you attempted to view the health status of a server named Server1 and discovered that the server is NOT listed on the Azure Active Directory Connect Servers list.

You suspect that another administrator removed Server1 from the list.

You need to ensure that you can view the health status of Server1.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A. From Windows PowerShell, run the

Register-AzureADConnectHealthSyncAgent cmdlet.

B. From Azure Cloud shell, run the Connect-AzureAD cmdlet.

C. From Server1, change the Azure AD Connect Health services Startup type to Automatic (Delayed Start).

D. From Server1, change the Azure AD Connect Health services Startup type to Automatic.

E. From Server1, reinstall the Azure AD Connect Health agent.

Answer: A,E (LEAVE A REPLY)

question states that another administrator removed Server1 from the list. To view the health status of Server1, you need to re-register the AD Connect Health Sync Agent. You can do this manually by running the Register-AzureADConnectHealthSyncAgent cmdlet. Alternatively, you can reinstall the Azure AD Connect Health agent. The Azure AD Connect Health agent is registered as part of the installation.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-health-agent-install>

NEW QUESTION: 54

You have a Microsoft 365 E5 subscription.

Users have Android or iOS devices and access Microsoft 365 resources from computers that run Windows 11 or MacOS.

You need to implement passwordless authentication. The solution must support all the devices.

Which authentication method should you use?

A. Microsoft Authenticator app

B. Windows Hello

C. FIDO2 compliant security keys

Answer: B (LEAVE A REPLY)

NEW QUESTION: 55

You have a Microsoft 365 subscription that contains a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com.

In the tenant, you create a user named User1.

You need to ensure that User1 can publish retention labels from the Security & Compliance admin center. The solution must use the principle of least privilege.

To which role group should you add User1?

- A. Security Administrator
- B. Records Management
- C. Compliance Administrator
- D. eDiscovery Manager

Answer: (SHOW ANSWER)

Members of your compliance team who will create retention labels need permissions to the Security & Compliance Center. By default, your tenant admin has access to this location and can give compliance officers and other people access to the Security & Compliance Center, without giving them all of the permissions of a tenant admin. To do this, we recommend that you go to the Permissions page of the Security & Compliance Center, edit the Compliance Administrator role group, and add members to that role group.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/labels#permissions>

NEW QUESTION: 56

Your company has a Microsoft 365 subscription and a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com.

An external vendor has a Microsoft account that has a username of user1@outlook.com.

You plan to provide user1@outlook.com with access to several resources in the subscription.

You need to add the external user account to contoso.onmicrosoft.com. The solution must ensure that the external vendor can authenticate by using user1@outlook.com.

What should you do?

- A. From Azure Cloud Shell, run the New-AzureADUser cmdlet and specify -UserPrincipalName user1@outlook.com.
- B. From the Microsoft 365 admin center, add a contact, and then specify user1@outlook.com as the email address.
- C. From the Azure portal, add a new guest user, and then specify user1@outlook.com as the email address.
- D. From the Azure portal, add a custom domain name, and then create a new Azure AD user and use user1@outlook.com as the username.

Answer: C (LEAVE A REPLY)

You can invite guest users to the directory, to a group, or to an application. After you invite a user through any of these methods, the invited user's account is added to Azure Active Directory (Azure AD), with a user type of Guest. The guest user must then redeem their invitation to access resources. An invitation of a user does not expire.

The invitation will include a link to create a Microsoft account. The user can then authenticate using their Microsoft account. In this question, the external vendor already has a Microsoft account (user1@outlook.com) so he can authenticate using that.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/b2b/add-users-administrator>

NEW QUESTION: 57

You have a Microsoft 365 subscription. You have a user named User1.

You need to ensure that User1 can place a hold on all mailbox content.

What permission should you assign to User1?

- A. the User management administrator role from the Microsoft 365 admin center
- B. the eDiscovery Manager role from the Security & Compliance admin center
- C. the Information Protection administrator role from the Azure Active Directory admin center
- D. the Compliance Management role from the Exchange admin center

Answer: (SHOW ANSWER)

To create a query-based In-Place Hold, a user requires both the Mailbox Search and Legal Hold roles to be assigned directly or via membership in a role group that has both roles assigned. To create an In-Place Hold without using a query, which places all mailbox items on hold, you must have the Legal Hold role assigned. The Discovery Management role group is assigned both roles.

Reference:

<https://docs.microsoft.com/en-us/Exchange/permissions/feature-permissions/policy-and-compliance-permissions?view=exchserver-2019>

NEW QUESTION: 58

Your company has a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com that contains a user named User1.

You suspect that an imposter is signing in to Azure AD by using the credentials of User1.

You need to ensure that an administrator named Admin1 can view all the sign in details of User1 from the past 24 hours.

To which three roles should you add Admin1? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Security administrator
- B. Password administrator
- C. User administrator
- D. Compliance administrator
- E. Reports reader
- F. Security reader

Answer: A,E,F (LEAVE A REPLY)

Users in the Security Administrator, Security Reader, Global Reader, and Report Reader roles can view the sign in details.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/concept-sign-ins>

NEW QUESTION: 59

You need to meet the technical requirements for the user licenses.

Which two properties should you configure for each user? To answer, select the appropriate properties in the answer area.

NOTE: Each correct selection is worth one point.

Identity

Name <input type="text" value="User1"/>	First Name <input type="text"/>	Last Name <input type="text"/>
User name <input type="text" value="User1@Contoso1410.onmicrosoft.com"/>	User type Member	
Object ID <input type="text" value="22c31139-c143-4076-a71c-b5d0d5..."/> 	Source Azure Active Directory	

Job info

Job title <input type="text"/>	Department <input type="text"/>	Manager <input type="text"/>	Remove Change
-----------------------------------	------------------------------------	---------------------------------	---

Settings

Block sign in <input type="radio"/> Yes <input checked="" type="radio"/> No	Usage location <input type="text"/>
--	--

Contact info

Street address <input type="text"/>	State or province <input type="text"/>	Country or region <input type="text"/>
City <input type="text"/>	ZIP or postal code <input type="text"/>	Office phone <input type="text"/>

Authentication contact info

Phone <input type="text"/>	Email <input type="text"/>
Alternate phone <input type="text"/>	Alternate email <input type="text"/>



Answer:

Identity

Name: First Name: Last Name:

User name: User type: **Member**

Object ID: Source: **Azure Active Directory**

Job info

Job title: Department: Manager: [Remove](#) [Change](#)

Settings

Block sign in: Usage location:

Contact info


Street address: State or province: Country or region:

City: ZIP or postal code: Office phone:

Authentication contact info

Phone: Email:

Alternate phone: Alternate email:



Topic 2, Fabrikam, Inc

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. When you are ready to answer a question, click the Question button to return to the question.

Overview

Fabrikam, Inc. is an electronics company that produces consumer products. Fabrikam has 10,000 employees worldwide.

Fabrikam has a main office in London and branch offices in major cities in Europe, Asia, and the United States.

Existing Environment

Active Directory Environment

The network contains an Active Directory forest named fabrikam.com. The forest contains all the identities used for user and computer authentication.

Each department is represented by a top-level organizational unit (OU) that contains several child OUs for user accounts and computer accounts.

All users authenticate to on-premises applications by signing in to their device by using a UPN format of username@fabrikam.com.

Fabrikam does NOT plan to implement identity federation.

Network Infrastructure

Each office has a high-speed connection to the Internet.

Each office contains two domain controllers. All domain controllers are configured as a DNS server.

The public zone for fabrikam.com is managed by an external DNS server.

All users connect to an on-premises Microsoft Exchange Server 2016 organization. The users access their email by using Outlook Anywhere, Outlook on the web, or the Microsoft Outlook app for iOS. All the Exchange servers have the latest cumulative updates installed.

All shared company documents are stored on a Microsoft SharePoint Server farm.

Requirements

Planned Changes

Fabrikam plans to implement a Microsoft 365 Enterprise subscription and move all email and shared documents to the subscription.

Fabrikam plans to implement two pilot projects:

Project1: During Project1, the mailboxes of 100 users in the sales department will be moved to Microsoft 365.

Project2: After the successful completion of Project1, Microsoft Teams & Skype for Business will be enabled in Microsoft 365 for the sales department users.

Fabrikam plans to create a group named UserLicenses that will manage the allocation of all Microsoft 365 bulk licenses.

Technical Requirements

Fabrikam identifies the following technical requirements:

All users must be able to exchange email messages successfully during Project1 by using their current email address.

Users must be able to authenticate to cloud services if Active Directory becomes unavailable.

A user named User1 must be able to view all DLP reports from the Microsoft 365 admin center.

Microsoft Office 365 ProPlus applications must be installed from a network share only.

Disruptions to email address must be minimized.

Application Requirements

Fabrikam identifies the following application requirements:

An on-premises web application named App1 must allow users to complete their expense reports online.

The installation of feature updates for Office 365 ProPlus must be minimized.

Security Requirements

Fabrikam identifies the following security requirements:

After the planned migration to Microsoft 365, all users must continue to authenticate to their mailbox and to SharePoint sites by using their UPN.

The memberships of UserLicenses must be validated monthly. Unused user accounts must be removed from the group automatically.

After the planned migration to Microsoft 365, all users must be signed in to on-premises and cloud-based applications automatically.

The principle of least privilege must be used.

NEW QUESTION: 60

Your network contains an on-premises Active Directory domain named contoso.com.

You have a hybrid Microsoft 365 tenant that uses Microsoft Teams.

You need to ensure that audio, video, and screen sharing is prioritized over other data types across the network.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the Microsoft Teams admin center, set Insert Quality of Service (QoS) markers for real-time media traffic to on
- B. From Group Policy Management configure Policy-based QoS
- C. From Group Policy Management, configures Background Intelligent Transfer Service (BITS).
- D. From the Microsoft Teams admin center, configure the Media bit rate (Kbs) setting.
- E. From the Microsoft Teams admin center, configure network sites.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

You have a Microsoft Power Platform production environment that contains a custom model-driven Microsoft Power Apps app.

How many days will system backups be retained for the environment?

- A. 7
- B. 14
- C. 28
- D. 90

Answer: C ([LEAVE A REPLY](#))

All your environments, except Trial environments (standard and subscription-based), are backed up. System backups for production environments that have been created with a database and have one or more Dynamics 365 applications installed are retained up to 28 days. System backups for production environments which do not have Dynamics 365 applications deployed in them will be retained for 7 days. System backups for sandbox environments will be retained for 7 days.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/backup-restore-environments>

Valid MS-100 Dumps shared by Actual4test.com for Helping Passing MS-100 Exam!

Actual4test.com now offer the **newest MS-100 exam dumps**, the Actual4test.com MS-100

exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-100 dumps with Test Engine here:

https://www.actual4test.com/MS-100_examcollection.html (431 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 62

Your company has an Azure AD tenant named contoso.com and a Microsoft 365 subscription.

All users use Windows 10 devices to access Microsoft Office 365 apps.

All the devices are in a workgroup.

You plan to implement passwordless sign-in to contoso.com.

You need to recommend changes to the infrastructure for the planned implementation.

What should you include in the recommendation?

- A. Deploy the Microsoft Authenticator app.
- B. Deploy X.509.3 certificates to all the users.
- C. Deploy Azure AD Application Proxy.
- D. Join all the devices to contoso.com.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 63

You have a Microsoft 365 subscription.

You suspect that several Microsoft Office 365 applications or services were recently updated.

You need to identify which applications or services were recently updated.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From the Microsoft 365 admin center, review the Message center blade.
- B. From the Office 365 Admin mobile app, review the messages.
- C. From the Microsoft 365 admin center, review the Products blade.
- D. From the Microsoft 365 admin center, review the Service health blade.

Answer: (SHOW ANSWER)

The Message center in the Microsoft 365 admin center is where you would go to view a list of the features that were recently updated in the tenant. This is where Microsoft posts official messages with information including new and changed features, planned maintenance, or other important announcements.

The messages displayed in the Message center can also be viewed by using the Office 365 Admin mobile app.

Reference:

<https://docs.microsoft.com/en-us/office365/admin/manage/message-center?view=o365-worldwide>

<https://docs.microsoft.com/en-us/office365/admin/admin-overview/admin-mobile-app?view=o365-worldwide>

NEW QUESTION: 64

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com that is synced to Microsoft Azure Active Directory (Azure AD).

You manage Windows 10 devices by using Microsoft System Center Configuration Manager (Current Branch).

You configure a pilot for co-management.

You add a new device named Device1 to the domain. You install the Configuration Manager client on Device1.

You need to ensure that you can manage Device1 by using Microsoft Intune and Configuration Manager.

Solution: Define a Configuration Manager device collection as the pilot collection. Add Device1 to the collection.

Does this meet the goal?

A. Yes

B. No

Answer: (SHOW ANSWER)

Device1 has the Configuration Manager client installed so you can manage Device1 by using Configuration Manager.

To manage Device1 by using Microsoft Intune, the device has to be enrolled in Microsoft Intune. In the Co-management Pilot configuration, you configure a Configuration Manager Device Collection that determines which devices are auto-enrolled in Microsoft Intune. You need to add Device1 to the Device Collection so that it auto-enrols in Microsoft Intune. You will then be able to manage Device1 using Microsoft Intune.

Reference:

<https://docs.microsoft.com/en-us/configmgr/comanage/how-to-enable>

NEW QUESTION: 65

You have a Microsoft 365 subscription that uses an Azure Directory (Azure AD) tenant named Contoso.com. The tenant contains the users shown in the following table.

Name	Role
User1	Exchange administrator
User2	User administrator
User3	Global administrator
User4	None

You add another user named user5 to the User administrator role.

You need to identify which management tasks User5 can perform.

Which two tasks should you identify? Each correct answer presents a complete solution.

- A. Reset the password of any user in Azure AD.
- B. Delete any user in Azure AD.
- C. Reset the password of User2 and User4 only.
- D. Reset the password of User4 only.
- E. Delete User1, User2, and User4 only.
- F. Delete User2 and User4 only.

Answer: C,F (LEAVE A REPLY)

Users with the User Administrator role can create users and manage all aspects of users with some restrictions (see below).

Only on users who are non-admins or in any of the following limited admin roles:

Directory Readers

Guest Inviter

Helpdesk Administrator

Message Center Reader

Reports Reader

User Administrator

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/directory-assign-admin-roles#available-roles>

NEW QUESTION: 66

You plan to implement a new task pane in Microsoft Office.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Task panes are available in Office Online.	<input type="radio"/>	<input type="radio"/>
Task panes can be placed on either the left or right side of application windows.	<input type="radio"/>	<input type="radio"/>
Task panes can be used to modify the contents of documents.	<input type="radio"/>	<input type="radio"/>

Answer:

Task panes are available in Office Online.

Yes

No

Task panes can be placed on either the left or right side of application windows.

Task panes can be used to modify the contents of documents.

Reference:

<https://github.com/OfficeDev/office-js-docs-pr/blob/master/docs/develop/automatically-open-a-task-pane-with-a-document.md>

<https://docs.microsoft.com/en-us/office/troubleshoot/settings/office-program-task-panes>

NEW QUESTION: 67

You have an Azure Active Directory (Azure AD) tenant named contoso.com that contains the users shown in the following table.

Name	Member of	Multi-Factor Auth Status
User1	Group1	Disabled
User2	Group1	Required

Multi-factor authentication (MFA) is configured to use 131.107.50/24 for trusted IPs.

The tenant contains the named locations shown in the following table.

Name	IP address range	Trusted location
Location 1	131.107.20.0/24	Yes
Location 2	131.107.50.0/24	Yes

You create a conditional access policy that has the following configurations:

Users and groups assignment: All users

Cloud apps assignment: App1

Conditions: Include all trusted locations

Grant access: require multi-factor authentication

For each of the following statements, select Yes if the statement is true. otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
When User1 connects to App1 from a device that has an IP address of 131.107.50.10, User1 must use MFA.	<input type="radio"/>	<input type="radio"/>
When User2 connects to App1 from a device that has an IP address of 131.107.50.15, User2 must use MFA.	<input type="radio"/>	<input type="radio"/>
When User2 connects to App1 from a device that has an IP address of 131.107.5.5, User2 must use MFA.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
When User1 connects to App1 from a device that has an IP address of 131.107.50.10, User1 must use MFA.	<input checked="" type="radio"/>	<input type="radio"/>
When User2 connects to App1 from a device that has an IP address of 131.107.50.15, User2 must use MFA.	<input checked="" type="radio"/>	<input type="radio"/>
When User2 connects to App1 from a device that has an IP address of 131.107.5.5, User2 must use MFA.	<input type="radio"/>	<input checked="" type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition>

NEW QUESTION: 68

You plan to develop a SharePoint Framework (SPfx) web part by using the ReactJS framework. You need to ensure that all the web part fields and controls adopt the theme of the site when you deploy the web part. The solution must minimize development effort. What should you include in the solution?

- A. Microsoft Fluid Framework
- B. HTML5 and CSS
- C. Material-UI
- D. FluentUI

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

Your on-premises network contains an Active Directory domain.

You have a Microsoft 365 E5 subscription.

You plan to implement a hybrid configuration that has the following requirements:

- * Minimizes the number of times users are prompted for credentials when they access Microsoft 365 resources

* Supports the use of Azure Active Directory (Azure AD) Identity Protection You need to configure Azure AD Connect to support the planned implementation. Which two options should you select? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.


- A. Enable single sign-on
- B. Pass-through authentication
- C. Password writeback
- D. Directory extensions attribute sync

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 70

You need to create the UserLicenses group. The solution must meet the security requirements. Which group type and control method should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview>

NEW QUESTION: 71

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab.

Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:

admin@LODSe426243.onmicrosoft.com

Microsoft 365 Password: 3&YWyjse-6-d

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10887751

You plan to allow the users in your organization to invite external users as guest users to your Microsoft 365 tenant.

You need to prevent the organization's users from inviting guests who have an email address that uses a suffix of @gmail.com.

Answer:

You need to add gmail.com as a denied domain in the 'External collaboration settings'.

1. Go to the Azure Active Directory admin center.
2. Select Users then select 'User settings'.
3. Under External Users, select the 'Manage external collaboration settings'.
4. Under 'Collaboration restrictions', select the 'Deny invitations to the specified domains' option.
5. Under, Target Domains, type in the domain name 'gmail.com'
6. Click the Save button at the top of the screen to save your changes.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/b2b/allow-deny-list>

NEW QUESTION: 72

Your network contains an on-premises Active Directory domain that syncs to Azure Active Directory (Azure AD).

The on-premises network contains a Microsoft SharePoint Server 2019 farm.

The company purchases a Microsoft 365 subscription.

You have the users shown in the following table

Name	Source
User1	Windows Active Directory
User2	Azure Active Directory

You plan to assign User1 and User2 the required roles to run the SharePoint Hybrid Configuration Wizard.

User1 will be used for on-premises credentials and User2 will be used for cloud credentials.

You need to assign the correct role to User2. The solution must use the principle of least privilege.

Which role should you assign to User2?

- A. Application administrator
- B. SharePoint farm administrator
- C. Global administrator
- D. SharePoint administrator

Answer: (SHOW ANSWER)

To run the SharePoint Hybrid Configuration Wizard, you need to provide credentials of a user (in this case User2) of a Global Administrator account in Azure Active Directory.

Reference:

<https://www.c-sharpcorner.com/article/sharepoint-2019-enable-hybrid-experience/>

<https://docs.microsoft.com/en-us/sharepoint/hybrid/accounts-needed-for-hybrid-configuration-and-testing>

NEW QUESTION: 73

You have a Microsoft 365 subscription that uses a default domain named contoso.com. The domain contains the users shown in the following table.

Name	Member of
User1	Compliant
User2	Group1, Group2

The domain contains the devices shown in the following table.

Name	Compliance status
Device1	Compliant
Device2	Noncompliant

The domain contains conditional access policies that control access to a cloud app named App1. The policies are configured as shown in the following table.

Name	Includes	Excludes	Device state includes	Device state excludes	Grant
Policy1	Group1	None	All device states	Devices marked as compliant	Block access
Policy2	Group1	Group2	None	None	Block Access
Policy3	Group1	None	All device states	None	Grant access

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can access App1 from Device1.	<input type="radio"/>	<input type="radio"/>
User2 can access App1 from Device1.	<input type="radio"/>	<input type="radio"/>
User2 can access App1 from Device2.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1 can access App1 from Device1.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can access App1 from Device1.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can access App1 from Device2.	<input type="radio"/>	<input checked="" type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/plan-conditional-access>

NEW QUESTION: 74

You have a Microsoft 365 Enterprise E5 subscription.

You need to enforce multi-factor authentication on all cloud-based applications for the users in the finance department.

What should you do?

- A. Create an activity policy.
- B. Create a Sign-in risk policy.
- C. Create a session policy.

D. Create an app permission policy.

Answer: B (LEAVE A REPLY)

You can configure a sign-in risk policy that applies to the Finance department users. The policy can be configured to 'Allow access' but with multi-factor authentication as a requirement.

Reference:


<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-sign-in-risk-policy>

NEW QUESTION: 75

You have a Microsoft 365 subscription that has Conditional Access policy named Policy1. Policy1 is configured as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.



Answer:

If a user signs in from a compliant device, the sign in will [answer choice].

be allowed
be blocked
prompt for multi-factor authentication (MFA)



If a user signs in from an unmanaged device, the sign in will [answer choice].

be allowed
be blocked
prompt for multi-factor authentication (MFA)



NEW QUESTION: 76

You have a Microsoft 365 subscription that contains a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com. The tenant includes a user named User1.

You enable Azure AD Identity Protection.

You need to ensure that User1 can review the list in Azure AD Identity Protection of users flagged for risk. The solution must use the principle of least privilege.

To which role should you add User1?

- A. Security reader
- B. User administrator
- C. Service administrator
- D. Reports reader

Answer: A (LEAVE A REPLY)

Either one of the following three roles can review the list in Azure AD Identity Protection of users flagged for risk:

Security Administrator

Global Administrator

Security Reader

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/concept-risky-sign-ins>

Valid MS-100 Dumps shared by Actual4test.com for Helping Passing MS-100 Exam!

Actual4test.com now offer the **newest MS-100 exam dumps**, the Actual4test.com MS-100 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-100 dumps with Test Engine here:

https://www.actual4test.com/MS-100_examcollection.html (431 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 77

You have Microsoft 365 tenant that contains a Microsoft Power Platform environment named Environment1 (default). Environment1 contains a Microsoft Dataverse database.

In the tenant, you create a user named User1. You assign a Microsoft Power Apps license to User1.

Which security role for Environment1 is assigned automatically to User1?

- A. Environment maker
- B. System customizer
- C. Delegate
- D. System customizer

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/database-security#predefined-security-roles>


NEW QUESTION: 78

You have a Microsoft 365 tenant that contains a Microsoft Power Platform development environment named Dev1, a Power Platform production environment named Prod1, and two users named User1 and User2.

You need to assign roles to the users to meet the following requirements:

- * User1 must have full access permissions to Dev1 and Prod1.
- * User2 must be able to acquire and assign Microsoft Power BI licenses.

The solution must use the principle of least privilege



Answer:



NEW QUESTION: 79

You have Windows 10 devices that are managed by using Microsoft Endpoint Manager as shown in the following table.

Name	CPU	Member of	Installed apps
Device1	x86	Group1	Microsoft Office 2016
Device2	x86	Group1	None
Device3	x64	Group1	Microsoft Office 2019
Device4	x64	Group1	None

You create a Microsoft 365 Suite app as shown in the exhibit (Click the Exhibit Tab.) and assign The app to Group1. On which devices will Microsoft 365 Apps be installed?

- A. Device2 only
- B. Device1, Device2, and Device4 only
- C. Device2 and Device4 only
- D. Device1, Device2, Device3, and Device4
- E. Device 1 and Device2 only

Answer: (SHOW ANSWER)

NEW QUESTION: 80

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time. When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab.

Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:

admin@M365x981607.onmicrosoft.com

Microsoft 365 Password: *yfLo7lr2&y-

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10811525

You plan to provide several users in your organization with the ability to join their Windows 10 device to Microsoft Azure Active Directory (Azure AD).

You need to ensure that all the users who join a device use multi-factor authentication.

Answer:

You need to configure the device settings in Azure Active Directory.

1. Go to the Azure Active Directory admin center.
2. Select Azure Active Directory.
3. Select Devices.
4. Select Device Settings.
5. Toggle the 'Require Multi-Factor Auth to join devices' setting to Yes.
6. Click Save to save the changes.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/devices/device-management-azure-portal>

NEW QUESTION: 81

You have a Microsoft 365 subscription and a DNS domain. The domain is hosted by a third-party DNS service.

You plan to add the domain to the subscription.

You need to use Microsoft Exchange Online to send and receive emails for the domain.

Which type of DNS record should you add to the DNS zone of the domain for each task? To answer, drag the appropriate records to the correct tasks. Each record may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

Route email for the domain to Exchange Online

Enable Microsoft Outlook to auto discover the Exchange Online server for the domain.

Help prevent spam for the domain.

A CNAME MX SRV TXT

Answer:

Answer Area

Route email for the domain to Exchange Online

Enable Microsoft Outlook to auto discover the Exchange Online server for the domain.

Help prevent spam for the domain.

A CNAME MX SRV TXT

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/get-help-with-domains/create-dns-records-at-any-dns-hosting-provider?view=o365-worldwide>

NEW QUESTION: 82

You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com.

A user named User1 has files on a Windows 10 device as shown in the following table.

Name	Text in file
File1.docx	Importing and exporting is easy. For import, you need a source, and for export, you need a destination
File2.docx	You must declare what you want to import. Dangerous items cannot be imported. If you want to import valuables, you must pay customs.
File3.docx	IM are initials for instant messaging. You can use Microsoft Skype for IM, but there are also other IM programs.

In Azure Information Protection, you create a label named Label1 that is configured to apply automatically. Label1 is configured as shown in the following exhibit.

Condition: Condition1



Default Directory - Azure Information Protection



Save

X Discard



Delete

Choose the type of condition

Information Types

Custom

* Name

Condition1

* Match exact phrase or pattern

im

Match as a regular expression

Off

On

Match with case sensitivity

Off

On

* Maximum number of occurrences

2

Count occurrences with unique value only

Off

On

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements



Yes

No

Label1 applies to File1.docx.

Label1 applies to File2.docx.

Label1 applies to File3.docx.

Answer:

Statements

Label1 applies to File1.docx.

Yes	No
<input type="radio"/>	<input checked="" type="radio"/>

Label1 applies to File2.docx.

<input checked="" type="radio"/>	<input type="radio"/>
----------------------------------	-----------------------

Label1 applies to File3.docx.

<input type="radio"/>	<input checked="" type="radio"/>
-----------------------	----------------------------------

Reference:

<https://docs.microsoft.com/en-us/azure/information-protection/configure-policy-classification>

NEW QUESTION: 83

Your network contains an Active Directory domain named contoso.com. The domain contains the file servers shown in the following table.

Name	IP address
Server1	192.168.1.10
Server2	192.168.2.10

A file named File1.abc is stored on Server1. A file named File2.abc is stored on Server2. Three apps named App1, App2, and App3 all open files that have the .abc file extension.

You implement Windows Information Protection (WIP) by using the following configurations:

Exempt apps: App2

Protected apps: App1

Windows Information Protection mode: Block

Network boundary: IPv4 range of 192.168.1.1-192.168.1.255

You need to identify the apps from which you can open File1.abc

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements

You can open File1.abc in App1.

Yes	No
<input type="radio"/>	<input type="radio"/>

You can open File1.abc in App2.

<input type="radio"/>	<input type="radio"/>
-----------------------	-----------------------

You can open File1.abc in App3.

<input type="radio"/>	<input type="radio"/>
-----------------------	-----------------------

Answer:

Statements	Yes	No
You can open File1.abc in App1.	<input type="radio"/>	<input type="radio"/>
You can open File1.abc in App2.	<input type="radio"/>	<input type="radio"/>
You can open File1.abc in App3.	<input type="radio"/>	<input type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/windows/security/information-protection/windows-information-protection/create-wip-policy-using-intune-azure>

NEW QUESTION: 84

Which migration solution should you recommend for Project1?

- A. From Exchange Online PowerShell, run the New-MailboxImportRequest cmdlet.
- B. From Exchange Online PowerShell, run the New-MailboxExportRequest cmdlet.
- C. From the Microsoft 365 admin center, start a data migration and click Upload PSST as the data service.
- D. From the Exchange admin center, start a migration and select Remote move migration

Answer: D (LEAVE A REPLY)

During Project1, some users will have mailboxes in Microsoft 365 and some users will have mailboxes in Exchange on-premises. To enable users be able to exchange email messages successfully during Project1 by using their current email address, we'll need to configure hybrid Exchange.

To migrate mailboxes in a hybrid Exchange configuration, you use Exchange admin center perform Remote move migrations.

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/move-mailboxes>

NEW QUESTION: 85

You have Windows 10 devices that are managed by using Microsoft Endpoint Manager. All the devices have Microsoft Office 365 apps installed.

You need to configure the proofing tool settings for the Office 365 apps.

From the Microsoft Endpoint Manager admin center, what should you create?

- A. a device compliance policy
- B. a device configuration profile
- C. an app configuration policy
- D. an app

Answer: C (LEAVE A REPLY)

NEW QUESTION: 86

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Office 365 tenant.

You suspect that several Office 365 features were recently updated.

You need to view a list of the features that were recently updated in the tenant.

Solution: You use the Service health option in the Microsoft 365 admin center.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/view-service-health?view=o365-worldwide>

NEW QUESTION: 87

You have a Microsoft 365 subscription.

You plan to enable Microsoft Azure Information Protection.

You need to ensure that only the members of a group named PilotUsers can protect content.

What should you do?

A. Run the Add-AadrmRoleBaseAdministrator cmdlet.

B. Create an Azure Information Protection policy.

C. Configure the protection activation status for Azure Information Protection.

D. Run the Set-AadrmOnboardingControlPolicy cmdlet.

Answer: D (LEAVE A REPLY)

If you don't want all users to be able to protect documents and emails immediately by using Azure Rights Management, you can configure user onboarding controls by using the Set-

AadrmOnboardingControlPolicy Reference:

<https://docs.microsoft.com/en-us/azure/information-protection/activate-service>


NEW QUESTION: 88


You are configuring an enterprise application named TestApp in Microsoft Azure as shown in the following exhibit.


Test Application


Click here to verify application configuration.

Basic Settings


* Internal Url 


External Url 

Pre Authentication 


Connector Group 


Additional Settings

Backend Application Timeout 

Use HTTP-Only-Cookie 

Translate URLs In

Headers 

Application Body 

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

To ensure that when users access TestApp, the proxy automatically scans for internal URLs published through the Application Proxy, set [answer choice].

To protect TestApp from Cross-Site Scripting (XSS), set [answer choice].

Answer:

To ensure that when users access TestApp, the proxy automatically scans for internal URLs published through the Application Proxy, set [answer choice].

Use Http-Only Cookie to Yes
Translate URLs in Headers to No
Translate URLs in Application Body to Yes

To protect TestApp from Cross-Site Scripting (XSS), set [answer choice].

Use Http-Only Cookie to Yes
Translate URLs in Headers to No
Translate URLs in Application Body to Yes

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/application-proxy-configure-hard-coded-link-translation>

NEW QUESTION: 89

You have a Microsoft SharePoint Online site and an on-premises file server.

The site contains the files shown in the following table.

Name	In SharePoint library	Last modified
File1.docx	Documents	1/11/2019
File2.docx	Documents	1/12/2019

The file server contains the files shown in the following table.

Name	In folder	Last modified
File1.docx	D:\Folder1	1/1/2020
File2.xlsx	D:\Folder1	1/13/2020
File2.xlsx	D:\Folder2	1/7/2020
File3.pptx	D:\Folder2	1/20/2020

You migrate D:\Folder1 and D:\Folder2 to the Documents library by using the SharePoint Migration Tool as shown in the following exhibit.

All migration settings

General

Only perform scanning ⓘ

Off

Preserve file share permissions ⓘ

On

Users

Azure Active Directory Lookup ⓘ

On

User mapping file ⓘ

Choose file

Filters

Keep all versions ⓘ

On

Migrate hidden files ⓘ

On

Migrate files created after ⓘ

Migrate files modified after ⓘ

Save

Cancel

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.



Statements

Yes No

There will be two versions of File1.docx in the Documents library.

There will be two copies of File2.xlsx in the Documents library.

There will be a single copy of File3.pptx in the Documents library.

Answer:



Statements

Yes No

There will be two versions of File1.docx in the Documents library.

There will be two copies of File2.xlsx in the Documents library.

There will be a single copy of File3.pptx in the Documents library.

NEW QUESTION: 90

You have several Microsoft SharePoint document libraries in your on-premises environment.

You have a Microsoft 365 tenant that has directory synchronization implemented.

You plan to move all the document libraries to SharePoint Online.

You need to recommend a migration strategy for the document libraries.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

ACTIONS

Answer Area

Use the SharePoint Migration Tool to migrate the SharePoint data.

Create new SharePoint sites.

Run azcopy.exe to migrate the SharePoint data.


Create a Microsoft Azure Storage account.

Create new SharePoint libraries.

Three empty rectangular boxes for the answer area.

Answer:

Actions	Answer Area
Use the SharePoint Migration Tool to migrate the SharePoint data.	Create new SharePoint sites.
Create new SharePoint sites.	Create new SharePoint libraries.
Run azcopy.exe to migrate the SharePoint data.	Use the SharePoint Migration Tool to migrate the SharePoint data.
Create a Microsoft Azure Storage account.	
Create new SharePoint libraries.	



Reference:

<https://docs.microsoft.com/en-us/sharepointmigration/how-to-use-the-sharepoint-migration-tool>

NEW QUESTION: 91

You need to ensure that a user named User1 can create documents by using Office Online.

Which two Microsoft Office 365 license options should you turn on for User1? To answer, select the appropriate options in the answer area.

NOTE: Each correct section is worth one point.

Answer Area

License options

Microsoft Forms (Plan E5)	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Microsoft MyAnalytics (Full)	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Microsoft Planner	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Microsoft StaffHub	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Microsoft Stream for O365 E5 SKU	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Microsoft Teams	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Office 365 Advanced eDiscovery	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Office 365 Advanced Threat Protection (Plan 2)	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Office 365 Cloud App Security	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Office 365 Privileged Access Management	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Office 365 ProPlus	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Office Online	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Phone System	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Power BI Pro	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
PowerApps for Office 365	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
SharePoint Online (Plan 2)	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Skype for Business Online (Plan 2)	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Survey	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On



Microsoft

oway	<input checked="" type="checkbox"/>	<input type="checkbox"/>
To-Do (Plan 3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Yammer Enterprise	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Answer:

Answer Area


License options

Microsoft Forms (Plan E5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Microsoft MyAnalytics (Full)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Microsoft Planner	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Microsoft StaffHub	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Microsoft Stream for O365 E5 SKU	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Microsoft Teams	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Office 365 Advanced eDiscovery	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Office 365 Advanced Threat Protection (Plan 2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Office 365 Cloud App Security	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Office 365 Privileged Access Management	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Office 365 ProPlus	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Office Online	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Phone System	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power BI Pro	<input checked="" type="checkbox"/>	<input type="checkbox"/>
PowerApps for Office 365	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Microsoft

freepdfdumps.com



Valid MS-100 Dumps shared by Actual4test.com for Helping Passing MS-100 Exam! Actual4test.com now offer the **newest MS-100 exam dumps**, the Actual4test.com MS-100 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-100 dumps with Test Engine here:

https://www.actual4test.com/MS-100_examcollection.html (431 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 92

You have a Microsoft 365 subscription.

Your company purchases a new financial application named App1.

From Cloud Discovery in Microsoft Cloud App Security, you view the Discovered apps page and discover that many applications have a low score because they are missing information about domain registration and consumer popularity.

You need to prevent the missing information from affecting the score.

What should you configure from the Cloud Discover settings?

- A. App tags
- B. Score metrics
- C. Organization details
- D. Default behavior

Answer: B (LEAVE A REPLY)


An app's score in Cloud Discovery is based on categories such as General, Security, Compliance and Legal. Each category has several parameters. For example, the domain registration and consumer popularity parameters are part of the General category. These parameters are known as Score Metrics.

You can modify the default weights given to the Cloud Discovery score configuration. By default, all the various parameters evaluated are given an equal weight. If there are certain parameters that are more or less important to your organization, you can adjust the weight of each score metric.

Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/discovered-app-queries>

NEW QUESTION: 92



You need to reduce the likelihood that the sign-ins are identified as risky.

What should you do?

- A. From the Security & Compliance admin center, add the users to the Security Readers role group.
- B. From the Conditional access blade in the Azure Active Directory admin center, create named locations.
- C. From the Azure Active Directory admin center, configure the trusted IPs for multi-factor authentication.
- D. From the Security & Compliance admin center, create a classification label.

Answer: B (LEAVE A REPLY)

A named location can be configured as a trusted location. Typically, trusted locations are network areas that are controlled by your IT department. In addition to Conditional Access, trusted named locations are also used by Azure Identity Protection and Azure AD security reports to reduce false positives for risky sign-ins.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition>

NEW QUESTION: 94

Your company has a Microsoft 365 tenant named litwareinc.com.

The Guest access settings in Microsoft Teams are configured as shown in the following exhibit.

Guest access

Guest access in Teams lets people outside your organization access teams and channels. When you turn on Guest Access, you can turn on or off features guest users can or can't use. Make sure to follow the steps in this checklist to set up the prerequisites and so Team owners can add guest users to their teams. [Learn more](#)

Allow guest access in Teams

Calling

Manage calling specific controls for guest users.

Make private calls On

Meeting

Turn on or turn off settings for guests in meetings.

Allow IP video On

Screen sharing mode

Allow Meet Now On

The External access settings in Microsoft Teams are configured as shown in the following exhibit.

External access

External access lets your Teams and Skype for Business users communicate with other users that are outside of your organization. By default, your organization can communicate with all external domains. If you add blocked domains, all other domains will be allowed but if you add allowed domains, all other domains will be blocked. [Learn more](#)

Users can communicate with other Skype for Business and Teams users Off

Users can communicate with Skype users Off

+ Add a domain

✓ Name	Status
contoso.com	Allowed

Save

Discard

The company has a third-party supplier named adventureworks.com. Users in litwareinc.com collaborate with the following users by using Microsoft Teams:

User1@contoso.com

User2@adventureworks.com

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User2@adventureworks.com can share files by using a Microsoft Teams channel of litwareinc.com.	<input type="radio"/>	<input type="radio"/>
User1@contoso.com can use Meet now in Microsoft Teams.	<input type="radio"/>	<input type="radio"/>
Litwareinc.com users can block user1@contoso.com in Microsoft Teams.	<input type="radio"/>	<input type="radio"/>

Answer:

Microsoft Statements	Yes	No
User2@adventureworks.com can share files by using a Microsoft Teams channel of litwareinc.com.	<input type="radio"/>	<input checked="" type="radio"/>
User1@contoso.com can use Meet now in Microsoft Teams.	<input type="radio"/>	<input checked="" type="radio"/>
Litwareinc.com users can block user1@contoso.com in Microsoft Teams	<input type="radio"/>	<input checked="" type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/set-up-guests>

<https://docs.microsoft.com/en-us/microsoftteams/communicate-with-users-from-other-organizations>

NEW QUESTION: 95

You have a Microsoft 365 E5 subscription.

You have an Azure AD tenant named contoso.com that contains the following users:

- * Admin 1
- * Admin2
- * User1

Contoso.com contains an administrative unit named AU1 that has no role assignments. User1 is a member of AU1.

Microsoft Statements	Yes	No
You can add Admin1 as a member of AU1.	<input type="radio"/>	<input type="radio"/>
You can add User1 as a member of AU2.	<input type="radio"/>	<input type="radio"/>
You can assign Admin2 the User administrator role for AU1.	<input type="radio"/>	<input type="radio"/>

Answer:

Microsoft Statements	Yes	No
You can add Admin1 as a member of AU1.	<input checked="" type="radio"/>	<input type="radio"/>
You can add User1 as a member of AU2.	<input checked="" type="radio"/>	<input type="radio"/>
You can assign Admin2 the User administrator role for AU1.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 96

You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com that includes a user named User1.

You enable multi-factor authentication for contoso.com and configure the following two fraud alert settings:

Set Allow users to submit fraud alerts: On

Automatically block users who report fraud: On

You need to instruct the users in your organization to use the fraud reporting features correctly.

What should you tell the users to do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

A user can report fraud on her account by:

- Typing a special code after receiving an alert call
- Sending an email message to an administrator
- Using the Microsoft Authenticator app

If User1 reports fraud on his account, the account will be blocked automatically for:

- 6 hours
- 1 day
- 7 days
- 90 days



Answer:

A user can report fraud on her account by:

- Typing a special code after receiving an alert call
- Sending an email message to an administrator
- Using the Microsoft Authenticator app

If User1 reports fraud on his account, the account will be blocked automatically for:

- 6 hours
- 1 day
- 7 days
- 90 days



Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings#fraud-alert>

NEW QUESTION: 97

Your network contains an Active Directory forest. The forest contains two domains named contoso.com and adatum.com.

Your company recently purchased a Microsoft 365 subscription.

You deploy a federated identity solution to the environment.

You use the following command to configure contoso.com for federation.

```
Convert-MSolDomainToFederated -DomainName contoso.com
```

In the Microsoft 365 tenant, an administrator adds and verifies the adatum.com domain name.

You need to configure the adatum.com Active Directory domain for federated authentication.

Which two actions should you perform before you run the Azure AD Connect wizard? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From Windows PowerShell, run the Convert-MsolDomaintoFederated -DomainName contoso.com -SupportMultipleDomain command.
- B. From Windows PowerShell, run the New-MsolFederatedDomain -SupportMultipleDomain -DomainName contoso.com command.
- C. From Windows PowerShell, run the New-MsolFederatedDomain -DomainName adatum.com command.
- D. From Windows PowerShell, run the Update-MSOLFederatedDomain -DomainName contoso.com -SupportMultipleDomain command.
- E. From the federation server, remove the Microsoft Office 365 relying party trust.

Answer: ([SHOW ANSWER](#))

When the Convert-MsolDomaintoFederated -DomainName contoso.com command was run, a relying party trust was created.

Adding a second domain (adatum.com in this case) will only work if the SupportMultipleDomain switch was used when the initial federation was configured by running the Convert-MsolDomaintoFederated -DomainName contoso.com command.

Therefore, we need to start again by removing the relying party trust then running the Convert-MsolDomaintoFederated command again with the SupportMultipleDomain switch.

NEW QUESTION: 98

Your network contains an on-premises Active Directory domain. The domain contains the users shown in the following table.

Name	Country	Organizational unit (OU)
User1	United States	OU1
User2	Canada	OU1
User3	United States	OU2

You have a Microsoft 365 subscription that is linked to an Azure Active Directory (Azure AD) tenant named contoso.com. You configure Azure AD Connect to sync the on-premises domain to contoso.com as shown in the following exhibit.

The screenshot shows the Microsoft Answer Area interface. It contains a table with three rows of statements and two columns for 'Yes' and 'No' responses. Each row has a radio button for both 'Yes' and 'No'.

Statements	Yes	No
User1 syncs to Azure AD.	<input type="radio"/>	<input type="radio"/>
User2 syncs to Azure AD.	<input type="radio"/>	<input type="radio"/>
User3 syncs to Azure AD.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statements	Yes	No
User1 syncs to Azure AD.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
User2 syncs to Azure AD.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
User3 syncs to Azure AD.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

NEW QUESTION: 99

Your company has a Microsoft Office 365 subscription that contains the groups shown in the following table.

Name	Members
Group1	User1, User2
Group2	User3

You have the licenses shown in the following table.

License	Included service	Assigned to
Microsoft 365	Microsoft Exchange Online	Group1
Microsoft 365	Microsoft SharePoint Online	User1, User2, User3

Another administrator removes User1 from Group1 and adds Group2 to Group1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 is licensed for SharePoint Online.	<input type="checkbox"/>	<input type="checkbox"/>
User2 is licensed for SharePoint Online.	<input type="checkbox"/>	<input type="checkbox"/>
User3 is licensed for SharePoint Online.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Answer:

Statements	Yes	No
User1 is licensed for SharePoint Online.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
User2 is licensed for SharePoint Online.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
User3 is licensed for SharePoint Online.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/active-directory-licensing-what-is-azure-portal>

NEW QUESTION: 100

You are creating a report that will query Azure Active Directory (Azure AD) for group information by using the Microsoft Graph API. You need to retrieve an ordered list of groups by title. The

solution must minimize the amount of data returned in the response.

How should you complete the Graph API call? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

GET https://graph.microsoft.com/v1.0/groups?

Expand=id,displayName,description	&orderBy=description
Filter=displayName	&orderBy=displayName
Select=id,displayName,description	&orderBy=id

Answer:

Answer Area

GET https://graph.microsoft.com/v1.0/groups?

Expand=id,displayName,description	&orderBy=description
Filter=displayName	&orderBy=displayName
Select=id,displayName,description	&orderBy=id

NEW QUESTION: 101

You have a Microsoft 365 Enterprise subscription.

You create a password policy as shown in the following exhibit.

MANAGE

Password protection (Preview)

Custom smart lockout

Lockout threshold 5

Lockout duration in seconds 60

Custom banned passwords

Enforce custom list Yes No

Custom banned password list

Pa\$\$w0rd ✓
Conto\$01 ✓
AzureAD!! ✓

Password protection for Windows Server Active Directory

Enable password protection on Windows Server Active Directory Yes No

Mode Enforced Audit

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

If users are locked out of their account, they have [answer choice].

- five sign-in attempts each subsequent minute
- one sign-in attempt each subsequent minute
- five sign-in attempts every five minutes
- one sign-in attempt every five minutes

Users can create a password of [answer choice].



Microsoft

- Password11
- Conto\$01Pa\$\$word
- AzureAD!!111
- pa\$\$w0rd

Answer:

If users are locked out of their account, they have [answer choice].

- five sign-in attempts each subsequent minute
- one sign-in attempt each subsequent minute
- five sign-in attempts every five minutes
- one sign-in attempt every five minutes

Users can create a password of [answer choice].



Microsoft

- Password11
- Conto\$01Pa\$\$word
- AzureAD!!111
- pa\$\$w0rd

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-password-ban-bad>
<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-smart-lockout>

NEW QUESTION: 102

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time. When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab.

Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:


admin@LODSe1211885.onmicrosoft.com

Microsoft 365 Password: oL9z0=?Nq@ox

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 11098651



You recently discovered that several users in your organization have permissions on the mailbox of another user in the organization.

You need to ensure that Lee Gu receives a notification when a user is granted permissions on another user's mailbox.

To answer the question, sign in to the Microsoft 365 portal.


Answer:

Create an activity alert

1. Go to <https://protection.office.com/managealerts>.
2. Sign in to Office 365 using your work or school account.
3. On the Activity alerts page, click + New.

The flyout page to create an activity alert is displayed.

Name *: 

Description 



Alert type

Custom ▾



Send this alert when... * 



Activities *:

Choose activities for alert ▾

Users:

Show results for all users

Send this alert to... * 



Recipients *:

Show results for all users

4. Complete the following fields to create an activity alert:

Name - Type a name for the alert. Alert names must be unique within your organization.

Description (Optional) - Describe the alert, such as the activities and users being tracked, and the users that email notifications are sent to. Descriptions provide a quick and easy way to describe the purpose of the alert to other admins.

Alert type - Make sure the Custom option is selected.

Send this alert when - Click Send this alert when and then configure these two fields:

- Activities - Click the drop-down list to display the activities that you can create an alert for. This is the same activities list that's displayed when you search the Office 365 audit log. You can

select one or more specific activities or you can click the activity group name to select all activities in the group. For a description of these activities, see the "Audited activities" section in Search the audit log. When a user performs any of the activities that you've added to the alert, an email notification is sent.

- Users - Click this box and then select one or more users. If the users in this box perform the activities that you added to the Activities box, an alert will be sent. Leave the Users box blank to send an alert when any user in your organization performs the activities specified by the alert. Send this alert to - Click Send this alert, and then click in the Recipients box and type a name to add a users who will receive an email notification when a user (specified in the Users box) performs an activity (specified in the Activities box). Note that you are added to the list of recipients by default. You can remove your name from this list.

5. Click Save to create the alert.

The new alert is displayed in the list on the Activity alerts page.

Name	Recipients	Status ▲	Date modified
Executive mailbox alert	compliance@contoso.com	On	2016-06-08 14:42:02
SharePoint upload alert	admin@contoso.com	Off	2016-06-08 14:23:39
External sharing alert	admin@contoso.com	Off	2016-06-08 14:24:08

The status of the alert is set to On. Note that the recipients who will received an email notification when an alert is sent are also listed.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-activity-alerts?view=o365-worldwide>

NEW QUESTION: 103

You work at a company named Contoso, Ltd.

Contoso has a Microsoft 365 subscription that is configured to use the DNS domains shown in the following table.

Name	Can enroll devices
Contoso.com	Yes
Contoso.onmicrosoft.com	Yes

Contoso purchases a company named Fabrikam, Inc.

Contoso plans to add the following domains to the Microsoft 365 subscription:

fabrikam.com
east.fabrikam.com
west.contoso.com

You need to ensure that the devices in the new domains can register by using Autodiscover. How many domains should you verify, and what is the minimum number of enterpriseregistration DNS records you should add? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

 Domains:

1
2
3

Enterpriseregistration DNS records:

1
2
3

Answer:

Domains:

1
2
3

Enterpriseregistration DNS records:

2
3

Reference:

<https://docs.microsoft.com/en-us/mem/intune/enrollment/windows-enroll>

NEW QUESTION: 104

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a hybrid deployment of Microsoft 365 that contains the objects shown in the following table.

Name	Type	Source
User1	User	Azure Active Directory (Azure AD)
User2	User	Windows Server Active Directory
Group1	Group	Cloud
Group2	Group	Windows Server Active Directory

Azure AD Connect has the following settings:

Password Hash Sync: Enabled

Password writeback: Enabled

Group writeback: Enabled

You need to add User2 to Group 2.

Solution: You use the Azure Active Directory admin center.

Does this meet the goal?

A. No

B. Yes

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 105

Your company has a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com that includes the users shown in the following table.

Name	Usage location	Membership
User1	<i>Not applicable</i>	Group1
User2	United States	Group2
User3	United States	<i>Not applicable</i>

Group2 is a member of Group1.

You assign a Microsoft Office 365 Enterprise E3 license to User2 as shown in the following exhibit.

License options

Office 365 Enterprise E3

Azure Rights Management	<input checked="" type="checkbox"/> Off <input type="checkbox"/> On
Exchange Online (Plan 2)	<input checked="" type="checkbox"/> Off <input type="checkbox"/> On
Flow for Office 365	<input checked="" type="checkbox"/> Off <input type="checkbox"/> On
Microsoft Forms (Plan E3)	<input checked="" type="checkbox"/> Off <input type="checkbox"/> On

Microsoft Planner	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Microsoft StaffHub	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Microsoft Teams	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Office 365 ProPlus	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Office Online	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
PowerApps for Office 365	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
SharePoint Online (Plan 2)	<input type="checkbox"/> Off	<input checked="" type="checkbox"/> On
Skype for Business Online (Plan 2)	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Stream for Office 365	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Sway	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
To-Do (Plan 2)	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Yammer Enterprise	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On

You assign Office 365 Enterprise E3 licenses to Group1 as shown in the following exhibit.

License options

Office 365 Enterprise E3

Azure Rights Management Off On

Exchange Online (Plan 2)	<input type="checkbox"/> Off	<input checked="" type="checkbox"/> On
Flow for Office 365	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Microsoft Forms (Plan E3)	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Microsoft Planner	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Microsoft StaffHub	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Microsoft Teams	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Office 365 ProPlus	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Office Online	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
PowerApps for Office 365	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
SharePoint Online (Plan 2)	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Skype for Business Online (Plan 2)	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Stream for Office 365	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Sway	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
To-Do (Plan 2)	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On
Yammer Enterprise	<input checked="" type="checkbox"/> Off	<input type="checkbox"/> On

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 is licensed to use Microsoft Exchange Online.	<input type="radio"/>	<input type="radio"/>
User1 is licensed to use Microsoft Exchange Online and Microsoft Share Point Online.	<input type="radio"/>	<input type="radio"/>
If you add User3 to Group2, the user will be licensed to use Microsoft Exchange Online.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1 is licensed to use Microsoft Exchange Online.	<input checked="" type="radio"/>	<input type="radio"/>
User1 is licensed to use Microsoft Exchange Online and Microsoft Share Point Online.	<input type="radio"/>	<input checked="" type="radio"/>
If you add User3 to Group2, the user will be licensed to use Microsoft Exchange Online.	<input type="radio"/>	<input checked="" type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/licensing-group-advanced>

NEW QUESTION: 106

You have retention policies in Microsoft 365 as shown in the following table.

Name	Location
Policy1	OneDrive accounts
Policy2	Exchange email, Exchange public folders, Office 365 groups, OneDrive accounts, SharePoint sites

Policy1 is configured as shown in the Policy1 exhibit. (Click the Policy1 tab.) Policy1

Microsoft

Decide if you want to retain content, delete it, or both

Do you want to retain content? ⓘ

Yes, I want to retain it ⓘ

For this long... ▼ 7 years ▼

No, just delete content that's older than ⓘ

1 years ▼

Delete the content based on when it was created ▼ ⓘ

Need more options?

Use advanced retention settings ⓘ

Back **Next** Cancel

Policy1 is configured as shown in the Policy2 exhibit. (Click the Policy2 tab.) Policy2

Decide if you want to retain content, delete it, or both

Do you want to retain content? ⓘ

Yes, I want to retain it ⓘ

For this long... ▾ 4 years ▾

Retain the content based on when it was created ▾ ⓘ

Do you want us to delete it after this time? ⓘ

Yes No

No, just delete content that's older than ⓘ

2 years ▾

Need more options?

Use advanced retention settings ⓘ

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If a user creates a file in Microsoft OneDrive on January 1, 2018, users will be able to access the file on January 15, 2020	<input type="radio"/>	<input type="radio"/>
If a user deletes a Microsoft OneDrive file that was created on January 1, 2018, and administrator will be able to recover the file on April 15, 2020.	<input type="radio"/>	<input type="radio"/>
If a user deletes a Microsoft OneDrive file that was created on January 1, 2018, an administrator will be able to recover the file on April 15, 2023.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements

Yes

No

If a user creates a file in Microsoft OneDrive on January 1, 2018, users will be able to access the file on January 15, 2020

If a user deletes a Microsoft OneDrive file that was created on January 1, 2018, and administrator will be able to recover the file on April 15, 2020.

If a user deletes a Microsoft OneDrive file that was created on January 1, 2018, an administrator will be able to recover the file on April 15, 2023.

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/retention-policies#the-principles-of-retention-or-what-takes-precedence>

Valid MS-100 Dumps shared by Actual4test.com for Helping Passing MS-100 Exam! Actual4test.com now offer the **newest MS-100 exam dumps**, the Actual4test.com MS-100 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-100 dumps with Test Engine here:

https://www.actual4test.com/MS-100_examcollection.html (431 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 107

You have a DNS zone named contoso.com that contains the following records.

```
@           IN      SOA     dns1.contoso.com. hostmaster.contoso.com. (
                    539      ; serial number
                    900      ; refresh
                    600      ; retry
                    86400    ; expire
                    3600    ) ; default TTL

@           NS       dns1.contoso.com.

@           MX       10    server1.contoso.com.

@           TXT      ("v=spf1 a include:server1.contoso.com -all" )

Server1    A         193.77.10.15
```

You purchase a Microsoft 365 subscription.

You plan to migrate mailboxes to Microsoft Exchange Online.

You need to configure Sender Policy Framework (SPF) to support Exchange Online.

What should you do?

- A. Add an additional TXT record.
- B. Modify the TXT record.
- C. Modify the expire interval of the SOA record.
- D. Modify the default TTL of the SOA record.

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-spf-in-office-365-to-help-prevent-spoofing?view=o365-worldwide#next-steps-after-you-set-up-spf-for-office-365>

NEW QUESTION: 108

You need to assign User2 the required roles to meet the security requirements and the technical requirements.

To which two roles should you assign User2? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A.** the Exchange View-only Organization Management role
- B.** the Microsoft 365 Records Management role
- C.** the Exchange Online Help Desk role
- D.** the Microsoft 365 Security Reader role
- E.** the Exchange Online Compliance Management role

Answer: D,E (LEAVE A REPLY)

User2 must be able to view reports and schedule the email delivery of security and compliance reports.

The Security Reader role can view reports but not schedule the email delivery of security and compliance reports.

The Exchange Online Compliance Management role can schedule the email delivery of security and compliance reports.

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions-exo/permissions-exo>

NEW QUESTION: 109

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section.

This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab.

Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:

admin@LODSe426243.onmicrosoft.com

Microsoft 365 Password: 3&YWyjse-6-d

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10887751

You need to create a group named Group2. Users who are added to Group2 must be licensed automatically for Microsoft Office 365.

Answer:

You need to create the group and assign a license to the group. Anyone who is added to the group will automatically be assigned the license that is assigned to the group.

1. Go to the Azure Active Directory admin center.
2. Select the Azure Active Directory link then select Groups.
3. Click the New Group link.
4. Select 'Security' as the group type and enter 'Group2' for the group name.
5. Click the Create button to create the group.
6. Back in the Groups list, select Group2 to open the properties page for the group.
7. Select 'Licenses'.
8. Select the '+ Assignments' link.
9. Tick the box to select the license.
10. Click the Save button to save the changes.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/licensing-groups-assign>

NEW QUESTION: 110

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result these questions will not appear in the review screen.

Your company has a main office and three branch offices. All the branch offices connect to the main office by using a WAN link. The main office has a high-speed Internet connection. All the branch offices connect to the Internet by using the main office connection.

Users use Microsoft Outlook 2016 to connect to 4 Microsoft Exchange Server mailbox hosted in the main office.

The users report that when the WAN link in their office becomes unavailable, they cannot access their mailbox.

You create a Microsoft 365 subscription, and then migrate all the user data to Microsoft 365.

You need to ensure that all the users can continue to use Outlook to receive email messages if a WAN link fails.

Solution: For each branch office, you add a direct connection to the Internet.

Does this meet the goal?

A. Yes

B. NO

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 111

You have a pilot app named App1 deployed to a Microsoft Power Platform production environment named Prod1.

You need to reset the Prod1 environment in preparation for the production deployment of App1.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Reset the Prod1 environment	
Convert the Prod1 environment to a sandbox environment.	
Convert the Prod1 environment to a production environment.	
Sign in to the Power Platform admin center.	
Sign in to the make.powerapps.com maker portal.	

Microsoft

Answer:

Sign in to the Power Platform admin center.

Convert the Prod1 environment to a sandbox environment.

Reset the Prod1 environment

Convert the Prod1 environment to a production environment.

- 1 - Sign in to the Power Platform admin center.
- 2 - Convert the Prod1 environment to a sandbox environment.
- 3 - Reset the Prod1 environment
- 4 - Convert the Prod1 environment to a production environment.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/switch-environment>

<https://docs.microsoft.com/en-us/power-platform/admin/reset-environment>

<https://www.azamba.com/2018/01/18/how-to-reset-a-production-instance-in-microsoft-dynamics-365-crm/>

NEW QUESTION: 112

Your network contains an on-premises Active Directory domain.

You have a Microsoft 365 subscription.

You implement a directory synchronization solution that uses pass-through authentication.

You configure Microsoft Azure Active Directory (Azure AD) smart lockout as shown in the following exhibit.

Custom smart lockout

Lockout threshold ⓘ

Lockout duration in seconds ⓘ

Custom banned passwords

Enforce custom list ⓘ Yes No

Custom banned password list ⓘ

password ✓

PaSSw0rd ✓

Pa55w0rd ✓

Contoso ✓

Password protection for Windows Server Active Directory

Enable password protection on Windows Server Active Directory ⓘ Yes No

Mode ⓘ Enforced Audit

You discover that Active Directory users can use the passwords in the custom banned passwords list.

You need to ensure that banned passwords are effective for all users.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From a domain controller, install the Azure AD Password Protection Proxy.
- B. From a domain controller, install the Microsoft AAD Application Proxy connector.
- C. From Custom banned passwords, modify the Enforce custom list setting.
- D. From Password protection for Windows Server Active Directory, modify the Mode setting.
- E. From all the domain controllers, install the Azure AD Password Protection DC Agent.
- F. From Active Directory, modify the Default Domain Policy.

Answer: A,C,E (LEAVE A REPLY)

Reference:

Azure AD password protection is a feature that enhances password policies in an organization. On-premises deployment of password protection uses both the global and custom banned-password lists that are stored in Azure AD. It does the same checks on-premises as Azure AD does for cloud-based changes. These checks are performed during password changes and password reset scenarios.

You need to install the Azure AD Password Protection Proxy on a domain controller and install the Azure AD Password Protection DC Agent on all domain controllers. When the proxy and agent are installed and configured, Azure AD password protection will work.

In the exhibit, the password protection is configured in Audit mode. This is used for testing. To

enforce the configured policy, you need to set the password protection setting to Enforced.

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premises-deploy>

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-password-ban-bad-on-premises>

NEW QUESTION: 113

You have a Microsoft 365 subscription that contains a Microsoft Azure Directory (Azure AD) tenant Contoso.com. The tenant includes a user named user1.

You enable Azure AD Identity protection.

You need to ensure that User1 can review the list in Azure AD identity protection of users flagged for risk. The solution must use the principle of least privilege.

To which role should you add User1?

- A. Owner
- B. Report
- C. Security administrator
- D. Global reader

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 114

You have an on-premises Microsoft Exchange Server organization that contains 500 mailboxes and a third-party email archive solution.

You have a Microsoft 365 tenant that contains a user named User1.

You plan to use the User1 account to perform a PST import of the archive mailboxes to the tenant.

Which two roles does User1 require to perform the import? The solution must use the principle of least privilege. Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Mail Recipients
- B. Exchange admin
- C. Records Management
- D. Mailbox Import Export
- E. eDiscovery Manager

Answer: A,D ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/importing-pst-files-to-office-365?view=o365-worldwide>

NEW QUESTION: 115

You need to recommend the development environment and tools for the redesign of the research department's SharePoint Online sites.

What should you recommend? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Development model: ▼
Full-trust web parts
Sandboxed solutions
SharePoint Framework (SPFx)

IDE: ▼
Eclipse
Microsoft Visual Studio
Microsoft Visual Studio Code

Front-end framework: ▼
Bootstrap
Fluent UI
Material Design

Answer:

Development model: ▼
Full-trust web parts
Sandboxed solutions
SharePoint Framework (SPFx)

IDE: ▼
Eclipse
Microsoft Visual Studio
Microsoft Visual Studio Code


Front-end framework: ▼
Bootstrap
Fluent UI
Material Design

NEW QUESTION: 116

You need to configure the Office 365 service status notifications and limit access to the service and feature updates. The solution must meet the technical requirements.
What should you configure in the Microsoft 365 admin center? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.



Answer:



Reference:

<https://docs.microsoft.com/en-us/briefing/be-admin>

<https://docs.microsoft.com/en-us/microsoft-365/admin/manage/release-options-in-office-365?view=o365-worldwide>

Topic 4, NEW Case Study

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the question. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, n..... that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to ret..... to the question.

Existing Environment

Microsoft 365

Contoso identifies the following business goals:

- * Utilize core functionality of apps whenever possible.
- * Reduce app development costs.
- * Minimize training costs for end users.

Microsoft SharePoint/Microsoft Exchange

Contoso has a Microsoft 365 subscription that uses a domain named contoso.com. Each user is assigned a Microsoft 365 Enterprise E5 licence.

Problem Statement

Contoso moves all email accounts to Microsoft 365.

Contoso migrates the SharePoint Server 2013 intranet sites of the research department to SharePoint Online.

Requirements

Business Goals

Contoso identifies the following issues:

- * Users in the sales department report that preparing quotations is time-consuming as it requires manually copying and pasting data from multiple sources.
- * Users in the HR department must use multiple apps to manage the hiring process.
- * The solution to claim expenses requires multiple manual steps.

Planned Changes

Contoso identifies the following business goals:

- * Utilize core functionality of apps whenever possible.
- * Reduce app development costs.
- * Minimize training costs for end users.

Technical Requirements

Contoso plans to implement the following changes;

- * Redesign the SharePoint Online sites of the research department to provide users with an experience that is consistent with the Microsoft 365 portal. The research department has a third-party project management solution that uses the Microsoft identity platform in Azure AD.
- * Create an email workflow solution for expense claims. Users will submit their expense claims and the system will email an approval request to their manager.
- * Implement a bring your own device (BYOD) model that supports Windows 10, macOS, and Android devices.
- * Develop a custom Microsoft 365 app named SalesApp for the sales department.
- * Develop a custom Microsoft 365 app named HRApp for the HR department

Security Requirement

Contoso identifies the following technical requirements for app development:

- * The expense claims solution must provide managers with claim information and the ability to manage the claim by using Microsoft Outlook. Outlook on the web, or Outlook for iOS and Android.
- * HRApp must include a bot named HRBot that will answer HR questions. Users must be able to access the bot by mentioning HRBot in a Microsoft Teams channel or private chat.
- * HRApp must enable users to query a third-party HR system by using a tab from within a Microsoft Teams channel.
- * HRApp must include a messaging extension that enables users to search jobs by job title or job ID.
- * SalesApp must be integrated with Microsoft Word and must combine images and text from multiple sources to create a quotation as a DOCX file.
- * The distribution of SalesApp must be automatic and require minimal user interaction.
- * Solutions for SharePoint Online and Microsoft Office must follow the current Office user interface (UI) design.

* Development tools and solutions must support Windows and non-Windows devices.

* Development effort must be minimized.

HRAApp Manifest

All solutions must support the Microsoft identity platform in Azure AD.

Intranet components must not share access tokens.

NEW QUESTION: 117

You have an on-premises Microsoft Exchange Server organization that contains 100 mailboxes.

You have a hybrid Microsoft 365 tenant.

You run the Hybrid Configuration wizard and migrate the mailboxes to the tenant.

You need to ensure that Microsoft 365 spam filtering is applied to incoming email.

What should you do?

A. Run the Hybrid Configuration wizard again.

B. Update the Sender Policy Framework (SPF) TXT record to point to the on-premises Exchange IP address.

C. Run the Azure Active Directory Connect wizard again.

D. Update the MX record to point to Exchange Online.


Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/manage-mailboxes-using-microsoft-365-or-office-365>

NEW QUESTION: 118

You plan to migrate to SharePoint Online by using the SharePoint Migration Tool. Which list can be migrated to SharePoint Online?



Name	List template
List1	Picture library
List2	Report Library
List3	Agenda
List4	AdminTasks

A. List4

B. List2

C. List1

D. List3

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 119

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section.

This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab.

Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@LODSe878763.onmicrosoft.com

Microsoft 365 Password: m3t^We\$Z7&xy

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 11440873



Sign in

Email, phone, or Skype

No account? [Create one!](#)

[Can't access your account?](#)

[Sign-in options](#)



Next

Your organization recently purchased a projector that can be moved easily between conference rooms.

You need to ensure that any user in the organization can add the projector to a Microsoft Outlook meeting request. The solution must ensure that a user named Lee Gu must approve all meeting requests.

To answer, sign in to the Microsoft 365 portal.

Answer:

You need to create a resource mailbox in Exchange.

1. Go to the Exchange Admin Center.
2. In the left navigation pane, select Recipients.
3. Click the Resources link.
4. Click the plus (+) icon and select 'Equipment Mailbox'.
5. Give the mailbox a name such as 'Projector1'.
6. Enter the name projector1 in the email address field.
7. Click the Save button to create the equipment mailbox.
8. In the resource mailbox list, select the new mailbox and click the Edit icon (pencil icon).
9. Select 'Booking Delegates' in the menu list.
10. Select the option, "Select delegates who can accept or decline booking requests".
11. Click the plus (+) icon and add Lee Gu as a delegate.
12. Click the Save button to save the changes.

NEW QUESTION: 120

Your company has an Azure Active Directory (Azure AD) tenant named contoso.com and a

Microsoft 365 subscription.

Contoso.com contains the users shown in the following table.

Name	Group
User1	Group1
User2	None

You add an enterprise application named App1 to contoso.com.

You configure the following self-service settings for App1:

Allow users to request access to this application is set to Yes.

To which group should assigned users be added is set to Group1.

Who is allowed to approve access to this application is set to User2.

Require approval before granting access to this application is set to Yes.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can request access to App1.	<input type="radio"/>	<input type="radio"/>
When User2 requests access to App1, the user is added to Group1 automatically.	<input type="radio"/>	<input type="radio"/>
User2 can approve requests for App1.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1 can request access to App1.	<input checked="" type="radio"/>	<input type="radio"/>
When User2 requests access to App1, the user is added to Group1 automatically.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can approve requests for App1.	<input checked="" type="radio"/>	<input type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/manage-self-service-access>

NEW QUESTION: 121

You have a Microsoft 365 tenant.

You have a line-of-business application named App1 that users access by using the My Apps

portal.

After some recent security breaches, you implement a conditional access policy for App1 that uses Conditional Access App Control.

You need to be alerted by email if impossible travel is detected for a user of App1. The solution must ensure that alerts are generated for App1 only.

What should you do?

- A. From Microsoft Cloud App Security, modify the impossible travel alert policy.
- B. From Microsoft Cloud App Security, create a Cloud Discovery anomaly detection policy.
- C. From the Azure Active Directory admin center, modify the conditional access policy.
- D. From Microsoft Cloud App Security, create an app discovery policy.

Answer: A (LEAVE A REPLY)

Impossible travel detection identifies two user activities (is a single or multiple sessions) originating from geographically distant locations within a time period shorter than the time it would have taken the user to travel from the first location to the second.

We need to modify the policy so that it applies to App1 only.

Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/anomaly-detection-policy>

Valid MS-100 Dumps shared by Actual4test.com for Helping Passing MS-100 Exam!

Actual4test.com now offer the **newest MS-100 exam dumps**, the Actual4test.com MS-100 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-100 dumps with Test Engine here:

https://www.actual4test.com/MS-100_examcollection.html (431 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 122

Your company has a Microsoft 365 E5 subscription.

Users in the research department work with sensitive data.

You need to prevent the research department users from accessing potentially unsafe websites by using hyperlinks embedded in email messages and documents. Users in other departments must not be restricted.

What should you do from the Security & Compliance admin center?

- A. Create a data loss prevention (DLP) policy that has a Content contains condition.
- B. Create a data loss prevention (DLP) policy that has a Content is shared condition.
- C. Modify the default safe links policy.
- D. Create a new safe links policy.

Answer: D (LEAVE A REPLY)

ATP Safe Links, a feature of Office 365 Advanced Threat Protection (ATP), can help protect your organization from malicious links used in phishing and other attacks. If you have the necessary

permissions for the Office 365 Security & Compliance Center, you can set up ATP Safe Links policies to help ensure that when people click web addresses (URLs), your organization is protected. Your ATP Safe Links policies can be configured to scan URLs in email and URLs in Office documents.

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/set-up-atp-safe-links-policies#policies-that-apply-to-specific-email-recipients>

NEW QUESTION: 123

You plan to deploy two Microsoft Power Platform environments as shown in the following table.


Name	Requirement
Environment1	<ul style="list-style-type: none">• Supports multiple makers that customize the environment• Supports copying other environments to Environment1• Minimizes effort to reset the environment
Environment2	<ul style="list-style-type: none">• Is a learning environment• Supports the creation of unlimited apps• Does not count against storage allocation for the tenant

Which environment type should you use for each environment? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The screenshot shows the Microsoft Power Platform environment selection interface. It features two dropdown menus, one for 'Environment1' and one for 'Environment2'. Both dropdown menus are open, displaying three options: 'Developer', 'Production', and 'Sandbox'. The interface is overlaid with a 'freepremiums.com' watermark.

Answer:



Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION: 124

Your company has a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com. You sign up for Microsoft Store for Business.

The tenant contains the users shown in the following table.

Name	Microsoft Store for Business role	Azure AD role
User1	Purchaser	None
User2	Basic Purchaser	None
User3	None	Application administrator
User4	None	Cloud application administrator
User5	None	None

Microsoft Store for Business has the following Shopping behavior settings:

Allow users to shop is set to On.

Make everyone a Basic Purchaser is set to Off.

You need to identify which users can install apps from the Microsoft for Business private store.

Which users should you identify?

- A. A. user1, User2, User3, User4, and User5
- B. User1 only
- C. User1 and User2 only
- D. User3 and User4 only
- E. User1, User2, User3, and User4 only

Answer: C (LEAVE A REPLY)

Allow users to shop controls the shopping experience in Microsoft Store for Education. When this setting is on, Purchasers and Basic Purchasers can purchase products and services from Microsoft Store for Education.

Reference:

<https://docs.microsoft.com/en-us/microsoft-store/acquire-apps-microsoft-store-for-business>

NEW QUESTION: 125

You have a Microsoft 365 subscription.

All users have their email stored in Microsoft Exchange Online

In the mailbox of a user named User, you need to preserve a copy of all the email messages that contain the word ProjectX.

What should you do first?

- A. From the Exchange admin center, start a mail flow message trace.
- B. From the Security & Compliance admin center, start a message trace.
- C. From the Security & Compliance admin center, create a label and label policy.
- D. From the Exchange admin center, create a mail flow rule.

Answer: C (LEAVE A REPLY)

When you configure conditions for a label, you can automatically assign a label to a document or email. In this case, we would create a label to label all email messages that contain the word ProjectX. We would then create a label policy to preserve a copy of all message that have the label assigned.

Reference:

<https://docs.microsoft.com/en-us/azure/information-protection/configure-policy-classification>

NEW QUESTION: 126

Your company has an Azure Active Directory (Azure AD) tenant named contoso.com that contains 10,000 users.

The company has a Microsoft 365 subscription.

You enable Azure Multi-Factor Authentication (MFA) for all the users in contoso.com.

You run the following query.

search "SigninLogs" | where ResultDescription == "User did not pass the MFA challenge." The query returns blank results.

You need to ensure that the query returns the expected results.

What should you do?

- A. From the Azure Active Directory admin center, configure the diagnostics settings to archive logs to an Azure Storage account.
- B. From the Security & Compliance admin center, turn on auditing.
- C. From the Security & Compliance admin center, enable Office 365 Analytics.
- D. From the Azure Active Directory admin center, configure the diagnostics settings to send logs to an Azure Log Analytics workplace.

Answer: D (LEAVE A REPLY)

You can now send audit logs to Azure Log Analytics. This gives you much easier reporting on audit events and the ability to perform queries such as the one in this question.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/howto-integrate-activity-logs-with-log-analytics>

NEW QUESTION: 127

You have a hybrid deployment of Microsoft 365 that contains the users shown in the following table.

Azure AD Connect has the following settings:

Name	Source	Last sign in
User1	Azure Active Directory (Azure AD)	Yesterday
User2	Windows Server Active Directory	Two days ago
User3	Windows Server Active Directory	Never

- * Password Hash Sync Enabled
- * Pass-through authentication: Enabled

You need to identify which users will be able to authenticate by using Azure AD if connectivity between on-premises Active Directory and the internet is lost. Which users should you identify?

- A. none
- B. User1 and User2 only
- C. User1, User2, and User3
- D. User 1 only

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 128

You have a Microsoft 365 subscription.

You plan to use Productivity Score and need to ensure that it can obtain device and software metrics.

What should you do?

- A. Run the Microsoft 365 network connectivity test on each device.
- B. Configure Support integration
- C. Enable Endpoint analytics.
- D. Enable privileged access.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 129

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has 3,000 users. All the users are assigned Microsoft 365 E3 licenses.

Some users are assigned licenses for all Microsoft 365 services. Other users are assigned licenses for only certain Microsoft 365 services.

You need to determine whether a user named User1 is licensed for Exchange Online only.

Solution: You run the Get-MsolAccountSku cmdlet.

Does this meet the goal?

A. Yes

B. No

Answer: ([SHOW ANSWER](#))

The Get-MsolAccountSku cmdlet returns all the SKUs that the company owns. It does not tell you which licenses are assigned to users.

Reference:

<https://docs.microsoft.com/en-us/powershell/module/msonline/get-msolaccountsku?view=azureadps-1.0>

NEW QUESTION: 130

You need to configure Microsoft Teams to support the technical requirements for collaborating with A. Datum. What should you configure in the Microsoft Teams admin center?

A. guest access

B. messaging policies

C. external access

D. meeting policies

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 131

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the users shown in the following table.

Name	UPN suffix
User1	Contoso.com
User2	Fabrikam.com

The domain syncs to an Azure Active Directory (Azure AD) tenant named contoso.com as shown in the exhibit. (Click the Exhibit tab.)

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Enabled



USER SIGN-IN



Federation	Disabled	0 domains
Seamless single sign-on	Enabled	1 domain
Pass-through authentication	Enabled	2 agents

User2 fails to authenticate to Azure AD when signing in as user2@fabrikam.com.

You need to ensure that User2 can access the resources in Azure AD.

Solution: From the on-premises Active Directory domain, you assign User2 the Allow logon locally user right. You instruct User2 to sign in as user2@fabrikam.com.

Does this meet the goal?

A. Yes

B. No

Answer: B ([LEAVE A REPLY](#))

This is not a permissions issue.

The on-premises Active Directory domain is named contoso.com. To enable users to sign on using a different UPN (different domain), you need to add the domain to Microsoft 365 as a custom domain.

NEW QUESTION: 132

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these

questions will not appear in the review screen.

Your network contains an Active Directory domain.

You deploy a Microsoft Azure Active Directory (Azure AD) tenant.

Another administrator configures the domain to synchronize to Azure AD.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to Azure AD. All the other user accounts synchronized successfully.

You review Azure AD Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to Azure AD.

Solution: From Azure AD Connect, you modify the filtering settings.

Does this meet the goal?

A. Yes

B. No

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

NEW QUESTION: 133

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section.

This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab.

Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:

admin@LODSe426243.onmicrosoft.com

Microsoft 365 Password: 3&YWyjse-6-d

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10887751

You hire a new Microsoft 365 administrator named Nestor Wilke. Nestor Wilke will begin working for your organization in several days.

You need to ensure that Nestor Wilke is prevented from using his account until he begins working.

Answer:

You need to sign-in status for the account to 'Blocked'. Blocking doesn't stop the account from receiving email and it doesn't delete any data.

1. On the home page of the Microsoft 365 admin center, type the user's name into the Search box.
2. Select the Nestor Wilke account in the search results.
3. In the 'Sign-in status' section of the account properties, click the Edit link.
4. Select 'Block the user from signing in' and click the Save button.

NEW QUESTION: 134

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Office 365 tenant.

You suspect that several Office 365 features were recently updated.

You need to view a list of the features that were recently updated in the tenant.

Solution: You use Monitoring and reports from the Compliance admin center.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Depending on what your organization's Office 365 subscription includes, the Dashboard in Security & Compliance includes several widgets, such as Threat Management Summary, Threat Protection Status, Global Weekly Threat Detections, Malware, etc. The Compliance admin center in Microsoft 365 contains much of the same information but also includes additional entries focusing on alerts, data insights.

The Monitoring and reports section from the Compliance admin center does not display a list of the features that were recently updated in the tenant so this solution does not meet the goal. To meet the goal, you need to use Message center in the Microsoft 365 admin center.

Reference:

<https://docs.microsoft.com/en-us/office365/admin/manage/message-center?view=o365-worldwide>

NEW QUESTION: 135

You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com.

You add an app named App1 to the enterprise applications in contoso.com.

You need to configure self-service for App1.

What should you do first?

- A. Assign App1 to users and groups.
- B. Add an owner to App1.
- C. Configure the provisioning mode for App1.
- D. Configure an SSO method for App1.

Answer: C (LEAVE A REPLY)

The provisioning mode (manual or automatic) needs to be configured for an app before you can enable self-service application access.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/manage-self-service-access>

NEW QUESTION: 136

You are developing a daemon application that reads all the emails in the Inbox of a specific Microsoft 365 mailbox. Some emails contain meeting dates and room mailbox names. The application has the following requirements:

- * Move each processed email to a subfolder in the mailbox
- * If an email contains meeting data, create an event in the corresponding room mailbox calendar.

Which Microsoft Graph permissions should you grant for the application?

- A. Calendars.Readwrite.Shared and Mail.Readwrite delegated permissions
- B. Calendars.ReadWrite and Mail.Readwrite application permissions
- C. Calendars.Readwrite and Mail.Read application permissions
- D. Calendars.Readwrite and Mail.ReadWrite delegated permissions

Answer: B (LEAVE A REPLY)

Valid MS-100 Dumps shared by Actual4test.com for Helping Passing MS-100 Exam!

Actual4test.com now offer the **newest MS-100 exam dumps**, the Actual4test.com MS-100 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-100 dumps with Test Engine here:

https://www.actual4test.com/MS-100_examcollection.html (431 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 137

Your company has an on-premises Microsoft SharePoint Server environment and a Microsoft 365 subscription.

When users search for content from Microsoft 365, you plan to include content from the on-premises SharePoint Server environment in the results.

You need to add crawled metadata from the on-premises SharePoint Server content to the Microsoft Office 365 search index.

What should you do first?

- A. Create a site collection that uses the Enterprise Search Center template.
- B. Run the SharePoint Hybrid Configuration Wizard.
- C. Create a site collection that uses the Basic Search Center template.
- D. Run the SharePoint Migration Tool.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 138

Your company has a Microsoft 365 subscription that has multi-factor authentication configured for all users.

Users on the network report that they are prompted for multi-factor authentication multiple times a day.

You need to reduce the number of times the users are prompted for multi-factor authentication on their company-owned devices.

What should you do?

- A. Enable the multi-factor authentication trusted IPs setting, and then verify each device as a trusted device.
- B. Enable the remember multi-factor authentication setting, and then verify each device as a trusted device.
- C. Enable the multi-factor authentication trusted IPs setting, and then join all client computers to Microsoft Azure Active Directory (Azure AD).
- D. Enable the remember multi-factor authentication setting, and then join all client computers to Microsoft Azure Active Directory (Azure AD).

Answer: ([SHOW ANSWER](#)**)**

The remember Multi-Factor Authentication feature for devices and browsers that are trusted by the user is a free feature for all Multi-Factor Authentication users. Users can bypass subsequent verifications for a specified number of days, after they've successfully signed-in to a device by using Multi-Factor Authentication. The feature enhances usability by minimizing the number of times a user has to perform two-step verification on the same device.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings>

NEW QUESTION: 139

You have a Microsoft 365 tenant that contains a Microsoft SharePoint Online site named Projects.

You need to get a list of documents in the Documents library by using the Microsoft Graph API. How should you complete the query? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area


https://graph.microsoft.com/v1.0/

sites/{siteid}/
drives/Documents/
my/sites/Documents/
files/{siteid}/Projects/

sites/{siteid}/items
lists/Documents/items
sites/{siteid}/Documents
sites/Projects/Documents



Answer:




NEW QUESTION: 140

You have a Microsoft 365 E5 subscription.

All users are assigned a license to Microsoft 365 Apps for enterprise.

The users report that they do not have the option to install Microsoft 365 apps on their device as shown in the following exhibit.



You need to ensure that the users can install Microsoft 365 apps from the Office 365 portal.

What should you do?

- A. From the Microsoft 365 admin center, modify the user license settings.
- B. From the Microsoft Endpoint Manager admin center, create a Microsoft 365 Apps app and assign the app to the devices.**
- C. From the Microsoft 365 admin center, modify the Services & add-ins settings.
- D. From the Microsoft Endpoint Manager admin center, create a Microsoft 365 Apps app and assign the app to the users.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 141

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You discover that some external users accessed content on a Microsoft SharePoint site. You modify the SharePoint sharing policy to prevent sharing outside your organization.

You need to be notified if the SharePoint policy is modified in the future.

Solution: From the Security & Compliance admin center, you create a threat management policy.

Does this meet the goal?

A. Yes

B. No

Answer: A ([LEAVE A REPLY](#))

We can create a threat management policy to alert us when the sharing policy is changed.

NEW QUESTION: 142

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company plans to deploy several Microsoft Office 365 services.

You need to design an authentication strategy for the planned deployment. The solution must meet the following requirements:

* Users must be able to authenticate during business hours only.

* Authentication requests must be processed successfully if a single server fails.

* When the password for an on-premises user account expires, the new password must be enforced the next time the user signs in.

* Users who connect to Office 365 services from domain-joined devices that are connected to the internal network must be signed in automatically.

Solution: You design an authentication strategy that contains a pass-through authentication model. The solution contains two servers that have an Authentication Agent installed and password hash synchronization configured.

Does this meet the goal?

A. Yes

B. No

Answer: B ([LEAVE A REPLY](#))

This solution meets the following goals:

Users must be able to authenticate during business hours only.

Authentication requests must be processed successfully if a single server fails.

When the password for an on-premises user account expires, the new password must be enforced the next time the user signs in.

However, the following goal is not met:

Users who connect to Office 365 services from domain-joined devices that are connected to the internal network must be signed in automatically.

You would need to configure Single-sign on (SSO) to meet the last requirement.

Reference:

<https://docs.microsoft.com/en-us/azure/security/azure-ad-choose-authn>

NEW QUESTION: 143

You have a Microsoft 365 subscription.

You view the service advisories shown in the following exhibit.

Home > Service health

Some services have posted advisories 2018-10-05 08:43(UTC) [View history](#)

Service	Status	Advisories
Office 365 Portal	Information icon	1 advisory
SharePoint Online	Information icon	1 advisory
Office Subscription	Checkmark icon	Service is healthy
Microsoft Intune	Checkmark icon	Service is healthy
Microsoft StaffHub	Checkmark icon	Service is healthy
Microsoft Teams	Checkmark icon	Service is healthy
Mobile Device Management for Office 365	Checkmark icon	Service is healthy
Azure Information Protection	Checkmark icon	Service is healthy
Exchange Online	Checkmark icon	Service is healthy

You need to ensure that users who administer Microsoft SharePoint Online can view the advisories to investigate health issues.

Which role should you assign to the users?

- A. SharePoint administrator
- B. Message Center reader
- C. Reports reader
- D. Service administrator

Answer: D (LEAVE A REPLY)

People who are assigned the global admin or service administrator role can view service health. To allow Exchange, SharePoint, and Skype for Business admins to view service health, they must also be assigned the Service admin role. For more information about roles that can view service health.

Reference:

NEW QUESTION: 144

You are evaluating the required processes for Project1.

You need to recommend which DNS record must be created before you begin the project.

Which DNS record should you recommend?

- A. alias (CNAME)
- B. host (AAA)
- C. host (A)
- D. mail exchanger (MX)

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 145

What should you add to a SharePoint Framework (SPFx) solution to ensure that the solution can be used as a Microsoft Teams tab?

- A. a Teams manifest file to the config folder in the solution
- B. a webpart manifest file to the config folder in the solution
- C. the TeamsTab value to the componentType property in the manifest file
- D. the TeamsTab value to the supportedHosts property in the manifest file

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 146

You implement Microsoft Azure Advanced Threat Protection (Azure ATP).

You have an Azure ATP sensor configured as shown in the following exhibit.

Updates

NAME	TYPE	VERSION	AUTOM...	DELAYE...	STATUS
LON-DC1	Sensor	2.48.5521	<input checked="" type="checkbox"/> on	<input checked="" type="checkbox"/> on	Up to date

How long after the Azure ATP cloud service is updated will the sensor update?

- A. 1 hour
- B. 7 days
- C. 48 hours
- D. 12 hours
- E. 72 hours

Answer: E ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/azure-advanced-threat-protection/atp-whats-new> The exhibit shows that the sensor is configure for Delayed update.

Given the rapid speed of ongoing Azure ATP development and release updates, you may decide to define a subset group of your sensors as a delayed update ring, allowing for a gradual sensor update process. Azure ATP enables you to choose how your sensors are updated and set each sensor as a Delayed update candidate.

Sensors not selected for delayed update are updated automatically, each time the Azure ATP service is updated. Sensors set to Delayed update are updated on a delay of 72 hours, following the official release of each service update.

<https://docs.microsoft.com/en-us/azure-advanced-threat-protection/sensor-update>

NEW QUESTION: 147

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time. When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab.

Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:

admin@M365x981607.onmicrosoft.com

Microsoft 365 Password: *yfLo7lr2&y-

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10811525

You need to prevent non-administrators in your organization from registering applications.

Answer:

You need to configure the App Registrations setting in Azure Active Directory.

1. Go to the Azure Active Directory admin center.
2. Select Azure Active Directory.
3. Select 'User settings'
4. In the 'App registrations' section, toggle the 'Users can register applications' setting to No.
5. Click Save to save the changes.

NEW QUESTION: 148

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time. When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab.

Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:

admin@LODSe426243.onmicrosoft.com

Microsoft 365 Password: 3&YWyjse-6-d

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the

portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10887751

You need to ensure that all mobile devices that connect to Microsoft Exchange Online meet the following requirements:

A password must be used to access the devices.

Data on the devices must be encrypted.

Answer:

You need to modify the default mobile device mailbox policy.

1. Go to the Exchange Admin Center.
2. Select 'mobile' then select 'mobile device mailbox policies'.
3. Click the 'Create a policy' button.
4. Select the Default policy and click the edit icon (pencil icon).
5. Select the 'Security' link to open the security settings.
6. Tick the 'Require a password' checkbox.
7. Tick the 'Require encryption on device' checkbox.
8. Click the Save button to save the changes.

Reference:

<https://docs.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/exchange-activesync/mobile-device-mailbox-policies>

NEW QUESTION: 149

You need to meet the application requirement for App1.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the Azure Active Directory admin center, configure the application URL settings.
- B. From the Azure Active Directory admin center, add an enterprise application.
- C. On an on-premises server, download and install the Microsoft AAD Application Proxy connector.
- D. On an on-premises server, install the Hybrid Configuration wizard.
- E. From the Microsoft 365 admin center, configure the Software download settings.

Answer: A,B,C (LEAVE A REPLY)

An on-premises web application named App1 must allow users to complete their expense reports online.

Application Proxy is a feature of Azure AD that enables users to access on-premises web applications from a remote client. Application Proxy includes both the Application Proxy service which runs in the cloud, and the Application Proxy connector which runs on an on-premises server. Azure AD, the Application Proxy service, and the Application Proxy connector work together to securely pass the user sign-on token from Azure AD to the web application.

In this question, we need to add an enterprise application in Azure and configure a Microsoft AAD Application Proxy connector to connect to the on-premises web application (App1).

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/application-proxy#how-application-proxy-works>

Topic 3, Litware inc

General Overview

Litware, Inc. is a consulting company that has a main office in Montreal and a branch office in Seattle.

Litware collaborates with a third-party company named ADatum Corporation.

Environment

On-Premises Environment

The network of Litware contains an Active Directory domain named litware.com. The domain contains three organizational units (OUs) named LitwareAdmins, Montreal Users, and Seattle Users and the users shown in the following table.

Name	OU
Admin1	LitwareAdmins
Admin2	LitwareAdmins
Admin3	LitwareAdmins
Admin4	LitwareAdmins

The domain contains 2,000 Windows 10 Pro devices and 100 servers that run Windows Server 2019.

Cloud environment

Litware has a pilot Microsoft 365 subscription that includes Microsoft Office 365 Enterprise E3 licenses and Azure Active Directory Premium Plan 2 licenses.

The subscription contains a verified DNS domain named litware.com.

Azure AD Connect is installed and has the following configurations:

Password hash synchronization is enabled.

Synchronization is enabled for the LitwareAdmins OU only.

Users are assigned the roles shown in the following table.

Name	Role
Admin1	Global Administrator
Admin2	Helpdesk admin
Admin3	Security admin
Admin4	User Administrator

Self-service password reset (SSPR) is enabled.

The Azure Active Directory (Azure AD) tenant has Security defaults enabled.

Requirements

Planned Changes

Litware identifies the following issues:

Admin1 cannot create conditional access policies.

Admin4 receives an error when attempting to use SSPR.

Users access new Office 365 service and feature updates before the updates are reviewed by Admin2.

Technical Requirements

Litware plans to implement the following changes:

Implement Microsoft Intune.

Implement Microsoft Teams.

Implement Microsoft Defender for Office 365.

Ensure that users can install Office 365 apps on their device.

Convert all the Windows 10 Pro devices to Windows 10 Enterprise E5.

Configure Azure AD Connect to sync the Montreal Users OU and the Seattle Users OU.

NEW QUESTION: 150

Your network contains an on-premises Active Directory domain. The domain contains 2,000 computers that run Windows 10.

You purchase a Microsoft 365 subscription.

You implement password hash synchronization and Azure Active Directory (Azure AD) Seamless Single Sign-On (Seamless SSO).

You need to ensure that users can use Seamless SSO from the Windows 10 computers.

What should you do?

- A. Create a conditional access policy in Azure AD.
- B. Deploy an Azure AD Connect staging server.
- C. Join the computers to Azure AD.
- D. Modify the Intranet zone settings by using Group Policy

Answer: D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-ss0-quick-start>

NEW QUESTION: 151

You have a Microsoft 365 subscription that uses a default domain named litwareinc.com. The subscription has a Microsoft SharePoint site collection named Collection1.

From the Azure Active Directory admin center, you configure the External collaboration settings as shown in the External Collaboration Settings exhibit. (Click the External Collaboration Settings tab.)

External collaboration settings

Save Discard

Guest users permissions are limited ⓘ

Yes No

Admins and users in the guest inviter role can invite ⓘ

Yes No

Members can invite ⓘ

Yes No

Guests can invite ⓘ

Yes No

Enable Email One-Time Passcode for guests (Preview) ⓘ

Learn more

Yes No

Collaboration restrictions

Allow invitations to be sent to any domain (most inclusive)

Deny invitations to the specified domains

Allow invitations only to the specified domains (most restrictive)

Delete

TARGET DOMAINS

fabrikam*.com

From the SharePoint admin center, you configure the sharing settings as shown in the SharePoint Sharing exhibit. (Click the SharePoint Sharing tab.)

Sharing outside your organization

Control how users share content with people outside your organization.

- Don't allow sharing outside your organization
- Allow sharing only with the external users that already exist in your organization's directory
- Allow users to invite and share with authenticated external users
- Allow sharing to authenticated external users and using anonymous access links

Who can share outside your organization

- Let only users in selected security groups share with authenticated external users

Default link type

Choose the type of link that is created by default when users get links. [Learn more.](#)

- Direct - specific people
- Internal - only people in your organization
- Anonymous Access - anyone with the link

- Use shorter links when sharing files and folders

Default link permission

Choose the default permission that is selected when users share. This applies to anonymous access, internal and direct links.

- View
- Edit

Additional settings

- Limit external sharing using domains (applies to all future sharing invitations). Separate multiple domains with spaces. [Learn more.](#)

Don't allow sharing with users from these blocked domains ▼

contoso.com

- Prevent external users from sharing files, folders, and sites that they don't own
- External users must accept sharing invitations using the same account that the invitations were sent to
- Require recipients to continually prove account ownership when they access shared items

Notifications

Email OneDrive for Business owners when

- Other users invite additional external users to shared files
- External users accept invitations to access files
- An anonymous access link is created or changed

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
You can share the files in Collection1 to user1@fabrikam.com.	<input type="radio"/>	<input type="radio"/>
You can share Collection1 to user2@fabrikam1.com.	<input type="radio"/>	<input type="radio"/>
You can share Collection1 to user3@us.contoso.com.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
You can share the files in Collection1 to user1@fabrikam.com.	<input checked="" type="radio"/>	<input type="radio"/>
You can share Collection1 to user2@fabrikam1.com.	<input checked="" type="radio"/>	<input type="radio"/>
You can share Collection1 to user3@us.contoso.com.	<input checked="" type="radio"/>	<input type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/sharepoint/turn-external-sharing-on-or-off>

Valid MS-100 Dumps shared by Actual4test.com for Helping Passing MS-100 Exam!

Actual4test.com now offer the **newest MS-100 exam dumps**, the Actual4test.com MS-100 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-100 dumps with Test Engine here:

https://www.actual4test.com/MS-100_examcollection.html (431 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 152

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.


After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the users shown in the following table.

Name	UPN suffix
User1	Contoso.com
User2	Fabrikam.com

The domain syncs to an Azure Active Directory (Azure AD) tenant named contoso.com as shown in the exhibit. (Click the Exhibit tab.)

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Enabled

USER SIGN-IN

	Federation	Disabled	0 domains
	Seamless single sign-on	Enabled	1 domain
	Pass-through authentication	Enabled	2 agents

User2 fails to authenticate to Azure AD when signing in as user2@fabrikam.com.

You need to ensure that User2 can access the resources in Azure AD.

Solution: From the Azure Active Directory admin center, you assign User2 the Security reader role. You instruct User2 to sign in as user2@contoso.com.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

This is not a permissions issue so you do not need to assign the Security Reader role.

The on-premises Active Directory domain is named contoso.com. User2 could sign on as user2@contoso.com but you would first need to change the UPN of User2 to user2@contoso.com.

NEW QUESTION: 153

You manage multiple devices by using Microsoft Endpoint Manager. The devices run on the following operating systems:

Android 8.0, Android 8.1.0, and Android 9

iOS 12 and iOS 13

MacOS 10.14

Windows 10

You need to deploy Microsoft 365 apps to the devices.

From the Microsoft Endpoint Manager admin center, what is the minimum number of apps you should create?

- A. 1
- B. 3
- C. 4
- D. 7

Answer: C ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/mem/intune/apps/apps-add>

NEW QUESTION: 154

You have a Microsoft 365 subscription.

You add a domain named contoso.com.

When you attempt to verify the domain, you are prompted to send a verification email to admin@contoso.com.

D18912E1457D5D1DDCBD40AB3BF70D5D

You need to change the email address used to verify the domain.

What should you do?

- A. From the domain registrar, modify the contact information of the domain
- B. Add a TXT record to the DNS zone of the domain
- C. Modify the NS records for the domain
- D. From the Microsoft 365 admin center, change the global administrator of the Microsoft 365 subscription

Answer: A ([LEAVE A REPLY](#))

The email address that is used to verify that you own the domain is the email address listed with the domain registrar for the registered contact for the domain.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/setup/add-domain?view=o365-worldwide>

NEW QUESTION: 155

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com that is synced to Microsoft Azure Active Directory (Azure AD).

You manage Windows 10 devices by using Microsoft System Center Configuration Manager (Current Branch).

You configure a pilot for co-management.

You add a new device named Device1 to the domain. You install the Configuration Manager client on Device1.

You need to ensure that you can manage Device1 by using Microsoft Intune and Configuration Manager.

Solution: You add Device1 to an Active Directory group.

Does this meet the goal?

A. Yes

B. No

Answer: ([SHOW ANSWER](#))

Device1 has the Configuration Manager client installed so you can manage Device1 by using Configuration Manager.

To manage Device1 by using Microsoft Intune, the device has to be enrolled in Microsoft Intune. In the Co-management Pilot configuration, you configure a Configuration Manager Device Collection that determines which devices are auto-enrolled in Microsoft Intune. You need to add Device1 to the Device Collection, not an Active Directory Group. Therefore, this solution does not meet the requirements.

Reference:

<https://docs.microsoft.com/en-us/configmgr/comanage/how-to-enable>

NEW QUESTION: 156

Your company has two offices. The offices are located in Seattle and New York.

The company uses a third-party email system.

You implement Microsoft 365.

You move all the users in the Seattle office to Exchange Online. You configure Microsoft 365 to successfully receive all the email messages sent to the Seattle office users.

All the users in the New York office continue to use the third-party email system.

Users in	Email domain
Seattle	Contoso.com
New York	Adatum.com

in in the following table.

You need to ensure that all the email messages sent to the New York office users are delivered

successfully. The solution must ensure that all the email messages for the users in both offices are routed through Microsoft 365.

You create the required DNS records and Send connectors.

What should you do next from Microsoft 365?

- A.** From Microsoft 365 admin center, set the default domain. From the Exchange admin center, create a transport rule for all the email messages sent to adatum.com.
- B.** From Microsoft 365 admin center, add the adatum.com domain. From the Exchange admin center, configure adatum.com as an internal relay domain.
- C.** From Microsoft 365 admin center, add the adatum.com domain. From the Exchange admin center, configure adatum.com as an authoritative domain.
- D.** From Microsoft 365 admin center, set the default domain. From the Exchange admin center, configure adatum.com as a remote domain.

Answer: B (LEAVE A REPLY)

The first step is to configure Exchange Online to accept emails for the adatum.com domain. To do this, we add the domain in Microsoft 365. When you add your domain to Microsoft 365, it's called an accepted domain.

The next step is to tell Exchange Online what to do with those emails. You need to configure the adatum.com domain as either an authoritative domain or an internal relay domain.

Authoritative domain means that the mailboxes for that domain are hosted in Office 365. In this question, the mailboxes for the adatum.com domain are hosted on the third-party email system. Therefore, we need to configure the adatum.com domain as an internal relay domain. For an internal relay domain, Exchange Online will receive the email for the adatum.com domain and then 'relay' (forward) the email on to the third-party email server.

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/manage-accepted-domains/manage-accepted-domains>

NEW QUESTION: 157

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains 1,000 Windows 10 devices.

You perform a proof of concept (PoC) deployment of Windows Defender Advanced Threat Protection (ATP) for 10 test devices. During the onboarding process, you configure Windows Defender ATP-related data to be stored in the United States.

You plan to onboard all the devices to Windows Defender ATP data in Europe.

What should you do first?

- A.** Create a workspace
- B.** Offboard the test devices
- C.** Delete the workspace
- D.** Onboard a new device

Answer: B (LEAVE A REPLY)

When onboarding Windows Defender ATP for the first time, you can choose to store your data in

Microsoft Azure datacenters in the European Union, the United Kingdom, or the United States. Once configured, you cannot change the location where your data is stored.

The only way to change the location is to offboard the test devices then onboard them again with the new location.

Reference:

<https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-atp/data-storage-privacy#do-i-have-the-flexibility-to-select-where-to-store-my-data>

NEW QUESTION: 158

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time. When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab.

Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@LODSe878763.onmicrosoft.com

Microsoft 365 Password: m3t^We\$Z7&xy

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 11440873



You need to add Adele Vance to a group named Managers. The solution must ensure that you can grant permissions to Managers.

To answer, sign in to the Microsoft 365 portal.

Answer:

You need to create a group named Managers and add Adele Vance to the group. To ensure that you can grant permissions to the Managers group, the group needs to be a Security Group.

1. Sign in to the Microsoft 365 Admin Center.
2. In the left navigation pane, expand the Groups section then select Groups.
3. Click the 'Add a group' link.
4. For the group type, select Security and click Next.
5. Enter 'Managers' in the Name field and click Next.
6. Click the 'Create Group' button to create the Managers group.
7. In the list of groups, select the Managers group.
8. Click the Members link.
9. Click the 'View all and manage members link'.
10. Click the 'Add Members' button.
11. Select Adele Vance and click the Save button.
12. Click the Close button to close the group page.

NEW QUESTION: 159

Your company uses email, calendar, contact, and task services in Microsoft Outlook.com.

You purchase a Microsoft 365 subscription and plan to migrate all users from Outlook.com to Microsoft 365.

You need to identify which user data can be migrated to Microsoft 365.

Which type of data should you identify?

- A. task
- B. email
- C. calendar
- D. contacts

Answer: B (LEAVE A REPLY)

You can use the Internet Message Access Protocol (IMAP) to migrate user email from Gmail, Exchange, Outlook.com, and other email systems that support IMAP migration. When you migrate the user's email by using IMAP migration, only the items in the users' inbox or other mail folders are migrated. Contacts, calendar items, and tasks can't be migrated with IMAP, but they can be by a user.

Reference:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/mailbox-migration#migrate-email-from-anotherimap-enabled-email-system>

NEW QUESTION: 160

You have a hybrid deployment of Microsoft 365 that contains the users shown in the following table.

Name	Member of
User1	Group2
User2	Group1, Group2
User3	Group1

You have an on-premises web app named App

You configure an Azure Active Directory (Azure AD) Application Proxy.

You add an Application Proxy entry for AppA as shown the exhibit. (Click the Exhibit tab.)

Add your own on-premises application



+ Add ✕ Discard

Application proxy provides single sign-on (SSO) and secure remote access for web applications hosted on-premises. [Learn more about Application Proxy](#)

Basic Settings

Name * ⓘ	<input type="text" value="AppA"/>	✓
Internal Url * ⓘ	<input type="text" value="https://Server1.contoso.com"/>	✓
External Url ⓘ	<input type="text" value="https://"/> <input type="text" value="appa"/> ✓	<input type="text" value="-contoso1919.msappproxy.net/"/>
	<input type="text" value="https://appa-contoso1919.msappproxy.net/"/>	
Pre Authentication ⓘ	<input type="text" value="Passthrough"/>	▼
Connector Group ⓘ	<input type="text" value="Default"/>	▼

Additional Settings

Backend Application Timeout ⓘ	<input type="text" value="Default"/>	▼
Use HTTP-Only Cookie ⓘ	<input type="radio"/> Yes <input checked="" type="radio"/> No	
Use Secure Cookie ⓘ	<input checked="" type="radio"/> Yes <input type="radio"/> No	
Use Persistent Cookie ⓘ	<input type="radio"/> Yes <input checked="" type="radio"/> No	
Translate URLs In		
Headers ⓘ	<input checked="" type="radio"/> Yes <input type="radio"/> No	
Application Body ⓘ	<input type="radio"/> Yes <input checked="" type="radio"/> No	

You assign the AppA enterprise application in Azure to Group2.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements **Yes** **No**

User1 can access AppA by using the external URL.

User2 can access AppA in the My Apps portal.

User3 can access AppA by using the external URL.

Answer:

Statements	Yes	No
User1 can access AppA by using the external URL.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can access AppA in the My Apps portal.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can access AppA by using the external URL.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 161

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time. When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab.

Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:

admin@LODSe426243.onmicrosoft.com

Microsoft 365 Password: 3&YWyjse-6-d

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10887751

Your company has a web application named App1.

The company plans to publish App1 by using a URL of <https://app1.contoso.com>. You need to register App1 to your Microsoft Office 365 tenant.

Answer:

You need to register App1 in Azure Active Directory.

1. Go to the Azure Active Directory admin center.
2. Select Azure Active Directory.
3. Select 'App registrations'.
4. Click the 'New registration' link.
5. Enter the name App1.
6. Click the Register button.
7. To add the URL to App1, select App1 in the list of registered apps.
8. In the properties page of App1, select Branding.
9. Enter the URL <https://app1.contoso.com> in the 'Home page URL' box.
10. Click Save to save the changes.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/develop/quickstart-register-app>

NEW QUESTION: 162

Your company has a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com that includes the users shown in the following table.

Name	Usage location	Membership
User1	United States	Group1, Group2
User2	<i>Not applicable</i>	Group2
User3	<i>Not applicable</i>	Group1
User4	Canada	Group1

Group2 is a member of Group1.

You assign a Microsoft Office 365 Enterprise E3 license to Group1.

You need to identify how many Office 365 E3 licenses are assigned.

What should you identify?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: C (LEAVE A REPLY)

Group-based licensing currently does not support groups that contain other groups (nested groups). If you apply a license to a nested group, only the immediate first-level user members of the group have the licenses applied. Therefore, User2 will not be assigned a license.

When Azure AD assigns group licenses, any users without a specified usage location inherit the location of the directory. Therefore, User3 will be assigned a license and his usage location will be set to the location of the directory.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/licensing-groups->

assign

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/licensing-group-advanced>

NEW QUESTION: 163

You have a Microsoft 365 subscription.

You have a group named Support. Users in the Support group frequently send email messages to external users.

The manager of the Support group wants to randomly review messages that contain attachments.

You need to provide the manager with the ability to review messages that contain attachments sent from the Support group users to external users. The manager must have access to only 10 percent of the messages.

What should you do? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.

To meet the goal for the manager, create:

- A label policy
- A retention policy
- A supervisor policy
- An alert policy
- MyAnalytics

To review the messages, the manager must use:

- A message trace
- An eDiscovery case
- MyAnalytics
- Outlook Web App




Answer:

To meet the goal for the manager, create:

- A label policy
- A retention policy
- A supervisor policy**
- An alert policy
- MyAnalytics

To review the messages, the manager must use:

- A message trace
- An eDiscovery case
- MyAnalytics
- Outlook Web App**



Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/supervision-policies>

NEW QUESTION: 164

Your company has a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com.

You purchase a domain named contoso.com from a registrar and add all the required DNS records.

You create a user account named User1. User1 is configured to sign in as user1@contoso.onmicrosoft.com.

You need to configure User1 to sign in as user1@contoso.com.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Run Set-MsolDomainAuthentication - TenantID contoso.com	
Modify the email address of User1.	
Modify the username of User1.	
Verify the custom domain.	
Add a contoso.com as a SAN for an X.509 certificate.	
Add a custom domain name.	

Answer:

Actions

Run Set-MsolDomainAuthentication - TenantID contoso.com
Modify the email address of User1.
Modify the username of User1.
Verify the custom domain.
Add a contoso.com as a SAN for an X.509 certificate.
Add a custom domain name.

Answer Area

Add a custom domain name.
Verify the custom domain.
Modify the username of User1.

Reference:

<https://docs.microsoft.com/en-us/office365/admin/setup/add-domain?view=o365-worldwide>

NEW QUESTION: 165

You have a Microsoft 365 tenant that contains 300 users.

The users have Domestic and International Calling Plan licenses.

What is the maximum user phone numbers and toll-free service phone numbers can you acquire?

To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Microsoft
Number of user phone numbers: ▼
150
300
340
600

Number of toll-free service phone numbers: ▼
20
30
45
65

Answer:

Number of user phone numbers: ▼
150
300
340
600

Number of toll-free service phone numbers: ▼
20
30
45
65

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/how-many-phone-numbers-can-you-get>

NEW QUESTION: 166

Your network contains an on-premises Active Directory domain named conioso.com.

for all user accounts, the Logon Hours settings are configured to prevent sign-ins outside of business hours

You plan to sync contoso.com to an Azure Active Directory (Azure AD) tenant

You need to recommend a solution to ensure that the logon hour restrictions apply when synced users sign in to Azure AD.

What should you include in the recommendation?

- A. pass-Through authentication
- B. password synchronization
- C. Azure AD identity Protection policies
- D. conditional access policies

Answer: A ([LEAVE A REPLY](#))

Valid MS-100 Dumps shared by Actual4test.com for Helping Passing MS-100 Exam! Actual4test.com now offer the **newest MS-100 exam dumps**, the Actual4test.com MS-100 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-100 dumps with Test Engine here:

https://www.actual4test.com/MS-100_examcollection.html (431 Q&As Dumps, **30%OFF**

Special Discount: **Freepdfdumps**)

NEW QUESTION: 167


You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	Role
User1	Helpdesk admin
User2	Global Administrator
User3	None
User4	None
User5	None

The subscription contains the groups shown in the following table.

Name	Type	Members
Group1	Microsoft 365	User2, User3
Group2	Mail-enabled security	User1, Group3
Group3	Distribution list	User4, User5

You deploy an app as shown in the following exhibit



For each of the following statements, select Yes if the statement is true. Otherwise select No.

Statements	Yes	No
User1 can modify the app deployment.	<input type="radio"/>	<input type="radio"/>
User2 will receive the app.	<input type="radio"/>	<input type="radio"/>
User4 will receive the app.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1 can modify the app deployment.	<input type="radio"/>	<input checked="" type="radio"/>
User2 will receive the app.	<input checked="" type="radio"/>	<input type="radio"/>
User4 will receive the app.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION: 168

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the objects shown in the following table.

Name	Configuration
Group1	Global security group
User1	Enabled user account
User2	Disabled user account

You configure Azure AD Connect to sync contoso.com to Azure Active Directory.

Which objects will sync to Azure AD?

- A. Group1, User1, and User2
- B. Group1 and User1 only
- C. User1 and User2 only
- D. Group1 only

Answer: A ([LEAVE A REPLY](#))

Global Security Group is a scope for the group and is set for created groups:

<https://docs.microsoft.com/en-us/windows/security/identity-protection/access-control/active-directory-security-groups#group-scope>

NEW QUESTION: 169

You have a Microsoft 365 subscription that contains several Microsoft SharePoint Online sites.

You discover that users from your company can invite external users to access files on the SharePoint sites. You need to ensure that the company users can invite only authenticated guest users to the sites. What should you do?

- A. From the Microsoft 365 admin center, configure a partner relationship.
- B. From SharePoint Online Management Shell, run the set-SPOSite cmdlet.

C. From the Azure Active Directory admin center, configure a conditional access policy.

D. From the SharePoint admin center, configure the sharing settings.

Answer: D (LEAVE A REPLY)

You need to set the Sharing settings to 'Existing Guests'. This setting allows sharing only with guests who are already in your directory. These guests may exist in your directory because they previously accepted sharing invitations or because they were manually added.

Reference:

<https://docs.microsoft.com/en-us/sharepoint/turn-external-sharing-on-or-off>

NEW QUESTION: 170

Your company uses on-premises Windows Server File Classification Infrastructure (FCI). Some documents on the on-premises file servers are classified as Confidential.

You migrate the files from the on-premises file servers to Microsoft SharePoint Online.

You need to ensure that you can implement data loss prevention (DLP) policies for the uploaded files based on the Confidential classification.

What should you do first?

A. From the SharePoint admin center, create a managed property.

B. From the SharePoint admin center, configure hybrid search.

C. From the Security & Compliance Center PowerShell, run the New-DlpComplianceRule cmdlet.

D. From the Security & Compliance Center PowerShell, run the New-DataClassification cmdlet.

Answer: A (LEAVE A REPLY)

Your organization might use Windows Server FCI to identify documents with personally identifiable information (PII) such as social security numbers, and then classify the document by setting the Personally Identifiable Information property to High, Moderate, Low, Public, or Not PII based on the type and number of occurrences of PII found in the document. In Office 365, you can create a DLP policy that identifies documents that have that property set to specific values, such as High and Medium, and then takes an action such as blocking access to those files.

Before you can use a Windows Server FCI property or other property in a DLP policy, you need to create a managed property in the SharePoint admin center.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/protect-documents-that-have-fci-or-other-properties>

NEW QUESTION: 171

You need to configure just in time access to meet the technical requirements.

What should you use?

A. access reviews

B. entitlement management

C. Azure Active Directory (Azure AD) Privileged Identity Management (PIM)

D. Azure Active Directory (Azure AD) Identity Protection

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure> joergsi 5 months, 1 week ago Privileged access management The effectiveness of an information protection strategy depends on how secure the administrative accounts used to manage that strategy are. If accounts that can be used to configure and manage an information protection strategy are not properly secured, then the information protection strategy itself can be easily compromised.

Privileged access management enables you to configure policies that apply

=> just-in-time administrative principles to sensitive administrative roles.

For example, if someone needs temporary access to configure an information protection policy, that person would need to go through an approval process to obtain the necessary set of rights instead of having an Azure Active Directory (Azure AD) account with those rights permanently assigned.

Thomas, Orin. Exam Ref MS-100 Microsoft 365 Identity and Services (S.10). Pearson Education. Kindle-Version.

NEW QUESTION: 172

You have a Microsoft 365 subscription. All users have client computers that run Windows 10 and have Microsoft Office 365 ProPlus installed.

Some users in the research department work for extended periods of time without an Internet connection.

How many days can the research department users remain offline before they are prevented from editing Office documents?

A. 10

B. 30

C. 90

D. 120

Answer: B (LEAVE A REPLY)

After 30 days, Microsoft Office 365 ProPlus will go into reduced functionality mode. When this happens, users will be able to open files but they won't be able to edit them.

As part of the installation process, Office 365 ProPlus communicates with the Office Licensing Service and the Activation and Validation Service to obtain and activate a product key. Each day, or each time the user logs on to their computer, the computer connects to the Activation and Validation Service to verify the license status and extend the product key. As long as the computer can connect to the Internet at least once every 30 days, Office remains fully functional. If the computer goes offline for more than 30 days, Office enters reduced functionality mode until the next time a connection can be made.

Reference:

<https://docs.microsoft.com/en-us/deployoffice/overview-of-licensing-and-activation-in-office-365->

proplus

NEW QUESTION: 173

Your network contains an on-premises Active Directory domain named contoso.com that is synced to a Microsoft Azure Active Directory (Azure AD) tenant.

The on-premises network contains a file server named Server1. Server1 has a share named Share1 that contains company documents.

Your company purchases a Microsoft 365 subscription.

You plan to migrate data from Share1 to Microsoft 365. Only data that was created or modified during the last three months will be migrated.

You need to identify all the files in Share1 that were modified or created during the last 90 days. What should you use?

- A. Server Manager
- B. Microsoft SharePoint Migration Tool
- C. Resource Monitor
- D. Usage reports from the Microsoft 365 admin center

Answer: (SHOW ANSWER)

You can use the Microsoft SharePoint Migration Tool to migrate files from a file server to SharePoint Online.

The Microsoft SharePoint Migration Tool has a number of filters you can use to define which files will be migrated. One filter setting is "Migrate files modified after". This setting will only migrate files modified after the selected date.

The first phase of a migration is to perform a scan of the source files to create a manifest of the files that will be migrated. You can use this manifest to identify all the files in Share1 that were modified or created during the last 90 days.

Reference:

<https://docs.microsoft.com/en-us/sharepointmigration/spmt-settings>

NEW QUESTION: 174

Which migration solution should you recommend for Project1?

- A. From the Microsoft 365 admin center, start a data migration and click Exchange as the data service.
- B. From the Exchange admin center, start a migration and select Cutover migration.
- C. From the Exchange admin center, start a migration and select Staged migration.
- D. From the Microsoft 365 admin center, start a data migration and click Upload PST as the data service.

Answer: A (LEAVE A REPLY)

Project1: During Project1, the mailboxes of 100 users in the sales department will be moved to Microsoft 365.

Fabrikam does NOT plan to implement identity federation.

All users must be able to exchange email messages successfully during Project1 by using their

current email address.

During Project1, some users will have mailboxes in Microsoft 365 and some users will have mailboxes in Exchange on-premises. To enable users to be able to exchange email messages successfully during Project1 by using their current email address, we'll need to configure hybrid Exchange.

A new way to migrate mailboxes in a hybrid Exchange configuration is to use the Microsoft 365 data migration service. The data migration service can migrate Exchange, SharePoint and OneDrive. Therefore, we need to start a data migration and click Exchange as the service to be migrated.

Reference:

<https://docs.microsoft.com/en-us/fasttrack/O365-data-migration>

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/move-mailboxes>

NEW QUESTION: 175


Your network contains an on-premises Active Directory domain named contoso.com that is synced to a Microsoft Azure Active Directory (Azure AD) tenant. The on-premises domain contains a server named Server1 that runs Windows Server 2016 and 200 client computers that run Windows 10.

Your company purchases a Microsoft 365 subscription.

On Server1, you create a file share named Share1. You extract the Microsoft Office Deployment Tool (ODT) to Share1.

You need to deploy Office 365 ProPlus, and the French language pack from Share1 to the Windows 10 computers.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an XML configuration file.	 Microsoft
On Server1, run <code>setup.exe</code> and specify the <code>/configure</code> parameter.	
On every client computer, run <code>setup.exe</code> and specify the <code>/configure</code> parameter.	
On Server1, run <code>setup.exe</code> and specify the <code>/package</code> parameter.	
On every client computer, run <code>setup.exe</code> and specify the <code>/download</code> parameter.	
On Server1, run <code>setup.exe</code> and specify the <code>/download</code> parameter.	

Answer:

Actions	Answer Area
Create an XML configuration file.	On Server1, run <code>setup.exe</code> and specify the <code>/package</code> parameter.
On Server1, run <code>setup.exe</code> and specify the <code>/configure</code> parameter.	Create an XML configuration file.
On every client computer, run <code>setup.exe</code> and specify the <code>/configure</code> parameter.	On every client computer, run <code>setup.exe</code> and specify the <code>/configure</code> parameter.
On Server1, run <code>setup.exe</code> and specify the <code>/package</code> parameter.	
On every client computer, run <code>setup.exe</code> and specify the <code>/download</code> parameter.	
On Server1, run <code>setup.exe</code> and specify the <code>/download</code> parameter.	

Reference:

<https://docs.microsoft.com/en-us/DeployOffice/overview-of-the-office-2016-deployment-tool>

NEW QUESTION: 176

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an on-premises Active Directory domain named `contoso.com`. The domain contains the users shown in the following table.

Name	UPN suffix
User1	Contoso.com
User2	Fabrikam.com

The domain syncs to an Azure Active Directory (Azure AD) tenant named `contoso.com` as shown in the exhibit. (Click the Exhibit tab.)

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Enabled



USER SIGN-IN



Federation	Disabled	0 domains
Seamless single sign-on	Enabled	1 domain
Pass-through authentication	Enabled	2 agents

User2 fails to authenticate to Azure AD when signing in as user2@fabrikam.com. You need to ensure that User2 can access the resources in Azure AD.

Solution: From the Azure Active Directory admin center, you add fabrikam.com as a custom domain. You instruct User2 to sign in as user2@fabrikam.com.

Does this meet the goal?

- A. Yes
- B. No

Answer: ([SHOW ANSWER](#))

The on-premises Active Directory domain is named contoso.com. To enable users to sign on using a different UPN (different domain), you need to add the domain to Microsoft 365 as a custom domain.

NEW QUESTION: 177

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time. When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to

external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab.

Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@LODSe878763.onmicrosoft.com

Microsoft 365 Password: m3t^We\$Z7&xy

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 11440873



You need to create a SharePoint site named Project1. Users from your organization must be able

to share content from the site to external users.

To answer, sign in to the Microsoft 365 portal.

Answer:

You need to create a SharePoint site and configure the sharing settings.

1. Go to the SharePoint Admin Center.
2. In the left navigation pane, expand Sites then select 'Active Sites'.
3. Click on the '+ Create' link to add a new site.
4. Select 'Other Options' then 'Team Site' for the template.
5. Give the site the name 'Project1'.
6. In the 'Primary Administrator' field, start typing 'admin' then select the admin@LODSe878763.onmicrosoft.com account when it appears.
7. Click Finish to create the site.
8. In the Active Sites list, select the Project1 site.
9. Click the Sharing link at the top of the sites list.
10. Under 'External Sharing', select 'Anyone'.
11. Click Save to save the changes.

NEW QUESTION: 178

Your on-premise network contains the web application shown in the following table.

Name	Hosted on server
App1	Web1
App2	Web1
App3	Web2
App4	Web2

You purchase Microsoft 365, and the implement directory synchronization.

You plan to publish the web applications.

You need to ensure that all the applications are accessible by using the My Apps portal. The solution must minimize administrative effort.

What should you do first?

- A. Deploy one conditional access policy.
- B. Deploy one Application Proxy connector.
- C. Create four application registrations.
- D. Create a site-to-site VPN from Microsoft Azure to the on-premises network.

Answer: B (LEAVE A REPLY)

The Application Proxy connector is what connects the on-premises environment to the Azure Application Proxy.

Application Proxy is a feature of Azure AD that enables users to access on-premises web applications from a remote client. Application Proxy includes both the Application Proxy service which runs in the cloud, and the Application Proxy connector which runs on an on-premises server. Azure AD, the Application Proxy service, and the Application Proxy connector work together to securely pass the user sign-on token from Azure AD to the web application.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/application-proxy>
<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/application-proxy-connectors>

NEW QUESTION: 179

Your network contains an on premises Active Directory domain named contoso.com. The domain contains five domain controllers.

Your company purchases Microsoft 365 and creates a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com.

You plan to establish federation authentication between on premises Active Directory and the Azure AD tenant by using Active Directory Federation Services (AD FS).

You need to establish the federation.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point

Action to perform before establishing the federation: From the Azure portal, add a custom domain name. From the Azure portal, configure an authentication method. From a domain controller, install a Pass-through Authentication Agent. From a domain controller, install Windows Identity Foundation 3.5.

Tool to use to establish the federation: Active Directory Domains and Trusts Azure AD Connect The AD FS console The Azure portal

Answer:

Action to perform before establishing the federation: From the Azure portal, add a custom domain name. From the Azure portal, configure an authentication method. From a domain controller, install a Pass-through Authentication Agent. From a domain controller, install Windows Identity Foundation 3.5.

Tool to use to establish the federation: Active Directory Domains and Trusts Azure AD Connect The AD FS console The Azure portal

Reference:


<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-install-custom#configuring-federation-with-ad-fs>

NEW QUESTION: 180

Your company has a hybrid deployment of Microsoft 365.

An on-premises user named User1 is synced to Microsoft Azure Active Directory (Azure AD).

Azure AD Connect is configured as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

User1 [answer choice].

If the password for User1 is changed in Active Directory, [answer choice].

cannot change her password from any Microsoft portals
 can change her password by using self-service password reset feature only
 an change her password from the Office 365 admin center only

the password will be synchronized to Azure AD
 a new randomly generated password will be assigned to User1
 the password in Azure AD will be unchanged

Answer:

User1 [answer choice].

If the password for User1 is changed in Active Directory, [answer choice].

cannot change her password from any Microsoft portals
 can change her password by using self-service password reset feature only
 an change her password from the Office 365 admin center only

the password will be synchronized to Azure AD
 a new randomly generated password will be assigned to User1
 the password in Azure AD will be unchanged

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-install-custom>

Valid MS-100 Dumps shared by Actual4test.com for Helping Passing MS-100 Exam!
Actual4test.com now offer the **newest MS-100 exam dumps**, the Actual4test.com MS-100 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-100 dumps with Test Engine here:

https://www.actual4test.com/MS-100_examcollection.html (431 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)