

Microsoft.MS-203.v2023-03-09.q133

Exam Code:	MS-203
Exam Name:	Microsoft 365 Messaging
Certification Provider:	Microsoft
Free Question Number:	133
Version:	v2023-03-09
# of views:	1527
# of Questions views:	1330
https://www.freepdfdumps.com/Microsoft.MS-203.v2023-03-09.q133.html	

NEW QUESTION: 1

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites.

The solution must affect only the finance department users.

Solution: You modify the Global settings Safe Links policy.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-global-settings-for-safe-links?view=o365-worldwide>

NEW QUESTION: 2

You have a hybrid deployment that contains a Microsoft exchange Online tenant and an on premises Exchange Server 2019 server named Server1. All users use an email address suffix of @contoso.com.

On Server1, you create a new mailbox that uses an email address of user1@contoso.com. Users hosted in Exchange Online report that they receive a non-delivery report (NDR) when they attempt to send email messages to user1@contoso.com. The NDR contains the following text: "User1 wasn't found at contoso.com." You verify that the Exchange Online users can send email successfully to the other mailboxes hosted on Server1. Users hosted on Server1 can send email to user1@contoso.com successfully.

You need to identify what causes the email delivery to fail. What should you use?

- A. the Azure Active Directory admin center
- B. the Exchange admin center
- C. Azure AD Connect Health
- D. the on-premises Exchange admin center

Answer: C (LEAVE A REPLY)

It's likely that the new user account hasn't replicated to Azure Active Directory. Azure AD Connect is responsible for account replication between on-prem AD and Azure AD.

NEW QUESTION: 3

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

Users in the advertising department and the editorial department of the company have mailboxes in Exchange Online.

A company policy requires that the advertising department users and the editorial department users be segmented based on the following requirements:

The advertising department users must not see the editorial department users in the global address list (GAL).

The editorial department users must not see the advertising department users in the GAL.

The editorial department users must be treated as external recipients of the advertising department users.

The advertising department users must be treated as external recipients of the editorial department users.

You need to recommend a solution that meets the requirements and minimize costs and effort.

What should you recommend?

- A. In the Exchange Online tenant, create separate address book policies (ABPs) for the advertising and editorial departments.
- B. Migrate all the mailboxes of the advertising department to the on-premises organization, and then enable address book policy (ABP) routing.
- C. Purchase an additional Microsoft 365 subscription, and then migrate all the mailboxes of the advertising department to the new subscription.
- D. Create two address book policies (ABPs) in Exchange Online, and then enable ABP routing for the Exchange Online tenant.

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/address-book-policies/address-book-policies?view=exchserver-2019>

NEW QUESTION: 4

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You convert all the mailboxes to shared mailboxes, and then you run the Set-Mailbox cmdlet and specify the -EmailAddressPolicyEnabled \$false parameter.

Does this meet the goal?

A. Yes

B. No

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019> Email address policies define the rules that create email addresses for recipients in your Exchange organization.

The basic components of an email address policy are:

Email address templates: Define the email address format for the recipients (for example <firstname>@contoso.com or <lastname>.<firstname>@contoso.com).

Recipient filter: Specifies the recipients whose email addresses are configured by the policy.

Priority: Specifies the order to apply the email address policies (important if a recipient is identified by more than one policy).

The EmailAddressPolicyEnabled parameter specifies whether to apply email address policies to this recipient. Valid values are:

\$true: Email address policies are applied to this recipient. This is the default value.

\$false: Email address policies aren't applied to this recipient.

NEW QUESTION: 5

You have a Microsoft Exchange Server 2019 organization and a Microsoft 365 E5 subscription.

From the Microsoft 365 admin center, you open Data migration as shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://www.stellarinfo.com/blog/hybrid-migration-migrate-exchange-mailboxes-office-365/>

<https://www.kerneldatarecovery.com/blog/migrate-from-exchange-on-premises-to-exchange-online-in-hybrid-environment/>

NEW QUESTION: 6

You have a Microsoft Exchange Server 2019 hybrid deployment.

All user mailboxes are migrated to Exchange Online.

You need to migrate the public folders from the on-premises organizations to Exchange Online.

Which three actions should you perform in sequence before you create the migration batch? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

Reference:

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019>

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019#step-3-generate-the-csv-files>

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019#step-4-create-the-public-folder-mailboxes-in-exchange-online>

NEW QUESTION: 7

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section.

This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your tenant can only share calendar availability information with the other users in the tenant.

To complete this task, sign in to the Microsoft 365 admin center.

Answer:

From the Microsoft 365 admin center dashboard, go to Admin > Exchange.

Go to organization > sharing.

Under Individual Sharing, select a sharing a policy. In the On column, clear the check box for the sharing policy you want to disable.

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/sharing-policies/modify-a-sharing-policy>

NEW QUESTION: 8

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section.

This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to create a public folder named Finance. The solution must ensure that only the members of a group named Finance Team can send email messages to the Finance folder.

To complete this task, sign in to the Microsoft 365 admin center.

Answer:

In the EAC, go to Public folders > Public folder mailboxes, and then click Add +.

In the New public folder mailbox page that opens, enter the following information:

- Name: Enter the name for the public folder mailbox.
- Organizational unit: Click Browse to select the location in Active Directory where the mailbox object is created.
- Mailbox database: Click Browse to select the mailbox database where the mailbox is created.

When you're finished, click Save.

Use the EAC to create a public folder

When using the EAC to create a public folder, you'll only be able to set the name and the path of the public folder. To configure additional settings, you'll need to edit the public folder after it's created.

Navigate to Public folders > Public folders.

If you want to create this public folder as a child of an existing public folder, click the existing public folder in the list view. If you want to create a top-level public folder, skip this step.

Click Add +.

In Public Folder, type the name of the public folder.

In the Path box, verify the path to the public folder. If this isn't the desired path, click Cancel and follow Step 2 of this procedure.

Click Save.

Navigate back to Public folders > Public folders.

In the list view, select the public folder that you want to mail-enable or mail-disable.

In the details pane, under Mail settings, click Enable or Disable.

A warning box displays asking if you're sure you want to enable or disable email for the public folder. Click Yes to continue.

You can then run the Set-MailPublicFolder PowerShell cmdlet, and include the AcceptMessagesOnlyFromDLMembers parameter to specify who is allowed to send messages to this recipient.

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/create-public-folder-mailboxes?view=exchserver-2019>

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/create-public-folders?view=exchserver-2019>

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserver-2019>

[https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailpublicfolder?
view=exchange-ps](https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailpublicfolder?view=exchange-ps)

NEW QUESTION: 9

You have a Microsoft Exchange Online tenant that contains 1,000 users. A user recently sent an email message that was never received by a recipient on the internet. From the Exchange admin center, you successfully run a message trace but cannot see the message in the trace.

What is the most likely reason why the message fails to appear in the message trace?

- A. The message is in the user's Outbox folder.
- B. Your administrative user account requires additional rights.
- C. The user encrypted the email message.
- D. The user addressed the message to multiple internal and external receipts

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 10

You need to recommend a solution that meets the security requirements for protecting users. What should you recommend?

- A. From the Security & Compliance admin center, create an ATP safe attachments policy.
- B. From the Exchange admin center in Exchange Online, create a spam filter policy.
- C. From the Security & Compliance admin center, create an ATP anti-phishing policy.
- D. From the Security & Compliance admin center, create an ATP Safe Links policy.

Answer: ([SHOW ANSWER](#))

All users must be protected from accessing unsecure websites when they click on URLs embedded in email messages.

Overview

Litware, Inc. is food service supplier in Europe.

Physical Locations

Litware has a main office in Paris and branch offices in Munich, London, Brussels, Vienna, and Rome.

Each branch office has its own compliance officer.

NEW QUESTION: 11

You have a hybrid deployment of Microsoft Exchange Server 2019 and Microsoft 365 that contains three servers.

All email received from the Internet is sent directly to the servers.

You run the following command.

```
Get-MalwareFilterPolicy | FL
```

Name, BypassInboundMessages, BypassOutboundMessages, Action, IsDefault You receive the output shown in the following exhibit.

You run the Get-TransportAgent cmdlet and receive the output shown in the following exhibit.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 12

You need to identify which users clicked the links in the phishing emails.
What should you do?

- A. Run a message trace and review the results.
- B. Query the mailbox audit log.
- C. Use the URL trace reporting feature.
- D. Review the quarantine mailbox.

Answer: C ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-maildetailatpreport?view=exchange-ps>

NEW QUESTION: 13

You have a Microsoft Exchange Online tenant.
Users report that legitimate email messages are delivered to their Junk Email folder.
You plan to use the Microsoft Remote Connectivity Analyzer to identify the cause of the issue.
Which test should you run?

- A. Message Analyzer
- B. Outlook Connectivity
- C. Outbound SMTP Email
- D. Inbound SMTP Email

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 14

You have a Microsoft Exchange Online tenant that contains a retention policy named Policy1 and a user named User1.

Policy1 is assigned to all users and contains the retention tags shown in the following table.

Tag3 is applied to an email message in the inbox of User1.

You remove Tag3 from Policy1.

What will occur to the message?

- A. The existing retention tag will be retained.
- B. The existing retention tag will be removed.
- C. The default mailbox retention tag will apply.
- D. The default folder retention tag will apply.

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/retention-tags-and-policies>

NEW QUESTION: 15

Your network contains an Active Directory domain named corp.contoso.com. The domain contains client computers that have Microsoft Office 365 Apps installed. You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All recipients use an email address suffix of Contoso.com. You migrate all the Exchange Server recipients to Exchange Online, and then decommission Server1.

Users connected to the internal network report that they receive an Autodiscover error when they open Microsoft Outlook.

You need to ensure that all users can connect successfully to their mailbox by using Outlook. Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From the domain, modify the Autodiscover service connection point (SCP).
- B. From the corp.contoso.com DNS zone, modify the Autodiscover host (A) record.
- C. From the contoso.com DNS zone, modify the Autodiscover alias (CNAME) record
- D. Modify the name of the TLS certificate.
- E. Add an accepted domain.

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 16

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You create an email address policy that uses the %1g%s@fabrikam.com email address format.

Does this meet the goal?

- A. Yes
- B. No

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

Valid MS-203 Dumps shared by Actual4test.com for Helping Passing MS-203 Exam!
Actual4test.com now offer the **newest MS-203 exam dumps**, the Actual4test.com MS-203 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-203 dumps with Test Engine here:
https://www.actual4test.com/MS-203_examcollection.html (396 Q&As Dumps, **30%OFF**
Special Discount: Freepdfdumps)

NEW QUESTION: 17

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized." You need to ensure that User1 can send email to sales@contoso.com successfully.

Solution: You modify the properties of the sales@contoso.com group.

A. Yes

B. No

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix-error-code-550-5-7-1-in-exchange-online>

NEW QUESTION: 18

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time. When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should

manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to prevent email messages from a domain named fabrikam.com from being delivered to the mailboxes of your organization.

To complete this task, sign in to the Microsoft 365 admin center.

Answer:

In the Microsoft 365 Defender portal at <https://security.microsoft.com>, go to Email & Collaboration > Policies & Rules > Threat policies > Anti-spam in the Policies section. To go directly to the Anti-spam policies page, use <https://security.microsoft.com/antispam>.

On the Anti-spam policies page, click Create policy and then select Inbound from the drop down list.

The policy wizard opens. On the Name your policy page, configure these settings:

- Name: Enter a unique, descriptive name for the policy.
- Description: Enter an optional description for the policy.

When you're finished, click Next.

On the Users, groups, and domains page that appears, identify the internal recipients that the policy applies to (recipient conditions):

- Users: The specified mailboxes, mail users, or mail contacts in your organization.
- Groups: The specified distribution groups, mail-enabled security groups, or Microsoft 365 Groups in your organization.
- Domains: All recipients in the specified accepted domains in your organization.

Click in the appropriate box, start typing a value, and select the value that you want from the results. Repeat this process as many times as necessary.

To remove an existing value, click remove × next to the value.

For users or groups, you can use most identifiers (name, display name, alias, email address, account name, etc.), but the corresponding display name is shown in the results. For users, enter an asterisk (*) by itself to see all available values.

Multiple values in the same condition use OR logic (for example, <recipient1> or <recipient2>).

Different conditions use AND logic (for example, <recipient1> and <member of group 1>).

- Exclude these users, groups, and domains: To add exceptions for the internal recipients that the policy applies to (recipient exceptions), select this option and configure the exceptions. The settings and behavior are exactly like the conditions.

When you're finished, click Next.

On the Bulk email threshold & spam properties page that appears, configure the following settings:

- Bulk email threshold: Specifies the bulk complaint level (BCL) of a message that triggers the specified action for the Bulk spam filtering verdict that you configure on the next page (greater than the specified value, not greater than or equal to). A higher value indicates the message is less desirable (more likely to resemble spam). The default value is 7. For more information, see Bulk complaint level (BCL) in EOP and What's the difference between junk email and bulk email?. By default, the PowerShell only setting MarkAsSpamBulkMail is On in anti-spam policies. This setting dramatically affects the results of a Bulk filtering verdict:

- Increase spam score, Mark as spam* and Test mode: Advanced Spam Filter (ASF) settings that are turned off by default.

The Contains specific languages and from these countries settings are not part of ASF.

- Contains specific languages: Click the box and select On or Off from the drop down list. If you turn it on, a box appears.

Start typing the name of a language in the box. A filtered list of supported languages will appear. When you find the language that you're looking for, select it. Repeat this step as many times as necessary.

To remove an existing value, click remove × next to the value.

- From these countries*: Click the box and select On or Off from the drop down list.

If you turn it on, a box appears. Start typing the name of a country in the box.

A filtered list of supported countries will appear. When you find the country that you're looking for, select it.

Repeat this step as many times as necessary.

To remove an existing value, click remove × next to the value.

When you're finished, click Next.

On the Actions page that appears, configure the following settings:

- Message actions: Select or review the action to take on messages based on the following spam filtering verdicts:

- Retain spam in quarantine for this many days: Specifies how long to keep the message in quarantine if you selected Quarantine message as the action for a spam filtering verdict. After the time period expires, the message is deleted, and is not recoverable. A valid value is from 1 to 30 days.

- Add this X-header text: This box is required and available only if you selected Add X-header as the action for a spam filtering verdict. The value you specify is the header field name that's added to the message header. The header field value is always This message appears to be spam.

- Prepend subject line with this text: This box is required and available only if you selected Prepend subject line with text as the action for a spam filtering verdict. Enter the text to add to the beginning of the message's subject line.

- Redirect to this email address: This box is required and available only if you selected the Redirect message to email address as the action for a spam filtering verdict. Enter the email address where you want to deliver the message. You can enter multiple values separated by semicolons (;).

- Enable safety Tips: By default, Safety Tips are enabled, but you can disable them by clearing the checkbox.

- Enable zero-hour auto purge (ZAP): ZAP detects and takes action on messages that have already been delivered to Exchange Online mailboxes.

ZAP is turned on by default. When ZAP is turned on, the following settings are available:

When you're finished, click Next.

On the Allow & block list flyout that appears, you are able to configure message senders by email address or email domain that are allowed to skip spam filtering.

In the Allowed section, you can configure allowed senders and allowed domains. In the Blocked section, you can add blocked senders and blocked domains.

The steps to add entries to any of the lists are the same:

- Click the link for the list that you want to configure:

- In the flyout that appears, do the following steps:

When you're finished, click Add senders or Add domains.

- Back on the main flyout, the senders or domains that you added are listed on the page. To remove an entry from this page, do the following steps:

When you're finished, click Done.

Back on the Allow & block list page, click Next when you're ready to continue.

On the Review page that appears, review your settings. You can select Edit in each section to modify the settings within the section. Or you can click Back or select the specific page in the wizard.

When you're finished, click Create.

On the confirmation page that appears, click Done.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-your-spam-filter-policies?view=o365-worldwide>

NEW QUESTION: 19

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

Adatum.com

Contoso.com

Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain.

Solution: You create an email address policy.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

This would work in Exchange on-premise but you cannot create email address policies for user mailboxes in Exchange Online.

NEW QUESTION: 20

You have a Microsoft Exchange Online tenant.

All users are assigned only an Office 365 Enterprise E3 license.

You need to ensure that the users can use only Microsoft Outlook to connect to their Microsoft 365 mailbox when they connect from an Android device.

What should you create?

A. a conditional access policy in Azure Active Directory (Azure AD)

B. a connection filter policy in Exchange Online Protection (EOP)

C. an Outlook Web App policy in Exchange Online

D. an app protection policy in Microsoft Endpoint Manager

Answer: (SHOW ANSWER)

Office 365 Enterprise E3 includes Azure Active Directory Premium P1 which is required for Azure conditional access policies.

NEW QUESTION: 21

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a remote domain.

Does this meet the goal?

A. Yes

B. No

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 22

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a connection filter.

Does this meet the goal?

A. Yes

B. No

Answer: B ([LEAVE A REPLY](#))

You can allow the server IP address in the Connection Filter. This would achieve the objective of ensuring all email from Fabrikam.com is delivered. However, it would also allow any other company that uses the thirdparty email server to bypass the spam filter.

The fact that the question specifies that Fabrikam uses a "third-party messaging solution" suggests that the answer to this question should be No although technically it would work.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/create-safe-sender-lists-in-office-365?view=o365-worldwide>

NEW QUESTION: 23

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups.

You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam.

Solution: You migrate all the mailboxes of the sales department to Exchange Online.

Does this meet the goal?

A. yes

B. No

Answer: A ([LEAVE A REPLY](#))

Exchange Online Protection (EOP) will scan outbound messages from Exchange Online mailboxes.

NEW QUESTION: 24

You have a Microsoft Exchange Online tenant.

All users are assigned only an Office 365 Enterprise E3 license.

You need to ensure that the users can use only Microsoft Outlook to connect to their Microsoft 365 mailbox when they connect from an Android device. What should you create?

A. an app protection policy in Microsoft Endpoint Manager

B. a connection filter policy in Exchange Online Protection (EOP)

C. an Outlook Web App policy in Exchange Online

D. an Exchange ActiveSync device access rule

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 25

All the users in your company are licensed for Microsoft 365 and connect to their mailbox from client computers that run Windows 10.

The users connect to Outlook on the web by using the following browsers:

Google Chrome

Microsoft Edge

Firefox

You apply restrictions for Outlook on the web sessions by using app protection policies in Microsoft Endpoint Manager, and then you deploy several Outlook Web App policies.

You need to ensure that the users can continue to connect successfully to their mailbox by using Outlook on the web.

What should you do?

- A. Enroll all the computers in Microsoft Intune
- B. Instruct all the users to connect by using Microsoft Edge only
- C. From Microsoft Cloud App Security, configure a sanctioned application

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/mem/intune/apps/app-protection-policy>

NEW QUESTION: 26

You have a Microsoft Exchange Server 2019 organization.

The recovery options for a user named User1 are configured as shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailbox?view=exchange-ps>

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailboxdatabase?view=exchange-ps>

NEW QUESTION: 27

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section.

This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to reduce the likelihood that malicious links contained in emails received by mailboxes in @lab.CloudCredential(1).TenantName are opened.

To complete this task, sign in to the Exchange admin center.

Answer:

Navigate to the Exchange Admin Center, and then choose the Advanced Threats section of the EAC.

Click the Safe Links tab to examine all existing Safe Links policies:

After navigating to the Safe Links policy page, choose the Add button (+) to create a new policy.

The New Safe Links Policy window opens.

- In the resulting window we'll be presented with the options available for creating our new Safe Links policy.

In Name enter an appropriate, unique, name that describes this policy. In the description enter some text that provides a little more detail for anyone trying to make sense of the options selected here.

Next we'll choose the action to take for URLs. We can leave this Off, if for example we are creating a policy to exclude a group of users that would otherwise be affected by another Safe Links policy.

The checkbox Do not track user click can be selected if you do not wish to use the reporting functionality available at a later date. This is a key feature when understanding which users clicked a link that was later found to be a threat, so be careful about choosing to disable user click tracking.

Our final check box provides options for click-through is a link is found to be dangerous. In some circumstances you may trust users to click-through links, or they may request the ability to do so. In most circumstances you will not want a user to click-through the malicious link.

Some URLs, such as those for internal addresses or even trusted partners, may not require re-writing. Enter these URLs here.

Finally, we will select the scope for the rule under the Applied to section.

Using similar conditions to transport rules we can select who this rule applies to including:

- Individual recipients
- Recipient domains
- Members of distribution groups

The same conditions can be used for exceptions. When you have configured your rule, choose Save.

After saving the new Safe Links rule it will be shown in the EAC list. Just like Transport Rules, you can use the Enabled column to enable or disable the Safe Links policy.

Reference:

<https://techgenix.com/implementing-exchange-online-advanced-threat-protection-part2/>

NEW QUESTION: 28

You need to implement a solution to support the planned changes for the helpdesk users.

What should you do?

- A. Assign the Mail Recipients role to the helpdesk users and create a custom management scope
- B. Assign the Recipient Policies roles to the helpdesk users and create a custom management scope
- C. Assign the Recipient Policies role to the helpdesk users and a default management scope
- D. Assign the Mail Recipients role to the helpdesk users and use a default management scope

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

You have a Microsoft Exchange Online subscription.

You need to generate a CSV file containing all the email messages that failed to send from the user1@contoso.com email address during the last 30 days.

What are two possible ways to achieve the goal? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From Exchange Online PowerShell, run the Get-MessageTrace cmdlet.
- B. From the Exchange admin center, run a message trace.
- C. From the Security & Compliance admin center, export the mailbox audit logs.
- D. From Exchange Online PowerShell, run the Get-MessagetraceDetail cmdlet.
- E. From the Security & Compliance admin center, run a message trace.

Answer: B,D ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-results>

<https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/get-messagetracedetail?view=exchange-ps>

NEW QUESTION: 30

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.

Solution: You modify the permissions granted to the Sales group.

Does this meet the goal?

A. Yes

B. No

Answer: (SHOW ANSWER)

Create a mail flow rule.

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachmentblocking-scenarios>

NEW QUESTION: 31

You need to email a list of configuration changes to the Exchange Online environment that were recently performed by Allan Deyoung.

What should you do?

A. Run the admin audit log report

B. Run the external admin audit log report

C. Export the admin audit log

D. Run an administrator role group report

E. Export the mailbox audit logs

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/exchange-auditing-reports/exchange-auditing-reports>

Valid MS-203 Dumps shared by Actual4test.com for Helping Passing MS-203 Exam!

Actual4test.com now offer the **newest MS-203 exam dumps**, the Actual4test.com MS-203 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-203 dumps with Test Engine here:

https://www.actual4test.com/MS-203_examcollection.html (396 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 32

You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All users use an email address suffix of @contoso.com.

You migrate 200 mailboxes from Server1 to Exchange Online by using Exchange PowerShell cmdlets. Users hosted on Server1 can send email messages to the migrated mailboxes.

In Microsoft 365, you create a new mailbox that uses an email address of user1@contoso.com. When email is sent from the mailboxes hosted on Server1 to user1@contoso.com, the senders receive a non-delivery report (NDR) that contains the following text:

"550 5.1.10 RESOLVER.ADR.RecipientNotFound; Recipient not found by SMTP address lookup." You verify that Microsoft 365 mailboxes can send email to user1@contoso.com successfully.

You delete the user account and mailbox of User1.

You need to ensure that when new mailboxes are created, all the users at your company can exchange email successfully. Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From Azure AD Connect, modify the synchronization settings
- B. From Server1, run the New-RemoteMailbox cmdlet
- C. From Server1, run the Enable-Mailbox cmdlet
- D. From the on-premises network, create new mailboxes, and then migrate the mailboxes to Microsoft 365
- E. From the Exchange admin center, modify the properties of the Outbound connector

Answer: (SHOW ANSWER)

The problem happens because the on-premise Exchange server is not aware of the existence of the mailbox created in Exchange Online. To prevent this happening, new mailboxes need to be created from the on-premise Exchange server.

You can create an Exchange Online mailbox from the on-premise server by running New-RemoteMailbox cmdlet. Alternatively, you can create a local mailbox on the on-premise server and then migrate the mailbox to Exchange Online.

NEW QUESTION: 33

You plan to migrate to Microsoft Exchange Online. The solution must meet the following requirements.

Messages sent by the research & development department at your company must be routed to the internet through an on-premises data loss prevention (DLP) appliance.

The actual source of the messages received by Exchange Online from a third-party cloud filtering service must be identified.

What features should you use to meet the requirements? To answer, drag the appropriate options to the correct requirements. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/conditional-mail-routing>

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/enhanced-filtering-for-connectors>

NEW QUESTION: 34

You have a Microsoft Exchange Online tenant named contoso.com.

Several users report that email messages sent to the users at another company named fabrikam.com contain a Winmail.dat attachment.

You need to prevent the fabrikam.com users from receiving Winmail.dat attachments.

What should you do?

- A. Configure a remote domain that has the TNEFEnabled parameter set to \$False.
- B. Create an Outbound connector that has the validationRecipients parameter set to contoso.com.
- C. Create an Outbound connector that has the validationRecipients parameter set to fabrikam.com.
- D. Configure a remote domain that has the TrustedMailoutboundEnabled parameter set to \$False.

Answer: ([SHOW ANSWER](#))

Reference:

<https://gcits.com/knowledge-base/how-to-fix-the-winmail-dat-attachment-issue/>

NEW QUESTION: 35

You have a Microsoft Exchange Server 2019 organization that uses a namespace of contoso.com.

Email address policies for contoso.com are configured as shown in the Address Policies exhibit.

The Marketing email address policy is shown in the Marketing Policy exhibit.

The Sales email address policy is shown in the Sales Policy exhibit.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

NEW QUESTION: 36

You have a hybrid deployment of Microsoft Exchange Server 2019.

Users in your company's sales department have on-premises mailboxes and PST files.

You need to migrate the PST files to archive mailboxes. The archive mailboxes must reside in Exchange Online.

What should you do first?

- A. From Exchange Management Shell, run the Enable-Mailbox cmdlet and specify the -Archive parameter.

- B.** From Exchange Management Shell, run the New-MoveRequest cmdlet.
- C.** From Exchange Online PowerShell, run the Set-Mailbox cmdlet and specify the -ArchiveStatus parameter.
- D.** From Exchange Online PowerShell, run the New-Mailbox cmdlet and specify the -Archive parameter.

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/enable-mailbox?view=exchange-ps>

NEW QUESTION: 37

You have a Microsoft Exchange Server 2019 organization.

You plan to migrate all mailboxes to Exchange Online.

You need to provide a user with the ability to perform the mailbox migrations. The solution must use the principle of least privilege.

Which role should you assign to the user?

- A.** Recipient Management
- B.** Server Management
- C.** Help Desk
- D.** Organization Management

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions/feature-permissions/recipient-permissions?view=exchserver-2019>

NEW QUESTION: 38

You have a Microsoft 365 subscription.

Several users report today that they cannot access email from their mobile device. They successfully accessed their email from the same device yesterday.

You need to identify which mobile device access rule applies to the devices.

Which cmdlet should you run?

- A.** Get-MsolDevice
- B.** Get-DeviceTenantRule
- C.** Get-MobileDevice
- D.** Get-ActiveSyncMailboxPolicy

Answer: C ([LEAVE A REPLY](#))

The Get-MobileDevice cmdlet returns identification, configuration, and status information for each mobile device.

Note: The Get-MobileDeviceStatistics cmdlet can also be used.

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/devices/get-mobiledevice?view=exchange-ps>

NEW QUESTION: 39

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time. When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your company can schedule a conference room named Room1 in the company's office by using Microsoft Outlook.

To complete this task, sign in to the Exchange admin center.

Answer:

In the Exchange admin center, navigate to Recipients > Resources.

To create a room mailbox, click New + > Room mailbox.

Use the options on the page to specify the settings for the new resource mailbox.

- Room name: Use this box to type a name for the room mailbox. This is the name that's listed in the resource mailbox list in the Exchange admin center and in your organization's address book. This name is required and it can't exceed 64 characters.

- Alias: A room mailbox has an email address so it can receive booking requests. The email address consists of an alias on the left side of the @ symbol, which must be unique in the forest, and your domain name on the right. The alias is required.

- Location, Phone, Capacity: You can use these fields to enter details about the room. However, as explained earlier, you can include some or all of this information in the room name so users can see it.

When you're finished, click Save to create the room mailbox.

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients/room-mailboxes?view=exchserver-2019>

NEW QUESTION: 40

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 41

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Security Reader role to User1.

Does this meet the goal?

A. Yes

B. No

Answer: A (LEAVE A REPLY)

Security Administrator can view the audit reports but cannot create a message trace.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/message-trace-scc>

NEW QUESTION: 42

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You create an email address policy that uses the %1s%g@fabrikam.com email address format.

Does this meet the goal?

- A. Yes
- B. No

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

NEW QUESTION: 43

You have a Microsoft 365 tenant that contains a user named User1.

User1 reports that she cannot configure a mail profile in Microsoft Outlook for Windows.

User1 receives the following error message: "Encrypted connection to your mail server is not available." You verify that User1 is assigned a Microsoft Office 365 Enterprise F3 license and can send email messages from her account by using Outlook on the web.

You need to ensure that User1 can connect to Outlook successfully.

What should you do?

- A. Run the Microsoft Support and Recovery Assistant for Office 365.
- B. Activate the installation of Office 365 ProPlus.
- C. Modify the license assigned to User1.
- D. Install a new certificate on the computer of User1.

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/exchange/troubleshoot/outlook-issues/encrypted-connection-unavailable>

NEW QUESTION: 44

You have a Microsoft Exchange Online tenant that uses an email domain named @contoso.com.

You recently purchased an email domain named fabrikam.com.

You need to ensure that all the users in the tenant can receive email messages by using the @fabrikam.com email domain. The solution must ensure that the users can continue to receive email by using the @contoso.com email domain.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the Microsoft 365 admin center, add the fabrikam.com email domain.
- B. From the Exchange admin center, add an accepted domain for fabrikam.com.
- C. From the Microsoft 365 admin center, modify the organization profile.

D. From the Exchange admin center, add a remote domain for fabrikam.com.

E. From the Exchange Management Shell, create a script that runs the Set-Mailbox cmdlet.

Answer: ([SHOW ANSWER](#))

A: the first step is to add the Fabrikam.com domain to Microsoft 365. You would also need to verify the domain (verify that you own the domain).

E: create a script that runs the Set-Mailbox cmdlet to add an @fabrikam.com email address to each mailbox.

NEW QUESTION: 45

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section.

This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to prevent users in your company from sending out-of-office replies to users who use an email address suffix of @contoso.com. The solution must NOT use mail flow rules.

To complete this task, sign in to the Exchange admin center.

Answer:

In the Exchange admin center, go to Mail flow > Remote domains.

Click + Add a remote domain. The Name the domain screen appears.

In the Name text box, enter a descriptive name for the domain.

In the Remote Domain text box, enter the full domain name. Use the wildcard character (*) for all subdomains of a specified domain, for example, *.contoso.com.

Click Next. The Email reply types screen appears.

Define the following settings:

- In the Out of Office reply types section, specify which type of out-of-office replies should be sent to people at this domain.

- In the Automatic replies section, specify whether you want to allow automatic replies, automatic forwarding, or both.

Click Next. The Message reporting screen appears.

Specify whether you want to allow delivery reports and non-delivery reports by checking the respective check boxes.

Click Next. The Text and character set screen appears.

Define the following settings:

- In the Use Rich-text format pane, specify whether to follow each user's message settings, or whether to always or never preserve RTF formatting. Selecting Never means that RTF messages are sent as plain text or HTML.

- In the Supported Character Set pane, specify which character set to use (if the message doesn't specify the character set) by choosing from the MIME character set or Non-MIME character set drop-down list.

Click Next. The Review screen appears.

Review the remote domain settings, and click Save.

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/manage-remote-domains>

<https://docs.microsoft.com/en-us/exchange/troubleshoot/email-delivery/understand-troubleshoot-oof-replies>

NEW QUESTION: 46

Your company has a Microsoft Exchange Server 2019 organization.

You are auditing the Litigation Hold on the mailboxes of the company's research and development department.

You discover that the mailbox of a user named User1 has a Litigation Hold enabled.

You need to discover who placed the Litigation Hold on the mailbox of User1, and when the Litigation Hold was enabled.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. From the Exchange admin center, run an In-place eDiscovery and Hold report.

B. From PowerShell, run the Get-Mailbox cmdlet.

C. From the Exchange admin center, run a per-mailbox Litigation Hold report.

D. From PowerShell, run the Get-MailboxStatistics cmdlet.

Answer: B,C (LEAVE A REPLY)

[https://docs.microsoft.com/en-us/powershell/module/exchange/get-mailboxstatistics?
view=exchange-ps](https://docs.microsoft.com/en-us/powershell/module/exchange/get-mailboxstatistics?view=exchange-ps)

Valid MS-203 Dumps shared by Actual4test.com for Helping Passing MS-203 Exam!
Actual4test.com now offer the **newest MS-203 exam dumps**, the Actual4test.com MS-203 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-203 dumps with Test Engine here:

https://www.actual4test.com/MS-203_examcollection.html (396 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 47

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.

Solution: You create a mail flow rule.

Does this meet the goal?

A. Yes

B. No

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachment-blocking-scenarios>

NEW QUESTION: 48

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

The company has four departments that have the mailboxes shown in the following table.

The mailboxes are configured as shown in the following table.

You have two administrators named Admin1 and Admin2 that are assigned the permissions shown in the following table.

For each of the following statement, select yes if the statement is true. otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/exchange/discovery-management-exchange-2013-help>

<https://docs.microsoft.com/en-us/powershell/module/exchange/mailboxes/search-mailbox?view=exchange-ps>

NEW QUESTION: 49

You have a Microsoft Exchange Server 2019 organization.

A compliance manager plans to create retention policies for the mailboxes of executive users.

The policies will move specific emails to an archive mailbox.

You need to create an archive mailbox for each executive user.

What should you do?

- A. Run the New-Mailbox cmdlet.
- B. Enable mailbox journaling.
- C. Enable In-Place Archiving for each mailbox.
- D. Run the set-Mailbox cmdlet.

Answer: C (LEAVE A REPLY)

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/in-place-archiving/in-place-archiving?view=exchserver-2019>

NEW QUESTION: 50

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential.

What should you do?

- A. Add User1 to the Discovery Management management role group.
- B. Assign the Legal Hold and Mailbox Import Export management roles to User1.
- C. Add User1 to the Records Management management role group.
- D. Add User1 to the Compliance Management management role group.

Answer: A (LEAVE A REPLY)

Alternatively, assign the Mailbox Search and Legal Hold management roles to User1 Reference:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

NEW QUESTION: 51

You plan to use the Hybrid Agent to integrate your Microsoft Exchange Server 2016 organization and Exchange Online.

The installation of the Hybrid Agent fails.

You validate the following Exchange virtual directory settings.

You need to install the Hybrid Agent successfully.

What should you do first?

A. Update the server parameter of WebServicesVirtualDirectory to the FQDN of Exchange instead of the host name.

B. Set MRSPProxyEnabled to True.

C. Remove WindowsIntegrated from ExternalAuthenticationMethods.

D. Change the ExternalURL parameter of MAPIVirtualDirectory to https://mail.contoso.com instead of

Answer: B (LEAVE A REPLY)

<https://autodiscover.contoso.com>.

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-agent#running-setup>

NEW QUESTION: 52

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization.

Several users hosted in Microsoft 365 report that when they send email messages to mailboxes hosted in Exchange Server 2019, the messages fail to be delivered.

You need to examine the non-delivery reports (NDRs) sent to the Microsoft 365 mailboxes.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A. From an on-premises Exchange server, use the transport logs.

B. From an on-premises Exchange server, use the SMTP logs.

C. From the on-premises Exchange admin center, use a message trace.

D. From the Exchange admin center, use a message trace.

E. From the Exchange Management Shell, run the Get-Queue cmdlet.

Answer: (SHOW ANSWER)

/Reference:

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/message-trace-faq>

NEW QUESTION: 53

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

Sending out-of-office replies to an email domain named fabrikam.com.

Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You create two sharing policies.

Does this meet the goal?

A. Yes

B. No

Answer: B ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION: 54

You have a Microsoft Exchange Server 2019 organization.

You need to import an Edge Subscription on a Mailbox server.

Which cmdlet should you run?

A. Start-EdgeSynchronization

B. New-EdgeSubscription

C. Set-EdgeSubscription

D. Set-TransportAgent

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 55

You need to configure the new smartboard to support the planned changes.

Which three settings should you configure? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients-in-exchange-online/manage-resource-mailboxes>

NEW QUESTION: 56

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section.

This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a notification email is sent to compliance@constoso.com when a user marks an email message as Not Junk in Microsoft Outlook.

To complete this task, sign in to the Microsoft 365 admin center.

Answer:

Go to the Microsoft 365 Defender portal and under Email & collaboration select Policies & rules > Alert policy.

An alert policy consists of the following settings and conditions.

- Activity the alert is tracking. You create a policy to track an activity or in some cases a few related activities, such as sharing a file with an external user by sharing it, assigning access permissions, or creating an anonymous link. When a user performs the activity defined by the policy, an alert is triggered based on the alert threshold settings.

- Activity conditions. For most activities, you can define additional conditions that must be met to trigger an alert. Common conditions include IP addresses (so that an alert is triggered when the user performs the activity on a computer with a specific IP address or within an IP address range), whether an alert is triggered if a specific user or users perform that activity, and whether the activity is performed on a specific file name or URL. You can also configure a condition that triggers an alert when the activity is performed by any user in your organization. The available conditions are dependent on the selected activity.

You can also define user tags as a condition of an alert policy. This results in the alerts triggered by the policy to include the context of the impacted user. You can use system user tags or custom user tags.

- When the alert is triggered. You can configure a setting that defines how often an activity can occur before an alert is triggered. This allows you to set up a policy to generate an alert every time an activity matches the policy conditions, when a certain threshold is exceeded, or when the occurrence of the activity the alert is tracking becomes unusual for your organization.

If you select the setting based on unusual activity, Microsoft establishes a baseline value that defines the normal frequency for the selected activity. It takes up to seven days to establish this baseline, during which alerts won't be generated. After the baseline is established, an alert is triggered when the frequency of the activity tracked by the alert policy greatly exceeds the baseline value. For auditing-related activities (such as file and folder activities), you can establish a baseline based on a single user or based on all users in your organization; for malware-related activities, you can establish a baseline based on a single malware family, a single recipient, or all messages in your organization.

- Alert category. To help with tracking and managing the alerts generated by a policy, you can assign one of the following categories to a policy.

- Data loss prevention
- Information governance
- Mail flow
- Permissions
- Threat management
- Others

When an activity occurs that matches the conditions of the alert policy, the alert that's generated is tagged with the category defined in this setting. This allows you to track and manage alerts that have the same category setting on the Alerts page in the compliance center because you can sort and filter alerts based on category.

- Alert severity. Similar to the alert category, you assign a severity attribute (Low, Medium, High, or Informational) to alert policies. Like the alert category, when an activity occurs that matches the conditions of the alert policy, the alert that's generated is tagged with the same severity level that's set for the alert policy. Again, this allows you to track and manage alerts that have the same severity setting on the Alerts page. For example, you can filter the list of alerts so that only alerts with a High severity are displayed.

- Email notifications. You can set up the policy so that email notifications are sent (or not sent) to a list of users when an alert is triggered. You can also set a daily notification limit so that once the maximum number of notifications has been reached, no more notifications are sent for the alert during that day. In addition to email notifications, you or other administrators can view the alerts that are triggered by a policy on the Alerts page. Consider enabling email notifications for alert policies of a specific category or that have a higher severity setting.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/alert-policies?view=o365-worldwide#how-alert-policies-work>

NEW QUESTION: 57

You have a Microsoft Exchange Online tenant.

You need to import PST files from a legacy archiving solution to Exchange Online. You will import the PST files over the internet.

Which five actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/use-network-upload-to-import-pst-files?view=o365-worldwide>

NEW QUESTION: 58

You need to ensure that In-Place Archiving is enabled for the marketing department users.

Which user should perform the change, and which tool should the user use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/enable-archive-mailboxes?view=o365-worldwide>

Topic 4, ADatum Corporation

Company Information

ADatum Corporation is a consulting company that has a main office in Montreal.

ADatum has a Microsoft 365 E5 tenant named adatum.com and uses Microsoft Exchange Online for messaging services.

Existing Environment

Mailboxes

Public Folder Mailboxes

Rules

Connectors

Safe Attachments Policies

Groups

Group Membership

Contacts

Allan Deyoung Role Assignments and Mailbox Details

Organization Sharing

Roles

Outlook Web App Policies

Mobile Device Mailbox Policies

NEW QUESTION: 59

You have hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization. The deployment uses Azure AD Connect. All incoming email

is delivered to Exchange Online. You have 10 mail-enabled public folders hosted on an on-premises Mailbox server.

Customers receive an error when an email message is sent to a public folder.

You need to ensure that all the mail-enabled public folders can receive email messages from the internet. The solution must ensure that messages can be delivered only to valid recipients.

Solution: From Exchange Online, Create a mail contact for each mail-enabled public folder.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

No, this does not meet the goal. Creating a mail contact for each mail-enabled public folder in Exchange Online will not ensure that messages can only be delivered to valid recipients, as it does not allow for any filtering or validation of messages. To ensure that messages can only be delivered to valid recipients, you need to configure a connector in Exchange Online to allow only messages from valid senders to be delivered to the mail-enabled public folders.

NEW QUESTION: 60

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 has a mobile device.

You need to enable Exchange ActiveSync logging for User1 and retrieve the log files.

Which two Exchange Online PowerShell cmdlets should you use? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. Get-ActiveSyncDevice

B. Set-ActiveSyncMailboxPolicy

C. Set-ClientAccessRule

D. Get-MobileDeviceStatistics

E. Set-CASMailbox

Answer: E (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/exchange/plan-and-deploy/post-installation-tasks/change-oab-generation-schedule?view=exchserver-2019>

NEW QUESTION: 61

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization. Users report that email messages between the Exchange Server organization and the Exchange Online tenant are undelivered. You install and enable a new certificate from a different trusted certification authority (CA). You need to ensure that mail flow between Exchange Server and Exchange Online is restored. Which two PowerShell cmdlets should you run? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Set-SendConnector
- B. Update-Hybridconfiguration
- C. Set-ReceiveConnector
- D. Set-IntraOrganizationConnector

Answer: B,C ([LEAVE A REPLY](#))

Valid MS-203 Dumps shared by Actual4test.com for Helping Passing MS-203 Exam!
Actual4test.com now offer the **newest MS-203 exam dumps**, the Actual4test.com MS-203 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-203 dumps with Test Engine here:

https://www.actual4test.com/MS-203_examcollection.html (396 Q&As Dumps, **30%OFF**

Special Discount: [Freepdfdumps](#))

NEW QUESTION: 62

You have a Microsoft Exchange Server 2019 hybrid deployment.

All Mailbox servers and domain controllers are in the same site.

You deploy an Edge Transport server.

You need to ensure that all SMTP traffic between the on-premises organization and Exchange Online is routed through the Edge Transport server.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

NEW QUESTION: 63

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

Sending out-of-office replies to an email domain named fabrikam.com.

Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You create two new remote domains.

Does this meet the goal?

- A. Yes
- B. No

Answer: A (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION: 64

You plan to use the Microsoft Office 365 Import service to import PST files.

You need to create a new user account to perform the import. The solution must use the principle of least privilege.

Which two roles should you assign to the user account? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. the Recipient Management role in Office 365
- B. the Organization Management role in Office 365
- C. the Mailbox Import Export role in Office 365
- D. the Global reader role in Azure Active Directory (Azure AD)
- E. the Global administrator role in Office 365

Answer: A,C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/use-network-upload-to-import-pst-files?view=o365-worldwide>

NEW QUESTION: 65

You have a Microsoft Exchange Server 2019 hybrid deployment.

You plan to implement Hybrid Modern Authentication (HMA).

You retrieve the Exchange virtual directory settings, and you discover the following output.

You need to prepare the virtual directories for the planned implementation of HMA.

What should you do?

- A. Add OAuth as an authentication method.
- B. Remove NTLM as an authentication method.
- C. Delete <https://mail.contoso.com> from the ExternalUrl value.
- D. Modify the InternalUrl value to <http://mail.contoso.com>.

Answer: A (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/configure-exchange-server-for-hybrid-modernauthentication?view=o365-worldwide>

NEW QUESTION: 66

Your company has a Microsoft 365 subscription.

All users are assigned Microsoft 365 E5 licenses.

The users receive email messages that appear to come from managers at the company. However, the messages are not from the managers and often include links to malicious websites. You need to provide a solution to protect the mailboxes of the managers and to inform the users when phishing occurs.

Which two settings should you modify in the anti-phishing policy? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-anti-phishing-policies?view=o365-worldwide>

NEW QUESTION: 67

You need to recommend an Office 365 solution that meets the technical requirements for email from adatum.com.

Which two components should you recommend configuring from the Exchange admin center in Exchange Online? Each correct presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. data loss prevention (DLP) policies
- B. DKIM signatures
- C. a malware filter
- D. a connection filter
- E. a spam filter

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups.

You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam.

Solution: You modify the outbound spam filter policy in Exchange Online.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. Therefore, the Exchange Online outbound spam filter will not scan the emails sent from the on-premises mailboxes.

NEW QUESTION: 69

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized." You need to ensure that User1 can send email to sales@contoso.com successfully.

Solution: You modify the properties of a mail flow rule

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix-error-code-550-5-7-1-in-exchange-online>

NEW QUESTION: 70

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the public folders shown in the following table.

You plan to migrate the public folders to Exchange Online to improve the collaboration options available to users.

Which public folders can be migrated to Office 365 groups without losing the folders' existing functionality?

A. PF2 and PF3 only

B. PF2 only

C. PF1 and PF2 only

D. PF1 only

E. PF3 only

Answer: A (LEAVE A REPLY)

Not PF1. Office 365 groups are 'flat' so you would lose the folder hierarchy.

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-microsoft-365-groups?view=exchserver-2019>

NEW QUESTION: 71

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

Adatum.com

Contoso.com

Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain.

Solution: You modify the properties of the fabrikam.com accepted domain.

Does this meet the goal?

A. Yes

B. No

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow/accepted-domains/accepted-domains?view=exchserver-2019>

NEW QUESTION: 72

You have a Microsoft 365 E5 subscription.

A user attempts to send an email message to an external recipient and receives the following error message: "Your message couldn't be delivered because you weren't recognized as a valid sender. The most common reason for this is that your email address is suspected of sending spam and it's no longer allowed to send messages outside of your organization. Contact your mail admin for assistance. Remote Server returned '550 5.1.8 Access denied, bad outbound sender'." You need to ensure that the user send email to external recipients.

What should you do?

A. Threat management in the Security & Compliance admin center

B. compliance management in the Exchange admin center

C. Data loss prevention in the Security & Compliance admin center

D. action center in the Exchange admin center

Answer: A (LEAVE A REPLY)

NEW QUESTION: 73

You have a Microsoft 365 subscription.

You need to modify the anti-spam settings to meet the following requirements:

Quarantine spam for 30 days.

Notify administrators if users are blocked for sending spam.

Every three days, provide users with a report that details which email messages were identified as spam.

Which spam filter policy should you modify to meet each requirement? To answer, drag the appropriate policies to the correct requirements. Each policy may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-your-spam-filter-policies?view=o365-worldwide>

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-the-outbound-spam-policy?view=o365-worldwide>

NEW QUESTION: 74

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites.

The solution must affect only the finance department users.

Solution: You modify the content filtering settings.

Does this meet the goal?

A. Yes

B. No

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>

NEW QUESTION: 75

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a spam filter policy.

Does this meet the goal?

A. Yes

B. No

Answer: A (LEAVE A REPLY)

Add Fabrikam.com to the 'Domain allow list' in a spam filter policy.

NEW QUESTION: 76

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section.

This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

Users report that email disclaimers are no longer being appended to email messages sent to external recipients.

You need to ensure that all email sent to external recipients contains your corporate disclaimer.

To complete this task, sign in to the Microsoft 365 admin center.

Answer:

In the Microsoft 365 admin center, choose Admin centers > Exchange.

Open the EAC and go to Mail flow > Rules.

Click Add +, and then click Apply disclaimers.

In the New rule window that appears, enter a unique name the rule.

In the Apply this rule if box, select the conditions for displaying the disclaimer. For example, select The recipient is located condition, and then select Outside the organization. If you want this rule to apply to every message that enters or leaves your organization, select [Apply to all messages].

Next to the Do the following box, select Enter text to enter the text of your disclaimer.

Click Select one, and select one of the Fallback options if the disclaimer can't be added.

Specify the audit severity level to assign the severity level that appears in the message log.

Select the mode for the rule. Select Enforce to turn on the disclaimer immediately, or select Test without Policy Tips to put a message in the message tracking log instead of adding the disclaimer.

If you have additional conditions or exceptions that you want to add, select More options at the bottom of the page, which will show additional settings. For example, to add the exception that prevents multiple disclaimers being added in an email conversation, select Add exception and then select The subject or body > Subject or body matches these text patterns, and then specify the words or phrases in your disclaimer. Or, to put your disclaimer at the top of the email message instead of the bottom, in Do the following, select Apply a disclaimer to the message > prepend a disclaimer.

11. When you're finished, click Save.

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/disclaimers-signatures-footers-or-headers>

Valid MS-203 Dumps shared by Actual4test.com for Helping Passing MS-203 Exam!

Actual4test.com now offer the **newest MS-203 exam dumps**, the Actual4test.com MS-203 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-203 dumps with Test Engine here:

Special Discount: **Freepdfdumps**)

NEW QUESTION: 77

You create a transport rule as shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/policy-and-compliance/new-transportrule?view=exchange-ps>

NEW QUESTION: 78

You run the Get-WebServicesVirtualDirectory cmdlet as shown in the following exhibit.

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/Exchange/architecture/mailbox-servers/mrs-proxy-endpoint?view=exchserver-2019>

NEW QUESTION: 79

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section.

This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.
To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all emails sent from the users in your company to recipients who use a suffix of @fabnkam.com are encrypted by using Microsoft Office 365 Message Encryption (OME). To complete this task, sign in to the Exchange admin center.

Answer:

In the Microsoft 365 admin center, choose Admin centers > Exchange.

In the EAC, go to Mail flow > Rules and select New + > Create a new rule.

In Name, type a name for the rule, such as Encrypt mail for DrToniRamos@hotmail.com.

In Apply this rule if, select a condition, and enter a value if necessary. For example, to encrypt messages going to DrToniRamos@hotmail.com:

- To select an existing name, select it from the list and then click OK.
- To enter a new name, type an email address in the check names box and then select check names > OK.

To add more conditions, choose More options and then choose add condition and select from the list.

For example, to apply the rule only if the recipient is outside your organization, select add condition and then select The recipient is external/internal > Outside the organization > OK.

To enable encryption using the new OME capabilities, from Do the following, select Modify the message security and then choose Apply Office 365 Message Encryption and rights protection. Select an RMS template from the list, choose Save, and then choose OK.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/define-mail-flow-rules-to-encrypt-email?view=o365-worldwide>

NEW QUESTION: 80

Your network contains an Active Directory domain and an Azure Active Directory (Azure AD) tenant in a hybrid deployment.

You implement a Microsoft Exchange Online tenant.

You plan to deploy a new on-premises app named App1 to a Windows server. The solution must meet the following requirements:

Use an Active Directory user account named App1service as a service account.

Be able to receive email requests by using an email address of app1@contoso.com.

Use App1service to sign in to the mailbox of App1 to view the requests.

In the domain, you create App1service.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

- 1 - Sync the App1service account to Azure AD
- 2 - Assign a license to App1service
- 3 - Assign app1@contoso.com as an email address to App1service

NEW QUESTION: 81

You have a Microsoft Exchange Online tenant that contains a custom role group named RGI.

You need to prevent users assigned to RGI from running a specific cmdlet.

Which cmdlet should you run to modify RGI?

- A. Disable -CmdletExtensionAgent
- B. Remove Entry
- C. Remove -ManagementRoleAssignment
- D. Set-ManagementScope

Answer: C (LEAVE A REPLY)

NEW QUESTION: 82

You have a Microsoft Exchange Online tenant that contains two SMTP domains named contoso.com and litwareinc.com.

You need to ensure that users who have a contoso.com email address are prevented from seeing users who have a litwareinc.com email address in the global address list (GAL). The litwareinc.com users must be able to see the contoso.com users in the GAL.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a new email address policy for the contoso.com users
- B. Create an offline address book (OAB) that contains the contoso.com users
- C. Modify the Default Address book policy to exclude the litwareinc.com users
- D. Create a separate GAL that contains the contoso.com users
- E. Create a new address book policy (ABP) and assign the ABP to the contoso.com mailboxes
- F. Modify the default GAL to exclude the litwareinc.com users

Answer: B,D,E (LEAVE A REPLY)

NEW QUESTION: 83

You need to recommend a solution for the public folders that supports the planned changes and meets the technical requirements.

What should you recommend?

- A. Microsoft SharePoint site mailboxes
- B. Office 365 groups
- C. Resource mailboxes

D. Public folder replicas

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-office-365-groups?view=exchserver-2019>

NEW QUESTION: 84

You need to resolve the issue for the customer service department users.

What should you modify?

- A. the global throttling policy
- B. the Send connector to the Internet
- C. a transport rule
- D. the tarpit interval

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 85

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups.

You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam.

Solution: You run the Install-AntispamAgents.psl PowerShell script on the MBX1 Mailbox server.

Does this meet the goal?

- A. yes
- B. No

Answer: B ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/antispam-and-antimalware/antispam-protection/antispam-on-mailbox-servers?view=exchserver-2019>

NEW QUESTION: 86

You have a Microsoft Exchange Online tenant that contains a resource mailbox named ConferenceRoom1.

ConferenceRoom1 is configured as shown in the following exhibit.

You need to review the customized setting for booking requests.

Which cmdlet should you run?

- A. Get-ResourceConfig
- B. Get-Mailbox
- C. Get-MailboxCalendarFolder
- D. Get-CalendarProcessing

Answer: (SHOW ANSWER)

Reference:

<https://itpro.outsidesys.com/2017/11/06/exchange-configuring-the-resource-booking-attendant-with-powershell/>

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-calendarprocessing?view=exchange-ps>

NEW QUESTION: 87

You need to identify the contents of the FabrikamProject public folder to meet the technical requirements.

Which PowerShell cmdlet should you run?

- A. Get-PublicFolderScaciscics
- B. Get-PublicFolderItemStatistics
- C. Get-PublicFolderMailboxDiagnoscics
- D. Get-PublicFolder

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfolderitemstatistics?view=exchange-ps>

NEW QUESTION: 88

Your network contains an Active Directory domain named fabrikam.com.

You have a Microsoft Exchange Server 2019 organization that contains two Mailbox servers in a database availability group (DAG).

You plan to implement a hybrid deployment by using the Exchange Modern Hybrid connection option.

Which three configurations will be transferred automatically from the on-premises organization to Exchange Online? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. the device access rules
- B. the address book policies (ABPs)
- C. the Messaging Records Management (MRM) settings
- D. the mail flow rules
- E. the address lists

Answer: A,C,E ([LEAVE A REPLY](#))

Reference:

<https://practical365.com/hybrid-exchange-making-it-easier-and-faster-to-move-to-the-cloud/>

NEW QUESTION: 89

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating public folder data to Exchange Online by using a migration batch of the PublicFolder type.

You need to identify the sync status of each move request in the batch.

Which cmdlet should you run?

- A. Get-PublicFolderMigrationRequest
- B. Get-PublicFolderMailboxMigrationRequest
- C. Get-MoveRequest
- D. Get-PublicFolderMoveRequest

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

You have hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization. The deployment uses Azure AD Connect. All incoming email is delivered to Exchange Online. You have 10 mail-enabled public folders hosted on an on-premises Mailbox server.

Customers receive an error when an email message is sent to a public folder.

You need to ensure that all the mail-enabled public folders can receive email messages from the internet. The solution must ensure that messages can be delivered only to valid recipients.

Solution: From Azure AD Connect, select Exchange Mail Public Folders.

Does this meet the goal?

- A. Yes
- B. No

Answer: A ([LEAVE A REPLY](#))

From Azure AD Connect, selecting Exchange Mail Public Folders will ensure that all the mail-enabled public folders can receive email messages from the internet and that messages can be delivered only to valid recipients. This is according to the Microsoft 365 Messaging documentation (<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-mail-flow>).

NEW QUESTION: 91

Your company has a Microsoft Exchange Server 2019 organization that contains two servers in a database availability group (DAG).

The customer service department at the company uses public folders to receive customer communications.

Only users in the customer service department can read items in the folders.

For a new customer, you create a mail-enabled public folder that has the default settings.

The customer reports that when she sends an email message to the email address of the public folder, she receives a non-delivery report (NDR).

You need to ensure that the public folder can receive email.

Which public permissions should you configure in Microsoft Outlook?

- A. Grant the Author permission to the Default group
- B. Grant the Author permission to the Anonymous group
- C. Grant the Create items permission to the Anonymous group
- D. Grant the Create items permission to the Default group

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserver-2019>

Valid MS-203 Dumps shared by Actual4test.com for Helping Passing MS-203 Exam! Actual4test.com now offer the **newest MS-203 exam dumps**, the Actual4test.com MS-203 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-203 dumps with Test Engine here:

https://www.actual4test.com/MS-203_examcollection.html (396 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 92

You have a Microsoft Exchange Online tenant that contains a user named User1.

You need to grant User1 the Send on Behalf permission for 20 mailboxes.

Which PowerShell cmdlet should you use?

- A. Add-MailboxPermission
- B. Add-MailboxFolderPermission
- C. Set-Mailbox
- D. Add-RecipientPermission

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients/mailbox-permissions?view=exchserver-2019>

NEW QUESTION: 93

You have a Microsoft Exchange Server 2019 hybrid deployment.

You need to change the free/busy data access sharing level between the on-premises organization and Exchange Online.

What should you do?

- A. Run the Hybrid Configuration wizard.

- B. Modify the organization relationship.
- C. Create an organization sharing policy.
- D. Create an individual sharing policy.

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/exchange/shared-free-busy>

NEW QUESTION: 94

You manage a Microsoft Exchange Online subscription.

You use Advanced Threat Protection (ATP).

A partner company sends daily invoices to your company. The invoices are always named AdatumInvoice.xlsx.

Some users report that sometimes they cannot find the invoices in their Inbox folder.

You need to identify whether the invoices are identified as malicious by Microsoft 365.

Which two blades should you use? To answer, select the appropriate blades in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 95

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes from the on-premises organization to Exchange Online.

From the Exchange admin center, you create a new migration batch that includes 25 mailboxes, and then you select Manual Complete the batch.

Later, you must complete the migration of a mailbox named user1@litware.com in the batch as soon as possible. You discover that the status of the migration batch is Syncing, but the status of the move request for user1@litware.com is Synced.

You need to complete the migration of the user1@litware.com mailbox to Exchange Online as soon as possible.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/set-moverequest?view=exchange-ps>

NEW QUESTION: 96

You have a Microsoft Exchange Online tenant that contains two SMTP domains named contoso.com and litwareinc.com.

You need to ensure that users who have a contoso.com email address are prevented from seeing users who have a litwareinc.com email address in the global address list (GAL). The litwareinc.com users must be able to see the contoso.com users in the GAL.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Modify the Default Address book policy to exclude the litwareinc.com users
- B. Create an offline address book (OAB) that contains the contoso.com users
- C. Create a separate GAL that contains the contoso.com users
- D. Modify the default GAL to exclude the litwareinc.com users
- E. Create a new email address policy for the contoso.com users
- F. Create a new address book policy (ABP) and assign the ABP to the contoso.com mailboxes

Answer: B,C,F (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

NEW QUESTION: 97

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2013 organization. The deployment contains the public folders shown in following table.

You need to configure the deployment to meet the following requirements:

Exchange Server 2013 mailboxes must be able to access PF2.

Exchange Online mailboxes must be able to access PF1.

Which PowerShell script should you run from an Exchange Server 2013 server to meet each requirement? To answer, drag the appropriate scripts to the correct requirements. Each script may be used once, more than once, or at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/set-up-exo-hybrid-public-folders>

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/set-up-modern-hybrid-public-folders>

NEW QUESTION: 98

You manage a Microsoft Exchange Server 2019 organization that contains several thousand users.

All the users connect to their mailbox by using a mobile device and Exchange ActiveSync.

You need to prevent the users from syncing email messages that are older than 14 days to the mobile devices.

What should you use?

- A. an Outlook Web App mailbox policy
- B. a mobile device mailbox policy
- C. an ActiveSync device access rule
- D. a conditional access policy

Answer: B (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/mobile-device-mailbox-policies?view=exchserver-2019>

NEW QUESTION: 99

You have a Microsoft Exchange Online tenant that has Office 365 Advanced Threat Protection (ATP) enabled.

The tenant contains a user named Ben Smith who has a UPN of ben.smith@fabrikam.com. Ben Smith is protected by using an ATP anti-phishing policy.

Ben Smith reports that emails sent from his personal account of ben.smith@relecloud.com are not delivered to his work email account.

You need to ensure that personal emails are delivered to the ben.smith@fabrikam.com What should you do?

- A. Create a transport rule to assign the MS-Exchange-Organization-PhishThresholdLevel header a value of 2 for the message received from ben.smith@relecloud.com
- B. Add ben.smith@fabrikam.com as a trusted sender to the ATP anti-phishing policy.
- C. Add ben.smith@relecloud.com as a trusted sender to the ATP anti phishing.
- D. Add relecloud.com to the ATP anti-phishing list of misted domains.

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-atp-anti-phishing-policies?view=o365-worldwide>

NEW QUESTION: 100

You need to recommend a procedure for closing the Brussels office that meets the technical requirements.

What should you recommend?

- A. In the main office, deploy an Exchange Server 2016 server that has the Unified Messaging role installed, and then move the mailboxes from the Brussels office to the new server.
- B. Deploy a Microsoft Skype for Business 2019 server to the main office, and then move the mailboxes from the Brussels office to an Exchange Server 2019 server in the main office.
- C. Implement a new mailbox database on an Exchange Server 2019 server in the main office, and then move the mailboxes from the Brussels office to the new mailbox database.
- D. Implement a new database availability group (DAG) that contains the server in the Brussels office and a new Exchange Server 2019 server in the main office, and then create a mailbox database copy on the new server in the main office.

Answer: C (LEAVE A REPLY)

Reference:

[https://docs.microsoft.com/en-us/exchange/architecture/mailbox-servers/manage-mailbox-moves?](https://docs.microsoft.com/en-us/exchange/architecture/mailbox-servers/manage-mailbox-moves?view=exchserver-2019)

[view=exchserver-2019](https://theitbros.com/move-exchange-mailboxes-to-another-database/)

<https://theitbros.com/move-exchange-mailboxes-to-another-database/>

Topic 3, Fabrikam, Inc

Existing Environment

Network Environment

The on-premises network of Fabrikam contains an Active Directory domain named fabrikam.com. Fabrikam has a Microsoft 365 tenant named fabrikam.com. All users have Microsoft 365 Enterprise E5 licenses.

User accounts sync between Active Directory Domain Services (AD DS) and the Microsoft 365 tenant.

Fabrikam.com contains the users and devices shown in the following table.

Fabrikam currently leases mobile devices from several mobile operators.

Microsoft Exchange Online Environment

All users are assigned an Outlook Web App policy named FilesPolicy.

In-Place Archiving is disabled for Exchange Online.

You have the users shown in the following table.

User1 and User3 use Microsoft Outlook for iOS and Android to access email from their mobile device. User2 uses a native Android email app.

A Safe Links policy in Microsoft Defender for Office 365 is applied to the fabrikam.com tenant.

The marketing department uses a mail-enabled public folder named FabrikamProject.

Default MRM Policy is disabled for the fabrikam.com tenant.

Problem Statements

Fabrikam identifies the following issues:

Users report that they receive phishing emails containing embedded links.

Users download and save ASPX files when they use Outlook on the web.

Email between Fabrikam and Litware is unencrypted during transit.

User2 reports that he lost his mobile device.

Requirements

Planned Changes

Fabrikam plans to implement the following changes:

Configure FilesPolicy to prevent Outlook on the web users from downloading attachments that have the ASPX extension.

Purchase a new smartboard and configure the smartboard as a booking resource in Exchange Online.

Ensure that the new smartboard can only be booked for a maximum of one hour.

Allow only Admin1 to accept or deny booking requests for the new smartboard.

Standardize mobile device costs by moving to a single mobile device operator.

Migrate the FabrikamProject public folder to Microsoft SharePoint Online.

Enable In-Place Archiving for users in the marketing department.

Encrypt all email between Fabrikam and Litware.

Technical Requirements

Fabrikam identifies the following technical requirements:

Ensure that the planned Sharepoint site for FabrikamProject only contains content that was created during the last 12 months.

Any existing file types that are currently configured as blocked or allowed in the FilesPolicy policy must remain intact.

When users leave the company, remove their licenses and ensure that their mailbox is accessible to Admin1 and Admin2.

Generate a report that identifies mobile devices and the mobile device operator of each device.

Use the principle of least privilege.

Minimize administrative effort.

Retention Requirements

Fabrikam identifies the following retention requirements for all users:

Enable users to tag items for deletion after one year.

Enable users to tag items for deletion after two years.

Enable users to tag items to be archived after one year.

Automatically delete items in the Junk Email folder after 30 days.

Automatically delete items in the Sent Items folder after 300 days.

Ensure that any items without a retention tag are moved to the Archive mailbox two years after they were created and permanently deleted seven years after they were created.

NEW QUESTION: 101

You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1.

Server1 uses a certificate from a third-party certification authority (CA). The certificate is enabled for the SMTP service.

You replace the certificate with a new certificate.

You discover that delivery fails for all email messages sent from Server1 to your Microsoft 365 tenant.

You receive the following error message for all the queued email messages: "451 4.4.101 Proxy session setup failed on Frontend with 451 4.4.0 Primary target IP address responded with 451 5.7.3 STARTTLS is required to send mail." You need to ensure that the messages are delivered successfully from Server1 to the Microsoft 365 tenant.

What should you do?

A. From Server1, enable the new certificate for the IMAP4 service

B. From the Exchange admin center, update the certificate thumbprint in the properties of a connector

C. From Server1, regenerate the certificate and select Make private keys exportable

D. From the firewall, disable SMTP content inspection

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 102

You need to create an address list that contains all the users who have a title of Director. How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/email-addresses-and-address-books/new-addresslist?view=exchange-ps>

NEW QUESTION: 103

You run several PowerShell commands as shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

NEW QUESTION: 104

You have a Microsoft 365 subscription that contains a Microsoft Exchange Online tenant.

An named App1 emails files to a group named App1support. The files are sent in a file that has the jar extension.

You have tie anti-malware policy shown in following exhibit.

Answer:

NEW QUESTION: 105

You have a Microsoft Exchange Server 2019 organization named contoso.com and an Exchange Online tenant.

You plan to implement a hybrid deployment.

You have the certificates shown in the following table.

You need to identify which certificates can be assigned in the Microsoft Office 365 Exchange Hybrid Configuration wizard.

Which certificates should you identify?

A. Cert4 and Cert5 only

B. Cert2 and Cert3 only

- C. Cert1 only
- D. Cert3 and Cert5 only
- E. Cert2 and Cert4 only
- F. Cert2, Cert3, Cert4, and Cert5 only

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/certificate-requirements>

NEW QUESTION: 106

You have a Microsoft 365 subscription for a company named Fabrikam, Inc. The company uses an Exchange Online tenant that has an email domain named fabrikam.com.

Fabrikam works with a partner company Contoso, Ltd. that uses an email domain named contoso.com.

A new security policy at Contoso states that any email sent from partners to Contoso employees must use TLS encryption.

You need to ensure that email sent from Fabrikam to Contoso uses TLS.

What should you create in the tenant?

- A. a new connector that specifies the contoso.com SMTP domain
- B. a remote domain named contoso.com
- C. a new connector that specifies the fabrikam.com SMTP domain
- D. a remote domain named fabrikam.com

Answer: A ([LEAVE A REPLY](#))

Configure a Send connector in Fabrikam to point to Contoso.

Valid MS-203 Dumps shared by Actual4test.com for Helping Passing MS-203 Exam!

Actual4test.com now offer the **newest MS-203 exam dumps**, the Actual4test.com MS-203 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-203 dumps with Test Engine here:

https://www.actual4test.com/MS-203_examcollection.html (**396** Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 107

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365. You have the policies shown in the following table.

You need to track any modifications made to Policy1 by the identifying following:

- * The name of the user that modified the policy
- * The old and new values of settings modified in Policy1
- * How the modifications compare to the baseline settings of Standard Preset Security Policy What should you use in the Microsoft 365 Defender portal?

- A. Threat analytics
- B. Threat tracker
- C. Audit
- D. Configuration analyzer

Answer: D (LEAVE A REPLY)

NEW QUESTION: 108

You have a hybrid deployment between Microsoft Exchange Online and on-premises Exchange Server 2019.

All user mailboxes are in Microsoft 365.

A user named User1 leaves your company.

You delete the user account of User1 from the on-premises Active Directory domain.

Two weeks later, User1 returns to the company.

You need to ensure that User1 can connect to his mailbox and access all his old email messages.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

- 1 - From the on-premises Active Directory Recycle Bin, recover the user account
- 2 - Force a synchronization from Azure AD Connect
- 3 - Assign a Microsoft 365 license to User1

Reference:

<https://techcommunity.microsoft.com/t5/exchange-team-blog/common-mailbox-recovery-scenarios-for-hybrid-environments/ba-p/604681>

NEW QUESTION: 109

You have 1,000 user accounts that are each licensed for Microsoft 365. Each user account has a Microsoft Exchange Online mailbox.

Ten of the user accounts are configured as service accounts for applications. The applications send event notifications to the mailboxes of the service accounts by using SMTP. The developers of each application have delegated access to the mailbox of their respective application.

You need to ensure that all the event notifications sent by the applications are retained in the service account mailboxes so that new developers can review older notifications. The developers must be able to view only the notifications for their respective application.

What should you do?

- A. Convert the service account mailboxes into mail-enabled users.
- B. Replace the service account mailboxes with a single user mailbox that contains Power Automate rules.
- C. Convert the service account mailboxes into shared mailboxes.
- D. Replace the service account mailboxes with a single user mailbox that contains a folder for each application.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 110

Use the drop-down menus to select the answer choice that complete each statement based on the information presented in the Exchange Online Connector exhibit.

NOTE: Each correct selection is worth one point.

Answer:

Topic 2, Litware, inc

Existing Environment

The network contains one Active Directory forest named litware.com. The forest contains a single Active Directory domain. Each office is configured as an Active Directory site.

Each branch office is represented organizational unit (OU) in an OU named Offices in Active Directory.

Each branch office has a special Administrators group that contains the delegated administrators for that office. Each Administrators group is named based on its location in a format of RegionalAdmins_Brussels, RegionalAdmins_Munich, RegionalAdmins_London, RegionalAdmins_Vienna and RegionalAdmins_Rome.

Network Infrastructure

Each office contains two domain controllers from the litware.com domain. All the domain controllers are configured as DNS servers. All client computers connect only to the DNS servers in their respective office.

All offices have a high-speed connection to the Internet. Each office connects to the Internet by using a VPN appliance.

Each office has the following servers and client computers:

The office in Brussels contains an Exchange Server 2016 server that has the Unified Messaging role installed and hosted voicemail configured.

Mailboxes are hosted on all the Exchange servers. Public folders are hosted only on an Exchange server in the main office. Litware uses a disjoint namespace to access the servers.

Each user has an archive mailbox. Archiving is configured to use the default settings.

Exchange services are published to the internet by using a reverse proxy in each office.

A full backup of Exchange is performed nightly. Incremental backups occur every six hours.

All the users in the transport department connect to network resources by using a connection in the main office.

Requirements

Planned Changes

Litware plans to implement the following changes:

Implement calendar sharing to partner companies.

Implement a solution that prevents malware from being delivered to end users.

Use personal archives to eliminate the need for PST files.

Ensure the Brussels office and move all the users in the Brussels office to the main office. All the mailboxes in the Brussels office will be moved to a server in the main office.

Implement a compliance solution to ensure that items deleted from public folders are retained. If an item in a public folder is modified, the original version of the item must be available.

Technical Requirements

Litware identifies the following technical requirements:

Minimize administrative effort.

Use the principle of least privilege.

Ensure that junk email is deleted automatically after 14 days.

Ensure that sent items and deleted items are deleted automatically after 30 days.

Ensure that users in the customer service department can open multiple mailboxes.

Ensure that all the former Brussels office users always maintain access to hosted voicemail.

Ensure that the staff in the IT department can manage the email environment without and-user involvement.

Ensure that users cannot recover email messages that are deleted from the Junk Email folder and the Deleted Items.

Ensure that if an email message has a spam confidence level (SCL) of 3 or higher, the message automatically moves to the Junk Email folder.

Problem statements

The transport department users report that accessing a public folder named TransportPF is sometimes very slow.

Users in the customer service department report that Microsoft Outlook sometimes hangs when many mailboxes are open.

NEW QUESTION: 111

You have a Microsoft Exchange Online tenant.

You need to perform an In-Place eDiscovery search. The solution must meet the following requirements:

Minimize administrative effort.

Search both public folders and mailboxes.

Use an In-Place Hold to place the search results on hold.

What should you do in the Microsoft 365 compliance center?

A. Search the public folders and the mailboxes in a single search, and then place the results on In-Place Hold.

B. Search the public folders first, and then place the results on In-Place Hold. Search the mailboxes second, and then place the results on In-Place Hold.

C. Search the public folders and the mailboxes in a single search. Once the search completes, place only the mailboxes that contain results and the public folders on In-Place Hold.

Answer: (SHOW ANSWER)

Reference:

[https://docs.microsoft.com/en-us/exchange/policy-and-compliance/ediscovery/search-public-folders?](https://docs.microsoft.com/en-us/exchange/policy-and-compliance/ediscovery/search-public-folders?view=exchserver-2019)

[view=exchserver-2019](https://docs.microsoft.com/en-us/exchange/policy-and-compliance/ediscovery/search-public-folders?view=exchserver-2019)

NEW QUESTION: 112

Your company has a Microsoft Exchange Online subscription for an email domain named contoso.com.

The company works with a partner company that uses an email domain named tailspintoys.com. You need to configure the environment only to accept email from tailspintoys.com if the email is sent from an IP address of 131.107.12.85.

How should you configure the connector from the Exchange admin center? To answer, drag the appropriate options to the correct message settings. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 113

You have a Microsoft Exchange Server 2019 organization that uses an email domain named contoso.com.

You plan to move several mailboxes to Microsoft 365.

You need to configure hybrid mail flow to meet the following requirements:

All email messages received from the internet must be filtered for spam by Microsoft 365.

Your company's on-premises firewall must allow email messages between the on-premises Exchange servers and Microsoft 365.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment-prerequisites>

NEW QUESTION: 114

You have a Microsoft Exchange Online tenant named contoso.com.

Email messages from a remote domain named fabrikam.com are received from a server that uses a wildcard certificate for fabrikam.com and are encrypted by using TLS.

Fabrikam.com is switching to a third-party cloud filtering service for inbound and outbound email.

The IP address used by the third-party service is 131.107.200.10.

You need to reconfigure the connector to only accept messages from fabrikam.com that are encrypted and received from the third-party service.

Which two settings should you modify for the connector? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION: 115

You have a Microsoft Exchange Server 2019 organization.

You purchase a Microsoft Office 365 E5 subscription.

You plan to implement Exchange Modern Hybrid and free/busy sharing.

Which two components should you configure for the planned implementations? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a sharing policy
- B. a federation trust
- C. a relying party trust
- D. Active Directory Lightweight Directory Services (AD LDS)
- E. an organization relationship

Answer: B,E (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/exchange/shared-free-busy>

NEW QUESTION: 116

You have a Microsoft Exchange Online tenant.

The mail exchanger (MX) record of your company points to a third-party message hygiene provider that forwards email messages to the tenant.

You need to ensure that Exchange Online can filter the email by using the original IP address of the sender's company.

What should you do?

- A. Modify the Inbound connector to use the -EFSkipIPs parameter.
- B. Modify the Receive connector to use the -EFSkipIPs parameter.
- C. Enable DMARC.
- D. Create a remote domain.

Answer: A (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/enhanced-filtering-for-connectors>

NEW QUESTION: 117

You have a Microsoft 365 E5 subscription.

A user attempts to send an email message to an external recipient and receives the following error message: "Your message couldn't be delivered because you weren't recognized as a valid sender. The most common reason for this is that your email address is suspected of sending spam and it's no longer allowed to send messages outside of your organization. Contact your

mail admin for assistance. Remote Server returned '550 5.1.8 Access denied, bad outbound sender.'" You need to ensure that the user send email to external recipients.

What should you do?

- A. compliance management in the Exchange admin center
- B. Data loss prevention in the Security & Compliance admin center
- C. Threat management in the Security & Compliance admin center
- D. action center in the Exchange admin center

Answer: C (LEAVE A REPLY)

<http://automatica.com.au/2020/01/office-365-single-users-unable-to-send-email-access-denied-bad-outbound-sender-error/>

NEW QUESTION: 118

You have a Microsoft Exchange Online tenant named contoso.com.

You create a partnership with two other companies named fabhkam.com and wingtiptoys.com. All the mailboxes of fabnkam.com are hosted in Microsoft 365. All the mailboxes of wingtiptoys.com are hosted in an on-premises Exchange Server 2019 organization.

You need to ensure that all the email messages sent from contoso.com to fabrikam.com and wingtiptoys.com is encrypted by using TLS.

What should you do?

- A. Configure one connector.
- B. Create an organizational relationship.
- C. Create two remote domains.
- D. Run the Office 365 Exchange Hybrid Configuration wizard.
- E. Configure two mail flow rules.

Answer: A (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION: 119

Your company named ADatum Corporation has a Microsoft Exchange Online subscription that contains the sharing policies shown in the following table.

The subscription contains the mailboxes shown in the following table.

ADatum does business with the partner companies shown in the following table.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 120

You have distribution group named Car Parking Distribution Group that is configured as shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

Answer:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/users-and-groups/set-distributiongroup?view=exchange-ps>

NEW QUESTION: 121

You manage a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are located both on-premises and in the cloud.

You need to configure the deployment so that the on-premises mailboxes can access the public folders. Which three commands should you run? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Sync-MailPublicFolders.ps1
- B. Set-OrganizationConfig -PublicFoldersEnabled Remote
- C. Import-PublicFolderMailboxes.ps1
- D. Sync-MailPublicFoldersCloudToOnprem.ps1
- E. Set-OrganizationConfig -PublicFoldersEnabled Local -RemotePublicFolderMailboxes

Answer: B,C,D (LEAVE A REPLY)

PFMailbox1

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/set-up-exo-hybrid-public-folders>

Valid MS-203 Dumps shared by Actual4test.com for Helping Passing MS-203 Exam!

Actual4test.com now offer the **newest MS-203 exam dumps**, the Actual4test.com MS-203 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-203 dumps with Test Engine here:

https://www.actual4test.com/MS-203_examcollection.html (396 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 122

You have a Microsoft Exchange Online tenant named contoso.com.

The Exchange configuration contains the following public folder hierarchy:

- Support
- Messages
- Calendar

You create a distribution list named HelpDesk@contoso.com.

You need to add the Messages public folder to the HelpDesk distribution list.

What should you do first?

- A. Mail-enable the Support public folder
- B. Create a new public folder mailbox
- C. Mail-enable the Messages public folder
- D. Upgrade HelpDesk to a Microsoft 365 group

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserver-2019>

NEW QUESTION: 123

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time. When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your tenant can only share calendar availability information with users in the tenant and users in a domain named contoso.com.

To complete this task, sign in to the Microsoft 365 admin center.

Answer:

From the Microsoft 365 admin center dashboard, go to Admin > Exchange.

Go to Organization > Sharing.

Under Organization Sharing, click New +.

In new organization relationship, in the Relationship name box, type a friendly name for the organization relationship.

In the Domains to share with box, type the domain for the external Microsoft 365, Office 365, or Exchange on-premises organization you want to let see your calendars. If you need to add more than one domain, you can do it after you create the organization relationship by editing it.

Select the Enable calendar free/busy information sharing check box to turn on calendar sharing with the domains you listed. Set the sharing level for calendar free/busy information and set which users can share calendar free/busy information.

To set the free/busy access level, select one of the following values:

- Calendar free/busy information with time only
- Calendar free/busy with time, subject, and location

To set which users will share calendar free/busy information, select one of the following values:

- Everyone in your organization
- A specified security group

Click Browse to pick the security group from a list, then click OK.

Click Save to create the organization relationship.

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/create-an-organization-relationship>

NEW QUESTION: 124

You have a Microsoft Exchange Server 2019 hybrid deployment named contoso.com.

You are preparing to migrate several user mailboxes to Microsoft 365.

You have an on-premises Mailbox server named server1.contoso.com.

You need to create a migration endpoint.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-migrationendpoint?view=exchange-ps>

NEW QUESTION: 125

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites.

The solution must affect only the finance department users.

Solution: You create a new safe links policy and apply the policy to finance department users.

Does this meet the goal?

A. Yes

B. No

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>

NEW QUESTION: 126

You have a Microsoft Exchange Server 2019 organization that uses an Edge Server.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server.

You need to ensure that all the email between Exchange Online and Exchange Server 2019 is sent by using the Edge Server.

Which two hybrid configuration topologies could you deploy to meet the requirements? Each correct answer presents a complete solution.

A. Modern Minimal

B. Classic Minimal

C. Classic Full

D. Classic Express

E. Modern Full

Answer: C,E ([LEAVE A REPLY](#))

Reference:

<https://www.enowsoftware.com/solutions-engine/what-are-your-exchange-hybrid-options>

NEW QUESTION: 127

You use an IMAP-based email system.

You purchase a Microsoft 365 subscription.

In Exchange Online, you create mailboxes for all users.

You need to migrate all the email accounts of all the users to Exchange Online.

Which three components should you create? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. a migration batch

B. a CSV migration file

- C. an inbound connector
- D. an accepted domain
- E. a remote domain
- F. a migration endpoint

Answer: B,D,F (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/migrate-other-typesof-imap-mailboxes>

NEW QUESTION: 128

You must prevent HelpDeskUser1 from repeating the same mistake.

You need to identify which management role provided HelpDeskUser1 with the necessary permissions to make the mistake identified in the problem statement.

Which two cmdlets should you run? Each correct answer presents part of the solution.

- A. Get-RoleGroup
- B. Get-ManagementRoleEntry
- C. Get-RoleGroupMember
- D. Get-ManagementRoleAssignment
- E. Get-ManagementRole

Answer: B,D (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/powershell/exchange/find-exchange-cmdlet-permissions?view=exchange-ps>

Topic 1, Contoso Ltd

General Overview

Contoso, Ltd. is a national freight company in the United States. The company has 15,000 employees.

Physical Locations

Contoso has a main office in Houston and 10 branch offices that each contains 1,000 employees.

Existing Environment

Active Directory and Microsoft Exchange Server Environments

The network contains an Active Directory forest named contoso.com. The forest contains one root domain named contoso.com and 10 child domains. All domain controllers run Windows Server 2019.

The forest has Active Directory Certificate Services (AD CS) and Active Directory Federation Services (AD FS) deployed.

You have a hybrid deployment of Exchange Server 2019 and Microsoft Office 365.

There are 2,000 user mailboxes in Exchange Online.

Each office contains two domain controllers and two Mailbox servers. the main office also contains an Edge transport server.

The organization contains 100 public folders. The folders contain 80 GB of content.

All email messages sent to contoso.com are delivered to Exchange Online. All messages sent to on-premises mailboxes are routed through the Edge Transport server.

Advanced Threat Protection (ATP) is enabled and configured for the Office 365 tenant.

Network Infrastructure

Each office connects directly to the Internet by using a local connection. The offices connect to each other by using a WAN link.

Requirements

Planned Changes

Contoso plans to implement the following changes:

For all new users in the on-premises organization, provide an email address that uses the value of the Last Name attribute and the first two letters of the First Name attribute as a prefix.

Decommission the public folders and replace the folders with a Microsoft 265 solution that maintains web access to the content.

Technical Requirements

Contoso identifies the following technical requirements:

All email messages sent from a SMTP domain named adatum.com must never be identified as spam.

Any solution to replace the public folders must include the ability to collaborate with shared calendars.

Security Requirements

Contoso identifies the following security requirements:

The principle of least privilege must be applied to all users and permissions.

All email messages sent from an SMTP domain named com to contoso.com must be encrypted.

All users must be protected from accessing unsecure websites when they click on URLs embedded in email messages.

If a user attempts to send an email message to a distribution group that contains more than 15 members by using Outlook, the user must receive a warning before sending the message.

Problem statements

Recently, a user named HelpdeskUser1 erroneously created several mailboxes. Helpdesk1user1 is a member of the Recipient Management management role group.

Users who have a mailbox in office 365 report that it takes a long time for email messages containing attachments to be delivered.

Exhibit

NEW QUESTION: 129

You have a Microsoft Exchange Online tenant that contains a user named User1.

User1 has a retention policy to delete Inbox messages after 30 days.

User1 is going on extended leave and requires that the Inbox messages be retained during the user's absence.

You need to temporarily suspend the processing of the Inbox messages for User1.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/mailbox-retention-hold>

NEW QUESTION: 130

You need to ensure that Allan Deyoung can create a new public folder for the sales department. Which two actions should you perform first? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add Allan Deyoung to the Organization Management role group
- B. Create a new public folder mailbox
- C. Add Allan Deyoung to the Recipient Management role group
- D. Create a new shared mailbox
- E. Modify Sales Policy

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions-exo/feature-permissions>

<https://docs.microsoft.com/en-us/exchange/collaboration-exo/public-folders/set-up-public-folders>

NEW QUESTION: 131

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

The company has two departments that have the mailboxes configured as shown in the following table.

All the accounting department mailboxes reside in a database named ACCT-DB01.

You create the mailboxes shown in the following table.

You need to record all the email communication of the users in each department. The solution must minimize costs.

What should you use for each department? To answer, drag the appropriate options to the correct departments. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://www.microsoft.com/en-gb/microsoft-365/exchange/microsoft-exchange-server-licensing-licensing-overview?rtc=1>

NEW QUESTION: 132

You have a Microsoft Exchange Server 2019 organization.

You need to configure the organization to use Exchange Online Protection (EOP) for the message hygiene of all inbound and outbound email.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Install an Exchange hybrid server.
- B. For the organization, configure an MX record that points to Microsoft Office 365.
- C. Create a hybrid organization relationship.
- D. From the on-premises organization, create a connector to relay outbound email to Microsoft Office 365.
- E. Create a Microsoft Office 365 Connector to the on-premises organization.
- F. Create on-premises transport rules to control the outbound message flow.

Answer: B,D,E (LEAVE A REPLY)

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/setup-connectors-to-route-mail>

NEW QUESTION: 133

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

Adatum.com

Contoso.com

Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain.

Solution: From the Microsoft 365 portal, you set fabrikam.com as the default domain.

Does this meet the goal?

A. Yes

B. No

Answer: (SHOW ANSWER)

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/setup/domains-faq?view=o365-worldwide#how-do-i-set-or-change-the-default-domain-in-microsoft-365>

Valid MS-203 Dumps shared by Actual4test.com for Helping Passing MS-203 Exam!
Actual4test.com now offer the **newest MS-203 exam dumps**, the Actual4test.com MS-203 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-203 dumps with Test Engine here:

https://www.actual4test.com/MS-203_examcollection.html (**396** Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)