

## Microsoft.MS-203.v2023-08-16.q135

<b>Exam Code:</b>	MS-203
<b>Exam Name:</b>	Microsoft 365 Messaging
<b>Certification Provider:</b>	Microsoft
<b>Free Question Number:</b>	135
<b>Version:</b>	v2023-08-16
<b># of views:</b>	1340
<b># of Questions views:</b>	1350
<a href="https://www.freepdfdumps.com/Microsoft.MS-203.v2023-08-16.q135.html">https://www.freepdfdumps.com/Microsoft.MS-203.v2023-08-16.q135.html</a>	

### NEW QUESTION: 1

You have a Microsoft Exchange Online tenant that contains a retention policy named Policy1 and a user named User1.

Policy1 is assigned to all users and contains the retention tags shown in the following table.

Name	Type	Retention period	Retention action
Tag1	Default mailbox	1826 days	Permanently Delete
Tag2	Default folder	365 days	Move to Archive
Tag3	Personal	730 days	Move to Archive

Tag3 is applied to an email message in the inbox of User1.

You remove Tag3 from Policy1.

What will occur to the message?

- A. The existing retention tag will be retained.
- B. The existing retention tag will be removed.
- C. The default mailbox retention tag will apply.
- D. The default folder retention tag will apply.

**Answer: (SHOW ANSWER)**

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/retention-tags-and-policies>

## NEW QUESTION: 2

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.

Solution: You modify the Exchange Online Protection (EOP) settings.

Does this meet the goal?

A. Yes

B. No

**Answer: B (LEAVE A REPLY)**

You can block common attachments (attachments commonly used as malware) in EOP but not all attachments as required in this question. Instead, you should create a mail flow rule.

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachmentblocking-scenarios>

## NEW QUESTION: 3

You need to resolve the email delivery delay issue.

What should you do?

A. From the Security & Compliance admin center, modify the safe attachments policy

B. From the Security & Compliance admin center, create a supervision policy.

C. From the Exchange admin center in Exchange Online, modify the antimalware policy.

D. From the Exchange admin center in Exchange Online, modify the spam filter policy.

**Answer: (SHOW ANSWER)**

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/dynamic-delivery-and-previewing>

## NEW QUESTION: 4

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

Adatum.com  
Contoso.com  
Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain.

Solution: From the Exchange Management Shell, you run Set-Mailbox cmdlet.

Does this meet the goal?

A. Yes

B. No

**Answer: (SHOW ANSWER)**

Set-Mailbox -PrimarySmtpAddress <SmtpAddress>

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailbox?view=exchange-ps>

### NEW QUESTION: 5

Your company named Contoso, Ltd. has a Microsoft Exchange Server 2019 hybrid deployment. A partner company named Fabrikam, Inc. uses an Exchange Online subscription for email. You need to ensure that all the users at Fabrikam can view the free/busy information of the users at Contoso.

What should you configure? To answer, drag the appropriate components to the correct companies. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

The screenshot shows a drag-and-drop interface with two main panes. On the left, the 'Components' pane contains five items: 'A connector', 'A sharing policy', 'A remote domain', 'A federation trust', and 'An organization relationship'. On the right, the 'Answer Area' contains two boxes: 'For Fabrikam: Component' and 'For Contoso: Component'. A watermark 'freepdfdumps.com' is overlaid on the interface.

**Answer:**

Components	Answer Area
A connector	
A sharing policy	
A remote domain	
A federation trust	
An organization relationship	For Fabrikam: An organization relationship For Contoso: An organization relationship

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing-exchange-2013-help>

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/organization-relationships>

### NEW QUESTION: 6

You have a Microsoft Exchange Server 2019 organization.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server.

You need to install the Exchange Online Hybrid Agent. The solution must use the principle of least privilege.

To which roles should you be assigned to perform the installation? To answer, drag the appropriate roles to the correct products. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.


NOTE: Each correct selection is worth one point.

**Answer Area**

Global Admin	
Exchange Administrator	
Service Administrator	
Organization Management	
Server Management	

Microsoft Office 365	
Exchange Server 2019	

**Answer:**



Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-agent>

### NEW QUESTION: 7

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized." You need to ensure that User1 can send email to sales@contoso.com successfully.

Solution: You modify the properties of a mail flow rule

A. Yes

B. No

**Answer: (SHOW ANSWER)**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix-error-code-550-5-7-1-in-exchange-online>

### NEW QUESTION: 8

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Security Reader role to User1.

Does this meet the goal?

A. Yes

B. No

**Answer: (SHOW ANSWER)**

Security Administrator can view the audit reports but cannot create a message trace.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/message-trace-scc>

### NEW QUESTION: 9

You manage a Microsoft Exchange Online subscription.

You use Advanced Threat Protection (ATP).


A partner company sends daily invoices to your company. The invoices are always named AdatumInvoice.xlsx.

Some users report that sometimes they cannot find the invoices in their Inbox folder.


You need to identify whether the invoices are identified as malicious by Microsoft 365.

Which two blades should you use? To answer, select the appropriate blades in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



**NEW QUESTION: 10**

You have a Microsoft Exchange Online tenant.

You need to create a report to display messages that have a delivery status of Quarantined.

From the modern Exchange admin center, you create a new message trace.

How should you configure the message trace? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Time range:

	▼
Last 7 days	
Last 15 days	
Last 30 days	
Last 90 days	

 Microsoft  
Report type:

	▼
Extended report	
Summary report	
Enhanced summary report	

Answer:



Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-and-view-results>

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/message-trace-modern-eac>

### **NEW QUESTION: 11**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You convert all the mailboxes to shared mailboxes, and then you run the Set-Mailbox cmdlet and specify the -EmailAddressPolicyEnabled \$false parameter.

Does this meet the goal?

**A. Yes**

**B. No**

**Answer: B (LEAVE A REPLY)**

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019> Email address policies define the rules that create email addresses for recipients in your Exchange organization.

The basic components of an email address policy are:

Email address templates: Define the email address format for the recipients (for example <firstname>@contoso.com or <lastname>.<firstname>@contoso.com).

Recipient filter: Specifies the recipients whose email addresses are configured by the policy.

Priority: Specifies the order to apply the email address policies (important if a recipient is identified by more than one policy).

The EmailAddressPolicyEnabled parameter specifies whether to apply email address policies to this recipient. Valid values are:

\$true: Email address policies are applied to this recipient. This is the default value.

\$false: Email address policies aren't applied to this recipient.

### **NEW QUESTION: 12**

You need to recommend a solution for the public folders that supports the planned changes and meets the technical requirements.

What should you recommend?

- A.** Microsoft SharePoint site mailboxes
- B.** Office 365 groups
- C.** Resource mailboxes
- D.** Public folder replicas

**Answer: B (LEAVE A REPLY)**

Reference:

[https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-office-365-groups?](https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-office-365-groups?view=exchserver-2019)

[view=exchserver-2019](https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-office-365-groups?view=exchserver-2019)

### **NEW QUESTION: 13**

You need to implement a solution that meets the technical requirements for the retention of junk email, sent items, and deleted items.

What is the minimum number of retention policies and retention tags you should use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Retention tags:


	▼
1	
2	
3	
14	
30	

Microsoft

Retention policies:

	▼
1	
2	
3	
14	
30	

Answer:



**NEW QUESTION: 14**

You need to recommend a solution to retain the items in the public folders. The solution must support the planned changes.

What should you recommend?

- A. Create an Outlook rule that forwards all the items in each public folder to a compliance mailbox.
- B. Place an In-Place Hold on all the mailboxes of the public folders.
- C. Increase the frequency of the backups.
- D. Modify the public folder permissions.

**Answer:** ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/in-place-and-litigation-holds#placingpublic-folders-on-hold>

**NEW QUESTION: 15**

You have a Microsoft Exchange Online tenant.

Users report that legitimate email messages are delivered to their Junk Email folder.

You plan to use the Microsoft Remote Connectivity Analyzer to identify the cause of the issue.

Which test should you run?

- A. Message Analyzer
- B. Outlook Connectivity
- C. Outbound SMTP Email
- D. Inbound SMTP Email

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 16

You have two mailboxes named Mailbox1 and Mailbox2 that have the ProhibitSendReceiveQuota parameter set to 50 GB.

From a Microsoft Exchange Online tenant, you run the following PowerShell command.

```
PS C:\> Get-Mailbox | Select-Object Alias, RecipientTypeDetails | FT -AutoSize
```

Alias	RecipientTypeDetails
Mailbox1	SharedMailbox
Mailbox2	RoomMailbox

You receive the license status of each mailbox and discover the configurations shown in the following table.

Alias	SKUAssigned
Mailbox1	False
Mailbox2	False

You need to increase the quota for Mailbox1 and Mailbox2.

What should you do first?

- A. Assign a license to each mailbox.
- B. Convert each mailbox into an equipment mailbox.
- C. Enable an archive for each mailbox.
- D. Place both mailboxes on retention hold.

**Answer:** A ([LEAVE A REPLY](#))

Shared and resource mailboxes don't require a license. However, without a license, these mailboxes are limited to 50 GB. To increase the mailbox size, an E3 or E5 license must be assigned. This will increase the mailbox to 100 GB.

Reference:

<https://docs.microsoft.com/en-us/office365/servicedescriptions/exchange-online-service-description/exchange-online-limits>

**Valid MS-203 Dumps** shared by Actual4test.com for Helping Passing MS-203 Exam! Actual4test.com now offer the **newest MS-203 exam dumps**, the Actual4test.com MS-203 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-203 dumps with Test Engine here:

[https://www.actual4test.com/MS-203\\_examcollection.html](https://www.actual4test.com/MS-203_examcollection.html) (396 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps)**

#### **NEW QUESTION: 17**

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server.

Users report that the email they send to external recipients is marked as spam.

You need to validate the Reverse DNS and Sender ID data for the on-premises server.

What should you use in the Microsoft Remote Connectivity Analyzer?

- A. Outbound SMTP Email
- B. Message Analyzer
- C. Inbound SMTP Email
- D. Exchange Online Custom Domains DNS Connectivity Test

**Answer: A (LEAVE A REPLY)**

#### **NEW QUESTION: 18**

How many default policy tags (DPTs), retention policy tags (RPTs), and personal tags should you create to meet the retention requirements? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

## Answer Area



Microsoft

DPTs:

0
1
2
3
4

RPTs:

0
1
2
3
4
5
6
7

Personal tags:


0
1
2
3
4
5
6
7

Answer:

## Answer Area

DPTs:

0
1
2
3
4



RPTs:

0
1
2
3
4
5
6
7

Personal tags:

0
1
2
3
4
-

5  
6  
7

Personal tags:

0
1
2
3
4
5
6
7

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/retention-tags-and-policies> This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided. To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

### NEW QUESTION: 19

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization.

The certificate for the hybrid deployment expires in two days.

You need to replace the certificate.

Which three cmdlets should you run in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

## Cmdlets

## Answer Area

Export-ExchangeCertificate

New-ExchangeCertificate

Switch-Certificate

Import-PfxCertificate

Import-ExchangeCertificate

Enable-ExchangeCertificate

Answer:

### Answer Area

New-ExchangeCertificate

Import-ExchangeCertificate

Enable-ExchangeCertificate

- 1 - New-ExchangeCertificate
- 2 - Import-ExchangeCertificate
- 3 - Enable-ExchangeCertificate

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-exchangecertificate?view=exchange-ps>

<https://docs.microsoft.com/en-us/exchange/architecture/client-access/import-certificates?view=exchserver-2019>

<https://docs.microsoft.com/en-us/exchange/architecture/client-access/assign-certificates-to-services?view=exchserver-2019>

## NEW QUESTION: 20

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

The company has four departments that have the mailboxes shown in the following table.

Department	Number of mailboxes	Location
Finance	500	On-premises
Manufacturing	1,000	Exchange Online
Sales	5,000	On-premises
Marketing	2,000	Exchange Online

The mailboxes are configured as shown in the following table.

Department	Archive	Single item recovery
Finance	Enabled	Enabled
Manufacturing	Disabled	Disabled
Sales	Disabled	Disabled
Marketing	Enabled	Enabled

You have two administrators named Admin1 and Admin2 that are assigned the permissions shown in the following table.

Administrator	Management role group	Organization	Management role
Admin1	Organization Management, Discovery Management	Exchange Online, on-premises	None
Admin2	Organization Management, Discovery Management	Exchange Online, on-premises	Mailbox Import Export

For each of the following statement, select yes if the statement is true. otherwise, select No.  
NOTE: Each correct selection is worth one point.

Statements	Yes	No
Admin1 can search for email messages in every mailbox in the organization by running the <code>New-ComplianceSearch</code> cmdlet.	<input type="radio"/>	<input type="radio"/>
Admin2 can perform a search for a specific keyword in every mailbox of the manufacturing department by running the <code>Search-mailbox</code> cmdlet.	<input type="radio"/>	<input type="radio"/>
Admin1 can delete email message from every mailbox of the marketing department by running the <code>Search-Mailbox</code> cmdlet.	<input type="radio"/>	<input type="radio"/>

**Answer:**

Statements	Yes	No
Admin1 can search for email messages in every mailbox in the organization by running the <code>New-ComplianceSearch</code> cmdlet.	<input checked="" type="radio"/>	<input type="radio"/>
Admin2 can perform a search for a specific keyword in every mailbox of the manufacturing department by running the <code>Search-mailbox</code> cmdlet.	<input checked="" type="radio"/>	<input type="radio"/>
Admin1 can delete email message from every mailbox of the marketing department by running the <code>Search-Mailbox</code> cmdlet.	<input type="radio"/>	<input checked="" type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/exchange/discovery-management-exchange-2013-help>

[https://docs.microsoft.com/en-us/powershell/module/exchange/mailboxes/search-mailbox?](https://docs.microsoft.com/en-us/powershell/module/exchange/mailboxes/search-mailbox?view=exchange-ps)

[view=exchange-ps](https://docs.microsoft.com/en-us/powershell/module/exchange/mailboxes/search-mailbox?view=exchange-ps)

**NEW QUESTION: 21**

You plan to use the Microsoft Office 365 Import service to import PST files.

You need to create a new user account to perform the import. The solution must use the principle of least privilege.

Which two roles should you assign to the user account? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. the Recipient Management role in Office 365
- B. the Organization Management role in Office 365
- C. the Mailbox Import Export role in Office 365
- D. the Global reader role in Azure Active Directory (Azure AD)
- E. the Global administrator role in Office 365

**Answer: A,C (LEAVE A REPLY)**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/use-network-upload-to-import-pst-files?view=o365-worldwide>

### NEW QUESTION: 22

You have a Microsoft Exchange Server 2019 hybrid deployment.

All Mailbox servers and domain controllers are in the same site.

You deploy an Edge Transport server.

You need to ensure that all SMTP traffic between the on-premises organization and Exchange Online is routed through the Edge Transport server.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
On a Mailbox server, modify the accepted domains.	
Copy the Edge Subscription file to a Mailbox server.	
On the Edge Transport server, run <code>New-EdgeSubscription</code> .	
On a Mailbox server, run <code>New-EdgeSubscription</code> .	
Run the Microsoft Office 365 Hybrid Configuration wizard.	

Answer:

### Actions

### Answer Area

- On a Mailbox server, modify the accepted domains.
- Copy the Edge Subscription file to a Mailbox server.
- On the Edge Transport server, run New-EdgeSubscription.
- On a Mailbox server, run New-EdgeSubscription.
- Run the Microsoft Office 365 Hybrid Configuration wizard.

- On the Edge Transport server, run New-EdgeSubscription.
- Copy the Edge Subscription file to a Mailbox server.
- On a Mailbox server, run New-EdgeSubscription.
- Run the Microsoft Office 365 Hybrid Configuration wizard.

New-EdgeSubscription -FileName "c:\EdgeServerSubscription.xml" This example creates the Edge Subscription file. It should be run on your Edge Transport server. New-EdgeSubscription -FileData ([byte[]](Get-Content -Path "C:\EdgeServerSubscription.xml" -Encoding Byte -ReadCount 0)) -Site "Default-First-Site-Name" This example also imports the Edge Subscription file generated in Example 1 to the Active Directory site Default-First-Site-Name; however, the end result is accomplished using one command. You must run this command on the Mailbox server. ref. <https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/new-edgesubscription?view=exchange-ps>

### NEW QUESTION: 23

Use the drop-down menus to select the answer choice that complete each statement based on the information presented in the Exchange Online Connector exhibit.

NOTE: Each correct selection is worth one point.

To meet the security requirements for the email messages received from fabrikam.com, set (answer choice) to *, fabrikam.com.	<input type="text"/> AssociatedAcceptedDomains ConnectorSource SenderDomains
When an email message is sent from fabrikam.com to an on-premises mailbox, the message will be sent (answer choice).	<input type="text"/> back to a sender in fabrikam.com to the Edge Transport server encrypted to the Edge Transport server unencrypted

Answer:

To meet the security requirements for the email messages received from fabrikam.com, set (answer choice) to \*, fabrikam.com

AssociatedAcceptedDomains
ConnectorSource
SenderDomains

When an email message is sent from fabrikam.com to an on-premises mailbox, the message will be sent (answer choice).

back to a sender in fabrikam.com
to the Edge Transport server encrypted
to the Edge Transport server unencrypted

### NEW QUESTION: 24

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes from the on-premises organization to Exchange Online.

From the Exchange admin center, you create a new migration batch that includes 25 mailboxes, and then you select Manual Complete the batch.

Later, you must complete the migration of a mailbox named user1@litware.com in the batch as soon as possible. You discover that the status of the migration batch is Syncing, but the status of the move request for user1@litware.com is Synced.

You need to complete the migration of the user1@litware.com mailbox to Exchange Online as soon as possible.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

<ul style="list-style-type: none"><li>Set-MoveRequest</li><li>Set-MigrationBatch</li><li>Set-MigrationConfig</li></ul>	-Identity "user1@litware.com"	<ul style="list-style-type: none"><li>CompleteAfter(Get-Date)</li><li>-SuspendWhenReadyToComplete \$false</li><li>-PreventCompletion \$false</li></ul>
Resume-MoveRequest -Identity "user1@litware.com"		

Answer:

<ul style="list-style-type: none"><li>Set-MoveRequest</li><li>Set-MigrationBatch</li><li>Set-MigrationConfig</li></ul>	-Identity "user1@litware.com"	<ul style="list-style-type: none"><li>CompleteAfter(Get-Date)</li><li>-SuspendWhenReadyToComplete \$false</li><li>-PreventCompletion \$false</li></ul>
Resume-MoveRequest -Identity "user1@litware.com"		

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/set-moverrequest?view=exchange-ps>

### NEW QUESTION: 25

You have a Microsoft Exchange Online tenant.

You have an on-premises scanner that emails scanned documents by using SMTP.

You need to create a Microsoft Office 365 SMTP relay to route email from the scanner to the internet. The solution must ensure that the connector accepts only email sent by the scanner.

How should you configure the connector? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Select your mail flow scenario

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

[Learn more](#)

From:

Internet
Office 365
Partner organization
Your organization's email server



To:

Internet
Office 365
Partner organization
Your organization's email server

**Answer:**

Select your mail flow scenario

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

[Learn more](#)

From:

Internet
Office 365
Partner organization
Your organization's email server

To:

Internet
Office 365
Partner organization
Your organization's email server

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/how-to-set-up-a-multifunction-device-or-application-to-send-email-using-microsoft-365-or-office-365#option-3-configure-a-connector-to-send-mail-using-microsoft-365-or-office-365-smtp-relay>

**NEW QUESTION: 26**

You have a Microsoft Exchange Online tenant that contains two SMTP domains named

contoso.com and litwareinc.com.

You need to ensure that users who have a contoso.com email address are prevented from seeing users who have a litwareinc.com email address in the global address list (GAL). The litwareinc.com users must be able to see the contoso.com users in the GAL.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Modify the Default Address book policy to exclude the litwareinc.com users
- B. Create an offline address book (OAB) that contains the contoso.com users
- C. Create a separate GAL that contains the contoso.com users
- D. Modify the default GAL to exclude the litwareinc.com users
- E. Create a new email address policy for the contoso.com users
- F. Create a new address book policy (ABP) and assign the ABP to the contoso.com mailboxes

**Answer: (SHOW ANSWER)**

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

#### **NEW QUESTION: 27**

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the public folders shown in the following table.

Name	Structure	Mail-enabled
PF1	Hierarchical	Yes
PF2	Flat	No
PF3	Flat	Yes

You plan to migrate the public folders to Exchange Online to improve the collaboration options available to users.

Which public folders can be migrated to Office 365 groups without losing the folders' existing functionality?

- A. PF2 and PF3 only
- B. PF2 only
- C. PF1 and PF2 only
- D. PF1 only
- E. PF3 only

**Answer: A (LEAVE A REPLY)**

Not PF1. Office 365 groups are 'flat' so you would lose the folder hierarchy.

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-microsoft-365-groups?view=exchserver-2019>

#### **NEW QUESTION: 28**

You are migrating mailboxes from a Microsoft Exchange Server 2016 organization to Exchange Online. The mailbox migrations are configured to suspend, and you plan to perform a coordinated

cutover.

Which PowerShell command should you run to complete all the suspended mailbox migrations?  
To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The screenshot shows a PowerShell command prompt with the command `-MoveStatus Suspended`. Below the command, there are two drop-down menus. The left menu contains the following options: `Get-ADUser`, `Get-Mailbox`, `Get-MigrationUser`, and `Get-MoveRequest`. The right menu contains the following options: `New-MoveRequest`, `Resume-MoveRequest`, `Set-MoveRequest`, and `Start-MigrationUser`.

Answer:

The screenshot shows the same PowerShell command prompt as above. In the left drop-down menu, the option `Get-MoveRequest` is highlighted with a red box. In the right drop-down menu, the option `Resume-MoveRequest` is highlighted with a red box.

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/get-moverequest?view=exchange-ps>

<https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/resume-moverequest?view=exchange-ps>

### NEW QUESTION: 29

You are evaluating the email hygiene configuration of a Microsoft Exchange Server 2019 organization.

You run the command shown in the following exhibit.

The screenshot shows a PowerShell command prompt with the command `[PS] C:\>Get-ContentFilterConfig | fl *SCL*`. The output is as follows:

```
SCLRejectThreshold : 7
SCLRejectEnabled   : True
SCLDeleteThreshold : 9
SCLDeleteEnabled   : False
SCLQuarantineThreshold : 9
SCLQuarantineEnabled : False
```

Use the drop-down menus to select the answer choice that completes each statement based on

the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Email messages that have a spam confidence level (SCL) of 8 will be [answer choice].

Email messages that have a spam confidence level (SCL) of 7 will be [answer choice].

Answer:

Email messages that have a spam confidence level (SCL) of 8 will be [answer choice].

Email messages that have a spam confidence level (SCL) of 7 will be [answer choice].

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/antispam-antimalware/set-contentfilterconfig?view=exchange-ps>

### NEW QUESTION: 30

You need to configure the required objects for the branch office administrators.

What should you create for each administrator?

- A. a management role assignment policy and a management role group
- B. a management role scope and a management role assignment
- C. a management role scope and a management role group
- D. a management role and a management role assignment policy

Answer: ([SHOW ANSWER](#))

Reference:

<https://practical365.com/exchange-server/exchange-server-role-based-access-control-in-action/>

### NEW QUESTION: 31

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.

Solution: You create a mail flow rule.

Does this meet the goal?

A. Yes

B. No

**Answer:** ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachment-blocking-scenarios>

**Valid MS-203 Dumps** shared by Actual4test.com for Helping Passing MS-203 Exam!

Actual4test.com now offer the **newest MS-203 exam dumps**, the Actual4test.com MS-203 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-203 dumps with Test Engine here:

[https://www.actual4test.com/MS-203\\_examcollection.html](https://www.actual4test.com/MS-203_examcollection.html) (**396** Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps**)

### **NEW QUESTION: 32**

You need to configure the new smartboard to support the planned changes.

Which three settings should you configure? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

## Booking options

Assign settings for the booking policy that defines when this resource can be scheduled

- Allow repeating meetings
- Allow scheduling only during work hours
- Auto-accepts meeting request

Set to "Off" if you want to specify users who want to accept meetings manually

### Booking delegates

Search a mail or email

- Automatically decline meetings outside of limits below

Booking window (days)

Maximum duration (hours)

If the organizer needs a reply enter message below

Answer:

## Booking options

Assign settings for the booking policy that defines when this resource can be scheduled

- Allow repeating meetings
- Allow scheduling only during work hours
- Auto-accepts meeting request

Set to "Off" if you want to specify users who want to accept meetings manually

### Booking delegates

Search a mail or email

- Automatically decline meetings outside of limits below

Booking window (days)

Maximum duration (hours)

If the organizer needs a reply enter message below

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients-in-exchange-online/manage-resource-mailboxes>

**NEW QUESTION: 33**

You have an on-premises Microsoft Exchange Server 2019 organization.

You plan to configure the environment to support a hybrid deployment.

You need to ensure that you can migrate mailboxes from the on-premises organization to Exchange Online.

Which two ports should be open between Exchange Online and the on-premises organization?

Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. 25
- B. 80
- C. 143
- D. 389
- E. 443
- F. 993

**Answer: A,E (LEAVE A REPLY)**

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment-prerequisites#hybrid-deployment-protocolsports-and-endpoints>

#### **NEW QUESTION: 34**

Your company has a Microsoft Exchange Online tenant named contoso.com.

The company acquires a company named ADatum Corporation that uses a third-party IMAP email service named adatum.com.

You plan to migrate the mailbox content of adatum.com to contoso.com.

You need to connect Microsoft 365 to the IMAP email service.

What should you create first?

- A. a new organization relationship
- B. a new migration endpoint
- C. a new remote domain
- D. a new staged migration batch

**Answer: B (LEAVE A REPLY)**

Reference:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/migrating-imap-mailboxes>

#### **NEW QUESTION: 35**

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section.

This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to prevent email messages that contain attachments that have the .js file extension from being delivered to any recipients in your organization.

To complete this task, sign in to the Microsoft 365 admin center.

**Answer:**

Go to Mail flow > Rules.


Create the rule by using one of the following options:



In the New rule dialog box, name the rule, and then select the conditions and actions for this rule:

- In Apply this rule if..., select the condition you want from the list of available conditions:
- In Do the following..., select the action you want the rule to take on messages matching the criteria from the list of available actions:
- Specify how rule match data for this rule is displayed in the Data Loss Prevention (DLP) reports and the Mail protection reports.
- Set the mode for the rule. You can use one of the two test modes to test the rule without impacting mail flow. In both test modes, when the conditions are met, an entry is added to the message trace:

Exchange Online admins can create mail flow rules in the Exchange admin center (EAC) at Mail flow > Rules. You need permissions to do this procedure. After you start to create a new rule, you can see the full list of attachment-related conditions by clicking More options > Any attachment under Apply this rule if. The attachment-related options are shown in the following diagram.



Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/manage-mail-flow-rules>

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/inspect-message-attachments>

### NEW QUESTION: 36

Your company purchases new mobile devices for each user in its sales department and marketing department. The new devices only support Exchange ActiveSync.

You need to configure mobile device access to meet the following requirements:

Apply a specific password policy to all the sales department users.

Prevent all the marketing department users from using an Exchange ActiveSync-based client to access their mailbox.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

For the sales department users:

- Create a mobile device access rule
- Create and assign a mobile device policy
- Create a client access rule scoped to the users

For the marketing department users:

- Run the Set-Mailbox cmdlet
- Run the Set-CasMailbox cmdlet
- Run the Set-ActiveSyncDeviceAccessRule cmdlet

**Answer:**

For the sales department users:

- Create a mobile device access rule
- Create and assign a mobile device policy**
- Create a client access rule scoped to the users

For the marketing department users:

- Run the Set-Mailbox cmdlet
- Run the Set-CasMailbox cmdlet
- Run the Set-ActiveSyncDeviceAccessRule cmdlet**

**NEW QUESTION: 37**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

Sending out-of-office replies to an email domain named fabrikam.com.

Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You create two sharing policies.

Does this meet the goal?

**A.** Yes

**B.** No

**Answer: B (LEAVE A REPLY)**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

**NEW QUESTION: 38**

You need to ensure that Allan Deyoung can create a new public folder for the sales department. Which two actions should you perform first? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add Allan Deyoung to the Organization Management role group
- B. Create a new public folder mailbox
- C. Add Allan Deyoung to the Recipient Management role group
- D. Create a new shared mailbox
- E. Modify Sales Policy

**Answer: (SHOW ANSWER)**

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions-exo/feature-permissions>

<https://docs.microsoft.com/en-us/exchange/collaboration-exo/public-folders/set-up-public-folders>

**NEW QUESTION: 39**

You have a Microsoft Exchange Online tenant.

All users use an email address suffix of @contoso.com.

You need to ensure that all the email messages sent to users who use an email address suffix of @fabrikam.com are encrypted automatically. The solution must ensure that the messages can be inspected for data loss prevention (DLP) rules before they are encrypted.

What should you create?

- A. an Outbound connector
- B. a safe attachments policy
- C. a remote domain
- D. a mail flow rule

**Answer: A (LEAVE A REPLY)**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/define-mail-flow-rules-to-encrypt-email?view=o365-worldwide>

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/data-loss-prevention/data-loss-prevention>

**NEW QUESTION: 40**

Your network contains an on-premises Active Directory Forest. The forest contains the domains shown in the following table.

Name	Verified in Azure AD	Synced by using Azure AD Connect	On-premises Microsoft Exchange Server 2019 server
contoso.com	Yes	Yes	server1.contoso.com
fabrikam.com	Yes	No	server2.fabrikam.com

You have a Microsoft 365 subscription.

You plan to migrate only the mailboxes of contoso.com to Exchange Online.

You deploy an Exchange Online tenant that supports the contoso.com domain.

All incoming internet email and all email between Exchange Online and the Exchange Server are routed through server1.contoso.com.

After you migrate the first test mailboxes, you discover that the users in contoso.com that have mailboxes in Exchange Online cannot see any fabrikam.com recipients in the global address list (GAL).

You need to ensure that the contoso.com users can see the fabrikam.com recipients in the GAL. What should you do?

- A. Rerun the Hybrid Configuration wizard and add fabrikam.com as a domain in the hybrid configuration.
- B. Configure Azure AD Connect to sync the fabrikam.com domain.
- C. Add a TXT record to the DNS zone of the fabrikam.com domain.
- D. From Exchange Online, create an outbound connector for the (abrikam.com domain.

**Answer: B (LEAVE A REPLY)**

#### NEW QUESTION: 41

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section.

This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your company can schedule a conference room named Room1 in the company's office by using Microsoft Outlook.

To complete this task, sign in to the Exchange admin center.

**Answer:**

In the Exchange admin center, navigate to Recipients > Resources.

To create a room mailbox, click New + > Room mailbox.

Use the options on the page to specify the settings for the new resource mailbox.

- Room name: Use this box to type a name for the room mailbox. This is the name that's listed in the resource mailbox list in the Exchange admin center and in your organization's address book. This name is required and it can't exceed 64 characters.

- Alias: A room mailbox has an email address so it can receive booking requests. The email address consists of an alias on the left side of the @ symbol, which must be unique in the forest, and your domain name on the right. The alias is required.

- Location, Phone, Capacity: You can use these fields to enter details about the room. However,

as explained earlier, you can include some or all of this information in the room name so users can see it.

When you're finished, click Save to create the room mailbox.

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients/room-mailboxes?view=exchserver-2019>

**NEW QUESTION: 42**

You have a Microsoft Exchange Server 2019 hybrid deployment.

You have the on-premises mailboxes shown in the following table.

Name	Forwarding address
User1	User6
User2	None
User3	None
User4	None
User5	None
User6	None

You add the mailbox permissions shown in the following table.

Mailbox	Permission
User2	Send As for User4
User4	Full Access for User3
User6	Send on Behalf for User5

You plan to migrate the mailboxes to Exchange Online by using remote mailbox move requests.

The mailboxes will be migrated according to the schedule shown in the following table.

Week	Mailbox
1	User1, User2, User3, User6
2	User4, User5

Mailboxes migrated the same week will have their mailbox move requests included in the same batch and will be cut over simultaneously.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	YES	NO
The mail forwarding settings of the User1 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User4 mailbox for the User2 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User3 mailbox for the User4 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>

**Answer:**

statements

The mail forwarding settings of the User1 mailbox will be preserved automatically after the migration.

yes

no

The permissions granted to the User4 mailbox for the User2 mailbox will be reserved automatically after the migration.

The permissions granted to the User3 mailbox for the User4 mailbox will be reserved automatically after the migration.

Reference:

<https://docs.microsoft.com/en-us/exchange/exchange-hybrid>

<https://practical365.com/exchange-online/configuring-exchange-hybrid-cross-forest-permissions/>

**NEW QUESTION: 43**

You have a Microsoft 365 subscription that contains the mail-enabled groups shown in the following table.

Name	Members
Managers	User1, User2, User3
Finance	User4, User5, User6

All users have an email address with a suffix of @contoso.com.

You plan to create an anti-phishing policy named Policy1 to meet the following requirements:

- \* Apply to all email messages sent to current and future users in the Finance group.
- \* Prevent email messages from impersonating users in the Managers group.

How should you configure Policy1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**


Users, groups, and domains:

- The Managers group
- The Finance group**
- The contoso.com domain
- User1, User2, and User3
- User4, User5, and User6

Phishing threshold & protection:

- The Managers group**
- The Finance group
- The contoso.com domain
- User1, User2, and User3
- User4, User5, and User6

**Answer:**



### NEW QUESTION: 44

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups.

You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam.

Solution: You migrate all the mailboxes of the sales department to Exchange Online.

Does this meet the goal?

A. yes

**B. No**

**Answer: A ([LEAVE A REPLY](#))**

Exchange Online Protection (EOP) will scan outbound messages from Exchange Online mailboxes.

**NEW QUESTION: 45**

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time. When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.  
To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

Another administrator at contoso.com plans to deploy an SMTP smart host that uses an IP address of 131.107.2.200.

You need to prepare a solution to route all emails sent to users in the @contoso.com domain from your organization by using the SMTP host. The solution must have a status set to Off until the administrator deploys the smart host.

To complete this task, sign in to the Exchange admin center.

**Answer:**

In the EAC, navigate to Mail flow > Send connectors, and then click Add +. This starts the New Send connector wizard.

On the first page, enter the following information:

- Name: Enter a descriptive name for the Send connector, for example, Smart host to Internet.
- Type: Select a descriptive value. For example, Internet or Custom.

When you're finished, click Next.

On the next page, select Route mail through smart hosts, and then click Add +. In the Add smart host dialog box that appears, identify the smart host by using one of the following values:

- IP address: For example, 192.168.3.2.
- Fully qualified domain name (FQDN): For example, securitydevice01.contoso.com. Note that the Exchange source servers for the Send connector must be able to resolve the smart host in DNS by using this FQDN.

When you're finished, click Save.

You can enter multiple smart hosts by repeating Step 3. When you're finished, click Next.

On the next page, in the Route mail through smart hosts section, select the authentication method that's required by the smart host. Valid values are:

**TABLE 1**

<b>Authentication mechanism</b>	<b>Description</b>
<b>None</b>	No authentication. For example, when access to the smart host is restricted by the source IP address.
<b>Basic authentication</b>	Basic authentication. Requires a username and password. The username and password are sent in clear text.
<b>Offer basic authentication only after starting TLS</b>	Basic authentication that's encrypted with TLS. This requires a server certificate on the smart host that contains the exact FQDN of the smart host that's defined on the Send connector.
<b>Exchange Server authentication</b>	Generic Security Services application programming interface (GSSAPI) and Mutual GSSAPI authentication.
<b>Externally secured</b>	The connection is presumed to be secured by using a security mechanism that's external to Exchange. The connection may be an Internet Protocol security (IPsec) association or a virtual private network (VPN). Alternatively, the servers may reside in a trusted, physically controlled network.

When you're finished, click Next.

On the next page, in the Address space section, click Add +. In the Add domain dialog box that appears, enter the following information:

- Type: Verify SMTP is entered.
- Fully Qualified Domain Name (FQDN): Enter an asterisk (\*) to indicate the Send connector applies to messages addressed to all external domains. Alternatively, you can enter a specific external domain (for example, contoso.com), or a domain and all subdomains (for example, \*.contoso.com).
- Cost: Verify 1 is entered. A lower value indicates a more preferred route for the domains you specified.

When you're finished, click Save.

Back on the previous page, the Scoped send connector setting is important if your organization has Exchange servers installed in multiple Active Directory sites:

- If you don't select Scoped send connector, the connector is usable by all transport servers (Exchange 2013 or later Mailbox servers and Exchange 2010 Hub Transport servers) in the entire Active Directory forest. This is the default value.
- If you select Scoped send connector, the connector is only usable by other transport servers in the same Active Directory site.

When you're finished, click Next.

On the next page, in the Source server section, click Add +. In the Select a Server dialog box that appears, select one or more Mailbox servers that you want to use to send outbound mail to the smart host. If you have multiple Mailbox servers in your environment, select the ones that can route mail to the smart host. If you have only one Mailbox server, select that one. After you've selected at least one Mailbox server, click Add, click OK, and then click Finish.

After you create the Send connector, it appears in the Send connector list.

From the Send connector list, you can turn the connector on or off.

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow/connectors/outbound-smart-host-routing?view=exchserver-2019#how-do-you-know-this-worked>

## **NEW QUESTION: 46**

You have a Microsoft Exchange Online tenant.

You receive an email that was scanned by Exchange Online Protection (EOP) and contains the following message header.

```
X-MS-Exchange-Organization-SCL:5  
X-Microsoft-Antispam: BCL:7  
X-Forefront-Antispam-Report: SCL:5;IPV:NLI;SFV:SPM
```

The email was delivered to the Junk Email folder.

You need to identify which value pairs in the header indicate the following:

- \* The email was not received from a known open relay.
- \* The email is from a bulk sender.

What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

The email was not received from a known open relay:

IPV:NLI

BCL:7

IPV:NLI

SFV:SPM

SCL:5



Microsoft

The message is from a bulk sender:

BCL:7

BCL:7

IPV:NLI

SCL:5

SFV:SPM

Answer:

ANSWER AREA



Microsoft

The email was not received from a known open relay:

IPV:NLI

BCL:7

IPV:NLI

SFV:SPM

SCL:5

freepdfdumps.com

The message is from a bulk sender:

BCL:7

BCL:7

IPV:NLI

SCL:5

SFV:SPM

**Valid MS-203 Dumps** shared by Actual4test.com for Helping Passing MS-203 Exam!  
Actual4test.com now offer the **newest MS-203 exam dumps**, the Actual4test.com MS-203 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-203 dumps with Test Engine here:

[https://www.actual4test.com/MS-203\\_examcollection.html](https://www.actual4test.com/MS-203_examcollection.html) (396 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps**)

**NEW QUESTION: 47**

You have a Microsoft Exchange Server 2019 organization.

You run the following commands.

```
New-Management-Scope -Name "VIP Mailboxes" -RecipientRoot "Contoso.com/ Executives" -RecipientRestrictionFilter (ReceipientType -eq "UserMailbox")
```

```
New-ManagementRoleAssignment -SecurityGroup "VIP Admins" -Role "Mail Recipients" -CustomRecipientWriteScope "VIP Mailboxes"
```

You have a user named Admin1.

You need to ensure that Admin1 can manage the mailboxes of users in the Executives organizational unit (OU) only.

What should you do?

- A. Modify the membership of VIP Admins.
- B. Create a custom role group.
- C. Add Admin1 to the Recipient Management management role group.
- D. Move Admin1 to the Executives OU.

**Answer: A** ([LEAVE A REPLY](#))

Reference:

<https://social.technet.microsoft.com/Forums/exchange/en-US/b316a841-c39d-483a-ac8e-64d5904c42e6/howto-limit-recipient-management-rights-to-users-in-a-ou-in-exchange-2010-sp1?forum=exchangesvradminlegacy>

### **NEW QUESTION: 48**

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes to Exchange Online by using remote mailbox move requests.

A recent security breach at the company required that the passwords of all privileged accounts be changed.

Since the password change, mailbox move requests are failing.

You need to ensure that the mailbox migration can resume.

What should you do first?

- A. From Exchange on-premises, run Set-MigrationEndpoint.
- B. From Exchange on-premises, run Set-MigrationConfig.
- C. From Exchange Online, run Set-MigrationConfig.
- D. From Exchange Online, run Set-MigrationEndpoint.
- E. Run iisreset /noforce on all the Exchange servers that have MRSPProxy enabled.

**Answer: A** ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/set-migrationendpoint?view=exchange-ps>

### **NEW QUESTION: 49**

You have a Microsoft Exchange Server 2019 organization.

You purchase a Microsoft 365 subscription and configure Active Directory synchronization.

You use a smart host for all email communication between the organization and the Internet. The smart host performs email hygiene and alerts message headers.

You plan to run the Hybrid Configuration wizard to create an Exchange hybrid deployment and change the MX record to point to Exchange Online.

You need to decommission the smart host from the organization.

What should you do first?

- A. Create a Receive connector that allows anonymous authentication.
- B. Modify the InternalSmtpServer value by running the Set-TransportConfig cmdlet.
- C. Modify the Send connector to use DNS delivery.
- D. Modify the TLSReceiveDomainSecureList value by running the Set-TransportConfig cmdlet.

**Answer: D (LEAVE A REPLY)**

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/set-transportconfig?view=exchange-ps>

**NEW QUESTION: 50**

You have a Microsoft Exchange Server 2019 hybrid deployment.

You use Advanced Threat Protection (ATP).

You have safe attachments policies configured as shown in the following table.

Name	Action	Action On Error	Enable redirect
Policy1	Dynamic Delivery	Enabled	Enabled
Policy2	Block	Enabled	Disabled

You have the users shown in the following table.

Name	Location	Safe attachments policy
User1	On-premises	Policy1
User2	Exchange Online	Policy2
User3	Exchange Online	None
User4	Exchange Online	Policy1

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If User1 receives an email message that contains an attachment, the message will be delivered immediately with a placeholder file. The attachment will be reattached if no malware is detected.	<input type="radio"/>	<input type="radio"/>
If User2 receives an email message that has detected malware, the message will be placed in quarantine.	<input type="radio"/>	<input type="radio"/>
If User4 receives an email message that contains an attachment, and then forwards the message to User3 before attachment scanning is complete, User3 will receive the attachment after the initial attachment scanning is complete.	<input type="radio"/>	<input type="radio"/>

**Answer:**

Statements	Yes	No
If User1 receives an email message that contains an attachment, the message will be delivered immediately with a placeholder file. The attachment will be reattached if no malware is detected.	<input type="radio"/>	<input checked="" type="radio"/>
If User2 receives an email message that has detected malware, the message will be placed in quarantine.	<input checked="" type="radio"/>	<input type="radio"/>
If User4 receives an email message that contains an attachment, and then forwards the message to User3 before attachment scanning is complete, User3 will receive the attachment after the initial attachment scanning is complete.	<input type="radio"/>	<input checked="" type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/atp-safe-attachments?view=o365-worldwide>

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/atp-safe-attachments?view=o365-worldwide#dynamic-delivery-in-safe-attachments-policies>

### NEW QUESTION: 51

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized." You need to ensure that User1 can send email to sales@contoso.com successfully.

Solution: You instruct User1 to reduce the size of the email message.

Does this meet the goal?

A. Yes

B. No

Answer: B ([LEAVE A REPLY](#))

### NEW QUESTION: 52

You have a Microsoft Exchange Server 2019 organization.

You implement hybrid connectivity to Microsoft 365.

You need to ensure that users can use the Microsoft Outlook mobile app on their device to access their onpremises mailbox.

What should you do?

A. Run Azure AD Connect.

B. Run Set-CASMailbox -OutlookMobileEnabled for each user.

C. Enable Hybrid Modern Authentication (HMA).

**D. Configure Active Directory Federation Services (AD FS).**

**Answer: C ([LEAVE A REPLY](#))**

Reference:

<https://techcommunity.microsoft.com/t5/exchange-team-blog/announcing-hybrid-modern-authentication-forexchange-on-premises/ba-p/607476>

### **NEW QUESTION: 53**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a remote domain.

Does this meet the goal?

**A. No**

**B. Yes**

**Answer: ([SHOW ANSWER](#))**

### **NEW QUESTION: 54**

You have a Microsoft Exchange Online tenant that uses an email domain named @contoso.com.

You recently purchased an email domain named fabrikam.com.

You need to ensure that all the users in the tenant can receive email messages by using the @fabrikam.com email domain. The solution must ensure that the users can continue to receive email by using the @contoso.com email domain.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

**A. From the Microsoft 365 admin center, add the fabrikam.com email domain.**

**B. From the Exchange admin center, add an accepted domain for fabrikam.com.**

**C. From the Microsoft 365 admin center, modify the organization profile.**

**D. From the Exchange admin center, add a remote domain for fabrikam.com.**

**E. From the Exchange Management Shell, create a script that runs the Set-Mailbox cmdlet.**

**Answer: A,E ([LEAVE A REPLY](#))**

A: the first step is to add the Fabrikam.com domain to Microsoft 365. You would also need to verify the domain (verify that you own the domain).

E: create a script that runs the Set-Mailbox cmdlet to add an @fabrikam.com email address to each mailbox.

**NEW QUESTION: 55**

You need to generate a report for the mobile devices that meets the technical requirements. Which PowerShell cmdlet should you use?

- A. Get-DevicePolicy
- B. Get-MobileDevice
- C. Get-MobileDeviceStatistics
- D. Get-DeviceTenantPolicy

**Answer: B (LEAVE A REPLY)**

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-mobiledevice?view=exchange-ps>

**NEW QUESTION: 56**

You have 1,000 user accounts that are each licensed for Microsoft 365. Each user account has a Microsoft Exchange Online mailbox.

Ten of the user accounts are configured as service accounts for applications. The applications send event notifications to the mailboxes of the service accounts by using SMTP. The developers of each application have delegated access to the mailbox of their respective application.

You need to ensure that all the event notifications sent by the applications are retained in the service account mailboxes so that new developers can review older notifications. The developers must be able to view only the notifications for their respective application.

What should you do?

- A. Replace the service account mailboxes with a single user mailbox that contains Power Automate rules.
- B. Convert the service account mailboxes into shared mailboxes.
- C. Replace the service account mailboxes with a single user mailbox that contains a folder for each application.
- D. Convert the service account mailboxes into mail-enabled users.

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 57**

Which contacts can sign in to and access resources in the adatum.com tenant?

- A. Contact2 and Contact3 only
- B. Contact2 only
- C. Contact1, Contact2, and Contact3
- D. Contact1 only
- E. Contact1 and Contact3 only

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 58**

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization. The deployment contains the resources shown in the following table.

Type	Quantity	Location
User mailbox	500	On-premises
Department mailbox	50	On-premises
Public folder	10	On-premises
Resource mailbox	15	On-premises

You need to migrate the mailboxes from the on-premises Exchange Server 2019 organization to Exchange Online. The department mailboxes will be migrated to shared mailboxes.

What is the minimum number of Exchange Online licenses required?

- A. 575
- B. 500
- C. 550
- D. 515

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 59**

Your company has a partnership with another company named contoso.com.

You need to ensure that all email messages containing the word sensitive and sent to the users at contoso.com are encrypted automatically.

You enable Azure Information Protection.

What should you do next?

- A. Create a data loss prevention (DLP) policy.
- B. Create a mail flow rule.
- C. Configure a remote domain.
- D. Configure an Outbound connector.

**Answer:** B ([LEAVE A REPLY](#))

Reference:

<https://thevaliantway.com/2019/01/encrypting-email-office-365-azure-information-protection/>

**NEW QUESTION: 60**

You have a Microsoft Exchange Server 2019 hybrid deployment named contoso.com.


You are preparing to migrate several user mailboxes to Microsoft 365.

You have an on-premises Mailbox server named server1.contoso.com.

You need to create a migration endpoint.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



**Answer:**



Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-migrationendpoint?view=exchange-ps>

**NEW QUESTION: 61**

You have a Microsoft Exchange Server 2019 hybrid deployment.

All user mailboxes are migrated to Exchange Online.

You need to migrate the public folders from the on-premises organizations to Exchange Online.

Which three actions should you perform in sequence before you create the migration batch? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From Exchange Online, create the target public folder mailboxes.	
From Exchange Online, run the Set-organizationConfig -RemotePublicFoldermailboxes \$Null -PublicFoldersEnabled Local command	
From Exchange on-premises, run the SetmailPublicFolderExternalAddress.ps1 script	
From Exchange on-premises, run the Export-ModernPublicFolderStatistics.ps1 script	
From Exchange on-premises, run the Set-OrganizationConfig -RemotePublicFolderMailboxes \$Null -PublicFoldersEnabled Local command	
From Exchange on-premises, run the ModernPublicFolderToMailboxMapgenerator.ps1 script.	

**Answer:**

Actions	Answer Area
From Exchange Online, create the target public folder mailboxes.	From Exchange on-premises, run the SetmailPublicFolderExternalAddress.ps1 script
From Exchange Online, run the Set-organizationConfig -RemotePublicFoldermailboxes \$Null -PublicFoldersEnabled Local command	From Exchange on-premises, run the ModernPublicFolderToMailboxMapgenerator.ps1 script.
From Exchange on-premises, run the SetmailPublicFolderExternalAddress.ps1 script	From Exchange Online, create the target public folder mailboxes.
From Exchange on-premises, run the Export-ModernPublicFolderStatistics.ps1 script	
From Exchange on-premises, run the Set-OrganizationConfig -RemotePublicFolderMailboxes \$Null -PublicFoldersEnabled Local command	
From Exchange on-premises, run the ModernPublicFolderToMailboxMapgenerator.ps1 script.	

**Reference:**

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019>

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019#step-3-generate-the-csv-files>

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019#step-4-create-the-public-folder-mailboxes-in-exchange-online>

**Valid MS-203 Dumps** shared by Actual4test.com for Helping Passing MS-203 Exam! Actual4test.com now offer the **newest MS-203 exam dumps**, the Actual4test.com MS-203 exam **questions have been updated** and **answers have been corrected** get the **newest**

Actual4test.com MS-203 dumps with Test Engine here:

[https://www.actual4test.com/MS-203\\_examcollection.html](https://www.actual4test.com/MS-203_examcollection.html) (396 Q&As Dumps, **30%OFF**)

**Special Discount: [Freepdfdumps](#)**)

### **NEW QUESTION: 62**

You have a Microsoft Exchange Online tenant.

The mail exchanger (MX) record of your company points to a third-party message hygiene provider that forwards email messages to the tenant.

You need to ensure that Exchange Online can filter the email by using the original IP address of the sender's company.

What should you do?

- A. Modify the Inbound connector to use the -EFSkipIPs parameter.
- B. Modify the Receive connector to use the -EFSkipIPs parameter.
- C. Enable DMARC.
- D. Create a remote domain.

**Answer: ([SHOW ANSWER](#))**

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/enhanced-filtering-for-connectors>

### **NEW QUESTION: 63**

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 has a mobile device.

You need to enable Exchange ActiveSync logging for User1 and retrieve the log files.

Which two Exchange Online PowerShell cmdlets should you use? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Get-ActiveSyncDevice
- B. Set-ActiveSyncMailboxPolicy
- C. Set-ClientAccessRule
- D. Get-MobileDeviceStatistics
- E. Set-CASMailbox

**Answer: E ([LEAVE A REPLY](#))**

Reference:

<https://docs.microsoft.com/en-us/exchange/plan-and-deploy/post-installation-tasks/change-oab-generation-schedule?view=exchserver-2019>

### **NEW QUESTION: 64**

You have a Microsoft Exchange Server 2019 organization.

You have the Address Book Policies (ABP) and address lists in the following table.

Name	Global address list	Offline address book	Address list
ABP1	GAL_1	OAB_1	List 1
ABP2	GAL_2	Default Offline Address Book	List 2

You have the users in the following table.

Name	Global address list	Address List
User1	GAL_1	List 1
User2	GAL_2	List 2
User3	GAL_2	none

You assign ABP1 to User1 and User2.

User3 is NOT assigned to an Address Book Policy.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can view the membership of List 2	<input type="radio"/>	<input type="radio"/>
User2 can only view the membership of GAL_2	<input type="radio"/>	<input type="radio"/>
User3 can view the membership of List 1	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
User1 can view the membership of List 2	<input type="radio"/>	<input checked="" type="radio"/>
User2 can only view the membership of GAL_2	<input type="radio"/>	<input checked="" type="radio"/>
User3 can view the membership of List 1	<input checked="" type="radio"/>	<input type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/address-book-policies/address-book-policies?view=exchserver-2019>

### NEW QUESTION: 65

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization.

Users report that emails sent from Exchange Online mailboxes to the on-premises Exchange Server mailboxes are undelivered.

You need to review the non-delivery report (NDR) for each undelivered email.

What should you use?

- A. message trace in the Exchange admin center
- B. auditing in the Exchange admin center
- C. the SMTP protocol logs in Exchange Server
- D. the transport logs in Exchange Server

**Answer:** ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/message-trace-faq>

### **NEW QUESTION: 66**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You enable a DKIM signature.

Does this meet the goal?

- A. No
- B. Yes

**Answer:** A ([LEAVE A REPLY](#))

### **NEW QUESTION: 67**

You have 1,000 user accounts that are each licensed for Microsoft 365. Each user account has a Microsoft Exchange Online mailbox.

Ten of the user accounts are configured as service accounts for applications. The applications send event notifications to the mailboxes of the service accounts by using SMTP. The developers of each application have delegated access to the mailbox of their respective application. The solution must minimize licensing costs.

What should you do?

- A. Replace the service account mailboxes with a single user mailbox that contains a folder for each application.
- B. Replace the service account mailboxes with a Microsoft 365 group

- C. Replace the service account mailboxes with a single user mailbox
- D. Convert the service account mailboxes into mail-enabled contacts

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 68**

Your company has a Microsoft Exchange Server 2019 organization. You are auditing the Litigation Hold on the mailboxes of the company's research and development department. You discover that the mailbox of a user named User1 has a Litigation Hold enabled. You need to discover who placed the Litigation Hold on the mailbox of User1, and when the Litigation Hold was enabled.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the Exchange admin center, run an In-place eDiscovery and Hold report.
- B. From PowerShell, run the Get-Mailbox cmdlet.
- C. From the Exchange admin center, run a per-mailbox Litigation Hold report.
- D. From PowerShell, run the Get-MailboxStatistics cmdlet.

**Answer: B,C (LEAVE A REPLY)**

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-mailboxstatistics?view=exchange-ps>

**NEW QUESTION: 69**

Your company has an Exchange Online tenant. A partner company named Fourth Coffee also uses Exchange Online. You need to ensure that the users at your company share free busy information with the users at Fourth Coffee. The solution must ensure that the meeting details included in the calendars of your company users remain hidden from the Fourth Coffee users. How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

-Name "Fourth Coffee" -DomainNames "fourthcoffee.com"
   
 -FreeBusyAccessEnabled \$true -FreeBusyAccessLevel
   
 -FreeBusyAccessScope "Executives"

**Answer:**



Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-organizationrelationship?view=exchange-ps>

### NEW QUESTION: 70

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server.

Users report that the email they send to external recipients is marked as spam.

You need to validate the Reverse DNS and Sender ID data for the on-premises server.

What should you use in the Microsoft Remote Connectivity Analyzer?

- A. Exchange Online Custom Domains DNS Connectivity Test
- B. Inbound SMTP Email
- C. Message Analyzer
- D. Outbound SMTP Email

**Answer: D (LEAVE A REPLY)**


### NEW QUESTION: 71

You have a hybrid deployment of Microsoft Exchange Server 2019.

You need to configure modern attachments for Outlook on the web.

From Exchange Management Shell, which cmdlet should you run? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



`mv.sharepoint.com -ExternalSPMySiteHostURL Https://Contoso-mv.Contoso.com`

**Answer:**



Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps>

**NEW QUESTION: 72**

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The Safe Attachments 1 policy applies to Alex Wilber	<input type="radio"/>	<input type="radio"/>
If an email message that contains detected malware is sent to Megan Bowen, the attachment will be removed, and the message will be delivered	<input type="radio"/>	<input type="radio"/>
For Lynne Robbins, to block both email messages and attachments that have detected malware, the priority of Safe Attachments 2 must be increased	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
The Safe Attachments 1 policy applies to Alex Wilber	<input checked="" type="radio"/>	<input type="radio"/>
If an email message that contains detected malware is sent to Megan Bowen, the attachment will be removed, and the message will be delivered	<input type="radio"/>	<input checked="" type="radio"/>
For Lynne Robbins, to block both email messages and attachments that have detected malware, the priority of Safe Attachments 2 must be increased	<input type="radio"/>	<input checked="" type="radio"/>

**NEW QUESTION: 73**

You have an on-premises Microsoft Exchange Server 2019 organization that contains a server named Server1 and uses an email address of contoso.com. You purchase a Microsoft 365

subscription.

You plan to use the Hybrid Configuration wizard to configure a hybrid deployment between Exchange Online and the on-premises Exchange organization. You need to configure a certificate request from a public certification authority (CA).

How should you configure the values of the subject name and the subject alternative name (SAN) for the certificate? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Microsoft

Subject name: server1.contoso.com


- contoso.com
- server1.contoso.com
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

SAN: autodiscover.contoso.com

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

Answer:

Answer Area



Microsoft

Subject name: server1.contoso.com

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

SAN: autodiscover.contoso.com

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

### NEW QUESTION: 74

Your company has an Exchange Server 2019 organization that has servers deployed in two Active Directory forests named adatum.com and contoso.com. The organization contains five Mailbox servers and two Edge Transport servers. You deploy Microsoft 365 and configure Exchange Online.

You plan to configure hybrid mail transport.

You need to identify the number of third-party CA certificates that must be used in the deployment.

What is the minimum number of certificates?

- A. 2
- B. 5

C. 1

D. 4

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 75**

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

The company has two departments that have the mailboxes configured as shown in the following table.

Department	Mailbox location	License
Accounting	On-premises	Exchange Server 2019 Standard CAL
Marketing	Exchange Online	Microsoft 365 E5

All the accounting department mailboxes reside in a database named ACCT-DB01.

You create the mailboxes shown in the following table.

Name	Location
JRNL-MBX01	On-premises
JRNL-MBX02	Exchange Online

You need to record all the email communication of the users in each department. The solution must minimize costs.

What should you use for each department? To answer, drag the appropriate options to the correct departments. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

**Options**

- Database journaling
- A journal rule that uses JRNL-MBX01
- A journal rule that uses JRNL-MBX02

**Answer Area**

Accounting:

Marketing:



**Answer:**

## Options

Database journaling

A journal rule that uses JRNL-MBX01

A journal rule that uses JRNL-MBX02

## Answer Area

Accounting: Database journaling

Marketing: A journal rule that uses JRNL-MBX01

Reference:

<https://www.microsoft.com/en-gb/microsoft-365/exchange/microsoft-exchange-server-licensing-licensing-overview?rtc=1>

## NEW QUESTION: 76

You have a Microsoft Exchange Server 2019 organization that uses an Edge Server. You plan to implement a hybrid deployment between Exchange Online and Exchange Server. You need to ensure that all the email between Exchange Online and Exchange Server 2019 is sent by using the Edge Server.

Which two hybrid configuration topologies could you deploy to meet the requirements? Each correct answer presents a complete solution.

- A. Modern Minimal
- B. Classic Minimal
- C. Classic Full
- D. Classic Express
- E. Modern Full

**Answer: C,E (LEAVE A REPLY)**

Reference:

<https://www.enowsoftware.com/solutions-engine/what-are-your-exchange-hybrid-options>

**Valid MS-203 Dumps** shared by Actual4test.com for Helping Passing MS-203 Exam! Actual4test.com now offer the **newest MS-203 exam dumps**, the Actual4test.com MS-203 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-203 dumps with Test Engine here:

[https://www.actual4test.com/MS-203\\_examcollection.html](https://www.actual4test.com/MS-203_examcollection.html) (396 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps)**

## NEW QUESTION: 77

You have a Microsoft Exchange Online tenant.

Archive mailboxes are enabled for all users. You need to ensure that the default size of each user's archive mailbox increases automatically when the mailbox approaches the storage limit.

The solution must apply automatically to all current and future mailboxes.

How should you complete the PowerShell command? To answer select the appropriate options

in the answer area.



**Answer:**



### NEW QUESTION: 78

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement.

Solution: From the Exchange organization, you modify the properties of the Send connectors.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** ([SHOW ANSWER](#))

You should create a Data Loss Prevention (DLP) policy.

### NEW QUESTION: 79

You have a Microsoft 365 environment that contains 1,000 mailboxes.

You need to ensure that only an administrator named Admin1 can use the Exchange Management Shell to manage What should you do?

- A. Create a conditional access policy and apply the policy to all users.
- B. For Admin1, run the set-user cmdlet and specify the -RemotePowerShellEnabled parameter.
- C. Create a conditional access policy and apply the policy to Admin1.
- D. For all users, run the set-user cmdlet and specify the -RemotePowerShellEnabled parameter.

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 80**

You manage a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are located both on-premises and in the cloud.

You need to configure the deployment so that the on-premises mailboxes can access the public folders. Which three commands should you run? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Sync-MailPublicFolders.ps1
- B. Set-OrganizationConfig -PublicFoldersEnabled Remote
- C. Import-PublicFolderMailboxes.ps1
- D. Sync-MailPublicFoldersCloudToOnprem.ps1
- E. Set-OrganizationConfig -PublicFoldersEnabled Local -RemotePublicFolderMailboxes

**Answer: ([SHOW ANSWER](#))**

PFMailbox1

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/set-up-exo-hybrid-public-folders>

**NEW QUESTION: 81**

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential.

What should you do?

- A. Add User1 to the Organization Management management role group.
- B. Add User1 to the Records Management management role group.
- C. Assign the mailbox Search and Mailbox Import Export
- D. Assign the Mailbox Search and Legal Hold management roles to User1.

**Answer: D ([LEAVE A REPLY](#))**

Reference:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

**NEW QUESTION: 82**

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription.

You have several transport rules. The rules automatically apply a disclaimer to email messages that contain certain keywords in the subject and are sent to recipients in an email domain named fabrikam.com.

You receive a report that some messages are delivered without the disclaimer.

You need to view which transport rules were applied to messages sent to the fabrikam.com recipients.

What should you use?

- A. the SMTP protocol logs
- B. a URL trace
- C. the transport server logs
- D. a message trace

**Answer: D ([LEAVE A REPLY](#))**

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-results>

### **NEW QUESTION: 83**

You have a Microsoft Exchange Online tenant.

All users have Exchange Online mailboxes.

Your company has 10 projectors that are used by 30 managers.

You need to recommend a solution to manage the availability and scheduling of the projectors.

The solution must NOT require additional Microsoft 365 licenses.

What Exchange Online object should you recommend creating for each projector?

- A. a public folder
- B. a distribution list
- C. a user mailbox
- D. a resource mailbox

**Answer: ([SHOW ANSWER](#))**

Resource mailboxes are for the scheduling of resources such as projectors. They do not require a license.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/manage/room-and-equipment-mailboxes?view=o365-worldwide>

### **NEW QUESTION: 84**

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization.

You plan to block legacy authentication for the on-premises Exchange organization.

You need to validate the configuration on 10 test users, and then apply the configuration to all users.

Which three cmdlets should you run in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.


**Cmdlets**

- Set-User
- New-AuthenticationPolicy
- Set-HybridConfiguration
- Set-AuthConfig
- Set-OrganizationConfig
- Set-Mailbox

**Answer Area**



**Answer:**



- 1 - Set-AuthConfig
- 2 - Set-OrganizationConfig
- 3 - Set-Mailbox

**NEW QUESTION: 85**

You have a Microsoft Exchange Online tenant that contains two groups named Group1 and Group2. You need to configure threat policies to meet the following requirements:

- \* URLs in email messages sent to Group1 must be scanned before the user can read the messages.
- \* Email messages sent to Group2 must be protected against spoofed senders.

Which type of policy should you configure for each requirement? To answer, drag the appropriate policy types to the correct groups. Each policy type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

**Policy types**

- Anti-phishing
- Anti-spam
- Anti-malware
- Safe Attachments
- Safe Links

**Answer Area**

Group1:

Group2:

**Answer:**



### NEW QUESTION: 86

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization.

Several users hosted in Microsoft 365 report that when they send email messages to mailboxes hosted in Exchange Server 2019, the messages fail to be delivered.

You need to examine the non-delivery reports (NDRs) sent to the Microsoft 365 mailboxes.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From an on-premises Exchange server, use the transport logs.
- B. From an on-premises Exchange server, use the SMTP logs.
- C. From the on-premises Exchange admin center, use a message trace.
- D. From the Exchange admin center, use a message trace.
- E. From the Exchange Management Shell, run the Get-Queue cmdlet.

**Answer: C,D (LEAVE A REPLY)**

Explanation/Reference:

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/message-trace-faq>

### NEW QUESTION: 87

You have a Microsoft Exchange Online tenant that contains a user named User1 and a shared mailbox named Project 1. You plan to delegate User1 permission to send email messages from Project1. You need to ensure that the messages appear to come directly from Project1. Which permission should you assign to User1?

- A. Send As
- B. Full Access
- C. Send on Behalf
- D. Contributor

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 88

You have a Microsoft 365 E3 subscription that uses Microsoft Exchange Online. You need to retain audit log entries for users in the legal department for up to one year. Which two actions should you perform? Each Correct answer presents part of the solution.

Note: Each Correct Selection is worth one point.

- A. For the default audit log retention policy, set Duration to 1 Year.
- B. Assign a Microsoft Office 365 E5 license to each legal department user.
- C. Create a retention policy that has a one-year retention tag and apply the policy to the user mailboxes in the legal department.
- D. Create a new audit log retention policy and assign the policy to the legal department.
- E. Assign a Microsoft Office 365 E5 license to each user in the tenant.

**Answer: A,C (LEAVE A REPLY)**

a) For the default audit log retention policy, set Duration to 1 Year. Reference: <https://docs.microsoft.com/en-us/microsoft-365/compliance/retention-policies-in-the-security-compliance-center?view=o365-worldwide#create-or-edit-a-retention-policy> You can set the default audit log retention policy to retain log entries for up to one year by changing the "Duration" setting to "1 Year." c) Create a retention policy that has a one-year retention tag and apply the policy to the user mailboxes in the legal department. Reference: <https://docs.microsoft.com/en-us/microsoft-365/compliance/retention-policies-in-the-security-compliance-center?view=o365-worldwide#create-or-edit-a-retention-policy> You can create a retention policy with a one-year retention tag, and then apply the policy to the user mailboxes in the legal department. This will ensure that the audit log entries for those users are retained for up to one year as per the retention tag.

### **NEW QUESTION: 89**

You have a Microsoft 365 subscription that contains a user named User 1.

You need to ensure that User1 can perform the following actions:


- + Search all mailboxes.
- + Purge email from all mailboxes.

The solution must use the principle of least privilege.

To which role group should you add User1, and which portal should you use? To answer, select the appropriate options in the answer area.



**Answer:**



**NEW QUESTION: 90**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You convert all the mailboxes to shared mailboxes, and then you run the Set-Mailbox

cmdlet and specify the -EmailAddressPolicyEnabled \$true parameter.

Does this meet the goal?

A. Yes

B. No

**Answer:** ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

### NEW QUESTION: 91

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups.

You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam.

Solution: You modify the outbound spam filter policy in Exchange Online.

Does this meet the goal?

A. Yes

B. No

**Answer:** ([SHOW ANSWER](#))

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. Therefore, the Exchange Online outbound spam filter will not scan the emails sent from the on-premises mailboxes.

**Valid MS-203 Dumps** shared by Actual4test.com for Helping Passing MS-203 Exam!

Actual4test.com now offer the **newest MS-203 exam dumps**, the Actual4test.com MS-203 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-203 dumps with Test Engine here:

[https://www.actual4test.com/MS-203\\_examcollection.html](https://www.actual4test.com/MS-203_examcollection.html) (396 Q&As Dumps, **30%OFF**

**Special Discount: Freepdfdumps**)

#### **NEW QUESTION: 92**

You have a Microsoft Exchange Server 2019 organization. You create a retention policy. You need to ensure that all email older than one year is moved to an archive mailbox. What should you use?

- A. a default policy tag
- B. a data loss prevention (DLP) policy
- C. a retention policy tag
- D. a personal tag

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 93**

You need to resolve the issue for the customer service department users. What should you modify?

- A. the tarpit interval
- B. a transport rule
- C. the global throttling policy
- D. the Send connector to the Internet

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 94**

You have a Microsoft Exchange Server 2019 organization.

A compliance manager plans to create retention policies for the mailboxes of executive users.

The policies will move specific emails to an archive mailbox.

You need to create an archive mailbox for each executive user.

What should you do?

- A. Run the New-Mailbox cmdlet-
- B. Enable mailbox journaling.
- C. Enable In-Place Archiving for each mailbox.
- D. Run the set-Mailbox cmdlet.

**Answer: C ([LEAVE A REPLY](#))**

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/in-place-archiving/in-place-archiving?view=exchserver-2019>

**NEW QUESTION: 95**

You have a Microsoft Exchange Server 2019 organization.

You add 100 new users and create a mailbox for each user. The new users have the City attribute in Active Directory set to Seattle.

You need to create a separate global address list (GAL) that contains only users who have the City attribute set to Seattle. The solution must ensure that any new users who have the City attribute of Seattle are added automatically to the new GAL.

What should you do?

- A.** From the Azure Active Directory admin center, create an Office 365 group that uses a dynamic membership rule.
- B.** From the Exchange admin center, create a new GAL.
- C.** Run the New-EmailAddressPolicy cmdlet to create a new email address policy that uses a recipient filter.
- D.** Run the New-GlobalAddressList cmdlet to create a new address list.

**Answer: D** ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-lists/address-lists>

**NEW QUESTION: 96**

You have a Microsoft Exchange Online tenant that uses a third-party email gateway device.

You discover that inbound email messages are delayed.

The gateway device receives the following error message when sending email to the tenant.

4.7.500 Server busy, please try again later.

You need to prevent inbound email delays.

What should you configure?

- A.** Organization Sharing
- B.** an MX record for the domain
- C.** a transport rule
- D.** a connector

**Answer: D** ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/use-connectors-to-configure-mail-flow>

**NEW QUESTION: 97**

You have a hybrid deployment of Microsoft Exchange Server 2019 and Microsoft 365 that contains three servers.

All email received from the Internet is sent directly to the servers.

You run the following command.

```
Get-MalwareFilterPolicy | FL
```

Name, BypassInboundMessages, BypassOutboundMessages, Action, IsDefault You receive the output shown in the following exhibit.

```
Name : Default
BypassInboundMessages : False
BypassOutboundMessages : False
Action : DeleteAttachmentAndUseDefaultAlertText
IsDefault : True
EnableInternalSenderNotifications : True
EnableExternalSenderNotifications : True
```

You run the Get-TransportAgent cmdlet and receive the output shown in the following exhibit.

```
Identity                Enabled  Priority
-----                -
Transport Rule Agent    True     1
DLP Policy Agent        True     2
Retention Policy Agent  True     3
Supervisory Review Agent True     4
Malware Agent           False    5
Text Messaging Routing Agent True     6
Text Messaging Delivery Agent True     7
System Probe Drop Smt Agent True     8
System Probe Drop Routing Agent True     9
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If an email message sent from the Internet contains malware, the message will be delivered successfully to the recipient's mailbox	<input type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the default antimalware policy must be modified	<input type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the priority of the malware agent must be modified	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
If an email message sent from the Internet contains malware, the message will be delivered successfully to the recipient's mailbox	<input checked="" type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the default antimalware policy must be modified	<input type="radio"/>	<input checked="" type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the priority of the malware agent must be modified	<input type="radio"/>	<input checked="" type="radio"/>

**NEW QUESTION: 98**

You have a Microsoft Exchange Online tenant that contains a user named User1.

User1 has the Department attribute set to Procurement.

You create the connector shown in the Connector exhibit. (Click the Connector tab.) You create

the transport rule shown in the Transport rule exhibit (Click the Transport rule tab.) For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area	Microsoft	Yes	No
Statements			
Email messages from User1 to user2@contoso.com are sent to mail.contoso.com.		<input type="radio"/>	<input type="radio"/>
Email messages from User1 to user2@contoso.com are delivered only if a TLS connection is established.		<input type="radio"/>	<input type="radio"/>
Email messages from User1 to user3@europe.contoso.com are delivered by using the Contoso Secured Outbound Mail connector.		<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area	Microsoft	Yes	No
Statements			
Email messages from User1 to user2@contoso.com are sent to mail.contoso.com.		<input checked="" type="radio"/>	<input type="radio"/>
Email messages from User1 to user2@contoso.com are delivered only if a TLS connection is established.		<input type="radio"/>	<input checked="" type="radio"/>
Email messages from User1 to user3@europe.contoso.com are delivered by using the Contoso Secured Outbound Mail connector.		<input checked="" type="radio"/>	<input type="radio"/>

**NEW QUESTION: 99**

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription that uses a domain named contoso.com.

Contoso works with a partner company named A.Datum Corporation. A.Datum has an Exchange Server 2016 organization that uses a domain named adatum.com.


You need to ensure that users at Contoso can share their free/busy information with the users at A.Datum.

What should you do for each company? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

A.Datum:	<ul style="list-style-type: none"> <li>Configure Microsoft Azure Active Directory Connect</li> <li>Create a federation trust between Exchange and Microsoft Office 365</li> <li>Establish identity federation by using Active Directory Federation Services</li> <li>Create a sharing policy</li> </ul>
Contoso:	<ul style="list-style-type: none"> <li>Establish identity federation by using Active Directory Federation Services</li> <li>Configure Microsoft Azure Active Directory Connect</li> <li>Create an organization relationship</li> <li>Create a federation trust between Exchange and Microsoft Office 365</li> </ul>

Answer:



Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/organization-relationships>

### NEW QUESTION: 100

Joni Sherman reports that the Microsoft Outlook client on her Windows 10 device fails to start. You need to troubleshoot the issue.

From the device, you start the Microsoft Remote Connectivity Analyzer.

What should you run next?

- A. the Exchange ActiveSync test
- B. the Outlook Connectivity test
- C. the Service Account Access test
- D. the Microsoft Support and Recovery Assistant for Office 365 client

**Answer: D (LEAVE A REPLY)**

Reference:

<https://www.sherweb.com/blog/office-365/microsoft-support-and-recovery-assistant/>

### NEW QUESTION: 101

You have a Microsoft Exchange Online tenant.

All users are assigned only an Office 365 Enterprise E3 license.

You need to ensure that the users can use only Microsoft Outlook to connect to their Microsoft 365 mailbox when they connect from an Android device.

What should you create?

- A. a conditional access policy in Azure Active Directory (Azure AD)
- B. a connection filter policy in Exchange Online Protection (EOP)
- C. an Outlook Web App policy in Exchange Online
- D. an app protection policy in Microsoft Endpoint Manager

**Answer: (SHOW ANSWER)**

Office 365 Enterprise E3 includes Azure Active Directory Premium P1 which is required for Azure conditional access policies.

### NEW QUESTION: 102

You have an Exchange Online tenant that has the anti-spam settings configured as shown in the following exhibit.

**Standard settings**  On



**Standard**

Spam action	Move message to Junk Email folder
Mark bulk email as spam	On
Bulk threshold	7
Mark NDR backscatter as spam	Off
Safety Tips	On
Bulk email	Move message to Junk Email folder
Phishing email	Quarantine message

**To change these settings or add new ones, switch to custom settings**


Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.


Users will see safety tips when they access their mailbox from [answer choice].	 Outlook on the web only Microsoft Outlook 2019 only Microsoft Outlook 2019 and Outlook on the web
To reduce the amount of bulk email delivered to the Inbox folders of users, you must [answer choice].	 modify Spam action increase the value of Bulk threshold decrease the value of Bulk threshold

**Answer:**

Users will see safety tips when they access their mailbox from [answer choice].

 Outlook on the web only Microsoft Outlook 2019 only Microsoft Outlook 2019 and Outlook on the web
---

To reduce the amount of bulk email delivered to the Inbox folders of users, you must [answer choice].

 modify Spam action increase the value of Bulk threshold decrease the value of Bulk threshold
--

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/safety-tips-in-office-365?view=o365-worldwide>

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/bulk-complaint-level-values?view=o365-worldwide>

**NEW QUESTION: 103**

You recently implemented a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. The public IP address of Server1 is 131.107.1.100.

The deployment is configured as shown in the following table.

Object type	Configuration	Location
Accepted domain	Contoso.com	Microsoft 365
Remote domain	*	Microsoft 365
Outbound connector	Use DNS routing	Microsoft 365
Inbound connector	Default settings	Microsoft 365
Mail exchanger (MX) record	Contoso-com.mail.protection.outlook.com	Public DNS
Send connector	Use DNS routing	Exchange Server 2019

Users hosted in Microsoft 365 report that they receive non-delivery reports (NDRs) when they attempt to send email messages to mailboxes hosted in Exchange Server 2019.

You need to ensure that the email is delivered successfully. The solution must ensure that email delivery is successful for all the users at your company.

What should you do?

- A. Configure the accepted domain to use a value of \*.
- B. Configure the Outbound connector to use a smart host of 131.107.1.100.
- C. Modify the MX record to point to the internal Exchange servers.
- D. Configure the remote domain to use a value of contoso.com.

**Answer:** ([SHOW ANSWER](#))

#### NEW QUESTION: 104

You need to identify which users clicked the links in the phishing emails.

What should you do?

- A. Run a message trace and review the results.
- B. Query the mailbox audit log.
- C. Use the URL trace reporting feature.
- D. Review the quarantine mailbox.

**Answer:** C ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-maildetailatpreport?view=exchange-ps>

#### NEW QUESTION: 105

You have a Microsoft Exchange Server 2019 organization that uses an email domain named contoso.com.

You plan to move several mailboxes to Microsoft 365.

You need to configure hybrid mail flow to meet the following requirements:

All email messages received from the internet must be filtered for spam by Microsoft 365.

Your company's on-premises firewall must allow email messages between the on-premises Exchange servers and Microsoft 365.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Mail exchanger (MX) record to configure:

▼
Mail.contoso.com
Contoso-com.mail.protection.outlook.com
Outlook.office365.com

Firewall port to allow:

▼
TCP 25
TCP 2525
TCP 587
TCP 993

**Answer:**

Mail exchanger (MX) record to configure:	▼
Mail.contoso.com	
Contoso-com.mail.protection.outlook.com	
Outlook.office365.com	

Firewall port to allow:	▼
TCP 25	
TCP 2525	
TCP 587	
TCP 993	

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment-prerequisites>

### NEW QUESTION: 106

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.

Solution: You configure a mailbox quota.

Does this meet the goal?

A. Yes

B. No

**Answer:** ([SHOW ANSWER](#))

Create a mail flow rule.

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachmentblocking-scenarios>

**Valid MS-203 Dumps** shared by Actual4test.com for Helping Passing MS-203 Exam!

Actual4test.com now offer the **newest MS-203 exam dumps**, the Actual4test.com MS-203 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-203 dumps with Test Engine here:

[https://www.actual4test.com/MS-203\\_examcollection.html](https://www.actual4test.com/MS-203_examcollection.html) (396 Q&As Dumps, **30%OFF**)

**Special Discount: Freepdfdumps)**

#### **NEW QUESTION: 107**

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section.

This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below. To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to create a public folder named Finance in your Microsoft 365 tenant. Users must be able to send emails to Finance by using an email address of finance@lab.CloudCredential(1).TenantName.

To complete this task, sign in to the Exchange admin center.

**Answer:**

Use the EAC to create a public folder mailbox

In the EAC, go to Public folders > Public folder mailboxes, and then click Add +.

In the New public folder mailbox page that opens, enter the following information:

- Name: Enter the name for the public folder mailbox.
- Organizational unit: Click Browse to select the location in Active Directory where the mailbox object is created.
- Mailbox database: Click Browse to select the mailbox database where the mailbox is created.

When you're finished, click Save.

Use the EAC to create a public folder

When using the EAC to create a public folder, you'll only be able to set the name and the path of the public folder. To configure additional settings, you'll need to edit the public folder after it's created.

Navigate to Public folders > Public folders.

If you want to create this public folder as a child of an existing public folder, click the existing public folder in the list view. If you want to create a top-level public folder, skip this step.

Click Add +.

In Public Folder, type the name of the public folder.

In the Path box, verify the path to the public folder. If this isn't the desired path, click Cancel and follow Step 2 of this procedure.

Click Save.

Navigate back to Public folders > Public folders.

In the list view, select the public folder that you want to mail-enable or mail-disable.

In the details pane, under Mail settings, click Enable or Disable.

A warning box displays asking if you're sure you want to enable or disable email for the public folder. Click Yes to continue.

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/create-public-folder-mailboxes?view=exchserver-2019>

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/create-public-folders?view=exchserver-2019>

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserver-2019>

**NEW QUESTION: 108**

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

The company has a finance department.

You need to move all the on-premises mailboxes of the finance department to Exchange Online.

The bulk of the move operation must occur during a weekend when the company's Internet traffic is lowest. The move must then be finalized the following Monday. The solution must minimize

disruption to end users.

What should you do first?

- A. Create a batch migration and clear the Automatically complete the migration batch check box
- B. Schedule a task that runs the New-MoveRequest cmdlet and specifies the Remote parameter
- C. Run the New-MigrationBatch cmdlet and specify the MoveOptions parameter
- D. Create a batch migration and select the Automatically complete the migration batch check box

**Answer: C ([LEAVE A REPLY](#))**

### **NEW QUESTION: 109**

You have a Microsoft Exchange Online tenant named adatum.com that contains a user named User1.

You plan to perform a new message trace for User1. The message trace must generate an Enhanced summary report.

Which three Delivery status options can be included in the report? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

## New message trace

### Senders ⓘ

 User1@adatum.com ×

### Recipients ⓘ

All

### Time range (UTC-06:00) ⓘ

[Custom time range](#)

Last 2 day(s)

90 30 15 10 7 2 1 day 12 hr 6 hr 0



### Detailed search options



### Delivery status ⓘ

All	▼
All	
Delivered	✓
Expanded	
Failed	✓
Pending	✓
Quarantined	
Filtered as spam	
Getting status	

Answer:

# New message trace

## Senders ⓘ

## Recipients ⓘ

## Time range (UTC-06:00) ⓘ

[Custom time range](#)

Last 2 day(s)

90 30 15 10 7 2 1 day 12 hr 6 hr 0

## Detailed search options ^

### Delivery status ⓘ

All	▼
All	
Delivered	✓
Expanded	
Failed	✓
Pending	✓
Quarantined	
Filtered as spam	
Getting status	

### NEW QUESTION: 110

Your company has a Microsoft Exchange Server 2019 organization.

The company has 10,000 mailboxes. Each department at the company has 1,000 mailboxes.

You need to ensure that when users query the global address list (GAL), they can view only the list of the users in their department.

What should you create?

**A.** One GAL, 10 offline address books (OABs), 10 address lists, 10 address policies (ABPs), and

one email address policy

**B.** 10 GALs, 10 offline address books (OABs), 10 address lists, 10 room lists, and 10 address book policies (ABPs)

**C.** One GAL, 10 offline address books (OABs), 10 address lists, 10 room lists, and one address book policy (ABP)

**D.** 10 GALs, 10 offline address books (OABs), 10 address lists, and 10 email address policies

**Answer: B** ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-lists/create-global-address-list>

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

### **NEW QUESTION: 111**

You discover that email messages sent to contoso.com are NOT delivered through Contoso Connector.

You need to ensure that all email sent to contoso.com is delivered through Contoso Connector.

Which connector setting should you modify?

**A.** Routing

**B.** Security restrictions

**C.** Use of connector

**D.** Status

**Answer: C** ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

### **NEW QUESTION: 112**

You have an Exchange Online tenant.

You need to ensure that the users in your company's finance department can select email messages that will be deleted automatically one year later. The solution must apply only to the finance department users.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

**A.** Publish a label to the finance department.

**B.** Create a data loss prevention (DLP) policy that uses the sensitive information type.

**C.** For each mailbox in the finance department, configure the retention policy settings.

**D.** Create a label that has a retention setting of one year.

**E.** For each mailbox in the finance department, configure Message Delivery Restrictions.

**Answer: A,D** ([LEAVE A REPLY](#))

Create a retention label and publish it to the finance department users.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide>

**NEW QUESTION: 113**

You need to encrypt email between Fabrikam and Litware to support the planned changes. What should you configure in the Exchange admin center?

- A. a connector
- B. an organization relationship
- C. a sharing policy
- D. a remote domain

**Answer:** ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

**NEW QUESTION: 114**

You have a Microsoft Exchange Server 2019 organization that uses a namespace of contoso.com.

Email address policies for contoso.com are configured as shown in the Address Policies exhibit.

NAME	PRIORITY	STATUS
Marketing	1	Applied
Sales	2	Applied
Default Policy	Lowest	Applied

The Marketing email address policy is shown in the Marketing Policy exhibit.

## Marketing

### Email Address Format

SMTP

Primary: John.Smith@contoso.com

Address 2: John.Smith@marketing.contoso.com

Includes

 Microsoft

Users with Exchange mailboxes,

in the following departments: Marketing

This email address policy has been applied.

The Sales email address policy is shown in the Sales Policy exhibit.

## Sales

### Email Address Format

SMTP

Primary: %1g.%s@contoso.com

Includes

Users with Exchange mailboxes,  
in the following departments: Sales

This email address policy has been applied.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The user mailboxes of the marketing department will have an additional email address that uses a SMTP suffix of @marketing.contoso.com.	<input type="radio"/>	<input type="radio"/>
The user mailbox of a sales department user named Ben Smith will have an email address of b.smith@contoso.com.	<input type="radio"/>	<input type="radio"/>
All user mailboxes will have an email address in the firstname.lastname@contoso.com format.	<input type="radio"/>	<input type="radio"/>

**Answer:**

Statements	Yes	No
The user mailboxes of the marketing department will have an additional email address that uses a SMTP suffix of @marketing.contoso.com.	<input checked="" type="radio"/>	<input type="radio"/>
The user mailbox of a sales department user named Ben Smith will have an email address of b.smith@contoso.com.	<input checked="" type="radio"/>	<input type="radio"/>
All user mailboxes will have an email address in the firstname.lastname@contoso.com format.	<input type="radio"/>	<input checked="" type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>


**NEW QUESTION: 115**

You have a Microsoft Exchange Online tenant.

You need to import PST files from a legacy archiving solution to Exchange Online. You will import the PST files over the internet.

Which five actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**ACTIONS****Answer Area**

Use Azure Storage Explorer to upload the PST files.	
Create a mapping file.	
Start the PST import job.	
Use AzCopy to upload the PST files.	
Create a PST import job.	
Retrieve the shared access signature (SAS) URL.	

**Answer:**

<b>Actions</b>	<b>Answer Area</b>
Use Azure Storage Explorer to upload the PST files.	Retrieve the shared access signature (SAS) URL.
Create a mapping file.	Use AzCopy to upload the PST files.
Start the PST import job.	Create a mapping file.
Use AzCopy to upload the PST files.	Create a PST import job.
Create a PST import job.	Start the PST import job.
Retrieve the shared access signature (SAS) URL.	

## Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/use-network-upload-to-import-pst-files?view=o365-worldwide>

**NEW QUESTION: 116**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement.

Solution: From the Exchange organization, you create a data loss prevention (DLP) policy.

Does this meet the goal?

**A.** Yes

**B.** No

**Answer: A** ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwide>

#### **NEW QUESTION: 117**

You have a Microsoft 365 ES subscription that contains a Microsoft Exchange Online tenant.

You plan to use a mailbox named Mailbox1 to store user-reported malicious email messages.






You need to configure Microsoft Defender for Office 365 to meet the following requirements:

+ Configure Mailbox1 as a SecOps mailbox.

+ Create a policy that has zero-hour auto purge (ZAP) for infected email disabled for Mailbox1.

Which two settings should you configure? To answer, select the appropriate settings in the answer area.


## Policies

-  Anti-phishing
-  Anti-spam
-  Anti-malware
-  Safe Attachments
-  Safe Links

## Rules

-  Tenant Allow/Block Lists
-  DKIM
-  Advanced delivery
-  Enhanced filtering
-  Quarantine policies

## Others

-  User reported message settings
-  Evaluation mode



Answer:

**Policies** Microsoft

- Anti-phishing
- Anti-spam
- Anti-malware
- Safe Attachments
- Safe Links

**Rules**

- Tenant Allow/Block Lists
- DKIM
- Advanced delivery
- Enhanced filtering
- Quarantine policies

**Others**

- User reported message settings
- Evaluation mode

freepdfdumps.com

**NEW QUESTION: 118**

You have a Microsoft Exchange Online tenant.

Users report that they cannot view attachments from Outlook on the web from their home

computer.

The Outlook Web App policy has the following settings.

ClassicAttachmentsEnabled	: True
ReferenceAttachmentsEnabled	: True
SaveAttachmentsToCloudEnabled	: True
MessagePreviewDisabled	: False
ForceWebReadyDocumentViewingFirstOnPublicComputers	: False
ForceWebReadyDocumentViewingFirstOnPrivateComputers	: False
ActionForUnknownFileAndMIMETypes	: Block
OWALightEnabled	: False
ForceSaveAttachmentFilteringEnabled	: False
ConditionalAccessPolicy	: ReadOnlyPlusAttachmentsBlocked

You need to ensure that the users can view attachments when they access Outlook on the web from their home computer.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Set-OWAMailboxPolicy -identity OwaMailboxPolicy-Default

-ActionForUnknownFileAndMIMETypes	Allow
-ConditionalAccessPolicy	False
-ForceWebReadyDocumentViewingFirstOnPublicComputers	ForceSave
-MessagePreviewsDisabled	ReadOnly
-OWALightEnabled	True

**Answer:**

Set-OWAMailboxPolicy -identity OwaMailboxPolicy-Default

-ActionForUnknownFileAndMIMETypes	Allow
-ConditionalAccessPolicy	False
-ForceWebReadyDocumentViewingFirstOnPublicComputers	ForceSave
-MessagePreviewsDisabled	ReadOnly
-OWALightEnabled	True

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps>

### NEW QUESTION: 119

You have a Microsoft Exchange Online tenant.

You plan to filter all inbound and outbound email messages by using a third-party message hygiene solution.

You need to ensure that all the email sent and received by the tenant is filtered through the message hygiene solution. The solution must ensure that only the message hygiene solution can send email to the tenant.

What should you configure for the tenant? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

DNS records:

- Mail exchanger (MX)
- Alias (CNAME)
- Host (A)
- Service location (SRV)

Exchange Online configuration:

- One inbound connector and one Outbound connector
- One inbound connector only
- One Outbound connector only
- One remote domain and one accepted domain

**Answer:**

DNS records:

- Mail exchanger (MX)
- Alias (CNAME)
- Host (A)
- Service location (SRV)

Exchange Online configuration:

- One inbound connector and one Outbound connector
- One inbound connector only
- One Outbound connector only
- One remote domain and one accepted domain

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/manage-mail-flow-using-third-party-cloud>

**NEW QUESTION: 120**

You have a Microsoft Exchange Server hybrid deployment that contains Exchange 2013, Exchange 2016, and Exchange 2019 servers. All the servers have the latest Cumulative Updates (CUs) applied.

You need to implement Hybrid Modern Authentication (HMA). The solution must minimize costs. What should you do first?

- A. Upgrade the Exchange 2013 servers to Exchange 2016 CU7.
- B. Add the on-premises web service URLs as Azure Active Directory (Azure AD) service principal names (SPNs).
- C. Upgrade all the servers to Exchange 2019.
- D. Create an Azure Active Directory (Azure AD) conditional access policy for Exchange Online.

**Answer: B (LEAVE A REPLY)**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/configure-exchange-server-for-hybrid-modern-authentication?view=o365-worldwide#make-sure-you-meet-all-the-prerequisites>

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/hybrid-modern-auth-overview?view=o365-worldwide#do-you-meet-modern-authentication-prerequisites>

### NEW QUESTION: 121

You have two servers named EXCH1 and EXCH2 that run Windows Server 2012 R2 and have Microsoft Exchange 2016 installed. You purchase a Microsoft 365 subscription. You plan to configure a hybrid deployment between an Exchange Online tenant and the on-premises Exchange Server Organization. You need to identify the prerequisites to installing the Microsoft Hybrid Agent on EXCH1 and EXCH2. Which two prerequisites should you identify? Each correct answer presents part of the solution.

- A. All outbound HTTPS connections to Microsoft Online Services
- B. Enable Hybrid Modern Authentication (HMA).
- C. Upgrade the operating system of EXCH1 and EXCH2 to Windows Server 2019.
- D. Enable TLS 1.2.

**Answer: A,D (LEAVE A REPLY)**

a) All outbound HTTPS connections to Microsoft Online Services Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/prepare-for-hybrid-deployment> To perform a hybrid deployment between an Exchange Online tenant and an on-premises Exchange Server organization, you must ensure that all outbound HTTPS connections to Microsoft Online Services are allowed. This is a prerequisite for installing the Microsoft Hybrid Agent.

d) Enable TLS 1.2. Reference: <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/prepare-for-hybrid-deployment> To perform a hybrid deployment between an Exchange Online tenant and an on-premises Exchange Server organization, you must ensure that Transport Layer Security (TLS) 1.2 is enabled on your on-premises Exchange servers. This is a prerequisite for installing the Microsoft Hybrid Agent.

**Valid MS-203 Dumps** shared by Actual4test.com for Helping Passing MS-203 Exam!

Actual4test.com now offer the **newest MS-203 exam dumps**, the Actual4test.com MS-203 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-203 dumps with Test Engine here:

[https://www.actual4test.com/MS-203\\_examcollection.html](https://www.actual4test.com/MS-203_examcollection.html) (396 Q&As Dumps, **30%OFF**)

**Special Discount: Freepdfdumps)**

### NEW QUESTION: 122

Allan Deyoung must perform a message trace of the email messages sent by Isaiah Langer and provide a report that contains all the messages sent during the last 30 days.

You need to ensure that Allan Deyoung can perform the message trace.

What should you do?

- A. Add Allan Deyoung to the Organization Management role group

**B.** Add Allan Deyoung to the Security Administrator role group

**C.** For Allan Deyoung, set ElcProcessingDisabled to true

**D.** For Isaiah Langer, set ElcProcessingDisabled to true

**Answer: A** ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions-exo/feature-permissions>

### **NEW QUESTION: 123**

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

The company has a finance department.

You need to move all the on-premises mailboxes of the finance department to Exchange Online.

The bulk of the move operation must occur during a weekend when the company's Internet traffic is lowest. The move must then be finalized the following Monday. The solution must minimize disruption to end users.

What should you do first?

**A.** Schedule a task that runs the New-MoveRequest cmdlet and specifies the Remote parameter.

**B.** Run the New-MigrationBatch cmdlet and specify the MoveOptions parameter.

**C.** Run the New-MigrationBatch cmdlet and specify the CompleteAfter parameter.

**D.** Create a script that moves most of the mailboxes on Friday at 22:00 and the remaining mailboxes on Monday at 09:00.

**Answer: (**[SHOW ANSWER](#)**)**

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-migrationbatch?view=exchange-ps>

### **NEW QUESTION: 124**

You have an Exchange Online tenant that contains several hundred mailboxes.

Several users report that email messages from an SMTP domain named @fabrikam.com often fail to be delivered to their mailbox.

You need to increase the likelihood that the email messages from the @fabrikam.com are delivered successfully to the users in the tenant.

**A.** From the Security & Compliance admin center, create a new ATP anti-phishing policy.

**B.** From your public DNS zones, create a Sender Policy Framework (SPF) TXT record.

**C.** From the Security & Compliance admin center, modify the anti-spam policy settings.

**D.** From the Security & Compliance admin center, modify the DKIM settings.

**Answer: C** ([LEAVE A REPLY](#))

### **NEW QUESTION: 125**

Your company has a Microsoft 365 subscription.

All users are assigned Microsoft 365 E5 licenses.

The users receive email messages that appear to come from managers at the company.

However, the messages are not from the managers and often include links to malicious websites. You need to provide a solution to protect the mailboxes of the managers and to inform the users when phishing occurs.

Which two settings should you modify in the anti-phishing policy? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Priority	1	
Status	On	
Last modified	December 10, 2018	
Policy setting	Policy name Description Applied to	Test  If the recipient domain is: M365x051451.onmicrosoft.com
Impersonation	Users to protect Protect all domains I own Protect specific domains Action > User impersonation Action > Domain impersonation Safety tips > User impersonation Safety tips > Domain impersonation Safety tips > Unusual characters Mailbox intelligence	<input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="Don't apply any action"/> <input type="text" value="Don't apply any action"/> <input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="On"/>
Spoof	Enable antispoofting protection Action	<input type="text" value="On"/> <input type="text" value="Move message to the recipients' Junk Email folders"/>
Advanced settings	Advanced phishing thresholds	1 - Standard

**Answer:**

## Answer Area

Priority 1  
Status On  
Last modified December 10, 2018

Policy setting	Policy name	Test
	Description	
	Applied to	If the recipient domain is: M365x051451.onmicrosoft.com
Impersonation	Users to protect	<input type="text" value="Off"/>
	Protect all domains I own	<input type="text" value="Off"/>
	Protect specific domains	<input type="text" value="Off"/>
	Action > User impersonation	<input type="text" value="Don't apply any action"/>
	Action > Domain impersonation	<input type="text" value="Don't apply any action"/>
	Safety tips > User impersonation	<input type="text" value="Off"/>
	Safety tips > Domain impersonation	<input type="text" value="Off"/>
	Safety tips > Unusual characters	<input type="text" value="Off"/>
	Mailbox intelligence	<input type="text" value="On"/>
Spooft	Enable antispoofing protection	<input type="text" value="On"/>
	Action	<input type="text" value="Move message to the recipients' Junk Email folders"/>
Advanced settings	Advanced phishing thresholds	1 - Standard

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-anti-phishing-policies?view=o365-worldwide>

### NEW QUESTION: 126

You have a Microsoft 365 E5 tenant that contains two Azure Active Directory (Azure AD) security groups named Finance and Marketing. The tenant contains the users and devices shown in the following table.

The devices are configured as shown in the following table.

A conditional access policy is configured as shown in the following exhibit.

From Microsoft Exchange Online PowerShell, you run the following cmdlet.

```
Set-OwaMailboxPolicy -Identity OwaMailboxPolicy-Default  
-ConditionalAccessPolicy ReadOnly
```

All the users connect to Exchange Online by using Outlook on the web.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements



Yes No

When using Outlook on the web, User1 can only view email attachments.

When using Outlook on the web, User2 can only view and print email attachments.

When using Outlook on the web, User3 can view, download, and print email attachments.

Answer:



Statements

Yes No

When using Outlook on the web, User1 can only view email attachments.

When using Outlook on the web, User2 can only view and print email attachments.

When using Outlook on the web, User3 can view, download, and print email attachments.

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps>

NEW QUESTION: 127

You need to perform a remote wipe of the devices of User2 and User3.

You run the following commands.

```
Clear-MobileDevice -id User2-Device
-NotificationEmailAddress "admin@Fabrikam.com"
Clear-MobileDevice -id User3-Device
-NotificationEmailAddress "admin@Fabrikam.com"
```

What occurs on each device? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

On the device of User2:

All data is deleted.

Only email messages are deleted.

Only email messages and calendar, contact, and file data are deleted.

On the device of User3:

All data is deleted.

Only email messages are deleted.

Only email messages and calendar, contact, and file data are deleted.

Answer:

On the device of User2:  All data is deleted.

On the device of User3:  Only email messages and calendar, contact, and file data are deleted.

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/remote-wipe?view=exchserver-2019>

**NEW QUESTION: 128**

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time. When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.  
To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

Two users named Christie Cline and Irvyn Sayers leave your company.

You need to ensure that all email sent to the users at your company are forwarded automatically to the mailbox of Megan Bowen. The solution must NOT use mail flow rules.

To complete this task, sign in to the Microsoft 365 admin center.

**Answer:**

In the EAC, go to Recipients > Mailboxes.



On the mailbox properties page, click Mailbox Features.

Under Mail Flow, select View details to view or change the setting for forwarding email messages. On this page, you can set the maximum number of recipients that the user can send a message to. For on-premises Exchange organizations, the recipient limit is unlimited. For Exchange Online organizations, the limit is 500 recipients.

Check the Enable forwarding check box, and then click or tap Browse.

On the Select Recipient page, select a user you want to forward all email to. Select the Deliver message to both forwarding address and mailbox check box if you want both the recipient and the forwarding email address to get copies of the emails sent. Click or tap OK, and then click or tap Save.

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients-in-exchange-online/manage-user-mailboxes/configure-email-forwarding>

### NEW QUESTION: 129

Your company has the offices shown in the following table.

Location	Public NAT IP address
New York	131.107.122.22
Portland	131.107.123.120
Seattle	131.107.123.10

The company has a Microsoft Exchange Online tenant that contains the users shown in the following table.

Name	Department	Office
User1	IT	Seattle
User2	IT	New York
User3	Helpdesk	Portland

You have the following Exchange Online client access rules.

```
PS C:\> Get-ClientAccessRule|fl Name, Priority, AnyOfProtocols, UserRecipientFilter, Action
```

```
Name           : Rule1
Priority        : 1
AnyOfProtocols : {RemotePowerShell}
UserRecipientFilter :
Action         : AllowAccess

Name           : Rule2
Priority        : 2
AnyOfProtocols : {ExchangeAdminCenter}
UserRecipientFilter : Department -ne 'IT'
Action         : DenyAccess
```

You create a new client access rule by using the following command.

```
New-ClientAccessRule -Name "Rule3" -Action DenyAccess
-AnyOfProtocols ExchangeAdminCenter
-ExceptAnyOfClientIPAddressOrRanges 131.107.123.0/24 -Priority 2
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Rule2 will be evaluated before Rule3	<input type="radio"/>	<input type="radio"/>
User2 can access the Exchange admin center	<input type="radio"/>	<input type="radio"/>
User3 can access the Exchange admin center	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
Rule2 will be evaluated before Rule3	<input type="radio"/>	<input checked="" type="radio"/>
User2 can access the Exchange admin center	<input type="radio"/>	<input checked="" type="radio"/>
User3 can access the Exchange admin center	<input checked="" type="radio"/>	<input type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/client-access-rules/procedures-for-client-access-rules>

<https://docs.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/client-access-rules/client-access-rules>

**NEW QUESTION: 130**

You have a Microsoft Exchange Online tenant that contains a group named Tier1ServiceDesk.

You have an Azure AD administrative unit named US that contains only users in the United States.

You need to ensure that Tier1ServiceDesk can manage recipient email addresses for only the users in US. The solution must use the principle of least privilege.

How should you complete the command? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.

Answer Area



Answer:

Answer Area



### NEW QUESTION: 131

You have a Microsoft Exchange Online tenant.

You recently hired two new administrators named Admin5 and Admin6.

You need to grant the following permissions to the new administrators:

Admin5 must be able to assign licenses to users.

Admin6 must be able to modify the email SPAM settings of all users.


Admin5 must be able to configure the email forwarding settings of all users.

Admin5 and Admin6 must be able to manage the mailbox permissions of all users.


The solution must use the principle of least privilege.

Which role should you assign to each user? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Answer:



Reference:

<https://www.withum.com/resources/a-breakdown-of-microsoft-365-admin-roles-responsibilities->

previously-office-365-admin-roles/

**NEW QUESTION: 132**

You have a Microsoft Exchange Server 2019 organization.

You plan to migrate to Exchange Online incrementally during a 12-month period.

You need to ensure that during the migration, the following features continue to work for all users:

Free/Busy synchronization

Microsoft Teams calendar integration

The Microsoft Outlook mobile app for Android

Which hybrid configuration should you implement?

**A.** Modern Hybrid Configuration

**B.** Minimal Hybrid Configuration

**C.** Classic Hybrid

**Answer: C (LEAVE A REPLY)**

Reference:

<https://www.enowsoftware.com/solutions-engine/what-are-your-exchange-hybrid-options>

**NEW QUESTION: 133**

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section.


This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all emails sent from the users in your company to recipients who use a suffix of @fabnkam.com are encrypted by using Microsoft Office 365 Message Encryption (OME). To complete this task, sign in to the Exchange admin center.

**Answer:**

In the Microsoft 365 admin center, choose Admin centers > Exchange.

In the EAC, go to Mail flow > Rules and select New + > Create a new rule.

In Name, type a name for the rule, such as Encrypt mail for DrToniRamos@hotmail.com.

In Apply this rule if, select a condition, and enter a value if necessary. For example, to encrypt messages going to DrToniRamos@hotmail.com:

- To select an existing name, select it from the list and then click OK.
- To enter a new name, type an email address in the check names box and then select check names > OK.

To add more conditions, choose More options and then choose add condition and select from the list.

For example, to apply the rule only if the recipient is outside your organization, select add condition and then select The recipient is external/internal > Outside the organization > OK.

To enable encryption using the new OME capabilities, from Do the following, select Modify the message security and then choose Apply Office 365 Message Encryption and rights protection. Select an RMS template from the list, choose Save, and then choose OK.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/define-mail-flow-rules-to-encrypt-email?view=o365-worldwide>

**NEW QUESTION: 134**

You have a Microsoft Exchange Online tenant that contains a public folder named CustomerSupport. You need to access CustomerSupport by using Outlook on the web. Which section in Outlook on the web should you add CustomerSupport?

- A. Groups
- B. Favorites
- C. Folders

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 135**

You need to resolve the issue for the transport department users.

What is the best way to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Move the public folder mailbox that contains TransportPF to a server in the main office.
- B. Move TransportPF to a public folder mailbox hosted in the main office.
- C. Modify the default public folder mailbox for all the transport department users.
- D. Instruct the transport department users to add TransportPF to their Favorites list in Outlook.

**Answer: B (LEAVE A REPLY)**

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients/mailbox-moves?view=exchserver-2019>

**Valid MS-203 Dumps** shared by Actual4test.com for Helping Passing MS-203 Exam!  
Actual4test.com now offer the **newest MS-203 exam dumps**, the Actual4test.com MS-203 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-203 dumps with Test Engine here:  
[https://www.actual4test.com/MS-203\\_examcollection.html](https://www.actual4test.com/MS-203_examcollection.html) (**396** Q&As Dumps, **30%OFF**  
**Special Discount: Freepdfdumps**)