

Microsoft.MS-600.v2021-11-25.q103

Exam Code:	MS-600
Exam Name:	Building Applications and Solutions with Microsoft 365 Core Services
Certification Provider:	Microsoft
Free Question Number:	103
Version:	v2021-11-25
# of views:	2980
# of Questions views:	1030
https://www.freepdfdumps.com/Microsoft.MS-600.v2021-11-25.q103.html	

NEW QUESTION: 1

You have a SharePoint Framework (SPFx) 1.5 solution.

You need to ensure that the solution can be used as a tab in Microsoft Teams.

What should you do first?

- A. Convert the solution to use the Bot Framework
- B. Deploy the solution to a developer site collection
- C. Deploy the solution to the Microsoft AppSource store
- D. Upgrade the solution to the latest version of SPFx

Answer: D ([LEAVE A REPLY](#))

Explanation

Starting with the SharePoint Framework v1.8, you can implement your Microsoft Teams tabs using SharePoint Framework.

Reference:

<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/web-parts/get-started/using-web-part-as-msteams-tab>

NEW QUESTION: 2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 3

You plan to integrate a web-based support ticketing system and Microsoft Teams.

You need to recommend a solution that will prompt users for specific information before a ticket is created. The solution must minimize development effort.

What should you include in the recommendation?

- A. outgoing webhooks
- B. incoming webhooks
- C. a notification-only bot
- D. a conversational bot

Answer: ([SHOW ANSWER](#))

Webhooks are a great way for Teams to integrate with external apps. A webhook is essentially a POST request sent to a callback URL. In Teams, outgoing webhooks provide a simple way to allow users to send messages to your web service without having to go through the full process of creating bots via the Microsoft Bot Framework. Outgoing webhooks post data from Teams to any chosen service capable of accepting a JSON payload. Once an outgoing webhook is added to a team, it acts like bot, listening in channels for messages using @mention, sending notifications to external web services, and responding with rich messages that can include cards and images.

Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/webhooks-and-connectors/how-to/add-outgoing-webhook> Extend Office Question Set 1

NEW QUESTION: 4

You are developing a single-page application (SPA).

You plan to access user data from Microsoft Graph by using an AJAX call.

You need to obtain an access token by the Microsoft Authentication Library (MSAL). The solution must minimize authentication prompts.

How should you complete the code segment? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 5

You need to retrieve a list of the last 10 files that the current user opened from Microsoft OneDrive. The response must contain only the file ID and the file name.

Which URI should you use to retrieve the results? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

"graph.microsoft.com" "drive" onedrive

Box 1: root

/root - The root folder for the drive.

Box 2: \$select=id,name

To specify a different set of properties to return than the default set provided by the Graph, use the \$select query option. The \$select option allows for choosing a subset or superset of the

default set returned. For example, when retrieving your messages, you might want to select that only the from and subject properties of messages are returned.

References: <https://docs.microsoft.com/en-us/onedrive/developer/rest-api/concepts/addressing-driveitems>

https://developer.microsoft.com/en-us/graph/docs/overview/query_parameters

NEW QUESTION: 6

You plan to develop a Microsoft Teams bot that will return product information to users by using an adaptive card.

You need to card to contain a button that will invoke a web search for the product.

What should use?

- A. A task module
- B. A search-based messaging extension
- C. An action-based messaging extension
- D. An outgoing webhook

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

You are developing a mobile application that will display the current signed-in user's display name and the application settings. The application settings are stored as Microsoft graph extension of the user profile.

Users of the application have intermittent network connectivity.

You need to retrieve the least amount of data by using a single REST request. The solution must minimize network traffic.

Which URI Should you use to retrieve the data?

- A. Option A
- B. Option D
- C. Option C
- D. Option B

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 8

You are building a single-page application (SPA) that will have the following parameters:

* App Id: DBA22F72-64PA4C44-AA2C-FAA0DA5A471B

* Tenant Id: DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC

* AppName: Contoso.Spa

You have a line-of-business API for invoicing that is secured by using the Microsoft identity platform. The API has the following parameters:

* App Id: 8/9A43D7-1794-47A0-AB2B-440B63FEC248

* Tenant Id: DC04SC4D S881-43C7-97AB 3C5A1ADB8DBC

* AppName: Contoso.Invoicing

Contoso.Invoicing declares the following custom scopes:

- * Invoices-Read
- * Invoices. Read Write

Contoso.Spa needs to call Contoso.Invoicing to create new invoices.

Which code should you use in Contoso.Spa to obtain an access token for Contoso.Invoicing? To answer, select the appropriate options in the answer area.

NOTE: Each correct select is worth one point.

Answer:

NEW QUESTION: 9

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 10

You are developing a Microsoft Teams application for a support staff.

Within a conversation between the support staff, you want the staff to look up support ticket IDs from a list without opening the ticketing system.

Which feature should the application include?

- A.** a bot
- B.** a connector
- C.** a messaging extension
- D.** a tab

Answer: C ([LEAVE A REPLY](#))

Explanation

Messaging extensions allow users to interact with your web service through buttons and forms in the Microsoft Teams client. They can search, or initiate actions, in an external system from the compose message area, the command box, or directly from a message. You can then send the results of that interaction back to the Microsoft Teams client, typically in the form of a richly formatted card.

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/platform/messaging-extensions/what-are-messaging-extensions>

NEW QUESTION: 11

You develop a web API named WebApi1.

When validating a token received from a client application, WebApi1 receives a `MsalUiRequiredException` exception from the Microsoft Identity Platform.

You need to ensure that the client application has the information required to complete the authentication.

Which header should you include in the HTTP response sent from WebApi1 to the client application?

- A. Accept
- B. Authorization
- C. WWW-Authenticate
- D. Access-Control-Allow-Credentials

Answer: C ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/dotnet/api/system.net.http.headers.httpresponseheaders.wwwauthenticate?view=net-5.0>

NEW QUESTION: 12

You are building a Microsoft Outlook add-in.

Which object should you use to save a user's preferences between sessions and devices?

- A. CustomProperties
- B. localStorage
- C. CustomXMLParts
- D. RoamingSettings

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 13

Which type of authentication flow should you recommend for the planned integration with Office 365?

- A. device code
- B. implicit grant
- C. authorization code
- D. client credentials

Answer: ([SHOW ANSWER](#)**)**

Explanation

To use Microsoft Graph to read and write resources on behalf of a user, your app must get an access token from the Microsoft identity platform and attach the token to requests that it sends to Microsoft Graph.

One common flow used by native and mobile apps and also by some Web apps is the OAuth 2.0 authorization code grant flow.

Scenario: Email the generated invoices to customers on behalf of the current signed-in user. Any emails generated by the system will contain the invoiced.

Use Azure AD to manage identities, authentication, and authorization.

Reference: <https://docs.microsoft.com/en-us/graph/auth-v2-user>

NEW QUESTION: 14

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 15

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Box 1: Yes

Using the isolated web parts capability, you can build web parts that securely communicate with APIs secured with Azure AD without exposing the access token to other components on the page or even scripts in the tenant.

When deploying these solutions to the app catalog, all API permission requests are specified as isolated.

Box 2: Yes

Even though on runtime isolated web parts will be loaded inside an iframe pointing to a unique domain, you can communicate with SharePoint REST API, the same way as you would in non-isolated web parts.

Box 3: Yes

If you're upgrading an existing SharePoint Framework project to v1.8.0 and want to use the isolated permissions capability, you can do it, by setting in the config/package-solution.json file, the isDomainIsolated property to true. You should ensure, that your project contains only web parts.

After changing the project to use isolated permissions, you should redeploy your project. This will issue new API permission requests, isolated to your solution, which will need to be approved by the tenant admin.

Reference: <https://docs.microsoft.com/en-us/sharepoint/dev/spfx/web-parts/isolated-web-parts>

NEW QUESTION: 16

You need to retrieve a list of the last 10 files that the current user opened from Microsoft OneDrive. The response must contain only the file ID and the file name.

Which URI should you use to retrieve the results? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

References: <https://docs.microsoft.com/en-us/onedrive/developer/rest-api/concepts/addressing-driveitems>

https://developer.microsoft.com/en-us/graph/docs/overview/query_parameters

Valid MS-600 Dumps shared by Actual4test.com for Helping Passing MS-600 Exam!
Actual4test.com now offer the **newest MS-600 exam dumps**, the Actual4test.com MS-600 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-600 dumps with Test Engine here:

https://www.actual4test.com/MS-600_examcollection.html (244 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 17

You have an invoice approval process in which an approver is sent an automated email that contains a link to a web-based accounts system whenever an invoice requires approval. Which benefit can be achieved by using actionable messages for the approval process?

- A.** The approver can delegate invoice approvals to other users by forwarding actionable messages
- B.** Invoices can be approved directly from Microsoft Outlook by using actionable messages
- C.** Actionable messages will work in any email client
- D.** Actionable messages can provide detailed auditing of all the approved invoices and can be viewed in a rollup report

Answer: (SHOW ANSWER)

Whether you are filling out a survey, approving an expense report, or updating a CRM sales opportunity, Actionable Messages enable you to take quick actions right from within Outlook. Developers can now embed actions in their emails or notifications, elevating user engagement with their services and increasing organizational productivity.

NEW QUESTION: 18

Your company has a third-party invoicing web app.

You need to display the app within Microsoft Teams for one user only. The app will not require conversational interactions.

How should you display the app by using the minimum amount of effort?

- A.** Instruct the user to add a website tab
- B.** Instruct the user to add an App Studio app
- C.** Create a SharePoint Framework (SPFx) web part
- D.** Create a search-based messaging extension

Answer: A (LEAVE A REPLY)

There are currently three methods of app integration in Teams: Connectors, Bots, and Tabs. Tabs offer more extensive integration by allowing you to view entire third-party services within Microsoft Teams.

Reference: <https://www.sherweb.com/blog/office-365/o365-microsoft-teams-apps/>

NEW QUESTION: 19

You have a SharePoint Framework (SPFx) 1.5 solution.

You need to ensure that the solution can be used as a tab in Microsoft Teams.

What should you do first?

- A. Convert the solution to use the Bot Framework
- B. Deploy the solution to a developer site collection
- C. Deploy the solution to the Microsoft AppSource store
- D. Upgrade the solution to the latest version of SPFx

Answer: ([SHOW ANSWER](#))

Starting with the SharePoint Framework v1.8, you can implement your Microsoft Teams tabs using SharePoint Framework.

Reference: <https://docs.microsoft.com/en-us/sharepoint/dev/spfx/web-parts/get-started/using-web-part-as-ms-teams-tab>

NEW QUESTION: 20

You are building a single-page application (SPA) that will have the following parameters:

- * App Id: DBA22F72-64PA4C44-AA2C-FAA0DA5A471B
- * Tenant Id: DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC
- * AppName: Contoso.Spa

You have a line-of-business API for invoicing that is secured by using the Microsoft identity platform. The API has the following parameters:

- * App Id: 8/9A43D7-1794-47A0-AB2B-440B63FEC248
- * Tenant Id: DC04SC4D S881-43C7-97AB 3C5A1ADB8DBC
- * AppName: Contoso.Invoicing

Contoso.Invoicing declares the following custom scopes:

- * Invoices-Read
- * Invoices. Read Write

Contoso.Spa needs to call Contoso.Invoicing to create new invoices.

Which code should you use in Contoso.Spa to obtain an access token for Contoso.Invoicing? To answer, select the appropriate options in the answer area.

NOTE: Each correct select is worth one point.

Answer:

NEW QUESTION: 21

You are building a Microsoft teams application by using an outgoing webhook.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 22

What are two possible URIs that you can use to configure the content administration user interface? Each correct answer present a complete solution.

NOTE: Each correct selection is worth one point.

- A. Option C
- B. Option D
- C. Option A
- D. Option B

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 23

You are developing a Microsoft Teams application for a support staff.

Within a conversation between the support staff, you want the staff to look up support ticket IDs from a list without opening the ticketing system.

Which feature should the application include?

- A. a bot
- B. a connector
- C. a messaging extension
- D. a tab

Answer: C ([LEAVE A REPLY](#))

Messaging extensions allow users to interact with your web service through buttons and forms in the Microsoft Teams client. They can search, or initiate actions, in an external system from the compose message area, the command box, or directly from a message. You can then send the results of that interaction back to the Microsoft Teams client, typically in the form of a richly formatted card.

Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/messaging-extensions/what-are-messaging-extensions>

NEW QUESTION: 24

You are building a conversational bot that will have an interactive UI. When the user invokes the bot by using a keyword, the bot will reply with a dialog that lets the user choose one of multiple options.

After the user chooses an option, and the response is received by the backend logic, you need to prompt the user to select additional options.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Implement an Adaptive Card that has an `showCard` card action.
- B. Implement a Hero Card that has an `invokeCard` action.
- C. Return an HTTP response that contains a `TaskInfo` object of type `message` and an Adaptive Card.
- D. Return an HTTP response that contains a `TaskInfo` object of type `message` and an embedded web view.
- E. Return an HTTP response that contains a `TaskInfo` object of type `continue` and an Adaptive Card.

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 25

You have an invoice approval process in which an approver is sent an automated email that contains a link to a web-based accounts system whenever an invoice requires approval.

Which benefit can be achieved by using actionable messages for the approval process?

- A.** The approver can delegate invoice approvals to other users by forwarding actionable messages
- B.** Invoices can be approved directly from Microsoft Outlook by using actionable messages
- C.** Actionable messages will work in any email client
- D.** Actionable messages can provide detailed auditing of all the approved invoices and can be viewed in a rollup report

Answer: ([SHOW ANSWER](#))

Whether you are filling out a survey, approving an expense report, or updating a CRM sales opportunity, Actionable Messages enable you to take quick actions right from within Outlook. Developers can now embed actions in their emails or notifications, elevating user engagement with their services and increasing organizational productivity.

Reference: <https://docs.microsoft.com/en-us/outlook/actionable-messages/>

NEW QUESTION: 26

You have a backend service that will access the Microsoft Graph API.

You need to configure the service to authenticate by using the most secure authentication method.

What should you configure the service to use?

- A.** a certificate
- B.** a client secret
- C.** a shared key
- D.** a hash

Answer: **A** ([LEAVE A REPLY](#))

You can authenticate to the Graph API with two primary methods: AppId/Secret and certificate based authentication. Certificate is the preferred and more secure way of authenticating.

Reference: <https://adamtheautomator.com/microsoft-graph-api-powershell/> Build Apps with Microsoft Graph Testlet 1 This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

ADatum Corporation develops a software as a service (SaaS) application named E-invoicing.

Existing Environment

Application Architecture

E-invoicing consists of a single-page application (SPA) and a backend web service that provides invoice management and processing functionality.

E-invoicing stores all the details of each invoicing operation in a backend cloud database. E-invoicing generates invoices in PDF format and provides users with the ability to download the PDF after it is generated.

Each invoice has a unique identifier named invoiceid.

The users have a common workflow where they sign in to E-invoicing, and then open E-invoicing in multiple tabs of a web browser so they can use different parts of the application simultaneously.

Security Architecture

ADatum uses the principle of least privilege whenever possible. ADatum always uses the latest libraries and integration endpoints.

Requirements

Business Goals

ADatum wants to integrate E-invoicing, Azure Active Directory (Azure AD), and Microsoft Graph so that their customers can leverage Microsoft Office 365 services directly from within E-invoicing.

Planned Changes

ADatum plans to add the following capabilities to E-invoicing:

- * Email the generated invoices to customers on behalf of the current signed-in user. Any emails generated by the system will contain the invoiceid.
- * Perform as many operations as possible in the browser without having to leave the E-invoicing application.
- * Use Azure AD to manage identities, authentication, and authorization.
- * Display all emails that contain a specific invoiceid.

Technical Requirements

ADatum identifies the following technical requirements for the planned E-invoicing capabilities:

- * Ensure that all operations performed by E-invoicing against Office 365 are initiated by a user. Require that the user authorize E-invoicing to access the Office 365 data the first time the application attempts to access Office 365 data on the user's behalf.
- * Send scheduled reminders to customers before a payment due date. Create an administration user interface to enable the scheduled reminders.
- * Implement Microsoft Graph change notifications to detect emails from vendors that arrive in a designated mailbox.
- * Implement single sign-on (SSO) and minimize login prompts across browser tabs.
- * Secure access to the backend web service by using Azure AD.
- * Ensure that all solutions use secure coding practices.

Backend Security Planned Changes

ADatum wants to use custom application roles to map user functionality to permissions granted to users.

E-invoicing will have internal logic that will dynamically identify whether the user should be allowed to call the backend API.

SSO JavaScript Script

You plan to implement SSO with Microsoft Authentication Library (MSAL) by using the following code:

Access Token JavaScript Script

You have the following JavaScript code to obtain an access token.

Change Notification JSON

You have the following JSON message that will be sent by the Microsoft Graph service to detect the vendor emails.

NEW QUESTION: 27

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a new application named App1 that uses the Microsoft identity platform to authenticate to Azure Active Directory (Azure AD).

Currently, App1 can read user profile information.

You need to allow App1 to read the user's calendar.

Solution: Add `https://graph.windows.net/user.read` to the list of scopes during the initial login request.

Does this meet the goal?

A. Yes

B. No

Answer: B ([LEAVE A REPLY](#))

Explanation

Microsoft Graph Calendars.Read allows the app to read events in user calendars.

For your app to access data in Microsoft Graph, the user or administrator must grant it the correct permissions via a consent process.

Application permissions are used by apps that run without a signed-in user present; for example, apps that run as background services or daemons. Application permissions can only be consented by an administrator.

References: <https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-permissions-and-consent>

<https://docs.microsoft.com/en-us/graph/permissions-reference>

NEW QUESTION: 28

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to deploy a Microsoft Teams app. The app will create a Microsoft Teams personal tab that displays a website.

Solution: You manually create a Microsoft Teams manifest file that includes a configurableTabs section containing the name, ID, and content URL of the website.

Does this meet the goal?

A. Yes

B. No

Answer: B ([LEAVE A REPLY](#))

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/platform/tabs/how-to/create-personal-tab?tabs=nodejs>

NEW QUESTION: 29

You are developing a human resources application that will show users where they are in their company's organization chart.

You are adding a new feature that will display the name of a user's manager inside the application.

You need to create a REST query to retrieve the information. The solution must minimize the amount of data retrieved.

Which query should you use?

A. GET [https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/manager?\\$select=displayName](https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/manager?$select=displayName)

B. GET [https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/people?\\$filter=jobTitle eq 'manager'&\\$select=displayName](https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/people?$filter=jobTitle eq 'manager'&$select=displayName)

C. GET <https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/>

contacts?\$filter=jobTitle eq 'manager'

D. GET <https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/manager>

Answer: A ([LEAVE A REPLY](#))

Explanation

Get user's manager. Returns the user or organizational contact assigned as the user's manager.

Syntax:

GET /me/manager

GET /users/{id | userPrincipalName}/manager

Only the name of the user's manager should be displayed so we use ?select=displayname To specify a different set of properties to return than the default set provided by the Graph, use the \$select query option. The \$select option allows for choosing a subset or superset of the default set returned.

References: <https://docs.microsoft.com/en-us/graph/api/user-list-manager>

https://developer.microsoft.com/en-us/graph/docs/overview/query_parameters

NEW QUESTION: 30

This question requires that you evaluate the underlined BOLD text to determine if it is correct.

You develop a Microsoft Teams application that uses a messaging extension.

Users can invoke the messaging extension from the Teams sidebar menu.

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed". If the statement is incorrect, select the answer choice that makes the statement correct.

- A.** No change is needed
- B.** from the compose box of a Teams chat
- C.** by using the Manage teams option for a team
- D.** by using the Add a tab option in the Teams channel

Answer: B ([LEAVE A REPLY](#))

Explanation

In the app manifest for your Microsoft Teams app you'll define a single messaging extension with up to ten different commands. Each command defines a type (action or search), and the locations in the client it can be invoked from (compose message area, command bar, and/or message).

Reference:

<https://docs.microsoft.com/en-us/microsoftteams/platform/messaging-extensions/what-are-messaging-extensions>

NEW QUESTION: 31

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Box 1: No

Box 2: Yes

Partial table lists the events that your bot can receive and take action on.

Box 3: Yes

The messageReaction event is sent when a user adds or removes his or her reaction to a message which was originally sent by your bot.

Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/resources/bot-v3/bots-notifications>

Valid MS-600 Dumps shared by Actual4test.com for Helping Passing MS-600 Exam!

Actual4test.com now offer the **newest MS-600 exam dumps**, the Actual4test.com MS-600 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-600 dumps with Test Engine here:

https://www.actual4test.com/MS-600_examcollection.html (244 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 32

You are developing an interactive invoicing application that will be used by end users. The application will have the following features:

Save invoices generated by a user to the user's Microsoft OneDrive.

Email daily automated reminders.

You need to identify which permissions to grant for the application features. The solution must use the principle of least privilege.

Which permission should you grant for each feature? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 33

You are building a new tab as part of a new Microsoft Teams application. Users will experience the tab privately.

How should you complete the application manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 34

How can you validate that the JSON notification message is sent from the Microsoft Graph service?

A. The ClientState must match the value provided when subscribing.

B. The user_guid must map to a user ID in the Azure AD tenant of the customer.

C. The tenant ID must match the tenant ID of the customer's Office 365 tenant.

D. The subscription ID must match the Azure subscription used by ADatum.

Answer: A ([LEAVE A REPLY](#))

clientState specifies the value of the clientState property sent by the service in each notification. The maximum length is 128 characters. The client can check that the notification came from the service by comparing the value of the clientState property sent with the subscription with the value of the clientState property received with each notification.

Note: A subscription allows a client app to receive notifications about changes to data in Microsoft Graph.

Reference: <https://docs.microsoft.com/en-us/graph/api/resources/subscription> Build Apps with Microsoft Graph Question Set 2

NEW QUESTION: 35

You plan to develop a TypeScript client-side app that will use the MSGraphClient library. You need to configure Microsoft Visual Studio Code to use IntelliSense and support code completion for the MSGraph client library.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. Add the following import Statement to the code: `import * as MicrosoftGraph from '@Microsoft/microsoft-graph-types';`

B. Install the Microsoft Graph Toolkit.

C. Add the following import statement to the code: `import * as MicrosoftGraph from '@microsoft/microsoft-graph';`

D. Run the: `npm install @microsoft/microsoft-graph-types --save-dev` command.

E. Run the `npm install @microsoft/microsoft-graph --save-dev` command.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 36

You are developing an application that will use Microsoft Graph.

You attempt to retrieve a list of the groups in your organization by using a URI of `https://graph.microsoft.com/v1.0/groups` on behalf of the user.

The application fails. The diagnostic logs show the following information:

* An HTTP 403 Forbidden status code

* An `Authorization_RequestDenied` error code

* The following error message: "Insufficient privileges to complete the operation." You need to ensure that the application can retrieve the list of groups. The solution must use the principle of least privilege. Which two actions should you perform? Each correct answer presents part of the solution.

NOTE; Each correct selection is worth one point.

A. Configure the application to use application permissions.

B. In the permission request for the application, request the `Group.Read.All` permission.

- C.** In the permission request for the application, request the Group. Readwrite. All permission
- D.** Grant tenant admin consent for the Group.Read. All permission.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

You are creating an app manifest for Microsoft Teams.

You need to create a team tab and a personal tab. The team tab must be scoped for group chat. How should you complete the manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://medium.com/netcompany/custom-microsoft-teams-applications-the-easy-way-6da0a5975336>

NEW QUESTION: 38

You have a starter SharePoint Framework (SPFx) web part.

You need to test the web part from the local workbench by connecting to a URL of `https://localhost:4321/temp/workbench.html`.

Which tool should you use make the web part available locally for debugging?

- A.** Yeoman
- B.** Microsoft Visual Studio Code
- C.** npm install
- D.** gulp serve

Answer: ([SHOW ANSWER](#))

Explanation

By setting up debugging of your SharePoint Framework solution in Visual Studio Code, you can more efficiently step through your code and fix errors.

When building SharePoint Framework solutions, you can use the local workbench to verify that your web part is working correctly. Using the local workbench is convenient for testing all scenarios that do not require communicating with SharePoint as well as for offline development.

Reference: <https://docs.microsoft.com/en-us/sharepoint/dev/spfx/debug-in-vscode>

NEW QUESTION: 39

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 40

You are building a server-based web app that will use OAuth2 and will be registered with the Microsoft identity platform.

Which two values does the app require to obtain tokens from the Azure Active Directory (Azure AD) authorization endpoint? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. the tenant ID
- B. the context token
- C. the application ID
- D. the application secret
- E. the authorization code

Answer: C,E ([LEAVE A REPLY](#))

C: The required client_id is the Application (client) ID that the Azure portal - App registrations experience assigned to your app.

E: The authorization code flow begins with the client directing the user to the /authorize endpoint.

NEW QUESTION: 41

You need to recommend a model for the expense claims solution. What should you recommend?

- A. actionable messages via connectors that use an actionable message card
- B. actionable messages via email that uses an adaptive card
- C. actionable messages via connectors that use an adaptive card
- D. actionable messages via email that uses an actionable message card

Answer: B ([LEAVE A REPLY](#))

Overview

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the question. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

NEW QUESTION: 42

HOTSPOT

You are developing an interactive invoicing application that will be used by end users. The application will have the following features:

- * Save invoices generated by a user to the user's Microsoft OneDrive.
- * Email daily automated reminders.

You need to identify which permissions to grant for the application features. The solution must use the principle of least privilege.

Which permission should you grant for each feature? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Microsoft identity platform supports two types of permissions: delegated permissions and application permissions.

Box 1: Delegated

* Delegated permissions are used by apps that have a signed-in user present. For these apps, either the user or an administrator consents to the permissions that the app requests, and the app is delegated permission to act as the signed-in user when making calls to the target resource.

Box 2: Application

* Application permissions are used by apps that run without a signed-in user present; for example, apps that run as background services or daemons. Application permissions can only be consented by an administrator.

Reference: <https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-permissions-and-consent>

NEW QUESTION: 43

You are developing a server-based application that has the following requirements:

Prompt the user to fill out form that contains a keyword.

Search the OneDrive for Business folder for files that contain the keyword and return the results to the user.

Allow the user to select one of the files from the results.

Copy the selected file to an Azure Blob storage container.

Which four actions should the application perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

- 1 - Perform the following rest...
- 2 - Storag the mictosoft...
- 3 - Store the file in a blode storage container.

NEW QUESTION: 44

You are developing a Microsoft Team application. To host a webpage in a Teams tab, the manifest file must include the `contentUrl` property within the `staticTabs` property.

Instructions: Review the underline text. If the makes the statement correct, select " No change is needed. " If the statement is incorrect, select the answer choice that makes the statement correct.

- A. ValidDomain property within the statictabs property
- B. ValidDomain property within the configuragbleTabs property
- C. websiteUrl property within the configuragbleTabs property
- D. No change is needed.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 45

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Box 1: Yes

Using the isolated web parts capability, you can build web parts that securely communicate with APIs secured with Azure AD without exposing the access token to other components on the page or even scripts in the tenant.

When deploying these solutions to the app catalog, all API permission requests are specified as isolated.

Box 2: Yes

Even though on runtime isolated web parts will be loaded inside an iframe pointing to a unique domain, you can communicate with SharePoint REST API, the same way as you would in non-isolated web parts.

Box 3: Yes

If you're upgrading an existing SharePoint Framework project to v1.8.0 and want to use the isolated permissions capability, you can do it, by setting in the `config/package-solution.json` file, the `isDomainIsolated` property to true. You should ensure, that your project contains only web parts.

After changing the project to use isolated permissions, you should redeploy your project. This will issue new API permission requests, isolated to your solution, which will need to be approved by the tenant admin.

Reference: <https://docs.microsoft.com/en-us/sharepoint/dev/spfx/web-parts/isolated-web-parts>

NEW QUESTION: 46

You plan to deploy a SharePoint Framework (SPFx) solution to the tenant app catalog.

Which attribute should you configure in the `package-solution.json` file to ensure that the solution is available immediately to all site collections?

- A. `skipFeatureDeployment`
- B. `zippedPackage`

C. ClientSideComponentId

D. isDomainIsolated

Answer: A (LEAVE A REPLY)

You can configure your SharePoint Framework components to be immediately available across the tenant when the solution package is installed to the tenant app catalog. This can be configured by using the skipFeatureDeployment attribute in the package-solution.json file.

Valid MS-600 Dumps shared by Actual4test.com for Helping Passing MS-600 Exam!

Actual4test.com now offer the **newest MS-600 exam dumps**, the Actual4test.com MS-600 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-600 dumps with Test Engine here:

https://www.actual4test.com/MS-600_examcollection.html (244 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 47

You are developing an application that will upload files that are larger than 50 MB to Microsoft OneDrive.

You need to recommend an upload solution to ensure that the file upload process can resume if a network error occurs during the upload.

Which four actions should you perform in sequence? To answer, move the actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

- 1 - Upload the first sequence of bytes.
- 2 - Create a temporary upload folder in Onedrive.
- 3 - Use the nextExpectedRanges field to continue the upload process
- 4 - Send the final byte sequence.

NEW QUESTION: 48

Which type of authentication flow should you recommend for the planned integration with Office 365?

- A. device code
- B. implicit grant
- C. authorization code
- D. client credentials

Answer: C (LEAVE A REPLY)

To use Microsoft Graph to read and write resources on behalf of a user, your app must get an access token from the Microsoft identity platform and attach the token to requests that it sends to Microsoft Graph.

One common flow used by native and mobile apps and also by some Web apps is the OAuth 2.0 authorization code grant flow.

Scenario: Email the generated invoices to customers on behalf of the current signed-in user. Any emails generated by the system will contain the invoiced.

Use Azure AD to manage identities, authentication, and authorization.

Reference: <https://docs.microsoft.com/en-us/graph/auth-v2-user>

Extend and Customize SharePoint

Question Set 2

NEW QUESTION: 49

You are developing a Microsoft Teams solution to host an existing webpage as a Teams tab. Which requirement must the page meet?

- A. The page must adhere to HTML 5.0 standards
- B. The page must adhere to WCAG 2.0 accessibility guidelines
- C. The page must be hosted on a domain that is on the validDomains list of the manifest
- D. The page must use CSS3 stylesheets

Answer: C ([LEAVE A REPLY](#))

Explanation

Make sure that all domains used in your tab pages are listed in the manifest.json validDomains array.

Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/tabs/how-to/create-tab-pages/configuration-page>

NEW QUESTION: 50

: 59 HOTSPOT

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Box 1: Yes

The Adaptive Cards Designer provides a drag-and-drop experience to quickly build and tweak adaptive cards.

Outlook Actionable Messages cards are designed using the Adaptive Card format. The Adaptive Card format is a simple yet powerful declarative layout format that provides a lot of flexibility, allowing for visually rich cards. In this topic we'll cover the Outlook-specific features of the Adaptive Card format.

Box 2: Yes

The actionable message card is in JSON format.

Box 3: No

By default, the Tenant Administrator can create, edit, clone, and delete tenants, and manage user accounts.

Note:

To enable Actionable Messages the recipient of the task must be an Office 365 customer with permissions for the SharePoint online site.

No: Office 365 administrators can disable actionable messages via the Set-OrganizationConfig cmdlet. If actionable messages do not render, check with your administrator to make sure the feature is enabled in your organization.

Adaptive Cards Designer Microsoft outlook actionable messages

References: <https://docs.microsoft.com/en-us/outlook/actionable-messages/adaptive-card>
<https://gingkoapp.com/create-tenant-administrator.html>

NEW QUESTION: 51

You are building a Microsoft teams application by using an outgoing webhook.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 52

You have a server-side web app that uses OAuth 2.0 and is registered to the Microsoft identity platform.

A user acquires an authorization token.

You need to specify which HTTP header format the user must use to access the app.

What should you specify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 53

You are building a server-based web app that will use OAuth2 and will be registered with the Microsoft identity platform.

Which two values does the app require to obtain tokens from the Azure Active Directory (Azure AD) authorization endpoint? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. the tenant ID
- B. the context token
- C. the application ID
- D. the application secret
- E. the authorization code

Answer: C,E (LEAVE A REPLY)

C: The required client_id is the Application (client) ID that the Azure portal - App registrations experience assigned to your app.

E: The authorization code flow begins with the client directing the user to the /authorize endpoint.

Reference: <https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-oauth2-auth-code-flow>

NEW QUESTION: 54

You need to develop an add-in for Microsoft Excel that can be used from the Windows, Mac, and web versions of Excel.

What are two ways to develop the add-in? Each correct answer presents a complete solution?

NOTE: Each correct selection is worth one point.

A. From Microsoft Teams, install App Studio

B. From Microsoft Visual Studio that has the Microsoft Office/SharePoint development workload installed, create a new project that uses a Web Add-in template

C. From the Microsoft Office 365 portal, use Microsoft PowerApps

D. Use the Yeoman generator for Microsoft Office Add-ins to create the project, and then open the project in Microsoft Visual Studio Code

E. From Microsoft Visual Studio that has the Microsoft Office/SharePoint development workload installed, create a new project that uses a Visual Studio Tools for Office (VSTO) template

Answer: D,E (LEAVE A REPLY)

D: Run the following command to create an add-in project using the Yeoman generator:

```
yo office
```

Visual Studio Code is a great tool to help you develop your custom Office Add-ins regardless if they are for Outlook, Word, Excel, PowerPoint and run in the web clients, Windows clients, iOS clients or on macOS.

Open the project in Visual Studio Code by entering the following on the command line from within the same folder where you ran the generator:

```
code.
```

E: You can create VSTO Add-ins for Excel.

To create a new Excel VSTO Add-in project in Visual Studio

Start Visual Studio.

On the File menu, point to New, and then click Project.

In the templates pane, expand Visual C# or Visual Basic, and then expand Office/SharePoint.

Under the expanded Office/SharePoint node, select the Office Add-ins node.

In the list of project templates, select Excel 2010 Add-in or Excel 2013 Add-in.

In the Name box, type FirstExcelAddIn.

Click OK.

Visual Studio creates the FirstExcelAddIn project and opens the ThisAddIn code file in the editor.

References: <https://docs.microsoft.com/en-us/office/dev/add-ins/tutorials/excel-tutorial>

https://code.visualstudio.com/docs/other/office#_use-visual-studio-code-to-develop-your-office-addin

<https://docs.microsoft.com/en-us/visualstudio/vsto/walkthrough-creating-your-first-vsto-add-in-for-excel>

NEW QUESTION: 55

You are developing a SharePoint Framework (SPFx) solution.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/extensions/get-started/building-simple-field-customizer#enhance-the-field-customizer-rendering>

<https://www.spguides.com/spfx-application-customizer/>

NEW QUESTION: 56

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Box 1: Yes

The Adaptive Cards Designer provides a drag-and-drop experience to quickly build and tweak adaptive cards.

Outlook Actionable Messages cards are designed using the Adaptive Card format. The Adaptive Card format is a simple yet powerful declarative layout format that provides a lot of flexibility, allowing for visually rich cards. In this topic we'll cover the Outlook-specific features of the Adaptive Card format.

Box 2: Yes

The actionable message card is in JSON format.

Box 3: No

By default, the Tenant Administrator can create, edit, clone, and delete tenants, and manage user accounts.

Note:

To enable Actionable Messages the recipient of the task must be an Office 365 customer with permissions for the SharePoint online site.

No: Office 365 administrators can disable actionable messages via the Set-OrganizationConfig cmdlet. If actionable messages do not render, check with your administrator to make sure the feature is enabled in your organization.

Adaptive Cards Designer Microsoft outlook actionable messages

References: <https://docs.microsoft.com/en-us/outlook/actionable-messages/adaptive-card>

<https://gingkoapp.com/create-tenant-administrator.html>

NEW QUESTION: 57

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a new application named App1 that uses the Microsoft identity platform to authenticate to Azure Active Directory (Azure AD).

Currently, App1 can read user profile information.

You need to allow App1 to read the user's calendar.

Solution: In the code of App1, dynamically request the Calendar.Read permission from the Microsoft Graph API.

Does this meet the goal?

A. Yes

B. No

Answer: B ([LEAVE A REPLY](#))

Explanation

For your app to access data in Microsoft Graph, the user or administrator must grant it the correct permissions via a consent process.

Application permissions can only be consented by an administrator.

References: <https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-permissions-and-consent>

<https://docs.microsoft.com/en-us/graph/permissions-reference>

NEW QUESTION: 58

You are developing a web app that will display emails from the Microsoft 365 mailbox of the current signed-in user.

For performance reasons, you do not want all the emails to be loaded simultaneously, rather page-by-page as the user navigates the app.

You plan to display 30 emails per page. The most recent emails must be displayed first.

How should you complete the query parameters for the REST request to display the third page of emails? To answer, drag the appropriate query parameters to the correct targets. Each query parameter may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 59

You have a Microsoft 365 tenant.

You develop a custom Microsoft Office Add-in for Word.

You need to sideload the add-in.

You sign in to Microsoft 365 in a web browser and create a new Word document. What should you do next?

A. Upload the add-in to Microsoft AppSource.

B. Select Upload My Add-in and verify that the add-in was installed.

- C. Attach a remote debugger by using Microsoft Visual Studio Code.
- D. Upload the add-in to the tenant app catalog.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 60

This question requires that you evaluate the underlined text to determine if it is correct.

Centralized deployments for Microsoft Office Add-ins require Office Online Server.

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed". If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. Azure Active Directory (Azure AD)
- C. Azure AD Connect
- D. an Azure web app

Answer: A ([LEAVE A REPLY](#))

Centralized deployment of add-ins requires that the users are using Office 365 ProPlus (and are signed into Office using their Organizational ID), and have Exchange Online and active Exchange Online mailboxes.

Reference: <https://docs.microsoft.com/en-us/office365/admin/manage/centralized-deployment-of-add-ins>

NEW QUESTION: 61

You need to complete the MSALjs code for the SSO Javascript. Which code segment should you insert at line 06?

- A. storeAuthStateInCookie: false
- B. cacheLocation:'sessionStorage'
- C. cacheLocation:'localStorage'
- D. storeAuthStateInCookie: true

Answer: C ([LEAVE A REPLY](#))

Valid MS-600 Dumps shared by Actual4test.com for Helping Passing MS-600 Exam!

Actual4test.com now offer the **newest MS-600 exam dumps**, the Actual4test.com MS-600 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-600 dumps with Test Engine here:

https://www.actual4test.com/MS-600_examcollection.html (244 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 62

You are creating an application named App1 that will use the Microsoft identity platform. App1 will be accessed only by users from several different Microsoft 365 subscriptions.

Which Supported account types setting should you configure for App1?

- A. Accounts in any organizational directory and personal Microsoft a accounts
- B. Accounts in any organizational directory
- C. Accounts in this organizational directory only

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 63

You are developing an Azure function to provision a team in Microsoft Teams.

You need to create a group named Project A, add a classification of Private to the group, and then convert Project A to a team group.

How should you complete the REST requests? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Box 1: post

You need to create a group named Project A.

The following example creates an Office 365 group.

POST <https://graph.microsoft.com/v1.0/groups>

Content-type: application/json

Content-length: 244

```
{  
  "description": "Self help community for library",  
  "displayName": "Library Assist",  
  "groupTypes": [  
    "Unified"  
  ],  
  "mailEnabled": true,  
  "mailNickname": "library",  
  "securityEnabled": false  
}
```

Box 2: PATCH

Add a classification of Private to the group.

You can set the classification property in a PATCH request for the group, if do not set it in the initial POST request that creates the group.

Box 3: put

Then convert Project A to a team group.

Syntax: PUT [/groups/{id}/team](#)

References: <https://docs.microsoft.com/en-us/graph/api/group-post-groups>

<https://docs.microsoft.com/en-us/graph/api/resources/group>

<https://docs.microsoft.com/en-us/graph/api/team-put-teams>

NEW QUESTION: 64

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Box 1: Yes

As part of your app you can add custom tabs to embed your own web content in Teams, and using the Teams JavaScript client SDK, add Teams-specific functionality to your web content.

Box 2: Yes

You can use the Office JavaScript API to create task pane or content add-ins for Office 2013 host applications.

Box 3: Yes

You can use the Office JavaScript API to create task pane or content add-ins for Office 2013 host applications.

Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/tabs/what-are-tabs>

<https://docs.microsoft.com/en-us/office/dev/add-ins/develop/support-for-task-pane-and-content-add-ins>

NEW QUESTION: 65

You are developing a Microsoft Teams application.

Which Teams feature provides you with the ability to invoke a model popup by using the minimum amount of custom code?

- A. A bot
- B. A connector
- C. A task module
- D. An adaptive card

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

You are developing a server-based web app that will use OAuth2 on behalf of the user and will be registered with the Microsoft identity platform.

Which two types of tokens can the app retrieve as part of the authorization flow? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. context token
- B. Kerberos token
- C. refresh token
- D. SAML token
- E. access token

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-oauth2-on-behalf-of-flow>

NEW QUESTION: 67

For each of the following statements, select Yes if the statement is true. Otherwise, select NO.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 68

You are evaluating the SharePoint Framework (SPFx) ListView Command Set extension.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Box 1: Yes

Extensions are client-side components that run inside the context of a SharePoint page.

Box 2: Yes

ClientSideExtension.ListViewCommandSet.CommandBar: The top command set menu in a list or library.

Box 3: Yes

ClientSideExtension.ListViewCommandSet.ContextMenu: The context menu of the item(s).

Reference:

<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/extensions/get-started/building-simple-cmdset-with-dialog->

NEW QUESTION: 69

This question requires that you evaluate the underlined text to determine if it is correct.

In Microsoft Word on Windows, before you can sideload a Microsoft Office Add-in, you must first upload the manifest to Microsoft_pnePrivc.

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed." If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed.
- B. publish the manifest to a trusted network location
- C. deploy the manifest to an Azure website
- D. set Microsoft Edge to Developer Mode

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 70

You need to request permission to create a group in a Sharepoint Framework (SPFx) solution. To which file should you add the permission request?

- A. Config.json

- B. Package.json
- C. Serve.json
- D. Package-solution.json

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 71

You need to implement the role functionality for the backend web service calls.

Which three actions should you perform in sequence? To answer, move the actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

- 1 - Create a new client secret in the application registration of the backend web service.
- 2 - Verify for the role claims in the backend web service.
- 3 - Assign the roles to the Azure AD group that contains the users who are mapped to the roles.

NEW QUESTION: 72

You are developing a new Microsoft Office Add-in to integrate a corporate invoicing system and Microsoft Excel.

You need to add a new button to the Office ribbon.

What should you add to the add-in?

- A. a task pane
- B. a dialog
- C. a custom function
- D. a command

Answer: ([SHOW ANSWER](#)**)**

Add commands to a custom group

1. In the Customize the Ribbon window under the Customize the Ribbon list, click the custom group that you want to add a command to.
2. In the Choose commands from list, click the list you want to add commands from, for example, Popular Commands or All Commands.
3. Click a command in the list that you choose.
4. Click Add.
5. To see and save your changes, click OK.

Topic 2, Contoso

Existing Environment

Microsoft 365

Contoso identifies the following business goals:

- * Utilize core functionality of apps whenever possible.
- * Reduce app development costs.
- * Minimize training costs for end users.

Microsoft SharePoint/Microsoft Exchange

Contoso has a Microsoft 365 subscription that uses a domain named contoso.com. Each user is assigned a Microsoft 365 Enterprise E5 licence.

Problem Statement

Contoso moves all email accounts to Microsoft 365.

Contoso migrates the SharePoint Server 2013 intranet sites of the research department to SharePoint Online.

Requirements

Business Goals

Contoso identifies the following issues:

- * Users in the sales department report that preparing quotations is time-consuming as it requires manually copying and pasting data from multiple sources.
- * Users in the HR department must use multiple apps to manage the hiring process.
- * The solution to claim expenses requires multiple manual steps.

Planned Changes

Contoso identifies the following business goals:

- * Utilize core functionality of apps whenever possible.
- * Reduce app development costs.
- * Minimize training costs for end users.

Technical Requirements

Contoso plans to implement the following changes;

- * Redesign the SharePoint Online sites of the research department to provide users with an experience that is consistent with the Microsoft 365 portal. The research department has a third-party project management solution that uses the Microsoft identity platform in Azure AD.
- * Create an email workflow solution for expense claims. Users will submit their expense claims and the system will email an approval request to their manager.
- * Implement a bring your own device (BYOD) model that supports Windows 10, macOS, and Android devices.
- * Develop a custom Microsoft 365 app named SalesApp for the sales department.
- * Develop a custom Microsoft 365 app named HRApp for the HR department

Security Requirement

Contoso identifies the following technical requirements for app development:

- * The expense claims solution must provide managers with claim information and the ability to manage the claim by using Microsoft Outlook. Outlook on the web, or Outlook for iOS and Android.
- * HRApp must include a bot named HRBot that will answer HR questions. Users must be able to access the bot by mentioning HRBot in a Microsoft Teams channel or private chat.
- * HRApp must enable users to query a third-party HR system by using a tab from within a Microsoft Teams channel.
- * HRApp must include a messaging extension that enables users to search jobs by job title or job ID.

- * SalesApp must be integrated with Microsoft Word and must combine images and text from multiple sources to create a quotation as a DOCX file.
- * The distribution of SalesApp must be automatic and require minimal user interaction.
- * Solutions for SharePoint Online and Microsoft Office must follow the current Office user interface (UI) design.
- * Development tools and solutions must support Windows and non-Windows devices.
- * Development effort must be minimized.

HRApp Manifest

All solutions must support the Microsoft identity platform in Azure AD.

Intranet components must not share access tokens.

NEW QUESTION: 73

You are developing a human resources application that will show users where they are in their company's organization chart.

You are adding a new feature that will display the name of a user's manager inside the application.

You need to create a REST query to retrieve the information. The solution must minimize the amount of data retrieved.

Which query should you use?

A. GET https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/

B. manager?\$select=displayName

GET https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/

C. people?\$filter=jobTitle eq 'manager'&\$select=displayName

GET https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/

D. contacts?\$filter=jobTitle eq 'manager'

GET https://graph.microsoft.com/v1.0/users/{UserPrincipalName}/manager

Answer: A (LEAVE A REPLY)

Get user's manager. Returns the user or organizational contact assigned as the user's manager.

Syntax:

GET /me/manager

GET /users/{id | userPrincipalName}/manager

Only the name of the user's manager should be displayed so we use ?select=displayname To specify a different set of properties to return than the default set provided by the Graph, use the \$select query option. The \$select option allows for choosing a subset or superset of the default set returned.

References: <https://docs.microsoft.com/en-us/graph/api/user-list-manager>

https://developer.microsoft.com/en-us/graph/docs/overview/query_parameters

NEW QUESTION: 74

Which URI should you use to query all the emails that relate to an invoice?

A. https://graph.microsoft.com/v1.0/me/messages?\$search="{Invoiceid}"

- B. `https://graph.microsoft.com/v1.0/me/messages?$subject eq {invoiceid}`
- C. `https://graph.microsoft.com/v1.0/me/messages?${invoiceid}`
- D. `https://graph.microsoft.com/v1.0/me/messages?$filter=contains(subject,{invoiceid})`

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 75

You plan to integrate a web-based support ticketing system and Microsoft Teams.

You need to recommend a solution that will prompt users for specific information before a ticket is created.

The solution must minimize development effort.

What should you include in the recommendation?

- A. outgoing webhooks
- B. incoming webhooks
- C. a notification-only bot
- D. a conversational bot

Answer: ([SHOW ANSWER](#)**)**

Webhooks are a great way for Teams to integrate with external apps. A webhook is essentially a POST request sent to a callback URL. In Teams, outgoing webhooks provide a simple way to allow users to send messages to your web service without having to go through the full process of creating bots via the Microsoft Bot Framework. Outgoing webhooks post data from Teams to any chosen service capable of accepting a JSON payload. Once an outgoing webhook is added to a team, it acts like bot, listening in channels for messages using @mention, sending notifications to external web services, and responding with rich messages that can include cards and images.

NEW QUESTION: 76

You are building a single-page application (SPA) that will have the following parameters:

- * App Id: DBA22F72-64PA4C44-AA2C-FAA0DA5A471B
- * Tenant Id: DC045C4D-5881-43C7-97AB-3C5A1ADB8DBC
- * AppName: Contoso.Spa

You have a line-of-business API for invoicing that is secured by using the Microsoft identity platform. The API has the following parameters:

- * App Id: 8/9A43D7-1794-47A0-AB2B-440B63FEC248
- * Tenant Id: DC04SC4D S881-43C7-97AB 3C5A1ADB8DBC
- * AppName: Contoso.Invoicing

Contoso.Invoicing declares the following custom scopes:

- * Invoices-Read
- * Invoices. Read Write

Contoso.Spa needs to call Contoso.Invoicing to create new invoices.

Which code should you use in Contoso.Spa to obtain an access token for Contoso.Invoicing? To answer, select the appropriate options in the answer area.

NOTE: Each correct select is worth one point.

Answer:

Valid MS-600 Dumps shared by Actual4test.com for Helping Passing MS-600 Exam!
Actual4test.com now offer the **newest MS-600 exam dumps**, the Actual4test.com MS-600 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-600 dumps with Test Engine here:

https://www.actual4test.com/MS-600_examcollection.html (244 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 77

You plan to create a Microsoft Teams application that uses action-based messaging extensions. For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 78

You are developing a mobile application that will display the current signed-in user's display name and the application settings. The application settings are stored as Microsoft graph extension of the user profile.

Users of the application have intermittent network connectivity.

You need to retrieve the least amount of data by using a single REST request. The solution must minimize network traffic.

Which URI Should you use to retrieve the data?

- A. Option C
- B. Option B
- C. Option A
- D. Option D

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 79

You need to recommend the development environment and tools for the redesign of the research department's SharePoint Online sites. What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 80

You are developing a single page application (SPA) named App1 that will be used by the public. Many users of App1 restrict pop-up windows from opening in their browser.

You need to authenticate the users by using the Microsoft identity platform. The solution must meet the following requirements:

- * Ensure that App1 can read the profile of a user.
- * Minimize user interaction during authentication.
- * Prevent App1 from requiring admin consent for any permissions.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/develop/scenario-spa-acquire-token?tabs=javascript1>

NEW QUESTION: 81

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a new application named App1 that uses the Microsoft identity platform to authenticate to Azure Active Directory (Azure AD).

Currently, App1 can read user profile information.

You need to allow App1 to read the user's calendar.

Solution: From the Azure portal, add the Microsoft Graph API and the Calendar.Read permission by using the API permission list of App1. Grant tenant admin consent.

Does this meet the goal?

A. Yes

B. No

Answer: A ([LEAVE A REPLY](#))

Explanation

Microsoft Graph Calendars.Read allows the app to read events in user calendars.

For your app to access data in Microsoft Graph, the user or administrator must grant it the correct permissions via a consent process.

Application permissions are used by apps that run without a signed-in user present; for example, apps that run as background services or daemons. Application permissions can only be consented by an administrator.

References: <https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-permissions-and-consent>

<https://docs.microsoft.com/en-us/graph/permissions-reference>

NEW QUESTION: 82

You have an application that has the code shown in the exhibits. (Click the JavaScript Version tab or the C# Version tab.) For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

JavaScript Version

C# Version

Answer:

Explanation

Box 1: Yes

Unified is specified in the code.

Note: You can create the following types of groups:

Office 365 group (unified group)

Security group

Box 2: Yes

A member is added to the group.

Box 3: No

Box 4: No

Reference: <https://docs.microsoft.com/en-us/graph/api/group-post-groups>

NEW QUESTION: 83

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Box 1: No

Box 2: No

The manifest is in XML format.

Box 3: Yes

SourceLocation is required and specifies the source file location(s) for your Office Add-in as a URL between 1 and 2018 characters long. The source location must be an HTTPS address, not a file path.

References: <https://docs.microsoft.com/en-us/office/dev/add-ins/develop/add-in-manifests>

<https://docs.microsoft.com/en-us/office/dev/add-ins/reference/manifest/sourcelocation>

NEW QUESTION: 84

You need to complete the MSAL.js code for SSO.

Which code segment should you insert at line 06?

A. `storeAuthStateInCookie: false`

B. `storeAuthStateInCookie: true`

C. `cacheLocation: 'localStorage'`

D. cacheLocation: 'sessionStorage'

Answer: C ([LEAVE A REPLY](#))

Scenario: Implement single sign-on (SSO) and minimize login prompts across browser tabs.

When your application is open in multiple tabs and you first sign in the user on one tab, the user is also signed in on the other tabs without being prompted. MSAL.js caches the ID token for the user in the browser localStorage and will sign the user in to the application on the other open tabs.

By default, MSAL.js uses sessionStorage which does not allow the session to be shared between tabs. To get SSO between tabs, make sure to set the cacheLocation in MSAL.js to localStorage.

NEW QUESTION: 85

You plan to deploy a SharePoint Framework (SPFx) solution to the tenant app catalog.

Which attribute should you configure in the package-solution.json file to ensure that the solution is available immediately to all site collections?

- A. skipFeatureDeployment
- B. zippedPackage
- C. ClientSideComponentId
- D. isDomainIsolated

Answer: A ([LEAVE A REPLY](#))

Explanation

You can configure your SharePoint Framework components to be immediately available across the tenant when the solution package is installed to the tenant app catalog. This can be configured by using the skipFeatureDeployment attribute in the package-solution.json file.

Reference: <https://docs.microsoft.com/en-us/sharepoint/dev/spfx/tenant-scoped-deployment>

NEW QUESTION: 86

You are developing a SharePoint Framework (SPFx) web part. The web part will call a backed API that is secured by using Azure Active Directory (Azure AD). The web part will be on a page that has many other web parts.

Which type of web part should you use ensure that access to the exclusive to the web part?

- A. SharePoint-hosted
- B. Domain isolated
- C. Connected
- D. Provider-hosted

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 87

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a new application named App1 that uses the Microsoft identity platform to authenticate to Azure Active Directory (Azure AD).

Currently, App1 can read user profile information.

You need to allow App1 to read the user's calendar.

Solution: Perform a POST request against <https://graph.microsoft.com/v1.0/me/events>.

Does this meet the goal?

A. No

B. Yes

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 88

You need to configure HRApp to enable users to search for specific jobs by using chat in Microsoft Teams. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer:

1 - Create a bot registration ...

2 - In the HRApp manifest...

NEW QUESTION: 89

For each of the following statements, select Yes, if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

Reference:

<https://docs.microsoft.com/en-us/office/dev/add-ins/develop/add-in-manifests>

<https://docs.microsoft.com/en-us/office/dev/add-ins/reference/manifest/sourcelocation>

NEW QUESTION: 90

You are designing a Microsoft Teams application. The application will enable content authors to start conversations about news coming from a third-party application.

Which development technique should you use?

A. incoming webhooks

B. outgoing webhooks

C. activity feeds

D. deep links

Answer: ([SHOW ANSWER](#))

Explanation

Create deep links to content and features in Microsoft Teams.

You can create links to information and features within the Teams client. Examples of where this may be useful:

- * Your app automates or simplifies certain user tasks, such as creating a chat or scheduling a meeting, by pre-populating the deep links with required parameters. This avoids the need for users to manually enter information.

- * Navigating the user to content within one of your app's tabs.

Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/concepts/build-and-test/deep-links>

NEW QUESTION: 91

You have an application that uses the Microsoft Graph API.

You need to configure the application to retrieve the groups to which the current signed-in user belongs. The results must contain the extended priorities of the groups.

Which URI should you use?

- A. <https://graph.microsoft.com/v1.0/me/getMemberObjects>
- B. <https://graph.microsoft.com/v1.0/me/getMemberGroups>
- C. <https://graph.microsoft.com/v1.0/me/memberOf>
- D. <https://graph.microsoft.com/v1.0/me/checkMemberGroups>

Answer: B (LEAVE A REPLY)

Get member groups returns all the groups that the specified user, group, or directory object is a member of. This function is transitive.

Valid MS-600 Dumps shared by Actual4test.com for Helping Passing MS-600 Exam!

Actual4test.com now offer the **newest MS-600 exam dumps**, the Actual4test.com MS-600 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-600 dumps with Test Engine here:

https://www.actual4test.com/MS-600_examcollection.html (244 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 92

You are developing a serveries application that reads all the emails in the Inbox of a specific Microsoft 365 mailbox. Some emails contain meeting dates and room mailbox names. The application has the following requirements:

- A. Option C
- B. Option D
- C. Option A
- D. Option B

Answer: (SHOW ANSWER)

NEW QUESTION: 93

You are developing an Azure function to provision a team in Microsoft Teams.

You need to create a group named Project A, add a classification of Private to the group, and then convert Project A to a team group.

How should you complete the REST requests? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

NEW QUESTION: 94

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct select is worth one point.

Answer:

NEW QUESTION: 95

You develop a web API named WebApi1.

When validating a token received from a client application, WebApi1 receives a `MsalUiRequiredException` exception from Azure Active Directory (Azure AD).

You need to formulate the response that WebApi1 will return to the client application.

Which HTTP response should you send?

- A. HTTP 307 Temporary Redirect
- B. HTTP 400 Bad Request
- C. HTTP 403 Forbidden
- D. HTTP 412 Precondition Failed

Answer: ([SHOW ANSWER](#))

Explanation

The HyperText Transfer Protocol (HTTP) 412 Precondition Failed client error response code indicates that access to the target resource has been denied. This happens with conditional requests on methods other than GET or HEAD when the condition defined by the `If-Unmodified-Since` or `If-None-Match` headers is not fulfilled. In that case, the request, usually an upload or a modification of a resource, cannot be made and this error response is sent back.

`MsalUiRequiredException`

The "Ui Required" is proposed as a specialization of `MsalServiceException` named `MsalUiRequiredException`.

This means you have attempted to use a non-interactive method of acquiring a token (e.g. `AcquireTokenSilent`), but MSAL could not do it silently. this can be because:

- * you need to sign-in
- * you need to consent
- * you need to go through a multi-factor authentication experience.

The remediation is to call `AcquireTokenInteractive`
try

```

{
app.AcquireTokenXXX(scopes, account)
WithYYYY(...)
ExecuteAsync()
}
catch(MsalUiRequiredException ex)
{
app.AcquireTokenInteractive(scopes)
WithAccount(account)
WithClaims(ex.Claims)
ExcecuteAsync();
}

```

NEW QUESTION: 96

You are developing a SharePoint Framework (SPFx) web part.

Which API should you use to retrieve the Microsoft Teams memberships of a user by using the minimum amount of code?

- A. MSGraphClient
- B. AadHttpClient
- C. SPHttpClient
- D. XMLHttpRequest

Answer: A ([LEAVE A REPLY](#))

Explanation

You can use the Microsoft Graph API to work with Microsoft Teams. In Microsoft Graph, Microsoft Teams is represented by a group resource.

If you are targeting Microsoft Graph, you can use the MSGraphClient client object, which provides a more fluent syntax compared to AadHttpClient.

Note: In versions of the SharePoint Framework starting with v.1.4.1, you can access Microsoft Graph by using either the native graph client (MSGraphClient), or the low-level type used to access any Azure AD-secured REST API (AadHttpClient).

The AadHttpClient client object is useful for consuming any REST API. You can use it to consume Microsoft Graph or any other third-party (or first-party) REST API.

The MSGraphClient client object can consume the Microsoft Graph only. Internally it uses the AadHttpClient client object and supports the fluent syntax of the Microsoft Graph SDK.

References: <https://docs.microsoft.com/en-us/graph/api/resources/teams-api-overview?view=graph-rest-1.0>

<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/use-aad-tutorial>

NEW QUESTION: 97

HOTSPOT

You are developing an interactive invoicing application that will be used by end users. The application will have the following features:

- * Save invoices generated by a user to the user's Microsoft OneDrive.
- * Email daily automated reminders.

You need to identify which permissions to grant for the application features. The solution must use the principle of least privilege.

Which permission should you grant for each feature? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Microsoft identity platform supports two types of permissions: delegated permissions and application permissions.

Box 1: Delegated

* Delegated permissions are used by apps that have a signed-in user present. For these apps, either the user or an administrator consents to the permissions that the app requests, and the app is delegated permission to act as the signed-in user when making calls to the target resource.

Box 2: Application

* Application permissions are used by apps that run without a signed-in user present; for example, apps that run as background services or daemons. Application permissions can only be consented by an administrator.

Reference: <https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-permissions-and-consent>

NEW QUESTION: 98

You are designing a custom SharePoint Framework (SPFx) web part that will be deployed to modern Microsoft SharePoint sites.

You need to ensure that all the web part fields and controls adopt the theme of the site when you deploy the web part.

What should you use to develop the web part?

- A. Material-UI
- B. Office UI Fabric React
- C. HTML 5.0 and CSS
- D. Fluid Framework

Answer: B ([LEAVE A REPLY](#))

Explanation

Office UI Fabric is Microsoft's official front end framework for building User Interface experiences for Office and Office 365. In simple terms it gives you the look and feel for your component. Moreover, they are open source, mobile responsive and reusable, no need to create from scratch just refer them in your code and start utilizing them.

Microsoft modern SharePoint out of the box webparts are made up these Office UI Fabric framework, so to maintain consistency look and feel as like Office it's better to use these components in our custom SPFx webparts.

Reference:

<http://www.sharepointsamples.com/sharepoint-framework-webpart-with-office-ui-fabric-react-component/>

NEW QUESTION: 99

You are developing a front end web app.

You want to display the current username as part of the user interface.

You need to retrieve the current username from Microsoft Graph by using a REST request. The solution must minimize the amount of information returned.

To which URI should you send the request?

- A. [https://graph.microsoft.com/v1.0/me?\\$select=displayName](https://graph.microsoft.com/v1.0/me?$select=displayName)
- B. [https://graph.microsoft.com/v1.0/me?\\$search=displayName](https://graph.microsoft.com/v1.0/me?$search=displayName)
- C. [https://graph.microsoft.com/v1.0/users/john@contoso.com/people?\\$select=displayName](https://graph.microsoft.com/v1.0/users/john@contoso.com/people?$select=displayName)
- D. <https://graph.microsoft.com/v.1.0/me>

Answer: ([SHOW ANSWER](#))

Reference:

<https://docs.microsoft.com/en-us/graph/api/user-get?view=graph-rest-1.0&tabs=http>

NEW QUESTION: 100

This question requires that you evaluate the BOLD text to determine if it is correct.

You can use a Command Set extension to develop a breadcrumb element that will appear on every SharePoint Online page.

Instructions: Review the BOLD text If it makes the statement correct, select "No change is needed." If the statement is incorrect select the answer choice that makes the statement correct.

- A. an Application Customizer
- B. No change is needed.
- C. a Field Customizer
- D. a web part

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 101

You are evaluating deep links in Microsoft Teams.

For each of the following statement, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer:

Explanation

Box 1: No

Box 2: Yes

Box 3: Yes

You can create links to information and features within the Teams client. Examples of where this may be useful:

- * Navigating the user to content within one of your app's tabs. For instance, your app may have a bot that sends messages notifying the user of an important activity. When the user taps on the notification, the deep link navigates to the tab so the user can view more details about the activity.
- * Your app automates or simplifies certain user tasks, such as creating a chat or scheduling a meeting, by pre-populating the deep links with required parameters. This avoids the need for users to manually enter information.

Reference: <https://docs.microsoft.com/en-us/microsoftteams/platform/concepts/build-and-test/deep-links>

NEW QUESTION: 102

What should you add to a SharePoint Framework (SPFx) solution to ensure that the solution can be used as a Microsoft Teams tab?

- A. the TeamsTab value to the componentType property in the manifest file
- B. a manifest file to the Teams folder in the solution
- C. the TeamsTab value to the supportedHosts property in the manifest file
- D. a manifest file to the webparts folder in the solution

Answer: D ([LEAVE A REPLY](#))

Explanation

You need to update the web part manifest to make it available for Microsoft Teams. Locate the manifest json file for the web part you want to make available to Teams and modify the supportedHosts properties to include "TeamsTab".

Reference:

<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/web-parts/get-started/using-web-part-as-msteams-tab>

NEW QUESTION: 103

How can you validate that the JSON notification message is sent from the Microsoft Graph service?

- A. The ClientState must match the value provided when subscribing.
- B. The user_guid must map to a user ID in the Azure AD tenant of the customer.
- C. The tenant ID must match the tenant ID of the customer's Office 365 tenant.
- D. The subscription ID must match the Azure subscription used by ADatum.

Answer: ([SHOW ANSWER](#)**)**

clientState specifies the value of the clientState property sent by the service in each notification. The maximum length is 128 characters. The client can check that the notification came from the service by comparing the value of the clientState property sent with the subscription with the value of the clientState property received with each notification.

Note: A subscription allows a client app to receive notifications about changes to data in Microsoft Graph.

Valid MS-600 Dumps shared by Actual4test.com for Helping Passing MS-600 Exam!

Actual4test.com now offer the **newest MS-600 exam dumps**, the Actual4test.com MS-600 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MS-600 dumps with Test Engine here:

https://www.actual4test.com/MS-600_examcollection.html (244 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)