

MuleSoft.MCD-Level1-Delta.v2022-02-05.q38

Exam Code:	MCD-Level1-Delta
Exam Name:	MuleSoft Certified Developer - Level 1 (Mule 4) DELTA
Certification Provider:	MuleSoft
Free Question Number:	38
Version:	v2022-02-05
# of views:	1156
# of Questions views:	380
https://www.freepdfdumps.com/MuleSoft.MCD-Level1-Delta.v2022-02-05.q38.html	

NEW QUESTION: 1

What DataWeave expression transforms the example XML input to the CSV output?

The screenshot shows a DataWeave IDE with two panes. The left pane displays XML input:

```
<?xml version="1.0" encoding="UTF-8"?>
<sale>
  <item itemId="592" saleId="1000">
    <shipping>international</shipping>
    <desc>T-shirt Navy</desc>
    <size>L</size>
    <quantity>1</quantity>
    <price>20</price>
  </item>
  <item itemId="972" saleId="1000">
    <shipping>domestic</shipping>
    <desc>Cargo Shorts</desc>
    <size>XL</size>
    <quantity>2</quantity>
    <price>30</price>
  </item>
</sale>
```

The right pane shows the output application/csv:

```
index,sale,itemName,itemPrice,item
0,1000,T-shirt Navy,20,592
1,1000,Cargo Shorts,60,972
```

A)

```
payload.sale.*item map ( (value,index) -> {
  index: index,
  sale: value.@saleId,
  itemName: value.desc,
  itemPrice: (value.price) * (value.quantity),
  item: value.@itemid
} )
```

B)

```
payload.sale.*item map ( (value,index) -> {
    index: index,
    sale: value.saleId,
    itemName: value.desc,
    itemPrice: (value.price) * (value.quantity),
    item: value.itemId
} )
```

C)

```
payload.sale.item map ( (value,index) -> {
    index: index,
    sale: value.@saleId,
    itemName: value.desc,
    itemPrice: (value.price) * (value.quantity),
    item: value.@itemId
} )
```

D)

```
payload.sale.item map ( (value,index) -> {
    index: index,
    sale: value.saleId,
    itemName: value.desc,
    itemPrice: (value.price) * (value.quantity),
    item: value.itemId
} )
```

- A. Option C
- B. Option D
- C. Option B
- D. Option A

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 2

A Utility.dwl file is located in a Mule project at src/main/resources/modules. The Utility.dwl file defines a function named pascalize that reformats strings to pascal case.

What is the correct DataWeave to call the pascalize function in a Transform Message component?

A)

```
dwr 2.0
output application/json
import modules.Utility
pascalize( "max mule" )
```

B)

```

%dw 2.0
output application/json
import modules::Utility
---
Utility.pascalize( "max mule" )

```

C)

```

%dw 2.0
output application/json
import modules::Utility
---
Utility.pascalize( "max mule" )

```

D)

```

%dw 2.0
output application/json
import modules::Utility
---
Utility.pascalize( "max mule" )

```

- A. Option B
- B. Option A
- C. Option D
- D. Option C

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

Refer to the exhibit.



The main flow contains a Flow Reference for the child flow.

What

values are accessible in the child flow after a web client submits a request to `http://localhost:8Q81/order?`

`color=red?`

- A. payload

quantity var color query param

B. payload

quantity var

C. payload


color query param

D. payload

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

Refer to the exhibits.



```

<flow name="chooseRegion" >
  <scheduler doc:name="Scheduler" >
    <scheduling-strategy >
      <fixed-frequency frequency="5000"/>
    </scheduling-strategy>
  </scheduler>
  <set-payload value='#["REGION"]' doc:name="REGION" />
  <choice doc:name="Choice" >
    <when expression='#[not isEmpty(payload)]' >
      <set-payload value='#["US"]' doc:name="US" />
    </when>
    <when expression='#[payload is String]' >
      <set-payload value='#["EU"]' doc:name="EU" />
    </when>
    <otherwise>
      <logger level="INFO" doc:name="payload" message="#[payload]"/>
    </otherwise>
  </choice>
  <logger level="INFO" doc:name="payload" message="#[payload]"/>
</flow>

```

A Mule application contains a Choice router. What is logged when the flow completes?


- A. "REGION"
- B. US
- C. EU
- D. ["US", "EU"]

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

Refer to the exhibits.

orders.csv
 orderId,account
 100, partnerA
 101, acme.com
 102, mybank.com
 103, onlineSales



The orders.csv file is read, then processed to look up the orders in a database. The Mule application is debugged in Any point Studio and stops at the breakpoint.

What is the payload shown in the debugger at this breakpoint?

- A. "none"
- B. 100
- C. The database response
- D. The entire CSV file

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 6

Refer to the exhibit.



What is the correct syntax to add an employee ID as a URI parameter in an HTTP Listener path?

- A. \${employeeID}
- B. # [employeeID]
- C. {employeeID}
- D. (employeeID)


Answer: C (LEAVE A REPLY)

NEW QUESTION: 7

Refer to the exhibits. The main flow contains an HTTP Request in the middle of the flow. The HTTP Listeners and HTTP Request use default configurations.

A web client submits a request to the main flow's HTTP Listener that includes query parameters for the pedigree of the piano.

What values are accessible to the Logger component at the end of the main flow?



- A. payload
pedigree query params
- B. payload
pedigree query params producer var
- C. payload
- D. payload
producer var

Answer: (SHOW ANSWER)

NEW QUESTION: 8

An SLA based policy has been enabled in API Manager. What is the next step to configure the API proxy to enforce the new SLA policy?

- A. Add new environment variables and restart the API proxy
- B. Add required headers to the RAML specification and redeploy the new API proxy
- C. Restart the API proxy to clear the API policy cache
- D. Add new property placeholders and redeploy the API proxy

Answer: B (LEAVE A REPLY)

NEW QUESTION: 9

Refer to the exhibits.

The screenshot displays the MuleSoft Anypoint Studio interface. The main flow is named 'acceptOrder' and consists of three steps: a Listener (HTTP: POST /order), a Write operation (writing to 'newOrder.json'), and a Set Payload operation (setting the payload to 'File written'). Below the flow, the 'Error handling' section is expanded, showing three error-handling rules:

- On Error Continue type: FILE:CONNECTIVITY**: This rule is associated with the Listener step.
- On Error Continue type: ORDER:NOT_CREATED**: This rule is associated with the Write step.
- On Error Propagate when: #[true]**: This rule is associated with the Set Payload step.

The 'Write' step's 'Error Mapping' tab is also visible, showing a mapping from 'FILE:CONNECTIVITY' to 'ORDER:NOT_CREATED'. At the bottom, the XML configuration for the flow is shown:

```
<flow name="acceptOrder">
  <http:listener doc:name="HTTP: POST /order" config-ref="HTTP_Listener_config"
    path="/order" allowedMethods="POST">
    <http:error-response >
      <http:body ><![CDATA#[output text/plain -- payload]]></http:body>
    </http:error-response>
  </http:listener>
  <file:write doc:name="Write" config-ref="File_Config" path="newOrder.json">
    <error-mapping sourceType="FILE:CONNECTIVITY" targetType="ORDER:NOT_CREATED" />
    <file:content ><![CDATA#[output application/json -- payload]]></file:content>
  </file:write>
  <set-payload value="#['File written']" doc:name="File written" />
</flow>
```

A web client sends a POST request with the payload {"oid": "1000", "itemid": "AC200", "qty": "4" } to the Mule application. The File Write operation throws a FILE:CONNECTIVITY error.

What response message is returned to the web client?


- A. "File written"
- B. "OTHER ERROR"
- C. "ORDER:NOT_CREATED"

D. "FILE:CONNECnvnY"

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 10

Refer to the exhibit.



What payload is returned from a request to http://localhost.8081/

Refer


to the exhibits, what payload is returned from a request to http://localhost;8081/?

- A. 1
- B. 2
- C. 4
- D. 3

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 11

Refer to the exhibit.



What is a valid expression for the Choice router's when expression to route events to the domesticShipping flow?

- A. `#[if(payload = 'US')]`
- B. `#[payload == 'US']`
- C. `#[if(payload == "US")]`
- D. `0#[payload = 'US']`

Answer: B (LEAVE A REPLY)

NEW QUESTION: 12

Refer to the exhibit.



Message Flow Global Elements Configuration XML

Logger x Problems Console

There are no errors.

General

Metadata

Notes

Help

Display Name:

Generic

Message:

Level:

Category:

The Database Select operation returns five rows from a database. What is logged by the Logger component?

- A. "Array"
- B. "LinkedHashMap"
- C. "CaseInsensitiveHashMap"
- D. "Object"

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 13

A function named newProdCode needs to be defined that accepts two input parameters, an integer value for itemID and a string value for productCategory, and returns a new product code.

What is the correct DataWeave code to define the newProdCode function?

- A. `fun newProdCode(itemID: Number, productCategory: String) -> "PC-" ++ productCategory ++ (itemID as String)`
- B. `fun newProdCode(itemID: Number, productCategory: String) = "PC-" ++ productCategory ++ (itemID as String)`
- C. `function newProdCode(itemID: Number, productCategory: String) = "PC-" ++ productCategory ++ (itemID as String)`
- D. `var newProdCode(itemID: Number, productCategory: String) -> "PC-" ++ productCategory ++ (itemID as String)`

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 14

An On Table Row Database listener retrieves data from a table that contains record_id, an increasing numerical column.

How should the listener be configured so it retrieves new rows at most one time?

- A. Set the watermark column to the record id column
- B. Set the target to store the last retrieved record_id value
- C. Set the target to the record_id column
- D. Set the ObjectStore to store the last retrieved record_id value

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

A RAML specification is defined to manage customers with a unique identifier for each customer record.

What URI does MuleSoft recommend to uniquely access the customer identified with the unique ID 1234?

- A. `/customers?custid=true&custid=1234`
- B. `/customers?operation=get&custid=1234`
- C. `/customers/1234`
- D. `/customers/custid=1234`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

What is the output type of the DataWeave map operator?

- A. Object
- B. Map
- C. String
- D. Array

Answer: D ([LEAVE A REPLY](#))

Valid **MCD-Level1-Delta Dumps** shared by Actual4test.com for Helping Passing MCD-Level1-Delta Exam! Actual4test.com now offer the **newest MCD-Level1-Delta exam dumps**, the Actual4test.com MCD-Level1-Delta exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MCD-Level1-Delta dumps with Test Engine here: https://www.actual4test.com/MCD-Level1-Delta_examcollection.html (102 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

A web client sends a request to `http://localhost:8081?dept=sales`. What is the correct DataWeave expression to access the value of dept?

- A. `attributes.dept`
- B. `message.queryParams.dept`
- C. `vars.dept`
- D. `attributes.queryParams.dept`

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 18

Refer to the exhibits.



What payload and quantity are logged at the end of the main flow?


- A. `[[order1, order2, order3, order4], 14]`
- B. `[[1,2,3,4], 10]`
- C. `[[1,2,3,4], 14]`

D. [orderlorder2order3order4, 14]

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

Refer to the exhibits.



The two Mule configuration files belong to the same Mule project. Each HTTP Listener is configured with the same host string and the port number, path, and operation values are shown in the display names.


What is the minimum number of global elements that must be defined to support all these HTTP Listeners?

- A. 4
- B. 1
- C. 3
- D. 2

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

Refer to the exhibits.



A Mule application has an HTTP Request that is configured with hardcoded values. To change this, the Mule application is configured to use a properties file named config.yaml. what valid expression can the HTTP Request host value be set to so that it is no longer hardcoded?

- A. `${training:host}`
- B. `#[training:host]`
- C. `${training.host}`
- D. `#[training.host]`

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 21

Refer to the exhibit.



A Mule event is composed of a hierarchy of objects. Where in the hierarchy are variables stored?

- A. Mule event
- B. Mule message payload
- C. Mule message
- D. Mule message attributes

Answer: (SHOW ANSWER)



NEW QUESTION: 22

Refer to the exhibits.



What is valid text to set the field in the Database connector configuration to the username value specified in the config.yaml file?

- A. #[db.username]
- B. #[db:username]
- C. \${db:username}>
- D. \${db.username}>

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 23

A Database On Table Row listener retrieves data from a CUSTOMER table that contains a primary key userjd column and an increasing kxjin_date_time column. Neither column allows duplicate values.


How should the listener be configured so it retrieves each row at most one time?

- A. Set the watermark column to the bgin_date_time column
- B. Set the watermark column to the user_id column
- C. Set the target value to the last retrieved login_date_time value
- D. Set the target value to the last retrieved user_jd value

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 24

Refer to the exhibits.



```

<flow name="getNumbers" >
  <http:listener doc:name="HTTP: GET /" config-ref="HTTP_listener_config" path="/" />
  <scatter-gather doc:name="Scatter-Gather" >
    <route >
      <flow-ref doc:name='setPayload100' name='setPayload100' />
    </route>
    <route >
      <flow-ref doc:name="setPayload200" name="setPayload200" />
    </route>
  </scatter-gather>
  <ee:transform doc:name="payload">
    <ee:message >
      <ee:set-payload ><![CDATA[%dw 2.0
output application/json
---
payload]]></ee:set-payload>
    </ee:message>
  </ee:transform>
</flow>
<flow name="setPayload100" ><set-payload value='#[ "100" ]' doc:name='100' /></flow>
<flow name="setPayload200" ><set-payload value='#[ "200" ]' doc:name='200' /></flow>

```

The input array of strings is processed by the batch job that processes, filters, and aggregates the values.

What is the last message logged by the Logger component after the batch job completes processing?

A)

```
[
  {
    "attributes": ...,
    "payload": "100"
  },
  {
    "attributes": ...,
    "payload": "200"
  }
]
```

B)

```
{
  "0": "100",
  "1": "200"
}
```

C)

```
["100", "200"]
```

D)

```
{
  "0": {
    "attributes": ...,
    "payload": "100"
  },
  "1": {
    "attributes": ...,
    "payload": "200"
  }
}
```

A. Option C

B. Option D

C. Option A

D. Option B

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

Refer to the exhibit.

```
#%RAML 1.0
title ACME Insurance API
```

```
/users:
  post:
    headers:
      use: string
      password: string
    body:
      application/json:
```

What is the correct way to create a user?

A)



B)



C)



D)



- A. Option B
- B. Option C
- C. Option A
- D. Option D

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 26

What execution model is used by For Each and Batch Job scopes?

- A. For Each is single-threaded and Batch Job is multi-threaded
- B. Both are single-threaded
- C. Batch Job is single-threaded and For Each is multi-threaded
- D. Both are multi-threaded

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 27

Refer to the exhibit.



What is the response to a web client request to http://localhost:8081?

- A. Validation Error
- B. null

- C. After
- D. before

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 28

A Mule application contains an ActiveMQ JMS dependency. The Mule application was developed in Anypoint Studio and runs successfully in Anypoint Studio.

The Mule application must now be exported from Anypoint Studio and shared with another developer.

What export options create the smallest JAR file that can be imported into the other developer's Anypoint Studio and run successfully?

- A.** Attach project sources
Include project modules and dependencies
- B.** Attach project sources
Include project modules and dependencies
- C.** Attach project sources
Include project modules and dependencies
- D.** Attach project sources
Include project modules and dependencies

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

A Mule application contains a global error handler configured to catch any errors.

Where must the global error handler be specified so that the global error handler catches all errors from flows without their own error handlers?

- A.** The pom.xml file
- B.** Nowhere, the global error handler is automatically used
- C.** A configuration properties file
- D.** A global element

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 30

A Mule flow has three Set Variable transformers. What global data structure can be used to access the variables?

- A.** Mule event message
- B.** Mule event
- C.** Mule application properties
- D.** Mule event attributes

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 31

Refer to the exhibit. The Batch Job processes, filters and aggregates records, What is the expected output from the Logger component?




- A. [20, 40, 60]
- B. [20, 40] [60]
- C. [10, 20, 30, 40, 50, 60]
- D. [10, 20] [30, 40] [50, 60]

Answer: B (LEAVE A REPLY)

Valid MCD-Level1-Delta Dumps shared by Actual4test.com for Helping Passing MCD-Level1-Delta Exam! Actual4test.com now offer the **newest MCD-Level1-Delta exam dumps**, the Actual4test.com MCD-Level1-Delta exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MCD-Level1-Delta dumps with Test Engine here: https://www.actual4test.com/MCD-Level1-Delta_examcollection.html (102 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 32

Refer to the exhibit.



In the execution of the Scatter_Gather, the flow1 route completes after 10 seconds and the flow2 route completes after 20 seconds.


How many seconds does it take for the Scatter_Gather to complete?

- A. 0
- B. 10
- C. 20
- D. 30

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 33

Refer to the exhibits.



```

<flow name="main">
  <http:listener doc:name="HTTP: POST /jms" config-ref="HTTP Listener Config" path="/jms" />
  <jms:publish doc:name="JMS: one" config-ref="JMS_Config" destination="one" >
    <jms:message outboundContentType="text/plain" />
  </jms:publish>
  <http:request method="POST" doc:name="HTTP: POST /data" url="http://localhost:8081/data"/>
  <jms:publish-consume doc:name="JMS: two" config-ref="JMS_Config" destination="two">
    <jms:message outboundContentType="text/plain" />
  </jms:publish-consume>
  <set-payload value="#[payload ++ "Three"]" doc:name='payload as String ++ "Three"' />

```

A web client sends a POST request to the HTTP Listener with the payload "Hello-". What response is returned to the web client?


What response is returned to the web client?

- A. HTTP-JMS2-Three
- B. Hello- HTTP-] MS2-Three
- C. Helb-JMS1-HTTP-JMS2 -Three
- D. Hello-HTTP-Three

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 34

Refer to the exhibits.



The main flow contains a Flow Reference to the child flow.

A web client sends a GET request to the main flow's HTTP Listener that includes a make query parameter.

What values are accessible in the child flow?

- A. payload
- B. payload
model var
- C. payload
make query param model var
- D. payload
make query param

Answer: (SHOW ANSWER)

NEW QUESTION: 35

A

web client submits a request to `http://localhost:8081/books/0471767840`. The value "0471767840" is captured by a Set Variable transformer to a variable named `bookISBN`. What is the DataWeave expression to access `bookISBN` later in the flow?

- A. `vars.bookISBN`
- B. `attributes.bookISBN`
- C. `flowVars.bookISBN`
- D. `bookISBN`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

An API implementation has been deployed to CloudHub and now needs to be governed. IT will not allocate additional vCore for a new Mule application to act as an API proxy.

What is the next step to preserve the current vCore usage, but still allow the Mule application to be managed by API Manager?

- A. Deploy the same API implementation behind a VPC and configure the VPC to connect to API Manager
- B. Upload the Mule application's JAR file to the API instance in API Manager
- C. Modify the API implementation to use auto-discovery to register with API Manager
- D. Register the same API implementation in Runtime Manager to connect to API Manager

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 37


Why would a Mule application use the `${http.port}` property placeholder for its HTTP Listener port when it is deployed to CloudHub?

- A. Allows CloudHub to automatically change the HTTP port to allow external clients to connect to the HTTP Listener
- B. Allows CloudHub to automatically register the application with API Manager
- C. Allows MuleSoft Support to troubleshoot the application by connecting directly to the HTTP Listener
- D. Allows clients to VPN directly to the application at the Mule application's configured HTTP port

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 38

Refer to the exhibits.



A

web client submits a request to http://localhost:8081. What is the structure of the payload at the end of the flow?

A)

```
['Banana', 'Apple']
```

B)

```
{
  "0": "Banana",
  "1": "Apple"
}
```

C)

```
{
  "attributes": ...,
  "payload": ['Banana', 'Apple']
}
```

D)

```
{
  "0": {
    "attributes": ...,
    "payload": "Banana"
  },
  "1": {
    "attributes": ...,
    "payload": "Apple"
  }
}
```

A. Option C

B. Option B

C. Option D

D. Option A

Answer: C ([LEAVE A REPLY](#))

Valid MCD-Level1-Delta Dumps shared by Actual4test.com for Helping Passing MCD-Level1-Delta Exam! Actual4test.com now offer the **newest MCD-Level1-Delta exam dumps**, the Actual4test.com MCD-Level1-Delta exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com MCD-Level1-Delta dumps with Test Engine here: https://www.actual4test.com/MCD-Level1-Delta_examcollection.html (**102 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)