

NetworkAppliance.NS0-163.v2024-10-07.q114

Exam Code:	NS0-163
Exam Name:	NetApp Certified Data Administrator, ONTAP Professional
Certification Provider:	Network Appliance
Free Question Number:	114
Version:	v2024-10-07
# of views:	778
# of Questions views:	1140
https://www.freepdfdumps.com/NetworkAppliance.NS0-163.v2024-10-07.q114.html	

NEW QUESTION: 1

Which two default HA features work together to reduce and avoid client outages on an ONTAP FAS cluster?

(Choose two.)

- A. Automatic takeover
- B. Automatic giveback
- C. Automatic failover
- D. Automatic SAN LIF migration

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

After you use SnapRestore to revert a volume to a specific snapshot,....

- A. the storage appliance automatically performs a snapshot for that volume.
- B. you must bring the volume back online.
- C. snapshots that are older than the snapshot you used to revert are deleted.
- D. snapshots that are more recent than the snapshot you used to revert are deleted.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 3

Which three are true when creating a SyncMirror volume? (Choose 3)

- A. The number of disks selected for one plex must equal the number of disks selected from the other plex.
- B. The disks are selected first on the basis of equivalent bytes per sector (bps) size, then on the basis of the size of the disk. If there is no equivalent-sized disk, Data ONTAP takes a larger capacity disk and downsizes it.
- C. The number of disks added must be an even number and equally divided between the two plexes.

D. The disks selected for Plex 0 and Plex 1 must come from the same disk pools.

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which one of the following commands or procedures would you use to undo a SnapRestore reversion?

- A. `snap revert-s <vol/snapshotname> vol <path_and_vol_name>`
- B. `snap restore -r <vol/snapshotname> vol <path_and_vol_name>`
- C. None of the above. You cannot undo a SnapRestore reversion.
- D. `snap restore undo vol <path_and_vol_name>`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

Which two options must be configured to use tamperproof snapshots? (Choose two.)

- A. Multi Admin Verification
- B. SnapLock license
- C. Compliance clock
- D. SnapLock aggregate

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 6

What is the maximum number of disk shelves per loop in a fabric-attached MetroCluster?

- A. 2
- B. 4
- C. 6
- D. 1

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

The required hardware to add SyncMirror to an existing Clustered Failover system consists of:

- A. Disk shelves and cabling
- B. Disk shelves and cluster interconnect
- C. Disk shelves, adapters and cabling
- D. Disk shelves and termination switches

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 8

What are two properties of the NVMe protocol? (Choose two.)

- A. LUNs are mapped to Initiator groups.
- B. Namespaces are mapped to subsystems.

- C. NQNs are added to subsystems.
- D. NQNs are added to namespaces.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 9

What is the maximum distance between a standard clustered pair?

- A. 100 meters
- B. 500 meters
- C. 10 meters
- D. 50 meters

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which three statements apply to NearStore Personality license? (Choose three.)

- A. it provides increased concurrent streams when the storage systems are used as destinations for SnapMirror and SnapVault transfers.
- B. it converts the destination storage system to a NearStore system.
- C. It requires the nearstore_option license on the destination storage system.
- D. it increases the storage capacity.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

XML-files in /etc/stats/preset are used together with the sysstat command to customize the output.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which two conditions would prevent an ONTAP upgrade? (Choose two.)

- A. Established iSCSI sessions
- B. Failed disk
- C. Offline LIF
- D. Established NFS sessions
- E. Offline volume

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 13

To remove a cluster setup, you must perform the following steps.

1. Type cf disable.
2. Unlicense cluster.

3. Remove partner entries for network interfaces from the /etc/rc file.
4. Halt and make sine the partner-sysid is blank.
5. Power down and remove the cluster interconnect card.
6. Perform steps 1-5 above on the partner node.

- A. False
- B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 14

In a fabric-attached MetroCluster, hardware disk ownership by a node is determined by which two factors (Choose two.)

- A. the location of the HBA or onboard port
- B. what types of disks are used in the cluster
- C. the system ID of the controller
- D. what types of ports are on the HBA
- E. which switch ports the controller and disks are connected to
- F. how the disks are configured by the administrator

Answer: A,E (LEAVE A REPLY)

NEW QUESTION: 15

Which native ONTAP feature allows an administrator to block a Windows user from writing files with the.crypt extension?

- A. IP-SEC
- B. Kerberos
- C. FPolicy
- D. FIPS

Answer: C (LEAVE A REPLY)

NEW QUESTION: 16

A mirrored volume has a failed disk, but there are no available spares in the pool from which the degraded plex was built. Data ONTAP will:

- A. Warn you that there are no available spares from the proper pool
- B. Stop all applications that are running
- C. Choose spare disks to reconstruct from the opposite pool
- D. "Halt" after 24 hours if spare disks are not added to the proper pool

Answer: A (LEAVE A REPLY)

NS0-163 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NS0-163 dumps with Test Engine here:

https://www.actual4test.com/NS0-163_examcollection.html (190 Q&As Dumps, **30%OFF**

Special Discount: [Freepdfdumps](#))

NEW QUESTION: 17

What needs to be enabled on an ONTAP SMB share to increase data throughput and fault tolerance for Microsoft SQL Server databases?

- A. Multi-channel
- B. Initiator group
- C. Multipathing
- D. Round-robin

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 18

When configuring SyncMirror disk pools, which platforms require disks connected to particular ports and/or FC adapters on particular ports?

- A. FAS 3020, 3050
- B. FAS 6040, 6080
- C. FAS 3020, 3040, 3050, 6040
- D. FAS 3040, 3070, 6080

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

One week ago you performed a single file SnapRestore from a snapshot other than the most recent. You now notice that the storage appliance is now taking longer to perform snapshot deletions. Which one of the following reasons is the most likely cause of this problem?

- A. Snapshots that existed after the one used for the single file SnapRestore need to be manually deleted.
- B. All of the snapshots created after you did the single file SnapRestore were deleted, and reserved inodes from the snapshots still exist.
- C. Before a snapshot can be deleted, the active maps across all snapshots need to be checked for active blocks related to the file you restored.
- D. The SnapRestore schedule changed from weekly to hourly.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 20

What are two logical network components of ONTAP? (Choose two.)

- A. Network port
- B. SFP+

C. VLAN

D. Interface group

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

What should be done to non-distruptively correct capacity Imbalances in a FlexGroup?

A. Move the FlexGroup to a different aggregate

B. Convert the FlexGroup to a FlexVol

C. Move the constituent to a new aggregate

D. Perform a rebalance of the FlexGroup constituents

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

Exhibit.



Op	Size	Total	Failed	Min	Max	Avg	Throughput
GET	4MB	5000	0	10500	719	277.7MB	
GET	4MB	5000000	0	9591	38	40.46MB	
GET	5MB	5000000	0	10021	37	123.7MB	
GET	32MB	5000000	7	7889	60	415.7MB	
GET	24MB	2278276	28	7888	490	330.7MB	

An administrator has a NetApp AFF cluster with Cloud Tiering enabled on all data using the snapshot-only policy. When restoring files, users report slow response times.

What is the highest latency seen during restore?

A. 7889

B. 10500

C. 9591

D. 10021

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

An administrator wants to scale out storage performance for real time read-intensive workloads across multiple controllers.

Which two NetApp ONTAP features accomplish this task? (Choose two.)

A. FlexClone

B. FlexGroup

C. FlexVol

D. FlexCache

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 24

It is the use of the -L flag in the snapmirror initialize command and the subsequent successful level 0 transfer that causes the destination volume to become snaplocke?

A. False

B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 25

A volume is SnapMirrored hourly. You revert the volume using a snapshot that was created two days ago.

Which command continues the relationship?

A. SnapMirror update.

B. SnapMirror resync

C. SnapMirror quiesce

D. SnapMirror initialize

E. SnapMirror resume

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 26

Open System SnapVault agents can be installed on all non-Network Appliance platforms.

A. False

B. True

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which one of the following commands would you use to disable client access to snapshots on a volume called

/vol/flexvoM?

A. vol options/vol/flexvoM nosnapdiron

B. vol options/vol/flexvoM snapdiron

C. vol options/vol/flexvoM snapdiroff

D. vol options/vol/flexvoM nosnapdiroff

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 28

Which two supported methods would you use to restore data from a SnapVault for NetBackup Volume?

A. Use the snapvault restore Data ONTAP command

B. Use drag-and-drop technologies

C. Use the SnapRestore Data ONTAP service

D. Use the NetBackup Administration Console

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

What is the minimum number of HA pairs required for Epsilon to be automatically assigned?

- A. 1
- B. 3
- C. 4
- D. 2

Answer: D (LEAVE A REPLY)

NEW QUESTION: 30

For aggregates or traditional volume SyncMirror to work correctly, the configuration of each plex must be identical with regard to_____.

- A. NDMP and snapshots.
- B. Mirrored snapshots.
- C. RAID groups and disk sizes.
- D. NVRAM.

Answer: (SHOW ANSWER)

NEW QUESTION: 31

Which two tools should an administrator use to manage NVMe namespaces? (Choose two.)

- A. SAN Host Tools
- B. Config Advisor
- C. ONTAP CLI
- D. System Manager

Answer: C,D (LEAVE A REPLY)

Valid NS0-163 Dumps shared by Actual4test.com for Helping Passing NS0-163 Exam! Actual4test.com now offer the **newest NS0-163 exam dumps**, the Actual4test.com NS0-163 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NS0-163 dumps with Test Engine here:

https://www.actual4test.com/NS0-163_examcollection.html (190 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 32

An administrator has an existing FlexVol accessed by Linux hosts over NFSv3. A CIFS share to the same FlexVol was created for SMB access. Windows users are unable to view the share. CIFS share permissions allow for read and write access for the Windows users. What does the administrator need to modify to allow SMB access?

- A. Export policies

- B. User mapping
- C. Junction paths
- D. Security style

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 33

Which option of the snap restore command allows you to specify a different directory, as long as the directory already exists?

- A. snap restore-r
- B. snap restore-d
- C. snap restore-c
- D. snap restore -s

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

A NearStore system or storage appliance can operate as a secondary and primary system at the same time.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 35

Which one of the following options will allow a snapmirror storage appliance to mirror from this system?

- A. snapmirror.destination <destination_filer>
- B. options snapmirror.allow<destination_filer>
- C. options snapmirror.access host = <destination_filer>
- D. snapmirror.access <destination_filer>

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 36

In a synchronous SnapMirror configuration, the source storage appliance exhibits high latency due to user traffic and rapid data change from SnapMirror transactions. Which one of the following tuning methods best resolves this performance behavior? Edit the /etc/snapmirror.conf file on the destination storage appliance and set:

- A. cksum=3s
- B. outstanding=3s
- C. visibility_interval=3s
- D. src con=3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

In a Fabric Attached MetroCluster, a "disaster" is described as a:

- A. Failure of the interconnect cable
- B. Failure of the Inter-Switch-Links (ISL)
- C. Prolonged communication disruption
- D. Malfunction of the Fiber Channel adapter on the cluster node

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 38

How would you initiate a cluster takeover of filer2 from filer 1?

- A. filer1> cf giveback
- B. filer2> cf giveback
- C. filer 1> cf takeover
- D. filer2> cf takeover

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

For each Open Systems platform directory to be backed up to the SnapVault secondary storage system, you must execute _____ from the primary to secondary storage system.

- A. an initial baseline copy
- B. an incremental copy
- C. a temporary copy
- D. a scheduled update copy

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 40

Which three are true when creating a SyncMirror volume? (Choose 3)

- A. The number of disks selected for one plex must equal the number of disks selected from the other plex.
- B. The number of disks added must be an even number and equally divided between the two plexes.
- C. The disks are selected first on the basis of equivalent bytes per sector (bps) size, then on the basis of the size of the disk. If there is no equivalent-sized disk, Data ONTAP takes a larger capacity disk and downsizes it.
- D. The disks selected for Plex 0 and Plex 1 must come from the same disk pools.

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 41

Which are three valid data protection solutions? (Choose three.)

- A. SnapVault to Volume SnapMirror to SnapVault
- B. SnapVault to Volume SnapMirror

C. SnapVault to Volume SnapMirror to Volume SnapMirror

D. Volume SnapMirror to SnapVault

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 42

Node 1 in a clustered pair detects that it has lost connectivity to one of its disk shelves. Node 1 is still up, but it cannot see one of its disk shelves. However, the partner node, Node 2, can see all of Node 1's disk shelves.

Which one of the following features will cause Node 2 to monitor this error condition for a period of three minutes (by default), and then forcibly take over Node 1 if the error condition persists?

A. Auto enable of giveback

B. cf.quickloop.enable

C. Takeover on panic

D. Negotiated Fail Over

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 43

Which three of the following configurations would increase data transfer rates for traditional volume SnapMirror?

A. The destination and source contain disks of the same size.

B. The destination and source storage appliances are no further than 30 meters apart.

C. The destination and source contain RAID groups of the same size.

D. The destination and source contain the same number of RAID groups.

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 44

What does it signify if the disks are "not owned" in a FAS270C appliance?

A. The disks are mailbox disks.

B. The disks are data disks.

C. The disks are spare disks.

D. The disks are not used.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 45

You can unlicense the cluster feature only in mode with cluster

A. takeover, enabled

B. takeover, disabled

C. normal, disabled

D. normal, enabled

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 46

The SnapVault secondary system allows you to keep a separate schedule of Snapshot copies from your primary system.

A. True

B. False

Answer: A ([LEAVE A REPLY](#))

Valid NS0-163 Dumps shared by Actual4test.com for Helping Passing NS0-163 Exam! Actual4test.com now offer the **newest NS0-163 exam dumps**, the Actual4test.com NS0-163 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NS0-163 dumps with Test Engine here:

https://www.actual4test.com/NS0-163_examcollection.html (190 Q&As Dumps, **30%OFF**

Special Discount: **Freepdfdumps**)

NEW QUESTION: 47

SnapMirror will automatically try to restart a transfer after _____.

A. A scheduled incremental update is interrupted

B. A transfer interrupted by reboot

C. All initial transfer is interrupted

D. A manual update is interrupted

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 48

SnapVault snapshots for SnapLock volumes are deleted automatically according to the retention count set in the SnapVault schedule?

A. True

B. False

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 49

After a SnapRestore reversion of a volume, incremental backup and restore operations on the file or volume cannot rely on the timestamps to determine what data needs to be backed up or restored. Which one of the following is the most likely course of action to take to ensure correct incremental backups?

A. Take a new snapshot of the volume to create new base-level timestamps for the incremental backup.

B. Perform a base-level backup of the volume after you restore it.

C. Reboot the storage appliance to reset timestamps back to their original times before the reversion.

D. First perform choice c and then choice a.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which tool is available on a non-NetApp primary system to assist in starting or stopping Snap Vault, modifying NDMP settings, enabling debugging, and capturing trace files?

A. None of the above

B. svdebu.exe

C. Data Fabric Manager

D. Svconfigurator GUI

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 51

What predefined SVM role provides management for NDMP operations?

A. vsadmin-readonly

B. vsadmin-protocol

C. wsadmin-voluma

D. vsadmin-backup

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 52

Which one of the following /etc/snapmirror.conf entries will not support synchronous SnapMirror?

A. FilerA:source_vol FilerB: destination_vol- sync

B. FilerA: source_vol FilerB: destination_vol visibility_interval=1hr, outstanding=3ms, cksum=crc32 sync

C. FilerA: source_vol FilerB: destination_vol outstanding=3s sync

D. FilerA: source_vol FilerB: destination_vol-0-55/5***

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

Each storage appliance in a cluster must have network access to the

A. same administration host.

B. Internet.

C. same collection of subnets.

D. cluster partner.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 54

Which ONTAP policy type defines the kind of traffic that is supported for a LIF?

- A. QoS
- B. Failover
- C. Service
- D. Export

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 55

An administrator has presented a thinly provisioned (SCSI LUN to your ESXi host. The administrator deleted data from the datastore in ESXi. No blocks have been freed on the LUN.

What are two of the steps the administrator should use to solve this problem? (Choose two.)

- A. Rescan the storage from the host
- B. Set the volume to thin-provisioned
- C. Set the space-allocation to enabled
- D. Use the vmfs muoap command

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

You have quiesced a volume to stabilize the contents of a destination just prior to a snapshot. What is the next logical command that you would issue after the snapshot is complete?

- A. snapmirror quiesce-q
- B. snapmirror resume
- C. options snapmirror.log enable off
- D. snapmirror restart

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

Which command parameter will result in a thin-provisioned LUN?

- A. -space-allocation enabled
- B. -space-guarantee volume
- C. -space-guarantee none
- D. -space-reservation disabled

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 58

The snapvault update command is only available on the secondary system.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 59

Snapshot copies for SnapLock volumes are deleted automatically according to the retention count set in the Snapshot schedule.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 60

Which two of the following NetApp storage appliances do not support the use of synchronous SnapMirror?

- A. F87
- B. FAS960
- C. F820
- D. F825

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 61

The two copies of a SyncMirror volume are called_____. Each_____is a physical copy of the same file system and consists of one or more RAID groups.

- A. plexes. plex
- B. snapshots, snapshot
- C. volumes, volume
- D. qtrees. qtree

Answer: ([SHOW ANSWER](#))

Valid NS0-163 Dumps shared by Actual4test.com for Helping Passing NS0-163 Exam! Actual4test.com now offer the **newest NS0-163 exam dumps**, the Actual4test.com NS0-163 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NS0-163 dumps with Test Engine here:

https://www.actual4test.com/NS0-163_examcollection.html (190 Q&As Dumps, **30%OFF**)

Special Discount: [Freepdfdumps](#))

NEW QUESTION: 62

The OSSV agent on the primary system listens to TCP port 10000 for all SnapVault communications.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 63

NetApp X1024 Fibre Channel HBA is required on the storage systems for IP over Fibre Channel functionality.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 64

Which one of the following would you use to change the NDMP password on the Open System SnapVault agent?

- A. svpasswd
- B. password <new_password>
- C. svpassword <new_password>
- D. password

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 65

Which one of the following commands would you use to create a new SyncMirror volume, letting Data ONTAP select the disk drives?

- A. vol mirror volX -m 12
- B. vol create volX -d 12
- C. vol mirror volX -n 12
- D. vol create volX -m 12

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 66

A SnapVault secondary volume can contain up to _____ Snapshot copies for data protection.

- A. Depends on capacity and number of disk drives
- B. 251
- C. 255
- D. 125

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 67

Which two supported methods would you use to restore data from a SnapVault for Net Backup Volume?

- A. Use drag-and-drop technologies
- B. Use the Net Backup Administration Console

- C. Use the SnapRestore Data ONTAP service
- D. Use the snapvault restore Data ONTAP command

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

Which Data ONTAP option would you enable to set system wide throttling for all transfers?

- A. options replication.throttle.enable
- B. options replication.wide.enable
- C. options transfer.wide.enable
- D. options transfer.throttle.enable

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 69

An aggregate is composed of twelve 36-Gigabyte disks. A drive fails and only 72-Gigabyte spare disks are available Data ONTAP will then perform what action?

- A. chooses a 72-Gigabyte disk and use it as is
- B. chooses a 72-Gigabyte disk and right-size it
- C. halts after 24 hours of running in degraded mode
- D. alerts you that there are no 36-Gigabyte disks and wait for one to be inserted

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 70

Which ONTAP feature discards identical blocks and replaces them with references to a single shared block?

- A. Thin provisioning
- B. Deduplication
- C. Compression
- D. Compaction

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

What user-controllable security mechanism is built into OSSV?

- A. QSM access list modifiable via svconfigurator
- B. Via/etc/hosts.equiv file
- C. MD5 based authentication between SnapVault primary and secondary, with changeable password
- D. Contents inside a file called access and located in OSSV <installdir>/snapvault/etc

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 72

Due to the sensitive nature of AutoSupport messages, what transport protocol should a storage administrator configure?

- A. SFTP
- B. HTTPS
- C. HTTP
- D. SMTP

Answer: B (LEAVE A REPLY)

NEW QUESTION: 73

Node 1 in a clustered pair detects that it has lost connectivity to one of its disk shelves. Node 1 is still up, but it cannot see one of its disk shelves. However, the partner node, Node 2, can see all of Node 1's disk shelves.

Which one of the following features will cause Node 2 to monitor this error condition for a period of three minutes (by default), and then forcibly take over Node 1 if the error condition persists?

- A. Auto enable of giveback
- B. cf.quickloop.enable
- C. Takeover on panic
- D. Negotiated Fail Over

Answer: D (LEAVE A REPLY)

NEW QUESTION: 74

Which ONTAP feature combines multiple writes into a single 4K block on the aggregate?

- A. Data compaction
- B. Volume-level deduplication
- C. Aggregate-level deduplication
- D. Data compression

Answer: A (LEAVE A REPLY)

NEW QUESTION: 75

Which one of the following does SnapRestore revert?

- A. File content
- B. Volume option settings
- C. Snapshot schedules
- D. RAID group size

Answer: A (LEAVE A REPLY)

NEW QUESTION: 76

When cabling a standard storage appliance for SyncMirror, disk pool 1 volumes must be cabled to Fibre Channel adapter(s) located in what range of slots on the FAS960 appliance?

- A. Slots 3 through 11
- B. Slots 3 through 8
- C. Slots 2 through 5
- D. Slots 5 through 11

Answer: D ([LEAVE A REPLY](#))

Valid NS0-163 Dumps shared by Actual4test.com for Helping Passing NS0-163 Exam! Actual4test.com now offer the **newest NS0-163 exam dumps**, the Actual4test.com NS0-163 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NS0-163 dumps with Test Engine here:

https://www.actual4test.com/NS0-163_examcollection.html (190 Q&As Dumps, **30%OFF**

Special Discount: [Freepdfdumps](#))

NEW QUESTION: 77

Which one of the following would you use to change the NDMP password on the Open System SnapVault agent?

- A. password <new_password>
- B. svpasswd
- C. password
- D. svpassword <new_password>

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 78

Which one of the following keywords alone can be used to convert an asynchronous mirror to be synchronous?

- A. outstanding
- B. cksum
- C. src_con
- D. sync

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 79

Identify the two SnapMirror commands that are entered on the destination storage appliance.

- A. snapmirror initialize
- B. snapmirror release
- C. options snapmirror.access on
- D. snapmirror resync

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 80

It is the use of the -Lflag in the snapmirror initialize command and the subsequent successful level 0 transfer that causes the destination volume to become snaplocke?

- A. False
- B. True

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 81

Which one of the following actions will cause a currently in sync snapmirror relationship to fall out of sync?

- A. Running snapmirror update on the source storage appliance
- B. Modifying the /etc/snapmirror.conf file on the destination storage appliance
- C. Running snapmirror release on the source storage appliance
- D. Modifying the /etc/snapmirror.conf file on the source storage appliance

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 82

In a Fabric Attached Metro Cluster, disk ownership by a node is determined by_____.

- A. where the FC HBAs for disks connect into the switch, and by where the disks connect to the switch banks.
- B. the types of disks used in the cluster.
- C. the slots in which the FC HBA is installed.
- D. the ports on the FC HBA.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 83

Which two types of Restore does Cloud Backup allow? (Choose two.)

- A. E-Series system
- B. Cloud Volumes ONTAP (CVO)
- C. StorageGRID
- D. Windows 2019 server
- E. AFF ONTAP system

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 84

Which one of the following is not recommended as a secondary system for SnapVault?

- A. FAS900 series
- B. NearStore R200
- C. FS80

D. F700 series

Answer: D (LEAVE A REPLY)

NEW QUESTION: 85

If an error message indicates that the cluster interconnect adapter itself is faulty, what is your corrective action?

- A. Check the cabling of the Channel B disk shelf loop and reseal and tighten any loose cables.
- B. Check for network activity.
- C. Check the cabling of the Channel A disk shelf loop and reseal and tighten any loose cables.
- D. Re-cable the cluster interconnect adapter or replace the adapter if needed.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 86

Which three of the following configurations would increase data transfer rates for traditional volume SnapMirror?

- A. The destination and source contain disks of the same size.
- B. The destination and source contain RAID groups of the same size.
- C. The destination and source contain the same number of RAID groups.
- D. The destination and source storage appliances are no further than 30 meters apart.

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 87

After issuing the `aggr split aggr0/plex0 aggrNew` command _____.

- A. there is a new mirrored aggregate called `aggrNew`
- B. flexible volumes are evenly split between `aggr0` and `aggrNew`
- C. there are two new plexes, `plex0` and `plexNew`
- D. there are two unmirrored aggregates, `aggr0` and `aggrNew`
- E. there is a new plex called `aggrNew`

Answer: D (LEAVE A REPLY)

NEW QUESTION: 88

If you were troubleshooting and wanted to look at SnapMirror log files, what is the path and directory to these files?

- A. root volume, `/etc/snaplog/`
- B. root volume, `/etc/log/`
- C. ootvolume, `/etc/log/snaplog/`
- D. destination volume, `/etc/log/`

Answer: B (LEAVE A REPLY)

NEW QUESTION: 89

For a configuration change to be effective when using the OSSV configurator, the OSSV service must be restarted.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 90

Which policy type determines access to volumes for NFS within ONTAP?

- A. Service
- B. Snapshot
- C. Export
- D. Tiering

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 91

After issuing the vol split vol0/plex0 volNew command:

- A. There are two unmirrored volumes, vol0 and volNew.
- B. There are two new plexes, plex0 and plexNew.
- C. There is a new plex called plexNew.
- D. There is a new mirrored volume called volNew.

Answer: A ([LEAVE A REPLY](#))

Valid NS0-163 Dumps shared by Actual4test.com for Helping Passing NS0-163 Exam! Actual4test.com now offer the **newest NS0-163 exam dumps**, the Actual4test.com NS0-163 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NS0-163 dumps with Test Engine here:

https://www.actual4test.com/NS0-163_examcollection.html (190 Q&As Dumps, **30%OFF**)

Special Discount: [Freepdfdumps](#))

NEW QUESTION: 92

What NetApp tool includes Crafana dashboards to display ONTAP performance, capacity and hardware metrics?

- A. ONTAP System Manager .
- B. NetApp Harvest
- C. Digital Advisor
- D. Unified Manager

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 93

Fill in the blanks for the following statement:

The qtree specified for _____ must not exist on the secondary system before you run the _____ command.

- A. pri_qtree_path. snapvault start
- B. sec_qtree_path. snapvault enable
- C. sec_qtree_path. snapvault start
- D. pri_qtree_path. snapvault enable

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 94

Which two modes support using SnapMirror over multiple paths?

- A. Failover
- B. Giveback
- C. Multiplexing
- D. Standalone

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 95

Which SVM type owns cluster LIFs?

- A. System
- B. Node
- C. Data
- D. Admin

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 96

When you issue the snapmirror status command, to what does the "Lag" column refer?

- A. The difference between the current time and the last basic snapshot creation time on the destination for a transfer which completed successfully.
- B. The amount of time it takes for the baseline transfer to complete.
- C. The difference between the current time and the last basic snapshot creation time on the source for a transfer which completed successfully.
- D. The difference between the most recent snapshot and the last basic snapshot creation time on the source for a transfer which completed successfully.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 97

One week ago you performed a single file SnapRestore from a snapshot other than the most recent. You now notice that the storage appliance is now taking longer to perform

snapshot deletions. Which one of the following reasons is the most likely cause of this problem?

- A. Before a snapshot can be deleted, the active maps across all snapshots need to be checked for active blocks related to the file you restored.
- B. All of the snapshots created after you did the single file SnapRestore were deleted, and reserved inodes from the snapshots still exist.
- C. The SnapRestore schedule changed from weekly to hourly.
- D. Snapshots that existed after the one used for the single file SnapRestore need to be manually deleted.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 98

Which command creates a new SyncMirror aggregate, letting Data ONTAP select the disk drives?

- A. aggr create aggrX-d 12
- B. aggr create aggrX-m 12
- C. aggr mirror aggrX-m 12
- D. aggr mirror aggrX-n 12

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 99

You are trying to do a single file SnapRestore for a file, but you are receiving an error message that the directory structure no longer exists. Which one of the following is the most likely explanation?

- A. Once the directory structure has been deleted, you cannot restore the file using single file SnapRestore.

You must now SnapRestore the volume.

- B. You must recreate the directory structure before trying to restore the file.
- C. Snapshots have been created since the original directory structure was deleted.
- D. None of the above

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 100

Which three tools present statistics from the Data ONTAP counter manager? (Choose three.)

- A. sysstat
- B. windows perfmon
- C. operations manager
- D. stats

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 101

Identify the two SnapMirror commands that are entered on the source storage appliance.

- A. snapmirror resync
- B. snapmirror status
- C. snapmirror initialize
- D. options snapmirror.access on

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 102

Which two of the following NetApp storage appliances do not support the use of synchronous SnapMirror?

- A. F820
- B. F825
- C. F87
- D. FAS960

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 103

Which MetroCluster configuration procedure is recommended for re-establishing a mirrored volume that was in a level-0 re synchronization state when it failed?

- A. Determine which volumes are at the remote and disaster sites.
- B. Turn on power to the cluster node at the disaster site.
- C. Re-create the synchronous mirror
- D. Rejoin the two volumes.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 104

Which one of the following statements apply to Advanced Single Instance Storage (ASIS)?

- A. Eliminates duplicates files in SnapVault for NetBackup secondary volumes
 - B. Eliminates duplicates blocks in SnapVaultfor NetBackup source volumes
 - C. Eliminates duplicates blocks in SnapVault for NetBackup secondary volumes
 - D. Eliminates duplicates files in SnapVaultfor NetBackup source volumes
- Correct answers

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 105

Identify the two commands that could be entered on a system with a SnapMirror source. (Choose two.)

- A. snapmirror initialize
- B. options snapmirror.access all
- C. snapmirror update
- D. snapmirror status

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 106

A mirrored volume. volX. is composed of twelve 36-Gigabyte disks: six in volX/plex0. six in volX/plex1. A drive fails in plex1. bur pool 1 contains only 72-Gigabyte spare disks. Data ONTAP will do which of the following?

- A. Choose a 72-Gigabyte disk and downsize it
- B. Stop any applications that are running
- C. Halt after 24 hours of running in degraded mode
- D. Alert you that there are no 36-Gigabyte disks and wait for one to be inserted

Answer: A (LEAVE A REPLY)

Valid NS0-163 Dumps shared by Actual4test.com for Helping Passing NS0-163 Exam! Actual4test.com now offer the **newest NS0-163 exam dumps**, the Actual4test.com NS0-163 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NS0-163 dumps with Test Engine here:

https://www.actual4test.com/NS0-163_examcollection.html (190 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 107

A mirrored volume has a failed disk, but there are no available spares in the pool from which the degraded plex was built. Data ONTAP will:

- A. Warn you that there are no available spares from the proper pool
- B. Choose spare disks to reconstruct from the opposite pool
- C. Stop all applications that are running
- D. "Halt" after 24 hours if spare disks are not added to the proper pool

Answer: (SHOW ANSWER)

NEW QUESTION: 108

You can unlicense the cluster feature only in

- A. takeover, enabled
- B. takeover, disabled
- C. normal, enabled
- D. normal, disabled

Answer: (SHOW ANSWER)

NEW QUESTION: 109

The snapvault snap create volume snapname command can be executed on the _____.

- A. secondary system only
- B. primary system only
- C. secondary or primary appliance systems
- D. open systems

Answer: C (LEAVE A REPLY)

NEW QUESTION: 110

Which two products can be used to administer Cloud Volumes ONTAP? (Choose two.)

- A. System Manager
- B. Cloud Data Sense
- C. CloudCheckr
- D. NetApp BlueXP

Answer: (SHOW ANSWER)

NEW QUESTION: 111


Which one of the following is not a pre-requisite for using SnapRestore?

- A. Snapshots must exist on the storage appliance so that you can select a snapshot for the reversion.
- B. You must enter the SnapRestore license code before you can use it.
- C. The volume to be reverted must not be a SnapMirror destination.
- D. The volume to be reverted must be offline.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 112

Exhibit:



To remove a cluster setup, you must perform the steps displayed in the exhibit.

- A. False
- B. True

Answer: B (LEAVE A REPLY)

NEW QUESTION: 113

What is the format for snapvault schedule?

- A. YYYY-MM-DD
- B. List of dates in ISO Date format

C. crontab format

D. cnt[@day_list][@hour_list]

Answer: (SHOW ANSWER)

NEW QUESTION: 114

What two actions occur automatically if the system detects ransomware activity when Autonomous Ransomware Protection is enabled? (Choose two.)

A. Offline the suspicious volume

B. Block user access

C. Email the administrators

D. Create a new snapshot

Answer: C,D (LEAVE A REPLY)

Valid NS0-163 Dumps shared by Actual4test.com for Helping Passing NS0-163 Exam! Actual4test.com now offer the **newest NS0-163 exam dumps**, the Actual4test.com NS0-163 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NS0-163 dumps with Test Engine here:

https://www.actual4test.com/NS0-163_examcollection.html (190 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)