

NetworkAppliance.NS0-303.v2023-08-09.q60

Exam Code:	NS0-303
Exam Name:	NetApp Certified Hybrid Cloud - Administrator
Certification Provider:	Network Appliance
Free Question Number:	60
Version:	v2023-08-09
# of views:	624
# of Questions views:	600
https://www.freepdfdumps.com/NetworkAppliance.NS0-303.v2023-08-09.q60.html	

NEW QUESTION: 1

Your company requires a high level of availability for data services in the cloud. You have selected Cloud Volumes ONTAP HA cluster In AWS to support file-based workloads. In this scenario, how many storage nodes will be deployed?

- A. 2
- B. 3
- C. 7
- D. 4

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

When you delete an instance of Cloud Volumes ONTAP, which two statements are true?
(Choose two.)

- A. For versions of Cloud Volumes ONTAP lower than 8.1 you must use the CLI.
- B. You cannot reuse the license.
- C. The name of the working environment must be specified.
- D. The version of OnCommand Cloud Manager must be greater than 1.1.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

You are administrator of your company's ONTAP storage systems. You activated the inactive data reporting on your SSD aggregates.

After 31 days, you see no output from the `~volume show -fields performance-tier-inactive-user-data, performance-tier-inactive-user-data-percent~` command.

In this scenario, which statement is correct?

- A. The tiering policy of the volume is set to `~none~`.
- B. The tiering policy of the volume is set to `~snapshot-only~`.

- C. The tiering policy of the volume is set to ~backup~.
- D. The tiering policy of the volume is set to ~auto~.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 4

What are two requirements when using SaaS-based NetApp Cloud Manager to deploy an instance of Cloud Volumes ONTAP? (Choose two.)

- A. An account administrator needs to deploy it.
- B. A NetApp Connector in your cloud or an on-premises network is required.
- C. A storage gateway in your cloud or an on-premises network is required.
- D. A service account needs to deploy it.

Answer: A,B [\(LEAVE A REPLY\)](#)

NEW QUESTION: 5

You are the administrator for your company's public cloud system. As you are deploying OnCommand Cloud Manager, you notice that each time you try to deploy a Cloud Volumes ONTAP Instance, you receive an access denied message in the log file. In this scenario, what must you do to solve this problem?

- A. Set the security permissions from the NetApp Support site
- B. Set the security permissions from the AWS support site
- C. Apply the security policy from NetApp Cloud Central
- D. Reset OnCommand Cloud Manager to the default permissions

Answer: D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 6

You have an AFF A800 and are tiering data into StorageGRID. You need to keep a second copy of the cold data in an S3 bucket within AWS.

In this scenario, which two NetApp technologies would you use? (Choose two.)

- A. SnapMirror
- B. CloudMirror
- C. FlashPool
- D. Cloud Sync

Answer: A,B [\(LEAVE A REPLY\)](#)

NEW QUESTION: 7

You are using Cloud Volumes ONTAP in an Azure environment.

In this scenario, when would you enable compaction?

- A. when your files exist in a replication scenario from an on premises AFF system and deduplication and compression are enabled on the source
- B. when you have a large file environment that is replicated from an on-premises environment by use of SnapMirror

- C. when you have a small file environment, where files are 2 KB or smaller
- D. when you have a mixed file environment, where files range from 500 bytes to multiple gigabytes

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 8

Which hypervisor would be deployed using NetApp Deployment Engine?

- A. VMware vSphere
- B. Red Hat Virtualization
- C. KVM Correct
- D. Citrix Xen

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 9

You want to move cold user data blocks from an AFF A300 active file system to the capacity tier in AWS S3.

In this scenario, how would you configure Fabric Pool?

- A. Set a Snapshot copy tiering policy.
- B. Set the auto tiering policy.
- C. Set a none tiering policy.
- D. Set the backup tiering policy.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 10

You have an AFF A800 system with a 100 TB volume. You are using all default settings and have 4:1 storage efficiency.

You are asked to replicate to a Cloud Volumes ONTAP instance for disaster recovery. The destination volume has post-process compression disabled and is set up with the Mirror All Snapshots policy. In this scenario, how many terabytes will be used on the Cloud Volumes ONTAP destination?

- A. 75
- B. 100
- C. 50
- D. 25

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Exhibit:

Snapshots

Export policy

Snapshot policy

Sync

PDF

FreePDFDumps

+ Add export policy rule

Rule index	Allowed clients	Required	Access	Protocol
Rule	10.0.0.0/24		Read & Write Read only	NFSv3 x
Rule index	Allowed clients	Required	Access	Protocol
Rule	10.0.1.0/24		Read & Write Read only	NFSv3 x
Rule index	Allowed clients	Required	Access	Protocol
Rule	10.0.2.0/24		Read & Write Read only	NFSv3 x

Your Cloud Volumes Service export is mounted on a Red Hat Enterprise Linux instance. You can view a top-level directory listing, but you cannot create files. Referring to the exhibit, what is the IP address of your Red Hat Enterprise Linux instance?

- A. 10.0.2.6
- B. 10.0.1.6
- C. 10.0.1.0
- D. 10.0.0.0

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

You need to double your Cloud Volumes Service storage and performance. Which attribute would you edit to satisfy this requirement?

- A. Quota
- B. Name
- C. Togs
- D. Service level

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 13

You are the administrator for your company's Azure infrastructure. You need to create a custom role to ensure that you can deploy Cloud Volumes ONTAP without using NetApp Cloud Central. Which modification do you need to make to the 1SON file to accomplish this task?

- A. Add the Azure GUID.
- B. Modify the Azure IAM policy.
- C. Add the Azure Subscription ID.
- D. Modify the Azure VM ID.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 14

An administrator has installed NetApp Service Level Manager. An application workload needs to have no more than 3 ms of latency with a peak of 4123 IOPS per TB. Referring to the exhibit, which storage service level meets this requirement?

Service Level Name	Peak Latency Objective	Peak IOPS/TB Objective	Expected IOPS/TB
Extreme Performance	1	12288	6144
Performance	2	4096	2048
Standard	8	8192	4096
Value	17	512	128

- A. Standard
- B. Performance
- C. Value
- D. Extreme Performance

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

As the administrator of NetApp Cloud Insights, you want to set up an alert on your on-premises NetApp ONTAP system when a volume reaches 70% full.

In this situation, which two actions are required to accomplish this task? (Choose two.)

- A. Create an annotation for volume capacity.
- B. Create a Performance Policy.
- C. Monitor the action field in Auditing Events.
- D. Set up an alert.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 16

Which two steps must you take when preparing to update Cloud Volumes ONTAP? (Choose two.)

- A. Verify data SVM is online.
- B. Verify SnapMirror transfers have been suspended.
- C. Verify aggregates are online.
- D. Verify OnCommand Cloud Manager version compatibility.

Answer: B,D ([LEAVE A REPLY](#))

Valid NS0-303 Dumps shared by Actual4test.com for Helping Passing NS0-303 Exam!
Actual4test.com now offer the **newest NS0-303 exam dumps**, the Actual4test.com NS0-303 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NS0-303 dumps with Test Engine here:

Special Discount: Freepdfdumps)

NEW QUESTION: 17

You need to back up some of your daily Snapshot copies from ONTAP Select to Cloud Volumes ONTAP. You need to back up application-consistent Snapshot copies that are created four times daily. You also have several crash-consistent Snapshot copies that you do not want to back up to the cloud that are currently replicating.

To satisfy this requirement, which Snapshot policy parameter do you need to set on the application-consistent Snapshot copies?

- A. count
- B. schedule
- C. label
- D. prefix

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

You want to back up your Office365 data with NetApp SaaS Backup. In this scenario, what are three supported destinations? (Choose three.)

- A. Bring Your Own Storage (BYOS)
- B. Amazon S3
- C. BoK.com
- D. Google Cloud File store
- E. Microsoft Azure Blob

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 19

What is the difference between a mirror and a backup replication policy?

- A. Mirror replication policies are faster than backup replication policies.
- B. Mirror replication policies can retain more Snapshot copies at the destination than at the source.
- C. Backup replication policies are faster than mirror replication policies.
- D. Backup replication policies can retain more Snapshot copies at the destination than at the source.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

A customer has OnCommand Cloud Manager deployed in its corporate network. The customer wants to use OnCommand Cloud Manager to deploy Cloud Volumes ONTAP in an AWS VPC. In this scenario, which network connectivity enables this solution?

- A. a Fiber Channel connection

- B. a VPC peering connection
- C. a loopback address In the AWS routing table
- D. a VPN connection

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 21

Refer to the Exhibit.

The screenshot shows the AWS IAM console configuration for a role. It lists three nodes: Node 1, Node 2, and a Mediator. Node 1 is configured with Availability Zone us-west-2a and Subnet 172.31.16.0/20. Node 2 is configured with Availability Zone us-west-2b and Subnet 172.31.32.0/20. The Mediator is configured with Availability Zone us-west-2c, Subnet 172.31.0.0/20, and Key Pair newKey. The AWS Region is set to US West, Oregon. A watermark 'freepdfdumps.com' is overlaid on the image.

You are setting up an SMB share on Node1 and need to test network failover to Node2 for hosts Inside the VPC.

In this scenario, which IPs are required for HA failover?

- A. floating IPs
- B. management IPs
- C. Inter cluster IPs
- D. static IPs

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 22

You have SnapMirror connectivity issues between two Cloud Volumes ONTAP dusters. Which advanced ONTAP command would you use to troubleshoot and test replication connectivity?

- A. network ping
- B. cluster ping-cluster
- C. vserver peer show
- D. cluster peer ping

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

Your customer is using Google Cloud Interconnect to access a StorageGRID S3 bucket from applications running in Google Cloud Platform (GCP).

From the private cloud router, the customer can ping any instances behind the GCP Virtual Private Cloud (VPC), but the return traffic is not routed correctly. The private cloud gateway has been defined correctly within GCP.

In this scenario, which network setting should be Investigated to help your customer solve the issue?

- A. the maximum transfer unit (MTU) settings on the private cloud routers
- B. the CIDR blocks configured on the Cloud Interconnect
- C. the VLAN configuration on the private cloud switches
- D. the Border Gateway Protocol (BGP) parameters on the private cloud routers

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 24

A storage administrator wants to deploy a Cloud Volumes ONTAP volume to store data.



Referring to the exhibit, what is the network range of clients that may access the volume using NFS?

- A. 10.20.0.1 through 10.20.255.254
- B. 10.20.0.1 through 10.255.255.254
- C. 10.20.0.1 through 10.20.0.16
- D. 10.20.0.1 through 10.20.255.16

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 25

You are deploying OnCommand Cloud Manager In AWS without NetApp Cloud Central and need to define a OnCommand Cloud Manager IAM policy.

In this scenario, before you launch and manage Cloud Volumes ONTAP In AWS, which two actions grant permissions that are defined In the IAM policy? (Choose two.)

- A. Attach an IAM policy to a NetApp support site credential.
- B. Attach an IAM role to the OnCommand Cloud Manager instance.
- C. Attach an IAM policy to IAM users or groups.
- D. Attach an IAM role to the Cloud Volumes ONTAP instance.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 26

You have a single node Cloud Volumes ONTAP instance in AWS. You are required to have high availability for the data with no data loss across availability zones. In this scenario, which two actions are required to accomplish this task? (Choose two.)

- A. Mirror the data
- B. Tier the data to S3
- C. Create a new HA pair
- D. Add a second node to the cluster

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 27

You are provisioning Cloud Volumes ONTAP HA in AWS with 300 TB and a Bring Your Own License (BYOL). You also need to tier cold data from EBS to S3. In this scenario, which two cloud disk types are supported? (Choose two.)

- A. Cold HDD (sc1)
- B. Provisioned IOPS SSD (io1)
- C. Throughput Optimized HDD (st1)
- D. General Purpose SSD (gp2)

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 28

Your company has multiple AWS accounts. Including AWS child accounts. Your company wants to use Cloud Insights to monitor the accounts.

According to NetApp documentation, what is the recommended deployment method in this scenario?

- A. Deploy one acquisition unit and one data collector.
- B. Deploy one acquisition unit and one data collector per child account.
- C. Deploy one acquisition unit and multiple data collectors.
- D. Deploy multiple acquisition units and one data collector.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 29

When provisioning storage for Cloud Volumes ONTAP In Azure using Cloud Manage, why is the maximum usable size of a FlexVol volume 76.55?

- A. Cloud Manager sets by default an aggregate free space ratio of 10 percent.
- B. Twenty percent of the disk space is reserved for overhead.
- C. Data ONTAP sets this number as a hard encoded limit in the storage subsystem.
- D. The limit is actually 76.8 TB. but a small portion of the volume is set aside for meta data.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

You created an SMB volume in Cloud Volume Service. Before writing any data, the requirement changed to provide multiprotocol access to both NFS and SMB. In this scenario, which action enables concurrent multiprotocol access?

- A. Create a new Dual-protocol volume.
- B. Change the volume security style.
- C. Create a usermap entry.
- D. Change the volume service level.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

You are provisioning SMB or dual-protocol shares in Cloud Volumes Service-In this scenario, what Active Directory information must be provided?

- A. DNS server IP address
- B. NIS server IP address
- C. gateway IP address
- D. DHCP server IP address

Answer: ([SHOW ANSWER](#)**)**

Valid NS0-303 Dumps shared by Actual4test.com for Helping Passing NS0-303 Exam!
Actual4test.com now offer the **newest NS0-303 exam dumps**, the Actual4test.com NS0-303 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NS0-303 dumps with Test Engine here:

https://www.actual4test.com/NS0-303_examcollection.html (140 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 32

You have designed and written applications as containers and want to deploy them on a Kubernetes cluster. You want to use Cloud Volumes ONTAP to provide dynamic persistent storage for your Kubernetes cluster.

In this scenario, what will automate this task?

- A. Terraform
- B. kubectI
- C. Trident
- D. Istio

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 33

You are asked to deploy OnCommand Cloud Manager in your company's existing Azure subscription. In this scenario, which two steps ensure that the correct permissions are granted?

(Choose two.)

- A. Use IAM to set Access Controls.
- B. Create a custom role.
- C. Download the current policy from Cloud Central.
- D. Create an Azure AD account.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 34

You are trying to deploy an OnCommand Cloud Manager from the marketplace to your Azure resource group, but the deployment fails.

In this situation, what caused this problem?

- A. A custom role with the proper permissions has not been created
- B. A subnet in your Azure resource group is not connected to your local company network
- C. An express route between your local network and Azure has a firewall rule that is set to deny
- D. A virtual machine in your Azure resource group on which to deploy Cloud Manager has not been created

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 35

Which component is essential for configuring a virtual private network between two public clouds?

- A. network link aggregation (LAG)
- B. private CIDR blocks for each cloud
- C. Border Gateway Protocol (BGP)
- D. customer gateway at a colocation facility

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

Which NFS version is supported by Cloud Volumes Service?

- A. NFSv3
- B. pNFS
- C. NFSv4
- D. NFSv2

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

Your customer has an E-Series and wants to back up the volumes to the cloud. Which two components are required to accomplish this task using SANtricity Cloud Connector? (Choose two.)

- A. Cloud Connector License key for SANtricity
- B. AWS S3 bucket
- C. Red Hat or SUSE Enterprise Linux Server as a backup host

D. Windows 2016 Datacenter Edition as a backup host

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 38

Your organization's security policy requires centrally managed user rights with granular permission assignment capabilities for authenticated users to access the Spot by NetApp console.

Which method accomplishes this task?

- A.** Create a programmatic user account for each user.
- B.** Enable Spot by NetApp's multifactor authentication (MFA).
- C.** Create an access token and assign it to each user.
- D.** Configure integration with your organization's single sign-on (SSO).

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 39

You are deploying a Cloud Volumes ONTAP HA system that uses multiple Availability Zones In AWS. You want to make sure that you can access the floating IP addresses in your Virtual Private Cloud (VPC. from your other VPCs in the same AWS region in which you have deployed your Cloud Volumes ONTAP HA system.

How do you accomplish this task?

- A.** Use the AWS Transit Gateway service to create a route to your floating IP addresses.
- B.** Use OnCommand Systems Manager to make floating IP addresses accessible between your VPCs.
- C.** Use OnCommand Cloud Manager to make floating IP addresses accessible between your VPCs.
- D.** Create peering between your VPCs using the AWS console.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 40

Which two network topologies would support SnapMirror data replication from Cloud Volumes ONTAP for Azure to Cloud Volumes ONTAP for AWS? (Choose two.)

- A.** Virtual Private Cloud > AWS Transit Gateway
- B.** cloud provider -> on-premises -> cloud provider VPN
- C.** cloud provider -> cloud provider VPN
- D.** Virtual Private Cloud (VPC. -> Azure Virtual Network (VNET) peering

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 41

You ate the cloud administrator for your organization. You have identified a workload that uses too many resources from your Cloud Volumes ONTAP system in Azure, You have determined that applying a quota policy will solve this problem In this situation, how do you apply a quota?

- A. Use OnCommand System Manager to create the quota) and apply it to the volume.
- B. Use OnCommand Cloud Manager to specify the quota value during creation of the volume.
- C. Use the Microsoft Azure Resource Manager to set. a quota for the volume.
- D. Use the deployment services that are available on NetApp Cloud Central.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

Click the Exhibit button.

```
Hourly Snapshots to keep: 6
Daily Snapshots to keep: 6
Weekly Snapshots to keep: 2
Monthly Snapshots to keep: 0
```

You have set the Snapshot policy shown in the exhibit on your Cloud Volumes Service for AWS. On the 30th of the month at 10:00 p.m., how many Snapshot copies do you have?

- A. 6
- B. 2
- C. 14
- D. 12

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

What are two network requirements when providing an unused IPv4 CIDR block when onboarding to Cloud Volumes Service for AWS? (Choose two.)

- A. an ExpressRoute gateway
- B. a private static IP block for shares and exports
- C. a public elastic IP block for EC2 instances accessing shares
- D. a /28 network

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

You have a NetApp HCI Cluster and a Cloud Volumes ONTAP instance In Azure. You are asked to back up your HCI Cluster to the cloud with the ability to failover and fallback LUNs. In this scenario, which NetApp technology will satisfy this requirement?

- A. NetApp Data Availability Services (NDAS)
- B. NetApp SnapCenter
- C. NetApp Cloud Sync
- D. NetApp SnapMirror

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 45

You have a cloud-connected storage system that is located in a collocation facility that uses a direct connect into AWS. The direct connect circuit is already configured, and it is working for the SVMs that were created earlier on the cluster.

You are creating a new SVM on the storage cluster in your collocation. You want your compute nodes in AWS to be able to connect to the storage on the newly created SVM. Which two steps must you perform to accomplish this task? (Choose two.)

- A. Create the protocol LIFs on the SVM that uses the VLAN interface ports.
- B. Create VLAN interface ports on cluster nodes.
- C. You must have an AWS Elastic Network IP (EIP) attached to the compute nodes in AWS.
- D. Set up a network connection to the Internet in the collocation.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 46

You have a FAS2750 system with 1.8 TB SAS disks. You are unable to create a Fabric Pool with the auto volume tiering policy.

In this scenario, what caused this failure?

- A. There is not enough space in the aggregate.
- B. There is a failed disk in the aggregate.
- C. There are no SSD drives.
- D. There is no Internet connection.

Answer: ([SHOW ANSWER](#)**)**

Valid NS0-303 Dumps shared by Actual4test.com for Helping Passing NS0-303 Exam!
Actual4test.com now offer the **newest NS0-303 exam dumps**, the Actual4test.com NS0-303 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NS0-303 dumps with Test Engine here:

https://www.actual4test.com/NS0-303_examcollection.html (**140** Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 47

You want to use FabricPool on your AFF A300.

In this scenario, which three tiering policies show inactive data on your volumes? (Choose three.)

- A. snapshot-only
- B. auto
- C. none
- D. backup
- E. mirror

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 48

As the site reliability engineer, you have successfully deployed Kubernetes clusters on AWS and Google Cloud Platform using NetApp Kubernetes Service. In this scenario, what would enable you to manage these clusters through a single management interface?

- A. Istio
- B. NetApp Trident
- C. Helm Charts
- D. Federation

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 49

You want to join AWS Cloud Volumes Service to your Active Directory environment. Which two required fields must be completed to accomplish this task? (Choose two.)

- A. SMB Version
- B. DNS Server IP Address
- C. NetBIOS Name
- D. Active Directory GPO

Answer: B,C [\(LEAVE A REPLY\)](#)

NEW QUESTION: 50

As a Cloud Volumes administrator for AWS, which three steps should you complete before launching OnCommand Cloud Manager in AWS? (Choose three.)

- A. Grant access to AWS CMK.
- B. Create a Direct Connect.
- C. Grant AWS permissions.
- D. Subscribe to Cloud Volumes ONTAP in AWS.
- E. Verify your AWS networking.

Answer: A,B,D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 51

You are managing a large NetApp hybrid cloud estate across your business and are experiencing VM performance problems. You are asked to investigate. You need a tool that provides monitoring capabilities and enables you to solve specific issues quickly. Which NetApp tool would you deploy to satisfy these requirements?

- A. Spot Eco by NetApp
- B. NetApp Cloud Compliance
- C. NetApp Cloud Insights
- D. NetApp Cloud Manager

Answer: C [\(LEAVE A REPLY\)](#)

NEW QUESTION: 52

Which two advanced SMB features are available with Cloud Volumes ONTAP 9.5? (Choose two.)

- A. credit limits
- B. multichannel
- C. large MTU
- D. workgroup authentication

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

Which two mandatory export policy variables need to be defined when creating a volume in Cloud Volumes ONTAP? (Choose two.)

- A. Junction Path
- B. Allowed Clients
- C. Service Level
- D. Access

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 54

You are using Cloud Volumes ONTAP for Azure. Your company wants to change hyper scalers. You want to migrate your volumes to Cloud Volumes Service for AWS. In this scenario, which three steps would you perform to migrate the data? (Choose three.)

- A. Set up a Direct Connect between AWS and Azure.
- B. Deploy a Cloud Sync data broker in your AWS VPC with Cloud Volumes Service.
- C. Create a VPN between Azure and AWS.
- D. Modify the export policy on your Cloud Volume ONTAP volumes to allow a data broker.
- E. Set up an ExpressRoute between Azure and AWS.

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 55

Which two security group configurations would be used when deploying Cloud Volumes ONTAP? (Choose two.)

- A. Use no security group.
- B. Generate a security group.
- C. Generate a security group with no rules.
- D. Use an existing security group.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 56

You are the administrator for your company's AWS public cloud infrastructure. You want to allow a user to deploy Cloud Volumes ONTAP Instances in your company's Virtual Private Cloud (VPC). Which two actions are needed to accomplish this task? (Choose two.)

- A. Sign up for a user account in NetApp Cloud Central.

- B. Add the user to OnCommand Cloud Manager.
- C. Sign up for a user account in OnCommand Cloud Manager.
- D. Add the user to NetApp Cloud Central.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 57

What are three valid URL paths for accessing an S3 bucket in Storage GRID? (Choose three.)

- A. http://hostname.domainname/bucket-name
- B. http://domainname/bucket-name
- C. http://bucketname.storage.node.domainname
- D. http://www.netapp.com/bucket-name
- E. http://bucketname.gateway.domainname

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 58

You have a 100 TB Cloud Volumes Service NFS volume called vol1. You are asked to create a second read/write test copy of the volume called vol1_test. In this scenario, what is the fastest supported method to create vol1_test?

- A. Use SnapMirror to mirror vol1 to vol1_test.
- B. Use Cloud Sync to synchronize vol1 to vol1_test.
- C. Create vol1_test from a Snapshot copy.
- D. Use rsync to copy vol1 to vol1_test.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 59

You want to set up Cloud Sync between your on-premises ONTAP node and your AWS Cloud Volumes Service NFS mount.

In this scenario, which two network components would you use? (Choose two.)

- A. Direct Connect
- B. VPN
- C. Express Route
- D. VPC endpoint

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 60

Your company has purchased a new NetApp HCI cluster that you would like to backup to a Cloud Volumes ONTAP Instance.

In this scenario, which protocol would you use to natively back up all the LUNs on the cluster?

- A. S3
- B. Swift
- C. SnapMirror

D. NFS

Answer: ([SHOW ANSWER](#))

Valid NS0-303 Dumps shared by Actual4test.com for Helping Passing NS0-303 Exam!

Actual4test.com now offer the **newest NS0-303 exam dumps**, the Actual4test.com NS0-303 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NS0-303 dumps with Test Engine here:

https://www.actual4test.com/NS0-303_examcollection.html (**140** Q&As Dumps, **30%OFF**

Special Discount: **Freepdfdumps**)