

Nokia.4A0-M03.v2022-03-14.q13

Exam Code:	4A0-M03
Exam Name:	Nokia Mobility Manager Exam
Certification Provider:	Nokia
Free Question Number:	13
Version:	v2022-03-14
# of views:	617
# of Questions views:	130
https://www.freepdfdumps.com/Nokia.4A0-M03.v2022-03-14.q13.html	

NEW QUESTION: 1

If the selected SGW fails, which SGW/PGW will MME select if 'gateway selection mode 2' is used?

- A. The next topologically closest SGW/PGW pair
- B. A new SGW, but new PGW selection is not required
- C. A new SGW first, then select a new PGW with the best order and preference values
- D. A new SGW first, then select a new PGW that is topologically closest to the newly selected SGW

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Which of the following regarding logging architecture in Nokia CMM is FALSE?

- A. Details about each log can be displayed using the verbose (-v) flag.
- B. Different log files are generated automatically in the system.
- C. Log files can be retrieved under the "/data-logs" folder.
- D. Logs are generated based on log events.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 3

Which of the following messages are exchanged between the MME and the SGW during the dedicated bearer activation procedure?

- A. Attach Request / Attach Accept
- B. Create Bearer Request / Create Bearer Response
- C. Session Management Request / Session Management Response
- D. RA-Request / RA-Answer

Answer: B ([LEAVE A REPLY](#))

Reference:

NEW QUESTION: 4

Which of the following statements regarding a tracking area list (TA list) is TRUE?

- A. The location of an idle UE is known by the network at an eNodeB granularity.
- B. A tracking area list is a logical set of MMEs.
- C. The location of an active UE is known by the network at a TA list granularity.
- D. All the tracking areas in a TA list are served by the same MME.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 5

What network component(s) is/are shared in the gateway core network (GWCN) sharing architecture model?

- A. E-UTRAN and MME are shared
- B. Only E-UTRAN is shared
- C. Only MME is shared
- D. MME and PGW are shared

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 6

Which of the following functions is NOT performed by MME when it receives a TAU from a UE?

- A. Send paging message to a list of SGWs belonging to UE's registered tracking area
- B. Inform HSS of the UE's current location
- C. Check if UE requests access to a restricted tracking area
- D. Perform message integrity check

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which of the following MME interfaces uses a protocol OTHER than GTP-C or Diameter?

- A. S1-MME
- B. S11
- C. S6a
- D. SLg

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://www.cablefree.net/wirelesstechnology/4glte/lte-interfaces/>

NEW QUESTION: 8

What information does eNodeB use to ensure MME load balancing during MME selection?

- A. MME capacity value from the UE's subscription data received from the HSS
- B. MME capacity value received from the UE attach request message

- C. MME relative capacity value calculated by each MME based on the current network load
- D. MME relative capacity value received from each MME in the pool

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Given the exhibit, the MME is unable to retrieve authentication vector (AV) from the HSS and the initial UE attach fails.

```

nbiPing | pingOutput
-----
10.10.9.1 | PING 10.10.9.1 (10.10.9.1) from 10.10.9.2 : 56(84) bytes of data.:64 bytes from 10.10.9.1: icmp_seq=1 ttl=64
| time=0.674 ms:64 bytes from 10.10.9.1: icmp_seq=2 ttl=64 time 0.384 ms:64 bytes from 10.10.9.1: icmp_seq=3 ttl=64
| time=0.427 ms:64 bytes from 10.10.9.1: icmp_seq=4 ttl=64 time 0.495 ms:64 bytes from 10.10.9.1: icmp_seq=5 ttl=64
| time=0.426 ms;--- 10.10.9.1 ping statistics ---;5 packets transmitted, 5 received, 0% packet loss, time 4001ms;rtt
| min/avg/max/mdev = 0.384/0.481/0.674/0.103 ms;

cmm multiLink list
-----
multilink | linkInterfaceType | linkIndex | linkAdminState | linkOperationState | alarmState | remoteIp1 | remoteIp2 |
-----
s6ad      | s6ad              | 0         | unlocked       | unknown            | none      | 10.10.9.1 | 0.0.0.0   |

```

Which of the following actions is useful for troubleshooting this problem?

- A. Verify if the IMSI to HSS mapping list is configured properly.
- B. Verify if a GTP profile is associated with the S6a interface.
- C. Verify if the DNS server is provisioned to dynamically discover the HSS IP address.
- D. Verify if the TAI value matches between the MME and the HSS.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Which logical interface is used to transfer UE information from one MME to another MME during relocation?

- A. S10
- B. S3
- C. S6a
- D. S13

Answer: ([SHOW ANSWER](#))


Reference:

<https://www.cablefree.net/wirelesstechnology/4glte/lte-interfaces/>

NEW QUESTION: 11

In this exhibit, a new SCTP profile is configured on the MME.

Which interface(s) in the given exhibit can be associated with this profile?



cmm sctpProfile create -name sctp-profile -rtoMin 100 -rtoMax 500

- A. Both S11 and S6a
- B. S1-MME only
- C. S11 only
- D. Both S1-MME and S6a

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which of the following statements regarding handover is FALSE?

- A. During X2-based handover, MME may remain the same or be relocated
- B. Handover can occur when UE is in ECM-CONNECTED state
- C. S1-based handover is used when X2-based handover attempt failed
- D. S1-based handover is used when there is no X2 interface between source and target eNodeBs

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 13

Which of the following statements best defines S-TMSI?

- A. A network that provides mobile communication services to the public.
- B. A globally unique temporary mobile identifier used to hide the subscriber's real permanent identity.
- C. An identifier assigned by the MME that uniquely identifies a UE within an MME pool.
- D. A permanent, unique identification of a mobile subscriber in the GSM/UMTS/EPS system.

Answer: B ([LEAVE A REPLY](#))

Valid 4A0-M03 Dumps shared by Actual4test.com for Helping Passing 4A0-M03 Exam!
Actual4test.com now offer the **newest 4A0-M03 exam dumps**, the Actual4test.com 4A0-M03 exam **questions have been updated** and **answers have been corrected** get the **newest**

Actual4test.com 4A0-M03 dumps with Test Engine here: https://www.actual4test.com/4A0-M03_examcollection.html (40 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)