

Nutanix.NCP-5.15.v2022-05-23.q97

Exam Code:	NCP-5.15
Exam Name:	Nutanix Certified Professional - Multi cloud Infrastructure
Certification Provider:	Nutanix
Free Question Number:	97
Version:	v2022-05-23
# of views:	2854
# of Questions views:	970
https://www.freepdfdumps.com/Nutanix.NCP-5.15.v2022-05-23.q97.html	

NEW QUESTION: 1

An administrator needs to provide iSCSI storage to a VM on the nutanix cluster running ESXi
Which native nutanix feature should be leveraged to meet this requirement?

- A. NFS whitelist
- B. Acropolis Block service
- C. Acropolis file service
- D. Storage Container

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 2

What command places a host in maintenance mode in AHV?

- A. acli maintenance_mode.host host_id
- B. ncli host maintenance host_id
- C. acli host.enter_maintenance_mode host_id
- D. ncli maintenance_mode host=host_id

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 3

The Linux administration team has requested access rights to any current or future Linux VM in the environment What entity should be selected when assigning this new role?

- A. AHV Cluster
- B. Project
- C. Category
- D. Image

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 4

What is the default network bond name for a Nutanix node?

- A. bro-up
- B. bro
- C. bond0
- D. bri

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which service performs snapshots in an AOS 5.15 implementations?

- A. Stargate
- B. Medusa
- C. Zookeeper
- D. Prism

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 6

Which two private key types are supported by the Nutanix SSL certificate implementation?
(Choose two.)

- A. ECDSA
- B. RSA
- C. ED25519
- D. ECDH

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

In which two scenarios is Nutanix Key Management Server supported?

- A. XenServer and AHV mixed cluster
- B. Cluster's local KMS.
- C. Data-at-Rest Encryption
- D. KVM and AHV mixed cluster

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 8

AHV IPAM assigns an IP address from the address pool when creating a managed VM NIC.
At which two instances does the address release back to the pool? (Choose two)

- A. The IP address lease expires
- B. The VM NIC is deleted.
- C. The IP address is changed to static.
- D. The VM is deleted.

Answer: ([SHOW ANSWER](#))

https://portal.nutanix.com/page/documents/solutions/details/?targetId=BP-2029_AHV:BP-2029_AHV

Administrators can use Acropolis with IPAM to deliver a complete virtualization deployment, including network management, from the unified Prism interface. This capability radically simplifies the traditionally complex network management associated with provisioning VMs and assigning network addresses. To avoid address overlap, be sure to work with your network team to reserve a range of addresses for VMs before enabling the IPAM feature.

The Acropolis master assigns an IP address from the address pool when creating a managed VM NIC; the address releases back to the pool when the VM NIC or VM is deleted.

NEW QUESTION: 9

Which two steps are the minimum required to perform an upgrade of AOS and AHV using a manual software upload? (Choose two.)

- A. Download the AOS tar.gz and metadata JSON files from the support portal.
- B. Select Upload AOS Base Software Binary from the Upgrade Software page in Settings enter downloaded tar. gz and metadata JSON.
- C. Download the Foundation car.gz and metadata JSONfiles from the support portal.
- D. Select Upload AOS Base Software Binary from the Life Cycle Manager page in Settings enter downloaded tar.gz and metadata JSON.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 10

When license needs to be reclaimed from Host: (Choose 2)

- A. While Destroying the Cluster
- B. If you move nodes from one cluster to another , First reclaim the licenses, move the nodes, Then Re-Apply lincences
- C. Return licences to your Inventory when you remove one or more nodes from cluster

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 11

A VM user permanently deletes a directory on a guest VM. The Nutanix administrator has enabled Self-Services for this VM.

Which three steps must the administrator perform to restore the directory? (Choose Three)

- A. Copy the directory from the snapshot disk to the original VM disk
- B. Connect to the cloned VM and copy the directory to the source VM
- C. Launch the Nutanix SSR utility on the VM
- D. Select and mount the snapshot that contains the deleted directory
- E. Create a clone of the VM from a previous snapshot and replace the original VM

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 12

What is default behavior for VM High Availability for Nutanix AHV?

- A. VMs restart on other hosts as available resource allow
- B. All VMs restart because system reservation are already made
- C. No VMs restart because HA is not enabled by default
- D. Only VMs with High Availability explicitly enabled will restart

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

How should an administrator enable secure access to Volumes using a password?

- A. iSER
- B. CHAP
- C. SAML
- D. LDAP

Answer: ([SHOW ANSWER](#))

<https://portal.nutanix.com/page/documents/details/?targetId=Web-Console-Guide-Prism-v50:wc-block-services-enabling-t.html> Provision storage on the Nutanix cluster by creating a volume group. Create a client whitelist to enable access to the volume group by using the IP addresses or client initiator IQNs in a whitelist (as part of the volume group configuration). Create a secret for the volume group if you are using CHAP authentication.

NEW QUESTION: 14

Which two methods are available when migrating a VM from a legacy 3-tier solution using VMware ESXi to AHV? (Choose two.)

- A. Use shared nothing live migration.
- B. Import the .vmdk into the Image Service.
- C. Deploy the Move appliance.
- D. Use Cross-Hypervisor DR.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 15

Which option should the administrator select from the web console to access the prism Rest API Explorer?

- A. Tasks Dashboards
- B. Home Dashboard
- C. User Icon
- D. Gear icon

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 16

An administrator installs Nutanix-specific PowerShell cmdlets. The cmdlets fail to run. Which two requirements should the administrator verify first? (Choose two)

- A. Python 2.7 or greater is installed
- B. PowerShell 2.0 or later is installed
- C. The cmdlets have the proper permissions
- D. .Net Framework 4.0 is installed
- E. Windows 2016 r2 or later is installed

Answer: B,D ([LEAVE A REPLY](#))

Valid NCP-5.15 Dumps shared by Actual4test.com for Helping Passing NCP-5.15 Exam!
Actual4test.com now offer the **newest NCP-5.15 exam dumps**, the Actual4test.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-5.15 dumps with Test Engine here:

https://www.actual4test.com/NCP-5.15_examcollection.html (279 Q&As Dumps, **30%OFF**

Special Discount: [Freepdfdumps](#))

NEW QUESTION: 17

The Stargate service becomes unavailable on a single CVM on an AHV node. What is used to maintain I/O operations in the cluster?

- A. ha.py
- B. iSCSI redirector
- C. Route injection
- D. Hypervisor HA

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

Which two factors should be considered when planning to migrate VMs to AHV? (Choose two.)

- A. Active Directory Domain
- B. iSCSI MPIO Version
- C. Downtime Requirements
- D. Guest Operating System

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 19

An administrator is working with Nutanix Support and needs to provide logs for troubleshooting an issue. The cluster is located in a secure environment. Data such as IP addresses and VM names cannot be shared.

Which two methods can be used to anonymize the log data sent to Nutanix Support? (Choose two.)

- A. On the Health dashboard in Prism, use the Collect Logs option under Actions and choose Anonymize Output

B. Under the User Profile in Prism, select Anonymize Log Output then run Log Collector from the Health dashboard.

C. Run the ncc log_collector tool on a CVM, setting the - enhanced log collector flag to true,

D. Run the ncc log_collector tool on a CVM, setting the -anonymize_output flag to true

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 20

An administrator is trying to set up Role Mapping. A dialog box states: Directories have not been configured for Role Mappings.

What must the administrator do to fix this issue?

A. Connect to Nutanix Directory Services in Prism Central.

B. Configure Nutanix Directory Services in Prism Element.

C. Connect to Active Directory or OpenLDAP.

D. Enable Nutanix's IPAM services.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

what is the result of a cvm becoming unavailable?

A. a route is added to the CVM's routing table

B. VMs running on the node's host are migrated

C. a route is added to the host's routing table

D. the guest VMs on the same node are stunted

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 22

What policy would maximize throughput for the brO uplink of a host?

A. Active-Active

B. Switch Dependent, Dynamic

C. Active-Backup with MAC pinning

D. Route based on ip hash

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 23

An administrator wants to configure key based SSH access for an AOS 5.5 Implementation

Which three components can be secured using this method?

A. Guest virtual machine

B. prism element

C. the CVM

D. The hypervisor host

E. The cluster

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Which type of data is distributed by Zookeeper to ensure availability in the case of node or block failure?

- A. Configuration Data
- B. User Data
- C. Metadata
- D. Snapshot Data

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 25

An administrator is managing a highly active SQL workload that is writing I/Os in 2 MB chunks to a vDisk. The administrator wants to optimize capacity setting for the computer.

Which storage optimization technology should the administration select to meet these requirement?

- A. Compression
- B. Erasure Coding
- C. Cache Deduplication
- D. Capacity Deduplication

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which configuration should an administrator make in Prism to receive a summary of the alerts every 24 hours?

- A. Syslog
- B. Individual Alerts
- C. Email Digest
- D. SNMP

Answer: C ([LEAVE A REPLY](#))

https://portal.nutanix.com/page/documents/details/?targetId=Prism_Central_Guide-Acr_v4_6:mul_alerts_management_pc_c.html Prism Central allows you to configure the alert messages sent by Prism Central. To configure alert settings, reporting rules, and message templates, do the following:

Note: Alert emails sent by Prism Central are in addition to any alert emails you might have configured on individual clusters through the Prism web console. You will receive email from both entities in this case. Prism Central alert emailing is not enabled by default; you must explicitly enable it and specify the recipients (Nutanix customer support and/or supplied email addresses).

Do one of the following:

In the gear icon pull-down list of the main menu, select Alert Email Configuration.

In the Alerts dashboard, click the Email Configuration button.

The Alert Email Configuration window appears.

Click the Settings tab and do the following:

Enable Prism Central to send alert emails.

Check the Email Every Alert box to send an email whenever the event occurs.

Check the Email Daily Digest box to send a cumulative (24 hour) list of alerts once a day.

You can check one or both boxes. If neither box is checked, no alert emails are sent by Prism Central.

Check the Nutanix Support box to send alert notification to Nutanix customer support.

To send alert notifications to others, enter their email addresses in a comma separate list in the field below the Nutanix Support box.

Click the Apply button to apply the changes and continue the configuration (or click the Save button to apply the changes and close the window).

The Connection Status section displays mail transport status information. In this example, an SMTP server is configured for mail service. Clicking the Details link opens the SMTP server settings window

NEW QUESTION: 27

An administrator wants to configure Near Sync an AOS 5.15 implementations. The Cluster has the following characteristic

- 1) 2 nodes at both the primary and remote site
- 2) 60 TB of storage on each node
- 3) 1.9 TB SSD disks in each node
- 4) 8 VMs per protection domain
- 5) A mix of ESXi and AHV hypervisor

What three steps would need to be taken successfully enable Near Sync? (Choose Three)

- A. Reduce the SSD disks type 2 no more than 1 TB
- B. Use all AHV or all ESXi hypervisor in the implementations
- C. Increase the amount of VMs in each protection domain to at least 10
- D. Increase the number of nodes at both sites to a minimum of three
- E. Reduce the amount of storage on each node to more than 40 TB

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 28

Refer to the exhibit.



The Linux Admin role has been created to manage only Linux VMs in the environment. However, the Admin1 user does not have access to all Linux VMs.

What step should be taken to grant the proper access?

- A. Add the hosts to the entities KM for the role.
- B. Add the role to the Linux images.
- C. Grant the admin1 user the viewer role (or the cluster.
- D. Add the proper category to each Linux VM.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

An administrator receives an alert email that indicates that a health check has failed.

Which action should the administrator take to collect more information on the failed check?

- A. Use the ncli command on the CVM to view the details of the check
- B. In the Prism Web Console, select the URL included in the check details
- C. Re-run the check from the CVM CLI using the ncc command
- D. Forward the alert email to Nutanix Support requesting more information

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

A new Nutanix node includes Which license by default?

- A. Pro
- B. Ultimate
- C. Prism Pro
- D. Starter

Answer: ([SHOW ANSWER](#))

Each Nutanix node and block is delivered with a default Starter license, which does not expire.

You are not required to register this license on the Nutanix Customer Portal account assigned to you when you purchased your nodes. These licenses are automatically applied whenever you create a cluster, including after you have destroyed a cluster. You do not need to reclaim Starter licenses in this case.

<https://portal.nutanix.com/page/documents/details/?targetId=Prism-Central-Guide-Prism-v51:lic-licensing-managing-c.html>

NEW QUESTION: 31

The administrator wants a container to be displayed and limited to 1TB in the hypervisor.

What advanced container setting must the administrator set?

- A. Advertised Capacity
- B. Reserved Quota
- C. Reserved Capacity
- D. Advertised Quota

Answer: ([SHOW ANSWER](#))

Valid NCP-5.15 Dumps shared by Actual4test.com for Helping Passing NCP-5.15 Exam!
Actual4test.com now offer the **newest NCP-5.15 exam dumps**, the Actual4test.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-5.15 dumps with Test Engine here:
https://www.actual4test.com/NCP-5.15_examcollection.html (279 Q&As Dumps, **30%OFF**
Special Discount: **Freepdfdumps**)

NEW QUESTION: 32

In which two scenarios is an automated live migration likely to occur? (Choose two)

- A. Cluster resource hotspot
- B. Hypervisor upgrade
- C. Network upgrade
- D. AOS upgrade

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

An administrator needs to boot a VM to a bootable CD. The administrator tries to configure the VM to boot to it, select to add disk, and goes to the images available. The image for the bootable CD is unavailable.

What is the Likely issue?

- A. The bootable CD image is corrupted during creation.
- B. The VM needs to have a standard disk attached before it can boot to a CD.
- C. The administrator selected a disk attached before it can boot to a CD.
- D. The CD-ROM interface is too slow.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

Which two methods can be used to create VMs with UEFI firmware? (Choose two.)

- A. Prism web console
- B. PowerCLI
- C. aCLI commands
- D. vCenter 6.7

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 35

A node with Erasure Coding fails.

What is the impact?

- A. Increased Controller VM CPU Load.

- B. Potentially increased amount of data stored in the SSD tier.
- C. The node stops utilizing Erasure Coding.
- D. AQS unable to do deduplication during the Erasure Coding failure.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 36

An administrator is migrating ESXi VMs to a Nutanix AHV cluster. The VM data is available to the AHV system.

Which process must the administrator complete below AHV VMs can be create?

- A. Rename the -flat.vmdk files for the VM based on the VM UUID
- B. Import the VM's -flat.vmdk files using the Image Service
- C. Import the VMs .vmx file using the Image Service
- D. Import the VM's .nvram file using the Image Service

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 37

An administrator is configuring data protection and DR for a multi-tier application. All VMs must be protected at the same time.

What must the administrator do to meet this requirement?

- A. Create a consistency group for the application and place all VMs in it
- B. Create a protection domain for each VM with identical schedules
- C. Create a consistency group for each VM with identical schedules
- D. Create a protection domain for the application and select auto-protect related entities

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 38

An administrator is trying to create an additional account on the Nutanix cluster in Prism Element but is unable to create new users.

- A. The connection to Active Directory server is disconnected.
- B. The administrator's account is assigned a Cluster Admin role.
- C. The OpenLDAP server was temporarily down for maintenance.
- D. The cluster has reached the minimum number of accounts.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which node type does not deploy a Nutanix Controller VM?

- A. Hyper Converged
- B. Storage Only
- C. Compute Only
- D. All Flash

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 40

Clusters are configured with an http proxy server an administrator wants to deploy prism central Which scenario require to the administrator to configure the http proxy whitelist method?

- A. http port 80 not open in proxy
- B. ssl port 443 not pen in proxy
- C. ssl port 9440 not open in proxy
- D. http port 8000 not open in proxy

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 41

An administrator is restarting a node and the CVM has not automatically restarted. Which command should be used to start the CVM?

- A. virsh start cvm name
- B. cvm start block-ID-(Node Letter)
- C. virsh start block-ID-(Node Letter)
- D. cvm start cvm_name

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 42

what ahv provides hot spot detection and invokes live migration?

- A. acropolis dfs
- B. acropolis management fabric
- C. acropolis data replicator
- D. acropolis dynamic scheduler

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 43

In a managed network, in which scenario will AHV use the last network IP address for the DHCP server?

- A. When changing the CIDR range
- B. When not selecting Override DHCP server
- C. When deleting the DHCP network
- D. When setting a static IP address

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

An administrator is creating a Protection Domain to back up multiple application environments. Which mechanism does Nutanix use to aggregate VMs with common backup and restore objectives?

- A. Consistency Groups

- B. Policy-based Backups
- C. Availability Domains
- D. Application Pools

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 45

Which two levels of encryption are supported in a Nutanix cluster running third-party hypervisor?
(Choose two.)

- A. Cluster
- B. Container
- C. Node
- D. VM

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 46

A VM in a 12-node Nutanix cluster is hosting an application that has specific Physical GPU requirements. Only three nodes in the cluster meet this requirement.

The administrator wants to allow a general workload to be distributed across all nodes in the cluster and must make sure that the node hosting the VM meets its requirements.

How should the administrator perform this task?

- A. Create a separate three-node cluster using the nodes that meet the requirement.
- B. Configure anti-affinity rules between the application VM and the other VMs running on the cluster.
- C. Over-Provision the application VM with additional virtual GPUs.
- D. Configure VM-Host affinity for the nodes that meet the application's GPU requirement.

Answer: D ([LEAVE A REPLY](#))

Valid NCP-5.15 Dumps shared by Actual4test.com for Helping Passing NCP-5.15 Exam!

Actual4test.com now offer the **newest NCP-5.15 exam dumps**, the Actual4test.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-5.15 dumps with Test Engine here:

https://www.actual4test.com/NCP-5.15_examcollection.html (279 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 47

What is the name of the internal bridge used by AHV nodes and CVMs?

- A. br1
- B. br0
- C. vnet0

D. virbr0

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 48

Refer to the exhibit.



System Non-Root Partition Usage shows a warning or critical alert The administrator needs to change the frequency of checks and alerts to respond more quickly.

Where in Prism Element should the administrator change the frequency of checks and alerts?

- A. Alerts Dashboard > Manage Checks > Frequency
- B. Health Dashboard > Manage Checks > Frequency
- C. Health Dashboard > Manage Checks > Schedule
- D. Alerts Dashboard > Manage Checks > Schedule

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 49

How many Prism Central instances are required to deploy Leap:'

- A. One per physical site
- B. One per AHV cluster
- C. One per availability zone
- D. One per customer environment

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which three licenses can be applied from Prism Central? (Choose three.)

- A. Calm
- B. Itimate
- C. Flow
- D. Prism Pro
- E. Capacity based

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 51

An administrator has a 3-node cluster and needs to enable Erasure Coding on a container. Which action must the administrator take before enabling this feature?

- A. Stop workloads on the cluster
- B. Upgrade to Prism Pro Licenses
- C. Add a 4th node to the cluster
- D. Convert the cluster to AHV

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 52

A node in an otherwise healthy RF2 cluster fails and the administrator receives an alert about it. Which statement is true in this situation?

- A. An automatic curator scan has been initiated to replicate the unavailable data.
- B. An administrator needs to log in and initiate manual data replication.
- C. Access to all storage has been lost and VMs are not accessible anymore.
- D. The data resiliency tile in Prism Element shows Warning status.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 53

A Nutanix administrator receives a request from the networking team to start SNMP Traps to their central reporting solution. The administrator creates the transport. The central monitoring tool is not able to clearly read the SNMP traps that are being sent.

What does the administrator need to provide to read SNMP traps correctly?

- A. TCP/IP address
- B. Nutanix MIB file.
- C. SNMP Trap Port
- D. Cluster Virtual IP address

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 54

An administrator has configured a VM with affinity to a single host. Which AOS feature will this impact?

- A. AOS Upgrades
- B. VM High Availability
- C. Erasure Coding
- D. Snapshots and Clones

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 55

Which SSL Files required for Importing Key and certificate (Choose 2)

- A. Private Certificate
- B. Public Certificate

- C. Private Key
- D. CA Certificate

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 56

Where can an administrator change a CVM password?

- A. KMS Server Terminal
- B. CVM setting in Prism Central
- C. CVM setting in Prism Element
- D. Prism CVM VM Console

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 57

Which Nutanix Product combines the Distributed Storage Fabric & App Mobility Fabric?

- A. Acropolis
- B. Xtract
- C. Prism
- D. Calm

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 58

what is included in, or enabled by, the nutanix NGT bundle? (Choose two)

- A. application consistent snapshot
- B. crash consistent snapshot
- C. mouse and keyboard emulation
- D. mobility drivers

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 59

How does AHV IPAM provide IP addresses to the VMs?

- A. leverages VXLAN and OpenFlow rules to intercept the DHCP request and responds with an address.
- B. It runs a DHCP service within each CVM, which responds to DHCP requests from VMs on the local node.
- C. It is a centralized DHCP server within Prism Central, which responds to DHCP requests for VMs on managed clusters.
- D. It leverages a plug-in, which enables connection to third-party IPAM solutions to handle DHCP assignments.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 60

An administrator wants to make sure that the health of a cluster is in a good state.
Which command the utility will provide information related to the health of the cluster?

- A. generic status
- B. top
- C. ncc
- D. iostat

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 61

An administrator is preparing to migrate VMs from a legacy ESXi cluster to a new AHV cluster.
Which action must be the administrator perform on the AHV cluster to migrate VM data?

- A. Create placeholder VMs
- B. Whitelist the ESXi cluster IP address
- C. Install Nutanix Self servicing restore.
- D. Install the Nutanix Virt0 drivers

Answer: ([SHOW ANSWER](#)**)**

Valid NCP-5.15 Dumps shared by Actual4test.com for Helping Passing NCP-5.15 Exam!
Actual4test.com now offer the **newest NCP-5.15 exam dumps**, the Actual4test.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-5.15 dumps with Test Engine here:

https://www.actual4test.com/NCP-5.15_examcollection.html (279 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 62

An administrator responsible for a VDI environment needs to investigate reports of slow logins.
The administrator finds that increasing the number of vCPUs from 2 to 4 will reduce the login times. Production workloads are consuming 75% of the host CPU on the cluster. The administrator increases the vCPU count on all of the VDI VMs.

What are two impacts on the cluster? (Choose two)

- A. Increase CPU utilization%
- B. Increase CPU ready%
- C. Increase memory utilization%
- D. Increasing CPU counts will decrease memory utilization

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 63

what applies to prism central?

- A. setup through prism as 1,2 or 3-VMs

- B. clusters and PC need to match hypervisor
- C. created during foundation
- D. created by user as 1 or 3-VM

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 64

Which Nutanix feature allows for a Less than 60 minutes RPO and leverages light weight snapshots (LWS)?

- A. Nutanix Guest tools
- B. Near Sync
- C. Cloud Connect
- D. Volume Group

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 65

Which two features require the Nutanix Guest Tools package is installed (Choose Two)

- A. Volume Snapshot Services
- B. Prism Central
- C. Image service
- D. Network Visualization
- E. Self-Service Restore

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

In respect to 1 GbE and 10 GbE interfaces (physical host), which statements are true?

- A. If you want to use the 10 GbE interfaces for guest VM traffic, make sure that the guest VMs do not use the VLAN over which the Controller VM and hypervisor communicate.
- B. If you want to use the 1 GbE interfaces for guest VM connectivity, follow the hypervisor manufacturer's switch port and networking configuration guidelines.
- C. Do not include the 1 GbE interfaces in the same bond as the 10 GbE interfaces. Also, to avoid loops, do not add the 1 GbE interfaces to bridge br0, either individually or in a second bond. Use them on other bridges.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 67

An administrator has observed that when an all-AHV host restarts unexpectedly one VM it hosts does not restart as expected.

Which cluster VM configuration explains this behavior?

- A. Affinity for the VM is set for only the host that rebooted
- B. No other all-flash nodes have capacity to host the VM
- C. Nutanix Guest Tools are not installed on the VM

D. VM high availability is not enabled

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

What is the expected behavior of the VMs residing on that host when a controller VM becomes unavailable?

- A. VM High Availability will restart the impacted VMs on another host
- B. The host will automatically redirect I/O and VMs will continue running.
- C. The impacted host and VMs will automatically shut down.
- D. A Live Migration will be performed on the affected VMs.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

An administrator adds a node with older generation processors to an existing AHV cluster with newer generation processors. What is the effect on live migration?

- A. Live migration continues to function as expected and VMs can move to any AHV host.
- B. Live migration is prevented until the administrator manually changes the newer processor level.
- C. Live migration of VMs is prevented between newer and older processors.
- D. Live migration is prevented until the administrator enables the legacy migration option.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 70

An administrator is configuring a container for a VM that will perform a data processing workload. Which compression technology is preferred for this type of workload?

- A. Post-process Compression
- B. Deduplication
- C. Erasure Coding
- D. Inline Compression

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 71

For a single VM, which AHV bond mode would leverage all available uplink bandwidth?

- A. active-backup
- B. balance-rep
- C. active-active
- D. balance-slb

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 72

Which component ensures uniform distribution of data throughout the cluster to eliminate hot spots and speed up rebuilds?

- A. Acropolis App Mobility Fabric
- B. Distributed Storage Fabric
- C. High Availability
- D. Cassandra

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 73

A catastrophic failure occurs at the primary data center. A protection domain has been set up. All required data has been replicated to an offsite DR location.

Which button should an administrator click on at the remote site's protection domain to bring up the replicated VMs?

- A. Activate
- B. Migrate
- C. Online
- D. Replicate

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 74

A vDisk is read by multiple VMs. The cluster creates immutable copies of the vDisk. What are these vDisk copies called?

- A. Golden Images
- B. Volume Groups
- C. Disk Clones
- D. Shadow Clones

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 75

An administrator needs to move a Nutanix host from one cluster to another.

Which step should the administrator take after evacuating VMs from the host to be moved?

- A. In Prism, highlight the host in the Hardware pane and select Remove from Metadata Ring
- B. From the Task menu in Prism, select Licensing then delete the host license.
- C. From the Task menu in Prism, select Cluster details, then un-check the host from the list
- D. In Prism, highlight the host in the Hardware pane and select Remove Host

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 76

Which expected operations during node addition when the new node has a different AOS version?

- A. The addition fails and forces the administrator to image using standalone Foundation.

- B. The node is added and a separate upgrade operation must be performed.
- C. The entire cluster is upgraded to the latest one-click release.
- D. The node is automatically re-imaged using the software currently running in the cluster.

Answer: A ([LEAVE A REPLY](#))

Valid NCP-5.15 Dumps shared by Actual4test.com for Helping Passing NCP-5.15 Exam! Actual4test.com now offer the **newest NCP-5.15 exam dumps**, the Actual4test.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-5.15 dumps with Test Engine here:

https://www.actual4test.com/NCP-5.15_examcollection.html (279 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 77

An administrator needs to run a mixed Exchange and SQL workload with a guaranteed amount of container space for each application.

How should the administrator meet this requirement?

- A. Create one container and set capacity reservation
- B. Create two containers and reserve space for containers
- C. Create one container and enable compression
- D. Create two containers and reserve space for vDisks

Answer: D ([LEAVE A REPLY](#))

Reference:

NOS_v4_0:wc_security_authentication_wc_t.html

NEW QUESTION: 78

Where are Leap Availability Zones configured?

- A. Cloud Connect
- B. Controller VM
- C. Prism Element
- D. Prism Central

Answer: ([SHOW ANSWER](#)**)**

Terminology

Availability Zone - it is represented by all resources (Nutanix Clusters) connected to Prism Central or Xi Leap Availability zone. Depends on the architecture, Availability zone can represent geographic territory, datacenter or server room in the datacenter. Protection policies - in protection policies you set up (RPO, Retention), rules to auto-apply policies to virtual machines <https://vmwaremine.com/2019/02/08/nutanix-leap-runbooks-part-1/#sthash.VwrzSzhQ.dpbs>

NEW QUESTION: 79

An administrator is working with Nutanix Support and needs to provide logs for troubleshooting an issue. The cluster is located in a secure environment. Data such as IP addresses and VM names cannot be shared.

Which method should be used to anonymize the log data sent to Nutanix Support?

A)

Under the **User Profile** in Prism, select **Anonymize Log Output**, then run **Log Collector** from the **Health** dashboard.

B)

Run the `noc log_collector` tool on a CVM, setting the `--enhanced_log_collector` flag to `true`.

C)

Run the `noc log_collector` tool on a CVM, setting the `--anonymize_output` flag to `true`.

D)

On the **Health** dashboard in Prism, use the **Log Collector** option under **Actions** and choose **Anonymize Logs**.

A. Option B

B. Option D

C. Option A

D. Option C

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 80

what command initiated from a cvm, is used to view the pNICs on all AHV nodes?

A. `allssh ovs-appctl bond/show`

B. `allssh ssh root@192.168.5.2 ovs-appctl bond/show`

C. `hostssh ssh host@192.168.5.1 ovs-appctl bond/show`

D. `hostssh ovs-appctl bond/show`

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 81

When does Nutanix recommend performing an AHV upgrade?

A. Only when required to fix a specific bug

B. As soon as a new version is available for one-click in Prism Element

C. As soon after upgrading AOS as possible

D. As soon as a new version is posted to support portal

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 82

Which options are available when a live migration is performed on a VM in an AOS 5.5 implementation?

- A. the VM can be moved to a different host and a different storage container
- B. The VM can be moved on a different host
- C. the VM can be moved to a different storage container
- D. the VM can be moved to a different (remote) site

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 83

Which CVM service is primary responsible for handling all metadata operation with a Nutanix cluster?

- A. Genesis
- B. Stargate
- C. Zeus
- D. Cassandra

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 84

In an AHV cluster, an administrator needs to enable an application to share a disk b group but needs to enable the VMs to see the volume group.

How should the administrator accomplish this task?

- A. Create a shared folder for the VMs using Nutanix Files.
- B. Add a disk to one VM and enable read/write on it from the other VM.
- C. Configure a virtual disk on each VM with identical attributes in the storage dashboard.
- D. Add the volume group to the VM using the update link from the VM dashboard.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 85

What are two minimum prerequisites for live migration to succeed? (Choose two.)

- A. All AHV hosts must be configured on the same VLAN
- B. All VMs have an IP address in the same subnet
- C. All AHV hosts have IP addresses in the same subnet
- D. All VMs are configured for the same VLAN

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 86

what command is used to run the nutanix cluster checks from the CVM CLI?

- A. ncc check_health run_all
- B. ncc run_all_health_check
- C. ncc check_all health_options
- D. ncc health_check run_all

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 87

What is the maximum RPO that can be configured for VMs using the Near Sync feature?

- A. 10
- B. 15
- C. 60 min
- D. 1 min

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 88

What provides the most efficient method to delete 20 specific AHV VMs?

- A. Create a script using Postman and REST API.
- B. In Prism Central, select all VMs and click delete.
- C. In Prism Element, select and delete each VM.
- D. Create a script using PowerCLI to delete the VMs.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 89

An administrator needs to determine current CPU usage across multiple clusters Which method should the administrator use to get the information?

- A. prism central home +ad widgtes
- B. Prism central home
- C. Prism central home manage dashboards.
- D. Prism central explore clusters

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 90

An administrator cables all interfaces on a newly added AHV host and starts migrating VM to 4. Users report that network connections are much slower to the VMs after the migration. What is a possible reason for this issue.?

- A. The VMs do not use the same interfaces as the CVM.
- B. The host still has the default bond configuration.
- C. The network is slower because the host is further away.
- D. The CVM on the node has not fully joined

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 91

When VM HA Reservation is enabled, what is the expected behavior for all failed VMs in the event of a host failure?

- A. Restart on other hosts in the AHV cluster

- B. Perform a live migration to other hosts in the AHV cluster
- C. Perform a live migration on a best-effort basis if resources are available
- D. Restart on a best-effort basis if resources are available

Answer: A ([LEAVE A REPLY](#))

Valid NCP-5.15 Dumps shared by Actual4test.com for Helping Passing NCP-5.15 Exam!
Actual4test.com now offer the **newest NCP-5.15 exam dumps**, the Actual4test.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-5.15 dumps with Test Engine here:

https://www.actual4test.com/NCP-5.15_examcollection.html (279 Q&As Dumps, **30%OFF**

Special Discount: [Freepdfdumps](#))

NEW QUESTION: 92

An administrator needs to power down an AHV node in order to replace a failed DIMM?
Which step should the administrator take after placing the node into maintenance mode?

- A. Reboot the Nutanix CVM
- B. Shut Down the nutanix CVM
- C. Power of the node
- D. Execute the command cluster status

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 93

Refer to Exhibit.

Data Resiliency Status		
FAULT DOMAIN TYPE: HOST		
COMPONENT	FAILURES TOLERABLE	MESSAGE
Configuration	1	
Erasure Code	1	
Strip Size		
Stargate	1	
Health		
Metadata	1	
Oplog	1	
ZooKeeper	1	
Extent Groups	1	

An administrator increases the cluster RF to 3. The containers are not modified.

What will the new values in the data resiliency dashboard be for FAILURES TOLERABLE for the Zookeeper and Extent Groups components?

- A. Zookeeper = 1 and Extent Groups = 2
- B. Zookeeper = 2 and Extent Groups = 2
- C. Zookeeper = 2 and Extent Groups = 1
- D. Zookeeper = 1 and Extent Groups = 1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 94

Deduplication is enabled on a container in a hybrid cluster. The administrator sees no disk space savings.

Which two configurations are causing this issue? (Choose two.)

- A. CVM memory is configured with 32 GB of RAM.
- B. Erasure coding is enabled on the container.
- C. Post-process deduplication is disabled.
- D. CVM memory is configured with 24 GB of RAM.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 95

Which Nutanix feature allows a Nutanix cluster to present iSCSI storage to an external devices?

- A. Storage Pool
- B. Acropolis File Service
- C. Storage container
- D. Acropolis block service

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 96

what additional features are available with prism pro(prism central with pro license)? (Choose two)

- A. VM right-sizing
- B. vm tagging
- C. centralized upgrades

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 97

When installing Nutanix Guest Tools (NGT) on an ESXi-hosted VM, which port should be enabled on the VM to allow communication with the NGT-Controller VM service?

- A. 2000
- B. 8080
- C. 9943
- D. 2074

Answer: ([SHOW ANSWER](#)**)**

Valid NCP-5.15 Dumps shared by Actual4test.com for Helping Passing NCP-5.15 Exam! Actual4test.com now offer the **newest NCP-5.15 exam dumps**, the Actual4test.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-5.15 dumps with Test Engine here:

https://www.actual4test.com/NCP-5.15_examcollection.html (279 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)