

Nutanix.NCP-5.15.v2022-08-25.q123

Exam Code:	NCP-5.15
Exam Name:	Nutanix Certified Professional - Multi cloud Infrastructure
Certification Provider:	Nutanix
Free Question Number:	123
Version:	v2022-08-25
# of views:	1912
# of Questions views:	1230
https://www.freepdfdumps.com/Nutanix.NCP-5.15.v2022-08-25.q123.html	

NEW QUESTION: 1

Which two factors should be considered when planning to migrate VMs to AHV? (Choose two.)

- A. Active Directory Domain
- B. Downtime Requirements
- C. Guest Operating System
- D. iSCSI MPIO Version

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 2

Clusters are configured with an http proxy server an administrator wants to deploy prism central Which scenario require to the administrator to configure the http proxy whitelist method?

- A. http port 80 not open in proxy
- B. ssl port 9440 not open in proxy
- C. http port 8000 not open in proxy
- D. ssl port 443 not pen in proxy

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 3

What are the two effects of using Data-at-Rest Encryption on a Nutanix cluster? (Choose two.)

- A. Native KMS requires minimum of a four-node cluster.
- B. Encryption is only supported on an empty cluster.
- C. An External KMS server must exist outside of the encrypted cluster.
- D. Software-based Data-at-Rest Encryption cannot be disabled.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 4

An administrator receives an alert email that indicates that a health check has failed.

Which action should the administrator take to collect more information on the failed check?

- A. Re-run the check from the CVM CLI using the ncc command
- B. Forward the alert email to Nutanix Support requesting more information
- C. In the Prism Web Console, select the URL included in the check details
- D. Use the ncli command on the CVM to view the details of the check

Answer: (SHOW ANSWER)

NEW QUESTION: 5

How should an administrator make sure that the LCM Framework is always up to date and upgraded to the latest version?

- A. From the Life Cycle Management page in Prism Element, click Perform Inventory, then edit settings and set LCM Auto Inventory to Daily
- B. From the Life Cycle Management page in Prism Central, click Perform Inventory, then edit settings and click the Enable LCM Auto Inventory checkbox
- C. From the Life Cycle Management page in Prism Element, click Perform Inventory, then edit settings and click the Enable LCM Auto Inventory checkbox
- D. From the Life Cycle Management page in Prism Central, click Perform Inventory every morning

Answer: D (LEAVE A REPLY)

Reference:

NEW QUESTION: 6

An administrator is implementing a VDI solution. The workload will be a series of persistent desktops in a dedicated storage container within a four-node cluster. Storage optimizations should be set on the dedicated storage container to give optimal performance including during a node failure event. Which storage optimizations should the administrator set to meet the requirements?

- A. Deduplication and Erasure Coding
- B. Compression and Deduplication
- C. Compression only
- D. Compression, Deduplication and Erasure Coding

Answer: B (LEAVE A REPLY)

NEW QUESTION: 7

What is default behavior for VM High Availability for Nutanix AHV?

- A. No VMs restart because HA is not enabled by default
- B. All VMs restart because system reservations are already made
- C. Only VMs with High Availability explicitly enabled will restart

D. VMs restart on other hosts as available resource allow

Answer: D (LEAVE A REPLY)

NEW QUESTION: 8

An administrator migrates a VM onto a new Nutanix cluster- After the migration, the administrator observes the following conditions:

- * Cluster memory utilization: 64%
- * Cluster CPU utilization: 19%
- * Cluster storage utilization. 32%
- * Average VM CPU utilization: 25%
- * Average VM CPU ready%: 24%
- * Average VM memory utilization: 60%

Which two changes should the administrator make to improve VM performance? (Choose two.)

- A. Add more memory to the VMs.
- B. Reduce the number of vCPUs assigned to VMs.
- C. Reduce the number of VMs on the hosts.
- D. Replace high core count CPUs with high clock rate CPUs.

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 9

An administrator needs to shut down an AHV cluster to relocate hardware. The administrator upgrades NCC and runs health checks.

Which steps should the administrator perform next?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements.

Answer:

Reference:

<https://next.nutanix.com/how-it-works-22/scheduled-power-outage-relocating-cluster-hardware-if-you-need-to-shut-down-all-the-nodes-in-your-ahv-cluster-here-s-how-37326>

NEW QUESTION: 10

Which method can be used to migrate a VM configured for UEFI-boot from a Nutanix Hyper-V cluster to AHV?

- A. Nutanix Move
- B. Storage vMotion
- C. Live Migration
- D. Cloud Connect

Answer: A (LEAVE A REPLY)

NEW QUESTION: 11

An administrator adds a node with older generation processors to an existing AHV cluster with newer generation processors. What is the effect on live migration?

- A. Live migration is prevented until the administrator enables the legacy migration option.
- B. Live migration continues to function as expected and VMs can move to any AHV host.
- C. Live migration of VMs is prevented between newer and older processors.
- D. Live migration is prevented until the administrator manually changes the newer processor level.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

An administrator has been tested with storing Nutanix snapshots at an off-premises location. The administrator does not have a second Nutanix cluster to use.

Which two servers could be utilized as remote sites for snapshots? (Choose two)

- A. Microsoft Azure
- B. The IBM Cloud
- C. Amazon Web Services
- D. Google Cloud Platform
- E. XI Cloud Services

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 13

In respect to 1 GbE and 10 GbE interfaces (physical host), which statements are true?

- A. If you want to use the 10 GbE interfaces for guest VM traffic, make sure that the guest VMs do not use the VLAN over which the Controller VM and hypervisor communicate.
- B. Do not include the 1 GbE interfaces in the same bond as the 10 GbE interfaces. Also, to avoid loops, do not add the 1 GbE interfaces to bridge br0, either individually or in a second bond. Use them on other bridges.
- C. If you want to use the 1 GbE interfaces for guest VM connectivity, follow the hypervisor manufacturer's switch port and networking configuration guidelines.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 14

What is the proper sequence to perform a one-click upgrade to a Nutanix cluster?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements. Not all procedures are valid. Identify any invalid procedures using the drop-down option.

Answer:

Explanation

Step 1 ---> Login into Prism Element.

Step 2 ---> Select the Gear Icon at top right of the page.

Step 3 ---> Click Upgrade Software.

Step 4 ---> Select the component to upgrade.

Step 5 ---> Click download.

Step 6 ---> Once the download completes, select upgrade.

Invalid:-

1 - Select Prism Central.

2 - Select user login.

3 - On left select upgrade Prism Central.

NEW QUESTION: 15

An administrator has set up a local web server accessible to the Nutanix clusters.

Which two steps are required to set up LCM for an environment without Internet access?
(Choose two.)

- A. Edit LCM Advanced Settings in Prism Central and enter the address of the web server.
- B. Edit LCM Advanced Settings in Prism Element and enter the address of the web server.
- C. Download the lcm_dark_site_version.tar.gz LCM bundle from the support portal.
- D. Download the lcai_disconnected_version.tar.gz LCM bundle from the support portal.

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 16

Which two methods are valid for migrating a VM from a Nutanix vSphere cluster to AHV?
(Choose two.)

- A. Storage vMotion
- B. Live Migration
- C. Nutanix Move
- D. Cross-Hypervisor DR

Answer: (SHOW ANSWER)

Reference: <https://hyperhci.com/2019/08/29/cross-hypervisor-migration-to-from-nutanix-ahv/>

<https://next.nutanix.com/blog-40/migrate-your-vms-to-ahv-with-minimum-downtime-31786>

Valid NCP-5.15 Dumps shared by Actual4test.com for Helping Passing NCP-5.15 Exam! Actual4test.com now offer the **newest NCP-5.15 exam dumps**, the Actual4test.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-5.15 dumps with Test Engine here: https://www.actual4test.com/NCP-5.15_examcollection.html (**279 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

An administrator is creating a Protection Domain to back up multiple application environments.

Which mechanism does Nutanix use to aggregate VMs with common backup and restore objectives?

- A. Availability Domains
- B. Consistency Groups
- C. Application Pools
- D. Policy-based Backups

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

In which two scenarios is Native Key Management Server supported? (Choose two)

- A. KVM and AHV mixed cluster.
- B. XenServer and AHV mixed cluster.
- C. Hyper-V and AHV mixed cluster.
- D. ESXi and AHV mixed cluster.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 19

A Nutanix administrator needs to replace a self-signed SSL certificate with a CA generated certificate in Prism.

Which three files are required to install the CA generated certificate in Prism? (Choose three)

- A. CA Certificate or Chain (ca_chain_certs.cer)
- B. Public Certificate (PublicCert.ker)
- C. Certificate Signing Request (server.csr)
- D. Private Server Key (private_server.key)
- E. Public Server Key (public_server.key)

Answer: A,C,D ([LEAVE A REPLY](#))

Explanation

<https://portal.nutanix.com/page/documents/details/?targetId=Prism-Central-Guide-Prism-v51:mul-security-ssl-ce>

NEW QUESTION: 20

SSH access can be completely locked down by disabling remote login and completing which other step?

- A. Replacing all CA keys
- B. Deleting all self-signed keys
- C. Replacing all keys
- D. Deleting all keys

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

An administrator is implementing a VDI solution. The workload will be a series of persistent desktops in a dedicated storage container within a four-node cluster. Storage optimizations should be set on the dedicated storage container to give optimal performance including during a node failure event. Which storage optimizations should the administrator set to meet the requirements?

- A. Compression, Deduplication, and Erasure Coding
- B. Deduplication and Erasure Coding
- C. Compressor and Deduplication
- D. Compression only

Answer: (SHOW ANSWER)

NEW QUESTION: 22

An administrator needs to shut down an AHV cluster to relocate hardware. The administrator upgrades NCC and runs health checks.

Which steps should the administrator perform next?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements.

Answer:

Reference:

<https://next.nutanix.com/how-it-works-22/scheduled-power-outage-relocating-cluster-hardware-if-you-need-to-shut-down-all-the-nodes-in-your-ahv-cluster-here-s-how-37326>

NEW QUESTION: 23

What provides the most efficient method to delete 20 specific AHV VMs?

- A. Create a script using Postman and REST API.
- B. Create a script using PowerCLI to delete the VMs.
- C. In Prism Element, select and delete each VM.
- D. In Prism Central, select all VMs and click delete.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 24

An administrator needs to shut down an AHV cluster to relocate hardware. The administrator upgrades NCC and runs health checks.

Which steps should the administrator perform next?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements.

Answer:

Explanation

Reference:

<https://next.nutanix.com/how-it-works-22/scheduled-power-outage-relocating-cluster-hardware-if-you-need-to-s>

NEW QUESTION: 25

An administrator is configuring cross-hypervisor DR from an ESXi cluster to a new AHV cluster. When the administrator migrates a protection domain to the AHV cluster, the VMs fail to boot.

What should the administrator do to correct this problem?

- A.** Add all VMs into a single consistency group.
- B.** Increase the snapshot frequency to more than 6 hours.
- C.** Install Nutanix Guest Tools in the protected VMs.
- D.** Uninstall VMware Tools from the VMs.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 26

How many SSL certificates are used by Prism Element on a Nutanix cluster?

- A.** 1
- B.** 256
- C.** 5
- D.** 2048

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 27

An administrator needs to configure Acropolis File Service (AFS). The administrator is setting up AFS for the first time on the Nutanix cluster.

How many file services VMs are created by default?

- A.** 3
- B.** 1
- C.** 4
- D.** 2

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 28

An administrator is deploying a SQL database that is licensed by the number of physical CPU cores available to the application.

Which feature can be used to minimize licensing costs?

- A.** VM Anti-Affinity
- B.** Host Affinity
- C.** Virtual NUMA
- D.** Host Profiles

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

Which two access protocols are supported by Files? (Choose two.)

- A. iSCSI
- B. FCOE
- C. SMB
- D. NFS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

An Engineer logs into a CVM to troubleshoot connectivity loss between two CVMs and find the following interfaces subnets and WLANs configured.

-eth0 - VLAN10-10.1.10.0/24

eth01-No VLAN-192.168.5.0/24

eth2 - LAN20-10.1.20.0/24

Which two Nutanix networking features are being utilized? (Choose two)

- A. Backplane LAN
- B. IP address management (IPAM)
- C. Internal vSwitch
- D. Network Load balancing

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 31

What is the proper sequence to perform a one-click upgrade to a Nutanix cluster?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements. Not all procedures are valid. Identify any invalid procedures using the drop-down option.

Answer:

Valid NCP-5.15 Dumps shared by Actual4test.com for Helping Passing NCP-5.15 Exam! Actual4test.com now offer the **newest NCP-5.15 exam dumps**, the Actual4test.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-5.15 dumps with Test Engine here: https://www.actual4test.com/NCP-5.15_examcollection.html (279 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 32

How should an administrator correct an SSL error while connecting to a Nutanix Cluster?

- A. renew ssl self signed
- B. create new cert from AD CA Authority
- C. AD group policy
- D. add cert to trusted in local system

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 33

to build the vm on the ahv cluster, after amigration, what "Add Disk" operation(s) can be used? (Choose two)

- A. clone from storagepool
- B. clone from image service
- C. clone from ADSF file
- D. clone from vm list

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 34

Which algorithm do snapshots and clones leverage to maximize efficiency and effectiveness?

- A. Copy-on-Write
- B. Split-mirror
- C. Redirect-On-Write
- D. Continuous Data Protection

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

In a default configuration of an AHV cluster, a single node fails.

What happens to the running VMs on that node?

- A. The cluster attempts to restart VMs on other hosts
- B. The VMs do a live migration to the master node in the cluster
- C. The cluster restarts all VMs in the event of a host failure
- D. The VMs do a live migration to any other node in the cluster

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 36

Which three upgrades should an administrator be able to perform using Lifecycle Management? (Choose Three)

- A. AOS
- B. BIOS
- C. BMC
- D. HBA Firmware
- E. Hypervisor

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

A Nutanix cluster is equipped with four nodes. Four VMs on this cluster have been configured with a VM-VM anti-affinity policy and are each being hosted by a different node. What occurs to the cluster and these VMs during an AHV upgrade?

- A. The AHV pre-upgrade checks fail until the four VMs are powered off.
- B. One VM out of the four powers down when the node hosting it reboots.
- C. The AHV pre-upgrade checks fail until the administrator disables the anti-affinity policy.
- D. One node hosts two VMs while the node being upgraded is in maintenance mode.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 38

Which Nutanix cluster service manages VM access to the Distributed Storage Fabric?

- A. Acropolis
- B. Pithos
- C. Stargate
- D. Medusa

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which two items are required to manually upload an AOS update to a Nutanix Cluster?
(Choose two)

- A. AOS Binary
- B. AOS zip file
- C. AFS Binary file
- D. JSON file
- E. YML file

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

In the event of failed CVM, what happens to the physically attached storage for the node and the VMs running on it?

- A. The hypervisor regains control of the drives. VMs on that node reboot.
- B. The hypervisor regain control of the drives. VMs on that node continue to run.
- C. The drives for that node are inaccessible. The VMs continue to run.
- D. The drives for that node are inaccessible. The VMs reboot.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 41

A two-node ROBO cluster is configured with a witness VM.

What happens when Node A goes down?

- A. The- cluster becomes unavailable and goes into read-only mode.
- B. All operations and services on the Node B are shut down and go into a waiting state.
- C. Node B sends a leadership request to the Witness VM and goes into single-node mode.
- D. The cluster is unaffected and no administrator intervention is required.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 42

In which two scenarios is an automated live migration likely to occur? (Choose two)

- A. AOS upgrade
- B. Hypervisor upgrade
- C. Network upgrade
- D. Cluster resource hotspot

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

Which 3 VM components can be monitored in the VM dashboard in prism element (choose three)

- A. Flash mode Capability
- B. I/O latency
- C. Network Utilization
- D. CPU utilization
- E. Memory Utilization

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

A cluster has RF2. The cluster loses two drives on different nodes in the same storage tier. What is the effect on the replicas of the VMs?

- A. No VMs lose data if the node has two or more SSDs
- B. Some VM data may be lost
- C. Some VMs may reboot and gain access to data
- D. No VMs lose data because of RF2

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

Where can an administrator change a CVM password?

- A. CVM setting in Prism Central
- B. KMS Server Terminal
- C. CVM setting in Prism Element
- D. Prism CVM VM Console

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 46

An administrator needs to configure the cluster to ensure all VMs are capable of being restarted in the event of a host failure.

Which option provides this functionality?

- A. VM Affinity
- B. HA Reservation
- C. Live Migration
- D. Best Effort

Answer: ([SHOW ANSWER](#))

Valid NCP-5.15 Dumps shared by Actual4test.com for Helping Passing NCP-5.15 Exam! Actual4test.com now offer the **newest NCP-5.15 exam dumps**, the Actual4test.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-5.15 dumps with Test Engine here: https://www.actual4test.com/NCP-5.15_examcollection.html (279 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 47

An administrator is configuring data protection and DR for a multi-tier application. All VMs must be protected at the same time.

What must the administrator do to meet this requirement?

- A. Create a consistency group for each VM with identical schedules
- B. Create a protection domain for each VM with identical schedules
- C. Create a consistency group for the application and place all VMs in it
- D. Create a protection domain for the application and select auto-protect related entities

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 48

An administrator notices that most of the VMs in the cluster are on one host. Users report that an application seems to respond slowly. The application server VM has significantly more memory assigned to it than other VMs.

How should the administrator fix this issue?

- A. Migrate the VM to a different host.
- B. Increase the memory on the CVM.
- C. Add more memory to the VM.
- D. Reduce the amount of memory assigned to the VM.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 49

Which options are available when a live migration is performed on a VM in an AOS 5.5 implementation?

- A. the VM can be moved to a different storage container
- B. the VM can be moved to a different host and a different storage container
- C. The VM can be moved on a different host
- D. the VM can be moved to a different (remote) site

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 50

Where are Leap Availability Zones configured?

- A. Cloud Connect
- B. Controller VM
- C. Prism Element
- D. Prism Central

Answer: (SHOW ANSWER)

Explanation

Terminology

* Availability Zone - it is represented by all resources (Nutanix Clusters) connected to Prism Central or Xi Leap Availability zone. Depends on the architecture, Availability zone can represent geographic territory, datacenter or server room in the datacenter. Protection policies - in protection policies you set

* up (RPO, Retention), rules to auto-apply policies to virtual machines

<https://vmwaremine.com/2019/02/08/nutanix-leap-runbooks-part-1/#sthash.VwrzSzhQ.dpbs>

NEW QUESTION: 51

In a default configuration of an AHV cluster, a single node fails.

What happens to the running VMs on that node?

- A. The cluster restarts all VMs in the event of a host failure
- B. The VMs do a live migration to the master node in the cluster
- C. The VMs do a live migration to any other node in the cluster
- D. The cluster attempts to restart VMs on other hosts

Answer: D ([LEAVE A REPLY](#))

Reference:

https://portal.nutanix.com/page/documents/details?targetId=Web-Console-Guide-Prismv5_16:Web-Console-Gui

NEW QUESTION: 52

How does AHV IPAM provide IP addresses to the VMs?

- A.** It runs a DHCP service within each CVM, which responds to DHCP requests from VMs on the local node.
- B.** leverages VXLAN and OpenFlow rules to intercept the DHCP request and responds with an address.
- C.** It is a centralized DHCP server within Prism Central, which responds to DHCP requests for VMs on managed clusters.
- D.** It leverages a plug-in, which enables connection to third-party IPAM solutions to handle DHCP assignments.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 53

Which two steps are the minimum required to perform an upgrade of AOS and AHV using a manual software upload? (Choose two.)

- A.** Download the AOS tar.gz and metadata JSON files from the support portal.
- B.** Select Upload AOS Base Software Binary from the Upgrade Software page in Settings enter downloaded tar. gz and metadata JSON.
- C.** Select Upload AOS Base Software Binary from the Life Cycle Manager page in Settings enter downloaded tar.gz and metadata JSON.
- D.** Download the Foundation car.gz and metadata JSONfiles from the support portal.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 54

Which configuration item is required to set-up email alerts?

- A.** SMTP
- B.** NTP
- C.** SNMP
- D.** Pulse

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 55

A VM in a 12-node Nutanix cluster is hosting an application that has specific Physical GPU requirements.

Only three nodes in the cluster meet this requirement.

The administrator wants to allow a general workload to be distributed across all nodes in the cluster and must make sure that the node hosting the VM meets its requirements.

How should the administrator perform this task?

- A.** Configure anti-affinity rules between the application VM and the other VMs running on the cluster.
- B.** Create a sperate three-node cluster using the nodes that meet the requirement.
- C.** Configure VM-Host affinity for the nodes that meet the application's GPU requirement.
- D.** Over-Provision the application VM with additional virtual GPUs.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

Refer to the exhibit.

System Non-Root Partition Usage shows a warning or critical alert The administrator needs to change the frequency of checks and alerts to respond more quickly.

Where in Prism Element should the administrator change the frequency of checks and alerts?

- A. Health Dashboard > Manage Crocks > Frequency
- B. Alerts Dashboard > Manage Checks > Frequency
- C. Alerts Dashboard > Manage Checks > Schedule
- D. Health Dashboard > Manage Checks > Schedule

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 57

An administrator needs to shut down an AHV cluster to relocate hardware. The administrator upgrades NCC and runs health checks.

Which steps should the administrator perform next?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements.

Answer:

Explanation

Reference:

<https://next.nutanix.com/how-it-works-22/scheduled-power-outage-relocating-cluster-hardware-if-you-need-to-s>

NEW QUESTION: 58

An administrator needs to ensure that resource are reserved so that all VMs are able to restart in the event of a host failure.

Which steps should the administrator take to ensure the cluster is configured and operating appropriately?

- A. In the Prism Hardware Desktop, select each host and confirm that RF is set to 3 under Host details.
- B. On a Nutanix CVM, execute the command `ncli cluster get-domain fault-tolerance-status type=node`
- C. Under the gear icon, select Manage VM high Availability and check Enable HA Reservation
- D. Under the gear Icon, select Degraded Node Setting and confirm that no hosts are degraded.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

An administrator is reviewing performance of a core banking system that routinely has 20,000 concurrent users. During, business hours, the CPU on the applications servers runs at close to 100%. The administrator needs to determine if there is a performance issue specific to the app servers, the database servers, or all servers on the cluster.

Which metrics should the administrator review in Prism Analysis Graphs?

- A. Cluster IO, Network, Database and App Server CPU
- B. Cluster IO, CPU, Memory, Network, App Server CPU
- C. Cluster IO, CPU, Memory and Database and App Server CPU
- D. Cluster CPU and Memory Only

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 60

what is the result of a cvm becoming unavailable?

- A. a route is added to the host's routing table
- B. the guest VMs on the same node are stunted
- C. a route is added to the CVM's routing table
- D. VMs running on the node's host are migrated

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 61

When creating a VM on an AHV cluster, how is the initial placement of the VM determined?

- A. Placement is determined by the host that holds the new_VM token at the time of VM creation
- B. AHV uses a round robin algorithm, placing new VMs onto hosts based on the numerical order of their UUID
- C. The Acropolis Dynamic Scheduler selects a host which provides adequate resources for the VMs configuration
- D. The administrator right clicks on the desired host and selects Power on VM from the dropdown menu

Answer: [C \(LEAVE A REPLY\)](#)

Valid NCP-5.15 Dumps shared by Actual4test.com for Helping Passing NCP-5.15 Exam! Actual4test.com now offer the **newest NCP-5.15 exam dumps**, the Actual4test.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-5.15 dumps with Test Engine

here: https://www.actual4test.com/NCP-5.15_examcollection.html (279 Q&As Dumps,
30%OFF Special Discount: Freepdfdumps)

NEW QUESTION: 62

What is the default network bond name for a Nutanix node?

- A. bro
- B. bri
- C. bro-up
- D. bond0

Answer: C (LEAVE A REPLY)

NEW QUESTION: 63

A two-node ROBO cluster is configured with a witness VM.

What happens when Node A goes down?

- A. The cluster is unaffected and no administrator intervention is required.
- B. The- cluster becomes unavailable and goes into read-only mode.
- C. All operations and services on the Node B are shut down and go into a waiting state.
- D. Node B sends a leadership request to the Witness VM and goes into single-node mode.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 64

What is the function of the virbr0 bridge on AHV?

- A. To carry all traffic between the user VMs and the upstream network.
- B. To carry management and storage communication between user VMs and the CVM.
- C. To carry management and storage communication between user VMs and AHV host.
- D. To carry storage communication between the guest VMs and the CVM

Answer: C (LEAVE A REPLY)

[http://www.vstellar.com/2019/01/10/ahv-networking-part-1-basics/#:~:text=AHV%20Network%20Architecture&text=virbr0%20is%20an%20internal%20switch,virbr0\)%20have%20IP%20address%20192.168.](http://www.vstellar.com/2019/01/10/ahv-networking-part-1-basics/#:~:text=AHV%20Network%20Architecture&text=virbr0%20is%20an%20internal%20switch,virbr0)%20have%20IP%20address%20192.168.)

NEW QUESTION: 65

An administrator needs to deploy an application with a large amount of data connected via Nutanix volumes.

Which two actions should the administrator take when designing the Volume Group?
(Choose two.)

- A. Use multiple subnets for iSCSI traffic
- B. Enable RSS (Receive Side Scaling)
- C. Distribute workload across multiple virtual disks
- D. Enable thick provisioning on the Volume Group(s)

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 66

An administrator needs to deploy a Nutanix Cluster that hosts the following workloads

- 1) 1000 persistent virtual Desktop VMs
- 2) 100 Generic server VMs
- 3) 5 Microsoft Exchange server VMs
- 4) 10 SQL server VMs

Which container configuration should be deployed to maximize data efficiency?

- A. 1 container with compression enabled and 1 container with Erasure Coding enabled
- B. 2 containers with no data efficiency mechanisms enabled
- C. 1 container with compression enabled and 1 container with deduplication
- D. 2 containers with deduplications and erasure coding enabled

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 67

In what order does Nutanix recommend that components be upgraded on a single cluster?

- A. Foundation, LCM, NCC AOS, AHV
- B. AOS, AHV, LCM, NCC, Foundation
- C. LCM, AOS, AHV, NCC Foundation
- D. NCC Foundation, AOS, LCM, AHV

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 68

Prism Central will be installed manually on an AHV cluster.

Which three disk images must be downloaded from the portal for the Prism Central VM?
(Choose three.)

- A. var
- B. tmp
- C. boot
- D. home
- E. data

Answer: ([SHOW ANSWER](#)**)**

Explanation

https://portal.nutanix.com/page/documents/details?targetId=Prism-Central-Guide-Prism-v5_10:mul-pc-install-sc

NEW QUESTION: 69

What is the default network bond setting for an AHV host configuration?

- A. active-backup
- B. active-active
- C. balance-slb

D. balance-tcp

Answer: ([SHOW ANSWER](#))

Explanation

<https://next.nutanix.com/blog-40/network-load-balancing-with-acropolis-hypervisor-6463>

NEW QUESTION: 70

Which Mechanism that works by data striping and parity calculation?

A. Erasure Coding

B. Deduplication

C. Compression

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 71

An administrator has configured an Active-Active policy on the br0 uplink of an AHV host. The host is experiencing connectivity issues. What step should be taken?

A. Configure the top-of-rack switches for LAG and LACP

B. Set the host to Compute-Only

C. Upgrade to AOS 5.11

D. Remove any 1GB NICs from br0

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 72

Which two capabilities does IPAM provide in a Nutanix networking configuration? (Choose two.)

A. Allows AHV to assign IP addresses automatically to VMs using DHCP

B. Configures firewall rules to prevent or allow certain TCP/IP traffic

C. Allows proxy server settings to be set up for a defined network

D. Configures a VLAN with an IP subnet and assigns a group of IP addresses

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 73

A VM user permanently deletes a directory on a guest VM. The Nutanix administrator has enabled Self-Services for this VM.

Which three steps must the administrator perform to restore the directory? (Choose Three)

A. Launch the Nutanix SSR utility on the VM

B. Select and mount the snapshot that contains the deleted directory

C. Copy the directory from the snapshot disk to the original VM disk

D. Create a clone of the VM from a previous snapshot and replace the original VM

E. Connect to the cloned VM and copy the directory to the source VM

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

What is the proper sequence to perform a one-click upgrade to a Nutanix cluster?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements. Not all procedures are valid. Identify any invalid procedures using the drop-down option.

Answer:

Explanation

Step 1 ---> Login into Prism Element.

Step 2 ---> Select the Gear Icon at top right of the page.

Step 3 ---> Click Upgrade Software.

Step 4 ---> Select the component to upgrade.

Step 5 ---> Click download.

Step 6 ---> Once the download completes, select upgrade.

Invalid:-

1 - Select Prism Central.

2 - Select user login.

3 - On left select upgrade Prism Central.

NEW QUESTION: 75

An administrator needs to boot a VM to a bootable CD. The administrator tries to configure the VM to boot to it, select to add disk, and goes to the images available. The image for the bootable CD is unavailable.

What is the Likely issue?

A. The CD-ROM interface is too slow.

B. The administrator selected a disk attached before it can boot to a CD.

C. The VM needs to have a standard disk attached before it can boot to a CD.

D. The bootable CD image is corrupted during creation.

Answer: B (LEAVE A REPLY)

Reference:

<https://next.nutanix.com/prism-infrastructure-management-26/booting-vm-to-cd-no-drives-present-31800>

NEW QUESTION: 76

Microsegmentation was recently enabled in a Nutanix environment. The administrator wants to leverage Prism Central to create a policy that will block all traffic regardless of direction, between two groups of VMs identified by their category.

Which policy should be used to meet this requirement?

A. A Quarantine Policy

B. An Application Security Policy

C. A Whitelist-Based Policy

D. An Isolation Environment Policy

Answer: D ([LEAVE A REPLY](#))

Valid NCP-5.15 Dumps shared by Actual4test.com for Helping Passing NCP-5.15 Exam! Actual4test.com now offer the **newest NCP-5.15 exam dumps**, the Actual4test.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-5.15 dumps with Test Engine here: https://www.actual4test.com/NCP-5.15_examcollection.html (**279 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 77

Where should an administrator go to check upgrade compatibility between different AOS versions?

- A.** The Upgrade Matrix Page in Life Cycle Management.
- B.** The Upgrade compatibility page in life Cycle Management.
- C.** The Upgrade Path page in Prism Central.
- D.** The Upgrade Paths page on the Support Portal

Answer: A ([LEAVE A REPLY](#))

<https://portal.nutanix.com/page/documents/kbs/details/?targetId=kA00e000000LMgICAW>

<https://portal.nutanix.com/page/documents/details/?targetId=Web-Console-Guide-Prism-v511:wc-cluster-expand-wc-t.html>

<https://stonefly.com/blog/storage-snapshot-technology-techniques-and-details> AOS tracks snapshots with a fine-grained redirect-on-write algorithm that allows fine-grained control and maximizes both efficiency and performance. Clone hundreds of new workloads in seconds, and create deep snapshot chains without impacting applications.

NEW QUESTION: 78

A customer has a 4-node cluster running at 80% capacity. One node fails due to a motherboard issue.

What is the effect?

- A.** The cluster continues to run but in a degraded state.
- B.** Zeus becomes unavailable for 30 minutes.
- C.** The cluster continues to run normally.
- D.** Zeus becomes available after 60 minutes.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 79

Where can an administrator change a CVM password?

- A.** KMS Server Terminal
- B.** CVM setting in Prism Element

C. CVM setting in Prism Central

D. Prism CVM VM Console

Answer: ([SHOW ANSWER](#))

Reference:

<https://next.nutanix.com/installation-configuration-23/modifying-passwords-in-nutanix-environment-33538>

NEW QUESTION: 80

What action should an administrator take to verify the ability to receive email alerts from a Nutanix cluster?

A. Add an email address to the alert configuration list.

B. Click the configuration for SNMP and add a destination.

C. Click the test button on the SMTP configuration.

D. Pull the first SSD out of the node.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 81

A configuration is single domain, single forest, and does not use SSL.

Which port number should be used to configure LDAP?

A. 3269

B. 3268

C. 636

D. 389

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 82

Which Nutanix product or feature would support the replacement of a storage appliance for shared home directories?

A. Volumes

B. Storage container

C. Files

D. Leap

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 83

What is the expected operation during node addition when the new node has a different AOS version?

A. The entire cluster is upgraded to the latest one-click release.

B. The node is added and a separate upgrade operation must be performed.

C. The addition fails and forces the administrator to image using standalone Foundation.

D. The node is automatically re-imaged using the software currently running in the cluster.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 84

Which Nutanix feature allows a Nutanix cluster to present iSCSI storage to an external devices?

- A. Acropolis File Service
- B. Acropolis block service
- C. Storage Pool
- D. Storage container

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 85

An Administrator is working on a one-node ROBO cluster configurations
Which statement is true for this configuration?

- A. witness vm should be 8vcp and 20gb ram
- B. the minimum RPO 8 hours required
- C. Supported hardware is NX-1175-G5 and G6
- D. Witness vm required to break cluster quorum

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 86

An administrator is adding a node with a higher AOS release to an existing cluster.
What is the most efficient action an administrator should take to ensure it is in a supported state?

- A. Add the node to the cluster and leave the existing AOS version in place
- B. Perform standalone reimage of the new node and then add to cluster
- C. Destroy cluster and foundation with the new node in place
- D. Add the node to the cluster and reboot all running VMs to use new release

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 87

An administrator is creating a new windows VM in AHV after migrating its data from ESXi
Which two parameters should be set identically to the VM settings in ESXi? (Choose two)

- A. Screen resolution
- B. memory
- C. VLAN IDs
- D. vCPU core
- E. Host Affinity

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 88

Refer to the exhibit.

System Non-Root Partition Usage shows a warning or critical alert. The administrator needs to change the frequency of checks and alerts to respond more quickly.

Where in Prism Element should the administrator change the frequency of checks and alerts?

- A. Health Dashboard > Manage Crocks > Frequency
- B. Alerts Dashboard > Manage Checks > Schedule
- C. Health Dashboard > Manage Checks > Schedule
- D. Alerts Dashboard > Manage Checks > Frequency

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 89

What is the function of the virbr0 bridge on AHV?

- A. To carry all traffic between the user VMs and the upstream network.
- B. To carry management and storage communication between user VMs and the CVM.
- C. To carry management and storage communication between user VMs and AHV host.
- D. To carry storage communication between the guest VMs and the CVM

Answer: C ([LEAVE A REPLY](#))

Explanation

<http://www.vstellar.com/2019/01/10/ahv-networking-part-1>

-basics/#:~:text=AHV%20Network%20Architecture&text=virbr0%20is%20an%20internal%20switch,virbr0)%2

NEW QUESTION: 90

Which node type does not deploy a Nutanix Controller VM?

- A. Compute Only
- B. Hyper Converged
- C. Storage Only
- D. All Flash

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 91

An administrator has a 4-node Nutanix cluster running on Hyper-V. The administrator create a new storage container and makes that available to all hosts.

Which storage protocol should be administrator use for the hosts to gain access to the storage container?

- A. Fiber Channel
- B. iSCSI
- C. SMB/CIFS
- D. NFS

Answer: ([SHOW ANSWER](#))

Valid NCP-5.15 Dumps shared by Actual4test.com for Helping Passing NCP-5.15 Exam! Actual4test.com now offer the **newest NCP-5.15 exam dumps**, the Actual4test.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-5.15 dumps with Test Engine here: https://www.actual4test.com/NCP-5.15_examcollection.html (279 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 92

A two-node ROBO cluster is configured with a witness VM.

What happens when Node A goes down?

- A. Node B sends a leadership request to the Witness VM and goes into single-node mode.
- B. The- cluster becomes unavailable and goes into read-only mode.
- C. The cluster is unaffected and no administrator intervention is required.
- D. All operations and services on the Node B are shut down and go into a waiting state.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 93

Async DR is configured between two sites. A network outage occurs at the primary site.

Which steps must the administrator perform to bring the VMs back into service at the backup site?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements. Not all procedures are valid. Identify any invalid procedures using the drop-down option.

Answer:

Explanation

NEW QUESTION: 94

An administrator wants to secure an application running on an AHV cluster by limiting incoming and outgoing traffic destinations. The administrator creates a security policy for the application.

What is the next step?

- A. Create an isolation policy
- B. Restart the VM hosting application
- C. Add the Security policy to an existing isolation policy
- D. Apply the Security Policy

Answer: D (LEAVE A REPLY)

NEW QUESTION: 95

Prism Central will be installed manually on an AHV cluster.

Which three disk images must be downloaded from the portal for the Prism Central VM?
(Choose three.)

- A. var
- B. tmp
- C. boot
- D. home
- E. data

Answer: C,D,E (LEAVE A REPLY)

https://portal.nutanix.com/page/documents/details?targetId=Prism-Central-Guide-Prism-v5_10:mul-pc-install-scratch-c.html

NEW QUESTION: 96

A node has two SSDs in Slot0 and Slot 1. The SSD in Slot 1 fails.

What is the result?

- A. The CVM reboots. Other running VMs do not reboot, and the SSD capacity is reduced.
- B. The CVM and other running VMs do not reboot, and the SSD capacity is reduced.
- C. The CVM is down. AHV takes over serving storage to the node, and the SSD capacity is reduced.
- D. The CVM is down. Another CVM takes over serving storage to the node, and the SSD capacity is reduced.

Answer: B (LEAVE A REPLY)

With 2 SSD's, if slot 0 fails the Cvm reboots and will recover using slot1, vm rights/reads flow to other nodes while Cvm is restarting. If slot 1 fails, no Cvm reboot occurs but SSD capacity is reduced, missing blocks are retrieved from other nodes as needed and re protected. If both SSD's fail, the Cvm is down and all read/writes are done to other nodes.

<https://next.nutanix.com/server-virtualization-27/impact-of-ssd-failure-19417>

NEW QUESTION: 97

Which three configuration scenarios are valid for the deployment of Prism Central?
(Choose three.)

- A. Environments use Network Address Translation.
- B. Environments do not have Internet access.
- C. Environments use the 192.168.5.0/24 CVM management network.
- D. Prism Elements and Prism Central are in different subnets.
- E. Prism Elements and Prism Central have proxy configured.

Answer: (SHOW ANSWER)

NEW QUESTION: 98

An administrator wants to use Volumes to connect to physical servers that are not able to be virtualized.

Which three things must be configured for Volumes to support iSCSI clients? (Choose three)

- A. Enable external client access
- B. Client OS iSCSI initiator
- C. iSCSI Multipathing I/O
- D. Cluster Virtual IP address
- E. Data Services IP address

Answer: ([SHOW ANSWER](#))

Explanation

<https://portal.nutanix.com/page/documents/details/?targetId=Web-Console-Guide-Prism-v51:wc-block-services->

NEW QUESTION: 99

An administrator needs to shut down an AHV cluster to relocate hardware. The administrator upgrades NCC and runs health checks.

Which steps should the administrator perform next?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements.

Answer:

NEW QUESTION: 100

Refer to Exhibit.

An administrator increases the cluster RF to 3. The containers are not modified.

What will the new values in the data resiliency dashboard be for FAILURES TOLERABLE for the Zookeeper and Extent Groups components?

- A. Zookeeper = 1 and Extent Groups = 2
- B. Zookeeper = 1 and Extent Groups = 1
- C. Zookeeper = 2 and Extent Groups = 1
- D. Zookeeper = 2 and Extent Groups = 2

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 101

An organization has a 3-node cluster, with utilization rates as follows:

- * 35% CPU
- * 40% RAM
- * 20% SSD
- * 35% HDD

A node in this cluster fails.

Which type of degradation will the client experience due to this node failure?

- A. All VMs from that node will be offline until the node is repaired.
- B. VMs from the failed node will be offline until they restart on the remaining nodes.

- C. The cluster will be online but will experience performance issues due to utilization.
- D. The entire cluster will be down until the node is repaired.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 102

An administrator needs to replace the default self-signed certificate in Prism with a certificate signed by a trusted Certificate Authority (CA).

Which option on the task menu should the administrator select to change this configuration?

- A. Cluster Lockdown
- B. SSL Certificate
- C. UI Options
- D. Lifecycle Management

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 103

What is the expected operation during node addition when the new node has a different AOS version?

- A. The addition fails and forces the administrator to image using standalone Foundation.
- B. The node is added and a separate upgrade operation must be performed.
- C. The node is automatically re-imaged using the software currently running in the cluster.
- D. The entire cluster is upgraded to the latest one-click release.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 104

A guest VM should be able to tolerate simultaneous failure of two nodes or drives.

What are the minimum requirements for the Nutanix cluster?

- A. 3 nodes with cluster RF 3 and container RF 3
- B. 5 nodes with cluster RF 2 and container RF 3
- C. 5 nodes with cluster RF 3 and container RF 3
- D. 3 nodes with cluster RF 3 and container RF 2

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 105

An administrator is reviewing performance of a core banking system that routinely has 20,000 concurrent users. During, business hours, the CPU on the applications servers runs at close to 100%. The administrator needs to determine if there is a performance issue specific to the app servers, the database servers, or all servers on the cluster.

Which metrics should the administrator review in Prism Analysis Graphs?

- A. Cluster IO, CPU, Memory, Network, App Server CPU
- B. Cluster IO, Network, Database and App Server CPU

C. Cluster IO, CPU, Memory and Database and App Server CPU

D. Cluster CPU and Memory Only

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 106

An administrator is installing license on a newly created cluster. The cluster is behind a DMZ with no connection to the internet.

Which two steps encompass the connect process to install licenses to the cluster?

(Choose two)

A. Temporally connect the cluster to the internet and follow process in prism.

B. Upload the license file downloaded to the cluster.

C. Enter the cluster summary file info on a system connected to the internet and download a license file.

D. Copy the license file to a USB drive and upload to the cluster.

Answer: ([SHOW ANSWER](#))

Valid NCP-5.15 Dumps shared by Actual4test.com for Helping Passing NCP-5.15 Exam! Actual4test.com now offer the **newest NCP-5.15 exam dumps**, the Actual4test.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-5.15 dumps with Test Engine here: https://www.actual4test.com/NCP-5.15_examcollection.html (**279 Q&As Dumps**, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 107

An administrator needs a deploy a Nutanix Cluster that hosts the following workloads

1) 1000 persistent virtual Desktop VMs

2) 100 Generic server VMs

3) 5 Microsoft exchange server VMs

4) 10 SQL server VMs

Which container configuration should be deployed two maximize data efficiency?

A. 1 container with compression enabled and 1 container with deduplication

B. 2 containers with no data efficiency mechanisms enabled

C. 1 containers with compression enabled and 1 container with Erasure Coding enabled

D. 2 containers with deduplications and erasure coding enabled

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 108

A customer has a 24-node cluster with all containers configured with RF3. Two different nodes have incurred a simultaneous HDD failure.

What is the result?

- A.** The cluster runs in a degraded state until the failed drives are replaced and the data has been restored to three replicas.
- B.** The Nutanix cluster recognizes the failures and immediately begins to rebuild lost data to three replicas.
- C.** The VMs with data on those drives crash, and an HA event occurs, restarting them on a remaining healthy node.
- D.** Sixty minutes after the failures a rebuild of the lost data can remaining HDDs begins to restore to three replicas.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 109

How will an HDD failure affect VMs with data on the failed device?

- A.** The VMs will crash, and will be restarted once the failed HDD has been replaced and the data has been restored.
- B.** An HA event will occur, causing the affected VMs to restart on a node that contains the replica data.
- C.** The VMs will remain operational on that host and continue to function normally with no noticeable impact
- D.** A live migration will be initiated, moving the affected VMs to a host that contains the replica data.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 110

An administrator has an existing Nutanix cluster that is configured to protect VMs using Time Stream. The administrator now needs to add support for protecting these VMs in AWs.

Which two changes must be made to the cluster to meet this requirement? (Choose two)

- A.** Configure protection domains with a 15-minute schedule.
- B.** Add the remote site to the existing protection domains.
- C.** Configure a remote site.
- D.** Deploy a remote site for another cluster.

Answer: C,D ([LEAVE A REPLY](#))

Explanation

<https://portal.nutanix.com/page/documents/details/?targetId=Web-Console-Guide-Prism-v55:wc-dr-management>

NEW QUESTION: 111

What is the purpose of a Leap availability zone?

- A.** To support DR across two Prism Central instances.
- B.** To pair two VMs to enable fault tolerance with zero downtime.

- C. To support high availability across two AHV clusters.
- D. To pair two AHV Clusters for synchronous replication.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 112

A vDisk is read by multiple VMs. The cluster creates immutable copies of the vDisk. What are these vDisk copies called?

- A. Golden Images
- B. Disk Clones
- C. Shadow Clones
- D. Volume Groups

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 113

What is the maximum RPO that can be configured for VMs using the Near Sync feature?

- A. 60 min
- B. 10
- C. 1 min
- D. 15

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 114

Which two methods are valid for migrating a VM from a Nutanix vSphere cluster to AHV? (Choose two.)

- A. Cross-Hypervisor DR
- B. Nutanix Move
- C. Storage vMotion
- D. Live Migration

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 115

Which three cluster operations require an administrator to reclaim licenses?(Choose three)

- A. Destroy a cluster.
- B. Upgrade a cluster
- C. Migrate a cluster
- D. Remove a Node from a cluster
- E. Move Nodes between clusters.

Answer: A,D,E ([LEAVE A REPLY](#))

https://portal.nutanix.com/page/documents/details/?targetId=Web_Console_Guide-Prism_v4_7:lic_licensing_managing_c.html Reclaiming Licenses (Including License Renewal) You can reclaim and optionally re-apply licenses for nodes in your clusters:

You must reclaim licenses when you plan to destroy a cluster. First reclaim the licenses, then destroy the cluster. You do not need to reclaim Starter licenses. These licenses are automatically applied whenever you create a cluster, including after you have destroyed a cluster.

Return licenses to your inventory when you remove one or more nodes from a cluster. Also, if you move nodes from one cluster to another, first reclaim the licenses, move the nodes, then re-apply the licenses.

You can reclaim licenses for nodes in your clusters in cases where you want to make modifications or downgrade licenses. For example, applying an Ultimate license to all nodes in a cluster where some nodes are currently licensed as Pro and some nodes are licensed as Ultimate. You might also want to transition nodes from Ultimate to Pro licensing.

You must reclaim licenses when you renew licenses. First reclaim the expired licenses, then apply new licenses.

NEW QUESTION: 116

An administrator needs to run a mixed Exchange and SQL workload with a guaranteed amount of container space for each application.

How should the administrator meet this requirement?

- A.** Create one container and set capacity reservation
- B.** Create two containers and reserve space for containers
- C.** Create one container and enable compression
- D.** Create two containers and reserve space for vDisks

Answer: D (LEAVE A REPLY)

Reference: [https://portal.nutanix.com/page/documents/details?](https://portal.nutanix.com/page/documents/details?targetId=Web_Console_Guide-NOS_v4_0:wc_security_authentication_wc_t.html)

[targetId=Web_Console_Guide-NOS_v4_0:wc_security_authentication_wc_t.html](https://portal.nutanix.com/page/documents/details?targetId=Web_Console_Guide-NOS_v4_0:wc_security_authentication_wc_t.html)

NEW QUESTION: 117

An administrator needs to boot a VM to a bootable CD. The administrator tries to configure the VM to boot to it, select to add disk, and goes to the images available. The image for the bootable CD is unavailable.

What is the Likely issue?

- A.** The VM needs to have a standard disk attached before it can boot to a CD.
- B.** The CD-ROM interface is too slow.
- C.** The administrator selected a disk attached before it can boot to a CD.
- D.** The bootable CD image is corrupted during creation.

Answer: (SHOW ANSWER)

NEW QUESTION: 118

Which configuration should an administrator make in Prism to receive a summary of the alerts every 24 hours?

- A. Syslog
- B. Individual Alerts
- C. Email Digest
- D. SNMP

Answer: (SHOW ANSWER)

Explanation

https://portal.nutanix.com/page/documents/details/?targetId=Prism_Central_Guide-Acr_v4_6:mul_alerts_manag Prism Central allows you to configure the alert messages sent by . To configure alert settings, reporting rules, and message templates, do the following:

Note: Alert emails sent by Prism Central are in addition to any alert emails you might have configured on individual clusters through the Prism web console. You will receive email from both entities in this case.

Prism Central alert emailing is not enabled by default; you must explicitly enable it and specify the recipients (Nutanix customer support and/or supplied email addresses).

- * Do one of the following:

- * In the gear icon pull-down list of the main menu, select Alert Email Configuration.

- * In the Alerts dashboard, click the

The Alert Email Configuration window appears.

- * Click the Settings tab and do the following:

- * Enable Prism Central

- * Check the Email Every Alert box to send an email whenever the event occurs.

- * Check the Email Daily Digest box to send a cumulative (24 hour) list of alerts once a day.

You can check one or both boxes. If neither box is checked, no alert emails are sent by Prism Central.

- * Check the Nutanix Support box to send alert notification to Nutanix customer support.

- * To send alert notifications to others, enter their email addresses in a comma separate list in the field below the Nutanix Support box.

- * Click the Apply button to apply the changes and continue the configuration (or click the Save button to apply the changes and close the window).

The Connection Status section displays mail transport status information. In this example, an SMTP server is configured for mail service. Clicking the Details link opens the SMTP server settings window

NEW QUESTION: 119

Which two methods can be used to create VMs with UEFI firmware? (Choose two.)

- A. aCLI commands
- B. PowerCLI
- C. vCenter 6.7
- D. Prism web console

Answer: (SHOW ANSWER)

NEW QUESTION: 120

An administrator has just executed a maintenance window for some applications running on their nutanix cluster. After completing the maintenance, they want to assess the health of the cluster and make sure that there is no impact during the maintenance.

Which three dashboards in prism will assist the administrator in making this determination? (Choose Three)

- A. Alerts
- B. Analysis
- C. Cluster Health
- D. Tasks
- E. Data Protection

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 121

An administrator is working with sensitive data and wants to encrypt that data by Nutanix Software Encryption.

Which three types of information and components are required to enable this configuration? (Choose three)

- A. Root Certificate Authority (CA)
- B. Signed Certificate for each CVM
- C. Key Management Server (KMS)
- D. Self-Encryption Drives (SED)
- E. KMS Certificate

Answer: A,C,D ([LEAVE A REPLY](#))

Valid NCP-5.15 Dumps shared by Actual4test.com for Helping Passing NCP-5.15 Exam! Actual4test.com now offer the **newest NCP-5.15 exam dumps**, the Actual4test.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-5.15 dumps with Test Engine here: https://www.actual4test.com/NCP-5.15_examcollection.html (279 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 122

Where should an administrator go to check upgrade compatibility between different AOS versions?

- A. The Upgrade Matrix Page in Life Cycle Management.
- B. The Upgrade compatibility page in life Cycle Management.
- C. The Upgrade Path page in Prism Central.

D. The Upgrade Paths page on the Support Portal

Answer: A ([**LEAVE A REPLY**](#)**)**

Explanation

<https://portal.nutanix.com/page/documents/kbs/details/?targetId=kA00e000000LMgICAW>

NEW QUESTION: 123

what ahv provides hot spot detection and invokes live migration?

A. acropolis dfs

B. acropolis dynamic scheduler

C. acropolis data replicator

D. acropolis management fabric

Answer: B ([**LEAVE A REPLY**](#)**)**

Valid NCP-5.15 Dumps shared by Actual4test.com for Helping Passing NCP-5.15 Exam! Actual4test.com now offer the **newest NCP-5.15 exam dumps**, the Actual4test.com NCP-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-5.15 dumps with Test Engine here: https://www.actual4test.com/NCP-5.15_examcollection.html (**279** Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)