

Nutanix.NCP-MCA.v2022-04-19.q26

Exam Code:	NCP-MCA
Exam Name:	Nutanix Certified Professional - Multicloud Automation (NCP-MCA 6.10)
Certification Provider:	Nutanix
Free Question Number:	26
Version:	v2022-04-19
# of views:	1514
# of Questions views:	260
https://www.freepdfdumps.com/Nutanix.NCP-MCA.v2022-04-19.q26.html	

NEW QUESTION: 1

A company has started a new project team and has asked an administrator to build the first blueprint for a new public cloud environment that was defined last week. This will be the first deployment to AWS.

The administrator has been given the following information:

VM Name: web01-@@{unique}@@

IP Address: Provider-assigned

OS version: Windows Server 2016

Deployment location: AWS

Region: us-west-1

Project: Default

What should the administrator do first when building the first blueprint?

- A. Create a new project
- B. Create a new blueprint
- C. Create a new provider
- D. Create a new service

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

An administrator needs to enable Showback in Calm to allow departments to see costs associated with their Projects.

Where in Calm would the administrator enable Showback?

- A. LCM
- B. Marketplace
- C. Projects
- D. Setting

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 3

A developer has been asked to update the existing blueprint with an additional option of scaling it both out and in. Where in the Blueprint Editor should the developer make the relevant changes?

- A. Environment, Actions
- B. Blueprint, Configuration
- C. Application Profile, Actions
- D. Configuration, Settings

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which two features does the Calm Marketplace provide? (Choose two.)

- A. Library of executable tasks
- B. Set of pre-seeded application Blueprints
- C. Published and versioned Blueprints
- D. Store of all Blueprints created in Calm

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 5

What is the correct syntax for using a macro within a Calm blueprint?

- A. %calm.object%
- B. \$_calm.object_\$
- C. {{calm.object}}
- D. @@{calm.object}(@@

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 6

An administrator had provided Linux VM console access to the OS Team. However, the team is unable to access one of the newly-created Linux VMs.

How can the administrator resolve this issue?

- A. Provide Prism Admin access to the OS Team Active Directory Group.
- B. Assign new VMs to a category and provide category access to the OS Team.
- C. Create a role for the OS Team Active Directory Group and add the VMs to it.
- D. Create a local user in Linux OS and provide access to the OS Team.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

An administrator needs to create a Playbook to be notified when VMs are deleted.

Which X-Play Trigger would satisfy this task?

- A. Alert
- B. Event
- C. Time
- D. Audit

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 8

Refer to the exhibit.



Calm encountered the error shown in the exhibit when importing a script that maps a network drive. Upon further investigation, the Calm administrator was unable to run the script manually on a VM and discovered that elevated permissions were needed.

Which command should the administrator add to the script?

- A. Enable-WSManCredSSP -Role Client
- B. Enable-WSManCredSSP -Role Server -Force
- C. Enable-WSManCredSSP -Role Server
- D. Disable-WSManCredSSP -Role Server -Force

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 9

Refer to the exhibit.

The screenshot shows the Nutanix Calm console interface. At the top, there is a 'Service Name' field with the value 'MyApp'. Below this, there are three tabs: 'VM', 'Package', and 'Service'. The 'VM' tab is selected and underlined. Under the 'VM' tab, there is a 'Name' field with the value 'MyAppVM'. Below the 'Name' field, there is a 'Cloud' dropdown menu. The dropdown menu is open, showing a list of cloud providers: AWS, Azure, Existing Machine, GCP, and Nutanix. The 'Nutanix' option is highlighted at the bottom of the list. The Nutanix logo is visible at the bottom of the console.


What needs to be done in order to enable the developer to complete this requested task? (Choose two.)

- A. Upgrade Calm to version 3.2.x
- B. Add the Providers to the Project
- C. Enable Environment for AWS and Azure
- D. Create AWS and Azure Providers

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 10

Refer to the exhibit.



A subset of Linux VMs are required to be gracefully shutdown each evening. A Playbook is created to shutdown the targeted VMs, however the error message shown in the exhibit is displayed when the Playbook is executed.

What is causing the error message?

- A. The SSH Service is not running on the VMs.
- B. The VM is already powered off.
- C. User executing the Playbook does not have Admin privileges.
- D. The VM is missing Nutanix Guest Tools.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 11

Which two statements are true regarding the Nutanix public Github repository? (Choose two.)

- A. Nutanix provides a documented process to seed Github based scripts into the Calm Task Library.
- B. Nutanix publishes official vetted blueprints and tasks to Nutanix's public Github Calm repository.
- C. Calm's public repository contains Nutanix-vetted custom scripts created and published by community members.

D. Nutanix provides documented processes to seed scripts from any source repository.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

During the deployment of a multi-step Blueprint, a failure is encountered. The administrator corrected the failed step and saved the Blueprint.

What should the administrator do next?

- A.** Delete the failed application and Launch a new application.
- B.** Upon clicking Save the Blueprint task will be retried automatically.
- C.** Soft Delete the failed application and Launch a new application.
- D.** Use Continue in the failed application to retry.

Answer: **B** ([LEAVE A REPLY](#))

NEW QUESTION: 13

An administrator is notified of changes made to VMs on an AHV cluster and wants to verify the changes inside of a Calm application.

Where should the administrator check for synchronized changes between Prism Central and Calm?

- A.** On the Environments tab of the Calm project
- B.** On the Overview tab of the Calm application
- C.** On the Audit tab of the Calm application
- D.** On the Prism Central Tasks page

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

Refer to the exhibit.

Calm showback is not able to reach beam service



Calm showback is not able to reach beam service

Alert Title

Possible Cause

No internet connectivity to Prism Central VM No DNS configured Beam service is down

Source Entity

Prism Central

Recommendation

Severity

● Critical

Check internet connectivity from Prism Central VM

Created Time

18.07.19, 08:52:55

Last Occurred

22.07.19, 14 52:56

Impact Type

Availability

Policy

Calm showback is not able to reach beam service

Status

-

Acknowledged By

-

A customer has decided to enable Calm Showback feature but started to receive an alert in Prism Central stating that Calm showback is not able to reach beam service.


Which two configuration items should the administrator check to ensure Calm can communicate with Beam? (Choose two.)

- A. Prism Element is configured with Proxy settings
- B. DNS configuration in Prism Central
- C. Ensure Pulse is enabled
- D. Flow is enabled in the same Prism Central

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Refer to the exhibit.



Saving the Calm Blueprint gives the validation error for VMware Blueprints shown in the exhibit.

What could be the cause of the error?

- A. Number of Template NICs components should be equal to the number of Network Settings configured.
- B. Number of Template devices components should be equal to the number of Devices configured.
- C. Number of Template VMXNET3 components should be equal to the number of Virtual e1000 adapters configured.
- D. Number of Template vCPU components should be equal to the number of pCPU configured.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 16

A customer is trying to deploy an application with Calm and receives this error for a Linux VM:

```
script execution has failed with error dial tcp: lookup
dummy on <dns_ip_in_pc>:53: server misbehaving
```

What is the cause of this error within the blueprint?

- A. Connection section has no network adapters selected for the Address box in Connection section.
- B. Connection Type has a protocol selected.
- C. Connection Type has no protocol selected.
- D. Connection section has a network adapter selected for the Address box in Connection section.

Answer: ([SHOW ANSWER](#))

Valid NCP-MCA Dumps shared by Actual4test.com for Helping Passing NCP-MCA Exam! Actual4test.com now offer the **newest NCP-MCA exam dumps**, the Actual4test.com NCP-MCA exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-MCA dumps with Test Engine here: https://www.actual4test.com/NCP-MCA_examcollection.html (102 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 17

An administrator has a Linux VM that does batch processing out of a queue. Currently, a technician connects to the VM console and runs a command on the VM to initiate or terminate the batch processing application, as there is no programmatic interface for the application.

The application is processor intensive, so it should only run outside of business hours. The VM has the ability to send REST API calls to Prism.

How should the administrator configure a Playbook to satisfy the needs of this process with minimal external interaction?

- A. Time Trigger > VM SSH > Wait for Some Time > VM SSH
- B. Manual Trigger > Power On > VM SSH > Wait for Some Time > Power Off VM
- C. Webhook Trigger > REST API > Wait for Some Time > REST API
- D. Manual Trigger > VM SSH > Wait for Some Time > VM SSH

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 18

An administrator needs to add AWS as a usable destination for application deployments.

Where would the administrator perform the task?

- A. Providers
- B. Marketplace
- C. Blueprints
- D. Projects

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 19

A developer has a Development Blueprint that performs the following high level items:

Creates a Windows and Ubuntu Server.

Installs IIS on Windows

Installs MySQL on Ubuntu

As part of Development, there is a need for an Operator to restart IIS Services for troubleshooting purposes.

How should the developer add this functionality to the Blueprint?

- A. Add an Execute Task in the Restart Action of the Windows/IIS Service.
- B. Add an Execute Task in the Restart Action of the Application Profile.
- C. Add a Delay Task in the Restart Action of the Windows/IIS Service.
- D. Create an Endpoint for the IIS server and a Runbook that restarts the service.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 20

An administrator manages two Nutanix clusters: Cluster01 and Cluster02 and has needs to automate similar workload types using these images that are located on Cluster01:

ImageA

ImageB

ImageC

The administrator needs to deploy ImageA and ImageC within the Cluster02 environment.

How this can be achieved?

- A. Clone the images from the Cluster01 to Cluster02.
- B. Configure a Protection Domain to replicate images.
- C. Utilize Prism Central image placement policies.
- D. All images are available to all clusters managed by a single Prism Central.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

Prism Central reporting indicates that there are multiple memory-constrained VMs in multiple clusters. The target VMs have Memory Hot Add enabled.

Using X-Play, in what order should the Playbook actions be added to ensure the VMs are properly remediated?

- A. Take a VM Snapshot, Power Off VM, VM Add Memory, Resolve Alert, Power on VM
- B. VM add Memory, Take a VM Snapshot, Resolve Alert
- C. Take a VM Snapshot, VM add Memory, Resolve Alert
- D. Power off VM, Take a VM Snapshot, VM add Memory, Resolve Alert

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

An administrator has built a Playbook to run a Powershell script in a VM when a specific alert is generated. Several days later, the alert is generated, but the script does not execute and there are no Plays recorded for the Playbook.

What is causing this issue?

- A. The path to the script was not correct.
- B. The version of Playbooks is not correct for the version of Prism Central.
- C. The script executed, but closed with an error code.
- D. The Playbook was never enabled.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 23

Where should an administrator check why a Playbook failed to grow the memory of a VM?

- A. Plays dashboard in Prism Element
- B. VM Details in Prism Element
- C. Plays dashboard in Prism Central
- D. VM Details in Prism Central

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

An administrator has been tasked with creating a multicloud, three-tier application using Calm. The application needs to consist of:

A MongoDB backend database

A NodeJS Javascript runtime environment

An NGINX webserver

The administrator has access to an AWS account, as well as a locally hosted Nutanix cluster. The three parts of the application should be fully redundant, and be able to tolerate either a cloud provider outage, or a local Nutanix cluster outage.

What is the most appropriate solution the administrator should choose in order to meet the requirements?

- A.** Create a Calm blueprint with MongoDB, Node/S, and NGINX VMs running on Nutanix, as well as an NGINX server running in AWS on US-WEST-1 and US-EAST-1.
- B.** Create a Calm blueprint with MongoDB, Node/S and NGINX VMs running on Nutanix, and a separate blueprint for MongoDB, NodeJS, and NGINX running in AWS on US-WEST-1 and US-EAST-1.
- C.** Create a Calm blueprint with MongoDB, NodeJS, and NGINX VMs running on Nutanix, as well as MongoDB, NodeJS, and NGINX servers running in AWS on US-WEST-1 and US-EAST-1.
- D.** Create a Calm blueprint with MongoDB, NodeJS, and NGINX VMs running on Nutanix, then manually create three EC2 instances for MongoDB, NodeJS and NGINX in AWS running on US-WEST-1 and

Answer: ([SHOW ANSWER](#))

US-EAST-1.

NEW QUESTION: 25

Which two groups of operations can a Prism Admin or Super Admin role perform? (Choose two.)

- A.** Create, read, update, or delete an action template in the action gallery
- B.** Create, read, automate, delete, enable, and run playbooks
- C.** Create, read, update, delete, enable, and run playbooks
- D.** Create, read, automate, or delete an action template in the action gallery

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 26

What is the correct method to upgrade Calm?

- A.** LCM via Prism Element
- B.** LCM via Prism Central
- C.** Calm Marketplace
- D.** Calm Dashboard

Answer: ([SHOW ANSWER](#))

Valid NCP-MCA Dumps shared by Actual4test.com for Helping Passing NCP-MCA Exam! Actual4test.com now offer the **newest NCP-MCA exam dumps**, the Actual4test.com NCP-MCA exam **questions have been updated** and **answers have been**

corrected get the **newest** Actual4test.com NCP-MCA dumps with Test Engine here: https://www.actual4test.com/NCP-MCA_examcollection.html (**102** Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)