

Nutanix.NCP-MCA.v2023-05-31.q34

Exam Code:	NCP-MCA
Exam Name:	Nutanix Certified Professional - Multicloud Automation (NCP-MCA 6.10)
Certification Provider:	Nutanix
Free Question Number:	34
Version:	v2023-05-31
# of views:	618
# of Questions views:	340
https://www.freepdfdumps.com/Nutanix.NCP-MCA.v2023-05-31.q34.html	

NEW QUESTION: 1

An administrator has a Linux VM that does batch processing out of a queue. Currently, a technician connects to the VM console and runs a command on the VM to initiate or terminate the batch processing application, as there is no programmatic interface for the application. The application is processor intensive, so it should only run outside of business hours. The VM has the ability to send REST API calls to Prism.

How should the administrator configure a Playbook to satisfy the needs of this process with minimal external interaction?

- A. Time Trigger > VM SSH > Wait for Some Time > VM SSH
- B. Webhook Trigger > REST API > Wait for Some Time > REST API
- C. Manual Trigger > Power On > VM SSH > Wait for Some Time > Power Off VM
- D. Manual Trigger > VM SSH > Wait for Some Time > VM SSH

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 2

An administrator manages a Nutanix cluster with 630 VMs, all of which are in production. The Accounting department wants to be notified when any of their production VMs exceed 90% CPU usage or 90% memory usage. Their VMs are categorized as LOB:Accounting. How should the administrator satisfy this request from the Accounting department?

- A. Create a dashboard in Prism Central with the CPU Usage.
- B. Create a category named Department with the value Accounting.
- C. Create an Alert with the Accounting category assigned.
- D. Direct the VM users to generate alerts within the affected VMs.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 3

Where would a Calm Developer find logging related to blueprint package failures?

- A. In Prism Central go to Activities > Audits and get the audits filter by date
- B. SSH to Prism Central > /home/calm/log/styx.log
- C. In Calm select Application icon > select application name > Audit Tab
- D. In Calm select Application icon > select application name > Services Tab

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

During the deployment of a multi-step Blueprint, a failure is encountered. The administrator corrected the failed step and saved the Blueprint.

What should the administrator do next?

- A. Use Continue in the failed application to retry.
- B. Delete the failed application and Launch a new application.
- C. Upon clicking Save the Blueprint task will be retried automatically.
- D. Soft Delete the failed application and Launch a new application.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

A customer is trying to deploy an application with Calm and receives this error for a Linux VM:

```
script execution has failed with error dial tcp: lookup dummy on <dns_ip_in_pc>:53: server misbehaving
```

What is the cause of this error within the blueprint?

- A. Connection section has no network adapters selected for the Address box in Connection section.
- B. Connection Type has no protocol selected.
- C. Connection section has a network adapter selected for the Address box in Connection section.
- D. Connection Type has a protocol selected.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

How should an administrator enable Calm?

- A. Prism Central -> Settings -> Upgrade Prism Central -> Calm -> Enable
- B. Prism Central -> Settings -> Calm -> Enable
- C. Prism Element -> LCM -> Calm -> Enable
- D. Prism Central -> Services -> Calm -> Enable

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 7

What role must a user have in order to create or update a Playbook?

- A. Project Admin
- B. Calm Developer
- C. Prism Admin
- D. Calm Admin

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 8

A company wants to ensure that all developers are able to request new development environments on demand by using ServiceNow.

The administrator notices that even though developers create new environments, they rarely remove these environments when moving on to new assignments. Today, the administrator has gone into Prism Central to check when the VM was created, in order to reach out to the developer and ask if it can be deleted. The administrator has accidentally deleted the wrong VM in the past. Which two methods can the administrator use to automate this task to avoid deleting the incorrect VMs? (Choose two.)


- A. Create a playbook webhook action to delete the VM from a ServiceNow approval flow.
- B. Create a playbook webhook trigger to delete the VM from a ServiceNow approval flow.
- C. Create a playbook REST API trigger to delete the VM from a ServiceNow approval flow.
- D. Create a playbook REST API action to delete the VM from a ServiceNow approval flow.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Refer to the exhibit.

Data Flow



A subset of Linux VMs are required to be gracefully shutdown each evening. A Playbook is created to shutdown the targeted VMs, however the error message shown in the exhibit is displayed when the Playbook is executed.

What is causing the error message?

- A. The VM is missing Nutanix Guest Tools.
- B. The SSH Service is not running on the VMs.
- C. User executing the Playbook does not have Admin privileges.
- D. The VM is already powered off.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 10

An administrator at a busy software development company is looking to roll out Calm for automation and estimates they will be creating 200 Projects, 500 Runbooks, 1500 Blueprints and automating the deployment of 7500 VMs for their development teams.

What size of Prism Central VM(s) is recommended to host the Calm environment?

- A. 3 nodes Large - 10vCPU and 52GB Memory per node.
- B. 1 node Large - 10vCPU and 52GB Memory per node.
- C. 1 node Small - 6vCPU and 30GB Memory per node.
- D. 3 nodes Small - 6vCPU and 30GB Memory per node.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

Refer to the exhibit.



A Blueprint fails on executing a check-login task against a Windows 2016 VM and displays the error shown in the exhibit. The administrator is using a SSH key-based credential to authenticate the task.

What should the administrator change to resolve the issue?

- A. Modify the timeout to give the task longer to complete.
- B. Change to password authentication credential.
- C. Ensure the private key for the credential is correct.
- D. Increase the retries to allow for the task to complete.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

An administrator receives the following error while running a script through Calm on VM:

Connection refused

Which two conditions could cause this issue? (Choose two.)

- A. There is an error in the script.
- B. The VM is still in the boot process.
- C. The credentials have insufficient permissions.
- D. The VM port is not allowed by the firewall.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 13

An administrator needs to enable Showback in Calm to allow departments to see costs associated with their Projects.

Where in Calm would the administrator enable Showback?

- A. Projects
- B. Marketplace
- C. Setting
- D. LCM

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which two features does the Calm Marketplace provide? (Choose two.)

- A. Published and versioned Blueprints
- B. Library of executable tasks
- C. Store of all Blueprints created in Calm
- D. Set of pre-seeded application Blueprints

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 15

Refer to the exhibit.

Calm encountered the error shown in the exhibit when importing a script that maps a network drive.

Upon further investigation, the Calm administrator was unable to run the script manually on a VM and discovered that elevated permissions were needed.

Which command should the administrator add to the script?

- A. Enable-WSManCredSSP -Role Client
- B. Disable-WSManCredSSP -Role Server -Force
- C. Enable-WSManCredSSP -Role Server
- D. Enable-WSManCredSSP -Role Server -Force

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 16

Which Calm feature provides the ability for administrators to approve Single or Multi-VM Blueprints for assignment to Projects?

- A. Marketplace
- B. Projects
- C. Marketplace Manager
- D. Application Manager

Answer: C ([LEAVE A REPLY](#))

Valid NCP-MCA Dumps shared by Actual4test.com for Helping Passing NCP-MCA Exam! Actual4test.com now offer the **newest NCP-MCA exam dumps**, the Actual4test.com NCP-MCA exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-MCA dumps with Test Engine here:

https://www.actual4test.com/NCP-MCA_examcollection.html (102 Q&As Dumps, **30%OFF**

Special Discount: **Freepdfdumps**)

NEW QUESTION: 17

An Application team has provided an administrator the following high level requirements for infrastructure they require:

5 Application VMs

2 Database VMs

2 Web VMs

Which two pieces of information are needed, at a minimum, to effectively automate the scaling of the environment? (Choose two.)

- A. Steady state resource utilization
- B. Expected resource utilization under load
- C. SLA uptime of the application
- D. If the application needs to be highly available

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 18

A developer has a Development Blueprint that performs the following high level items:

Creates a Windows and Ubuntu Server.

Installs IIS on Windows

Installs MySQL on Ubuntu

As part of Development, there is a need for an Operator to restart IIS Services for troubleshooting purposes.

How should the developer add this functionality to the Blueprint?

- A. Add a Delay Task in the Restart Action of the Windows/IIS Service.
- B. Add an Execute Task in the Restart Action of the Application Profile.
- C. Add an Execute Task in the Restart Action of the Windows/IIS Service.
- D. Create an Endpoint for the IIS server and a Runbook that restarts the service.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 19

What are two valid trigger types available for executing Playbooks? (Choose two.)

- A. Manual
- B. Alert
- C. Audit
- D. Report

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 20

A developer has been asked to update the existing blueprint with an additional option of scaling it both out and in.

Where in the Blueprint Editor should the developer make the relevant changes?

- A. Environment, Actions
- B. Application Profile, Actions

C. Blueprint, Configuration

D. Configuration, Settings

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 21

When creating a blueprint, which Pre-create and Post-delete tasks are valid?

A. Execute, Set variable, API, Delay

B. Create, Start, Stop, Soft Delete

C. Execute, Set variable, HTTP, Delay

D. Create, Start, Stop, Delete

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 22

A company wants to ensure that all developers are able to request new development environments on demand by using ServiceNow.

The administrator notices that even though developers create new environments, they rarely remove these environments when moving on to new assignments. Today, the administrator has gone into Prism Central to check when the VM was created, in order to reach out to the developer and ask if it can be deleted. The administrator has accidentally deleted the wrong VM in the past. Which two methods can the administrator use to automate this task to avoid deleting the incorrect VMs? (Choose two.)

A. Create a playbook REST API action to delete the VM from a ServiceNow approval flow.

B. Create a playbook REST API trigger to delete the VM from a ServiceNow approval flow.

C. Create a playbook webhook action to delete the VM from a ServiceNow approval flow.

D. Create a playbook webhook trigger to delete the VM from a ServiceNow approval flow.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 23

An administrator is notified of changes made to VMs on an AHV cluster and wants to verify the changes inside of a Calm application.

Where should the administrator check for synchronized changes between Prism Central and Calm?

A. On the Prism Central Tasks page

B. On the Overview tab of the Calm application

C. On the Environments tab of the Calm project

D. On the Audit tab of the Calm application

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Refer to the exhibit.

What needs to be done in order to enable the developer to complete this requested task?

(Choose two.)

- A. Enable Environment for AWS and Azure
- B. Upgrade Calm to version 3.2.x
- C. Add the Providers to the Project
- D. Create AWS and Azure Providers

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 25

An administrator creates a blueprint to deploy VMs to multiple clouds, so that business will remain functional in the event of a disaster.

What component describes this feature?

- A. Profile Actions
- B. Package
- C. Substrates
- D. Service

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

Which permission level grants access to Create, Update, Delete, and Duplicate Blueprints?

- A. Operator
- B. Developer
- C. Consumer
- D. Domain Admin

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

What is the correct method to upgrade Calm?

- A. LCM via Prism Element
- B. Calm Dashboard
- C. LCM via Prism Central
- D. Calm Marketplace

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 28

An administrator wants to be alerted when production VMs become idle. The VMs will be determined to be idle when CPU usage is lower than 5% for more than 5 minutes. All affected VMs are categorized as Environment:Production, since they have Flow microsegmentation rules.

What should the administrator do to satisfy this requirement?

- A. Create an alert for all VMs, create a Playbook with this alert as the trigger > reduce 1 CPU > send an email as the action.

- B.** Create an alert for all VMs, create a Playbook with this alert as the trigger and send an email as the action.
- C.** Create an alert for VMs in the correct category, create a Playbook with this alert as the trigger and send an email as the action.
- D.** Create an alert for VMs in the correct category, create a Playbook with this alert as the trigger > take a snapshot > send an email as the action.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

An administrator has a vendor-provided script that must be run at 9 am every Saturday on a Linux application VM.

The administrator currently has a playbook that has a Time trigger and a VM SSH action to execute the script. However, the administrator has received a request to have the output of the script emailed to the application team when it is executed.

What is the easiest way to satisfy this request?

- A.** Add an Email action to the end of the existing playbook and use the `{{action[index] .stdout}}` parameter in the Message field.
- B.** Add an Email action to the end of the existing playbook and use the `{{action [index].response_body}}` parameter in the Message field.
- C.** Direct the output of the script to a file and use the Send Email with Payload action at the end of your existing playbook.
- D.** Modify the script to include a function to format the output of the script and email the output to the desired address.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 30

Where should an administrator check why a Playbook failed to grow the memory of a VM?

- A.** Plays dashboard in Prism Element
- B.** VM Details in Prism Central
- C.** VM Details in Prism Element
- D.** Plays dashboard in Prism Central

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

Which two statements are true regarding the Nutanix public Github repository? (Choose two.)

- A.** Nutanix publishes official vetted blueprints and tasks to Nutanix's public Github Calm repository.
- B.** Nutanix provides a documented process to seed Github based scripts into the Calm Task Library.
- C.** Calm's public repository contains Nutanix-vetted custom scripts created and published by community members.

D. Nutanix provides documented processes to seed scripts from any source repository.

Answer: ([SHOW ANSWER](#))

Valid NCP-MCA Dumps shared by Actual4test.com for Helping Passing NCP-MCA Exam! Actual4test.com now offer the **newest NCP-MCA exam dumps**, the Actual4test.com NCP-MCA exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-MCA dumps with Test Engine here:

https://www.actual4test.com/NCP-MCA_examcollection.html (102 Q&As Dumps, **30%OFF**

Special Discount: **Freepdfdumps**)

NEW QUESTION: 32

An administrator is trying to delete a category, but the option is greyed out.

Which two conditions could be causing this issue? (Choose two.)

- A. The category is assigned to powered-on VMs.
- B. The category is system defined.
- C. The category is user defined.
- D. The category is part of a flow policy.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 33

An administrator needs to add AWS as a usable destination for application deployments.

Where would the administrator perform the task?

- A. Marketplace
- B. Projects
- C. Blueprints
- D. Providers

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 34

Prism Central reporting indicates that there are multiple memory-constrained VMs in multiple clusters. The target VMs have Memory Hot Add enabled.

Using X-Play, in what order should the Playbook actions be added to ensure the VMs are properly remediated?

- A. VM add Memory, Take a VM Snapshot, Resolve Alert
- B. Power off VM, Take a VM Snapshot, VM add Memory, Resolve Alert
- C. Take a VM Snapshot, VM add Memory, Resolve Alert
- D. Take a VM Snapshot, Power Off VM, VM Add Memory, Resolve Alert, Power on VM

Answer: D ([LEAVE A REPLY](#))

Valid NCP-MCA Dumps shared by Actual4test.com for Helping Passing NCP-MCA Exam! Actual4test.com now offer the **newest NCP-MCA exam dumps**, the Actual4test.com NCP-MCA exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com NCP-MCA dumps with Test Engine here:

https://www.actual4test.com/NCP-MCA_examcollection.html (**102** Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)