

Qlik.QSSA2021.v2026-04-16.q74

Exam Code:	QSSA2021
Exam Name:	Qlik Sense System Administrator Certification Exam - February 2021 Release
Certification Provider:	Qlik
Free Question Number:	74
Version:	v2026-04-16
# of views:	133
# of Questions views:	740
https://www.freepdfdumps.com/Qlik.QSSA2021.v2026-04-16.q74.html	

NEW QUESTION: 1

Refer to the exhibit.



What is the result when the administrator selects the Start button for TASK-APP1 in the Task screen?

- A. TASK-APP1 will start but eventually fail
- B. TASK-APP1 will run continuously
- C. TASK-APP1 will run successfully
- D. A prompt will appear to create a trigger

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

A system administrator is configuring access to Qlik Sense for mobile device users from outside the corporate network via the corporate Enterprise Mobile Management (EMM) software.

The system administrator sets up a dedicated virtual proxy for these users. A mobile user enters the URL of the virtual proxy into their browser app, and successfully logs in to Qlik Sense.

The hub opens and the user sees the authorized streams and apps. The user taps to open an app, but the app fails to open.

What is the cause of this issue?

- A. The proxy service on the central node has NOT been linked to the dedicated virtual proxy
- B. The EMM software does NOT support the implementation of the WebSocket protocol
- C. The Qlik Sense virtual proxy for the mobile users does NOT support the EMM software
- D. The firewall in the corporate DMZ has NOT been correctly configured and is blocking ports required for Qlik Sense

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 3

A Qlik Sense administrator needs to troubleshoot a task that consistently fails to reload data.

Using the Qlik Management Console (QMC), what steps should the administrator take to resolve the issue? (Choose the correct sequence) A) Open QMC and navigate to the "Tasks" section.

B) Select the failed task and review the task execution logs.

C) Identify any errors in the task log and correct the data source connection.

D) Re-run the task after making the necessary corrections.

A. A -> B -> C -> D

B. B -> D -> C -> A

C. C -> A -> D -> B

D. D -> B -> C -> A

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

Refer to the exhibit.

```

!resource.App.Stream.Empty()
and resource.App.HasPrivilege("read")
and (
resource.objectType = "userstate"
or (
resource.objectType = "sheet"
or resource.objectType = "story"
or resource.objectType = "bookmark"
or resource.objectType = "hiddenbookmark"
or resource.objectType = "snapshot"
or resource.objectType = "embeddedsnapshot"
and user.group != "AAAConsumer"
)
)
and !user.IsAnonymous()

```

Don Only in hub

A system administrator creates the security rule shown. No other custom security rules exist. What effect will the security rule have when applied to a user?

- A. If the user is NOT in AAAConsumer group, the user cannot create sheets
- B. If the user is NOT in AAAConsumer group, the user can create app objects in published apps
- C. If the user is in AAAConsumer group, the user can create app objects in published apps
- D. If the user is NOT in AAAConsumer group, the user can create app objects in non-published apps

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

A developer creates a new extension for Qlik Sense and needs to make it available in the Qlik Sense Enterprise environment.

How does the system administrator make the use of this new extension available to users?

- A. If it is not compressed, create a .zip file and import the extension into the environment via QMC
- B. Import the extension via API and unzip the files in the StaticContent\Extensions folder in the Shared Folder
- C. Unzip the extension in the folder StaticContent\Extensions\your_extension_name located in the shared folder
- D. Keep the extension uncompressed and import files via QMC

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 6

What is the first step an administrator should take when troubleshooting an application that fails to reload?

- A. Restart the Qlik Sense Engine Service
- B. Disable all security rules in the QMC
- C. Review the task execution details in the QMC
- D. Check the Operations Monitor for performance issues

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 7

A data architect creates an application in Qlik Sense Desktop on an ODBC connection to Apache Hive using the single sign-on (SSO) login method. When the application is published the data connection fails.

The system administrator tests login credentials and realizes that it is possible to communicate with the server and database.

What's the cause of the problem?

- A. The data architect's account is NOT assigned the RootAdmin role
- B. There is a problem with the Qlik Sense Server service user when connecting to Apache Hive. The settings within Apache Hive need to be checked.
- C. The Qlik Sense server does NOT support ODBC connections with Apache Hive
- D. Qlik Sense Desktop is NOT allowing Qlik Sense server to use Apache Hive

Answer: (SHOW ANSWER)

NEW QUESTION: 8

Which two services are automatically installed when Qlik Sense is deployed on a Windows Server? (Select two)

- A. Qlik Sense Engine Service (QES)
- B. QlikView Distribution Service (QDS)
- C. Qlik NPrinting Service
- D. Qlik Sense Proxy Service (QPS)

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 9

When configuring Qlik Sense streams, what permission must be granted to a user to allow them to publish applications to the stream?

- A. Export
- B. Read
- C. Publish
- D. Update

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 10

You are tasked with monitoring the memory usage of your Qlik Sense environment during peak usage periods.

What are the correct steps to accomplish this task? (Choose the correct sequence) A) Open the Operations Monitor app.

B) Navigate to the Memory Usage section.

C) Filter the data by time range to identify peak usage periods.

D) Analyze memory consumption during the selected time range.

A. A -> B -> C -> D

B. B -> D -> C -> A

C. D -> B -> C -> A

D. C -> A -> D -> B

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

A Qlik Sense Enterprise environment has been installed. Users mentioned that when they access the site there is information that the page is unsecure and something more related to the certificate.

Then the system administrator tests the site inside the server and does not notice the same problem. It makes contact with the IT team and performs some activities:

make sure that there is a certificate on the server (MMC), creates an easier access address (URL) to the site, opens all the necessary communication ports, adds the address to the trusted websites of the browsers of different machines and devices, and even installs OpenSSL. The problem remains.

What should be done to solve the problem?

A. - Generate a certificate valid by OpenSSL

B. - Acquire a third-party certificate from a trusted root certificate authority (CA)

C. - Acquire a third-party certificate from a trusted root certificate authority (CA)

D. 1. Acquire a third-party certificate from a trusted root certificate authority (CA) including private key

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

A system administrator creates the security rule show (with only in hub flag). No other custom security rules exist.

What effect will the security rule have when applied to a user?

!resource.App.stream.Empty()

and resource.App.HasPrivilege("read")

and (

resource.objectType = "userstate"

or resource.objectType = "sheet"

or resource.objectType = "story"

or resource.objectType = "bookmark"

or resource.objectType = "snapshot"

```
or resource.objectType = "embeddedsnapshot"  
or resource.objectType = "hiddenbookmark"  
and user.group != "Sales"  
)
```

and !user.IsAnonymous()

- A. If the user is in Sales group, the user can't create app objects in non-published apps
- B. If the user is in Sales group, the user can't create app objects in published apps
- C. If the user is not in Sales group, the user can't create app objects in non-published apps
- D. If the user is not in Sales group, the user can't create app objects in published apps

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 13

A user made an application on Qlik Sense Desktop by connecting to a company database. This application can perform recharges normally. Now that the company has acquired Qlik Sense Enterprise the application has been imported to the server.

The administrator then successfully imports the application and publishes the app to the Sales flow in the hub. The administrator creates a task to reload the data in the application at 6:00AM the next day.

The next day users notice that the data has not been updated. No modifications have been made since then to access the data source.

What is the probable cause of this problem?

- A. The system administrator does not have permission to access the database used by the application
- B. A custom properties rule is preventing the load from being performed
- C. A data connection with an equal name pre-existed on the Qlik Sense server before importing
- D. A security rule is preventing data from reloading in the app

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 14

A system administrator must set up a backup strategy for a Qlik Sense shared persistence environment. This multi-node environment consists of one node and two consumer nodes.

Which three steps are required? (Choose three.)

- A. Back up the certificate of the central node using MMC
- B. Back up the repository database on the central node
- C. Back up the certificates on the consumer nodes using MMC
- D. Back up the log and app data in the file share
- E. Back up the log and app data on the nodes

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 15

Which steps are involved in planning the infrastructure for a multi-node Qlik Sense deployment?
(Select two)

- A. Configure a dedicated firewall for each node.
- B. Use shared persistence for all nodes.
- C. Assign a separate domain controller for each node.
- D. Set up load balancing between nodes.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 16

A company changes its network policies. The system administrator finds that the exported visualizations are blank.

Which Qlik service settings should the system administrator change?

- A. Engine Service
- B. Printing Service
- C. Service Dispatcher
- D. Proxy Service

Answer: B ([LEAVE A REPLY](#))

Valid QSSA2021 Dumps shared by Actual4test.com for Helping Passing QSSA2021 Exam! Actual4test.com now offer the **newest QSSA2021 exam dumps**, the Actual4test.com QSSA2021 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com QSSA2021 dumps with Test Engine here:

https://www.actual4test.com/QSSA2021_examcollection.html (170 Q&As Dumps, **30%OFF**

Special Discount: [Freepdfdumps](#))

NEW QUESTION: 17

Which three roles would provide access to the ArchivedLogsFolder and the ServerLogFolder default data connections in the Qlik Management Console? (Select three)

- A. AuditAdmin
- B. SecurityAdmin
- C. ContentAdmin
- D. RootAdmin
- E. DeploymentAdmin

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 18

A business analyst creates and tests an app on Qlik Sense Desktop. The analyst sends the QVF file to a system administrator and requests the file to be imported into Qlik Sense Enterprise.

The system administrator imports the file, but the data reload fails. The administrator imports and opens the app in the Qlik Sense Desktop, then realizes that Section Access has been implemented.

What is causing this issue with the reload on the server?

- A. The Qlik Sense service account is missing in the Section Access table
- B. The sa_scheduler entry is missing in the Section Access table
- C. The system administrator did NOT import the data connection and apply Section Access
- D. The Content Admin role was NOT assigned to the business analyst

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

When performing a Qlik Sense installation, which configurations must be considered for network security? (Select two)

- A. Enable port forwarding for all services.
- B. Disable network load balancing.
- C. Configure SSL certificates for secure communication.
- D. Open required ports for Qlik Sense services.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 20

A system administrator needs to configure load balancing rules to ensure that reload tasks for heavy applications are distributed across two nodes, Node A and Node B.

What steps should the administrator take in QMC to set up this load balancing rule? (Choose the correct sequence) A) Open QMC and go to Load Balancing Rules.

- B) Select Add New Rule.
- C) Specify Node A and Node B as target nodes.
- D) Assign resource filter to include all reload tasks.

- A. D -> A -> C -> B
- B. B -> C -> A -> D
- C. A -> B -> C -> D
- D. C -> A -> D -> B

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

The IT manager asked the Qlik developer team for an authentication method using data from their OpenLDAP software already used by the company.

What method can the system administrator use to define this type of user authentication?

- A. Use the LDAP server login page with SAML authentication preconfigured in the virtual proxy
- B. A login page must be created to compare credentials with the LDAP server and with the use of Tickets
- C. Use an LDAP server login page and set up a virtual proxy for computers communicate

D. It would be enough to configure a user directory connector to the LDAP server

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 22

A system administrator creates a new content library to give the developers access to images. The system administrator tests the new library in the Qlik Management Console (QMC) by adding an image into a text & image object in an app on the hub. The developers are unable to see the new content library, but can see the default library.

What should the administrator do to make sure the developers have access to the new content library?

- A. Build a security rule to give access to the new content library
- B. Store all required images in the default content library
- C. Have the users create their own individual content libraries in the QMC
- D. Have the users upload their own images to the app in the hub

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 23

A system administrator exports an application from a development environment and imports into a separate production environment. When it performs the reload task, an error occurs.

When analyzing the script, it notes the following: "Error: Connection not found: QAS". Then it navigates to the Data connections tab and realizes that the "QAS" record is not available.

How does the system administrator fix the problem?

- A. Create the data connections you need and used by the application script
- B. In these cases it is necessary to open the application in Qlik Sense Destkop, save again and then import into the production environment
- C. Open the app with the "no data" option and perform a load from it
- D. Redo the entire data script

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

A system administrator must set up a backup strategy for a Qlik Sense shared persistence environment. This multi-node environment consists of one node and two consumer nodes.

Which three steps are required? (Choose three.)

- A. Back up the certificates on the consumer nodes using MMC
- B. Back up the log and app data in the file share
- C. Back up the certificate of the central node using MMC
- D. Back up the log and app data on the nodes
- E. Back up the repository database on the central node

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

A system administrator has a multi-node Qlik Sense environment with two rim nodes:

- Rim node A services enabled: Engine, Scheduler, Repository, Proxy;
- Rim node B services enabled: Engine, Scheduler, Repository

A task is configured to reload an app every 20 minutes and is degrading user performance.

Which action should the system administrator take to resolve this issue?

- A. Change node A type to 'Slave' only
- B. Increase the number of reloads in node B
- C. Remove the Scheduler from node A
- D. Change node B type to 'Master' only

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

A new Qlik Sense deployment is planned for use by 100 users. The area manager believes that in the next two years, it will grow to 1500, with more than 70 applications. Most current users work from within the company itself. In relation to user growth, a plan is due for sales reps to access externally, outside the network, and the local firewall.

What are the two secure ways to maintain external access to the server? (Choose two)

- A. Set up a reverse proxy with DMZ and route traffic to the server
- B. Configure Qlik Sense in "off-line mode" for external users and allow them to access apps locally
- C. Deploy Qlik Sense in the corporate network, open all required firewall ports, and allow external users to access apps directly
- D. Deploy Qlik Sense in the DMZ and open all required ports to internal and external users
- E. Enable all external users to connect to the corporate network via a secure VPN to access Qlik Sense apps

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 27

A system administrator receives an app that was developed using Qlik Sense Desktop. The app must be published to stream A and stream B.

Which steps should the system administrator take to meet this requirement?

- A. - Import the app using the QMC;
- B. - Import the app using the hub;
- C. - Import the app using the QMC;
- D. - Import the app using the hub;

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 28

When troubleshooting user access issues in Qlik Sense, which steps should an administrator take to resolve the problem? (Select two)

- A. Review the Logs Monitor for any failed access attempts

- B. Grant all users RootAdmin privileges
- C. Restart the Qlik Sense Scheduler Service
- D. Check security rules in the QMC

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 29

A system administrator must implement authentication and authorization for a Qlik Sense environment in which of the following conditions are present:

- The user attributes are stored in the company's OpenLDAP serve
- Windows authentication is NOT allowed
- External access to the Qlik Sense environment is NOT required

Which methodology should the system administrator use to set u! authentication?

- A. The LDAP server login page must be used and SAML authentication must be defined in the virtual proxy
- B. The LDAP server login page must be used and a virtual proxy must be set up to accept header authentication
- C. A user directory connector must be set up to connect to the LDAP server
- D. A login page must be created that checks the credentials against the LDAP secret and uses web ticketing

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 30

A system administrator needs to grant an auto login access pass for directory (ABC) users. Which configuration will meet this requirement?

The image displays two screenshots of the Qlik Sense security rule configuration interface. Both screenshots show a rule for the resource filter 'License.User.AccessGroup_9cbb417-b590-442c-ba9a-aaa808938a4d' with the action 'Allow access' checked.

The top screenshot shows the 'BASIC' configuration with the following details:

- Resource filter:** License.User.AccessGroup_9cbb417-b590-442c-ba9a-aaa808938a4d
- Actions:** Allow access (checked)
- Conditions:** ((resource.name="ABC"))

The bottom screenshot shows the 'BASIC' configuration with the following details:

- Resource filter:** License.User.AccessGroup_9cbb417-b590-442c-ba9a-aaa808938a4d
- Actions:** Allow access (checked)
- Conditions:** ((user.name="ABC"))

C.

BASIC

Resource filter: License.UserAccessGroup_9cbbe417-b590-442c-ba9a-aaa808938a4d

Actions: Allow access

#License.User.AccessGroup | name | like

value | userDirectory

ADVANCED

Conditions: ((resource.name like user.userDirectory))

D.

BASIC

Resource filter: License.UserAccessGroup_9cbbe417-b590-442c-ba9a-aaa808938a4d

Actions: Allow access

user | user Directory | like

value | ABC

ADVANCED

Conditions: ((user.userDirectory like "ABC"))

- A. Option B
- B. Option A
- C. Option D
- D. Option C

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

What is a primary benefit of using a subscription-based license model in Qlik Sense?

- A. No requirement for license allocation
- B. Flexibility to scale users based on business needs
- C. One-time payment with unlimited usage
- D. Free updates for lifetime

Answer: ([SHOW ANSWER](#))

Valid QSSA2021 Dumps shared by Actual4test.com for Helping Passing QSSA2021 Exam! Actual4test.com now offer the **newest QSSA2021 exam dumps**, the Actual4test.com QSSA2021 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com QSSA2021 dumps with Test Engine here: https://www.actual4test.com/QSSA2021_examcollection.html (170 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 32

Referring to the image. One user can see an extension, but the other user cannot. The system administrator checks the extension in the QMC.



What's causing the problem?

- A. The security rule is set only for the QMC and should be for the Hub as well
- B. The extension was not imported
- C. The user does not have the extension
- D. The user does not have the ContentAdmin security rule

Answer: D (LEAVE A REPLY)

NEW QUESTION: 33

A customer uses an older version of Qlik Sense Enterprise and needs to upgrade to the latest version. The server has Microsoft Windows Server 2008 R2.

What is the recommendation to be made to the customer?

- A. Use up to any version of Qlik Sense Enterprise 2018 at most
- B. Upgrade to Windows Server to 2012 or later
- C. Run the Windows Update tool to get all the necessary updates before installing the latest version of Qlik Sense
- D. Use the latest version of Qlik Sense and run in Windows compatibility mode

Answer: D (LEAVE A REPLY)

NEW QUESTION: 34

A system administrator needs to prepare a backup strategy in their Qlik Sense environment. It is a multi-node environment.

What are the three crucial and necessary steps?

- A. Backup certificates on consumption nodes using MMC
- B. Backup of logs and applications on all nodes
- C. Backup repository database on the central node
- D. Backup certificates using MMC on the central node
- E. Backup logs and applications in File Share

Answer: C,D,E (LEAVE A REPLY)

NEW QUESTION: 35

When synchronizing users from Active Directory, which two criteria should be considered to ensure all required users are synchronized correctly? (Select two)

- A. User role in Qlik Sense
- B. Application ownership
- C. Organizational unit (OU) filters

D. User location in the domain

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

The system administrator creates a connection to PostgreSQL through windows 64-bit ODBC as System DSN. When you set up the ODBC connection on Qlik Sense Server, you notice that it does not appear.

What's causing the problem?

- A. The 64-bit option on the connection was not selected
- B. OLE DB connection not created required
- C. The appropriate ODBC driver has not been installed
- D. The user and password of the ODBC connection has not been entered

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 37

A company recently experienced a merger and needs to integrate new users into the Qlik Sense environment. A system administrator must make sure that the system sizing and the tokens match the requirements for all employees in the future.

The system administrator learns the following information:

- 450 active Qlik Sense users before the merger
- 300 new Qlik Sense users
- 500 current token licenses
- Reloads must have the same performance as before the merger
- The number of apps will approximately double

Management requests an estimate from the system administrator about server resources and additional licenses.

Which set of tools should the system administrator use to meet these requirements?

- A. Performance Monitor, Reloads Monitor, Scalability Tools, and License Monitor
- B. Performance Monitor, Reloads Monitor, QlikCockpit, and License Monitor
- C. Performance Monitor, Reloads Monitor, Operations Monitor, and Scalability Tools
- D. Performance Monitor, License Monitor, Operations Monitor, and Scalability Tools

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 38

A system administrator must configure three physical servers and a virtual server for a new Qlik Sense Enterprise environment. It takes four separate nodes. Physical servers have 64 GB of RAM. The virtual server has 16 GB of RAM.

Which node should be virtualized?

- A. Proxy
- B. Central
- C. Engine

D. Scheduler

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

A company has Qlik Sense streams based on departments. Users must NOT be able to access apps from streams of other departments. A user has recently moved from Sales to Marketing. The domain administrator correctly updates the user's group membership in Active Directory. How should the system administrator confirm that the user can NO longer access the apps in the Sales stream?

- A. In the QMC, from the Start menu, select Streams Highlight Marketing, click Edit, and then select User Access and view the audit
- B. In the QMC, from the Start menu, select Users Highlight the user's name, click Edit, and then select User Access and view the audit
- C. In the QMC, from the Start menu, select Users Highlight the user's name, click Edit, and then select Owned items and view the audit
- D. In the QMC, from the Start menu, select Streams Highlight Sales, click Edit, and then select User Access and view the audit

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 40

During the installation of Qlik Sense, what is the purpose of the Repository Database (PostgreSQL)?

- A. It stores the Qlik Sense visualizations.
- B. It stores configuration data, user data, and metadata.
- C. It handles data reloads.
- D. It manages user sessions and application data.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 41

Which type of persistence should be selected for a Qlik Sense single-node environment?

- A. Local Persistence
- B. Shared Persistence
- C. Distributed Persistence
- D. Clustered Persistence

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 42

An Active Directory (AD) contains a large number of objects. To prevent performance issues, the system administrator needs to limit the synchronization of users and groups. The administrator has an existing user directory connector (UDC).

Which is the most efficient approach for the administrator to limit the synch?

- A. Create a new generic LDAP UDC
- B. Apply an appropriate LDAP filter in the existing AD UDC
- C. Add the required users and groups string(s) to the existing LDAP connection path
- D. Export the required users and groups from AD to an xls file and set up a new UDC against the xls file

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

A system administrator receives from a user an application made on Qlik Sense Desktop and requests that it be made available to all users. The system administrator imports the QVF file, but the data reload fails.

The system administrator then analyzes the application within Qlik Sense Desktop and realizes that there are script implementations with Section Access.

What exactly is causing problem in reloading on the server?

- A. The Qlik Sense user account is not in the Section Access table
- B. The system administrator user was not included in Section Access
- C. The system administrator did not import the data connections
- D. There is no registration entry for the user sa_scheduler admin in the Section Access table

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

What is the primary purpose of Section Access in Qlik Sense?

- A. To manage application triggers
- B. To apply load balancing rules
- C. To control data-level security for different users
- D. To manage user roles and permissions

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 45

A system administrator notices that several Qlik Sense apps are experiencing performance issues.

What is the best tool to use for identifying resource bottlenecks in the system?

- A. Log Monitor
- B. Operations Monitor
- C. Governance Dashboard
- D. License Monitor

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 46

A customer has heard that it is possible to access your Qlik Sense environment through Mobile applications specific to smartphones and tablets. You want to make sure that iOS devices will

have access even outside the business and without a compatible tunnel solution, but of course, access securely through a gateway.

How can this requirement be met?

- A. Copy SSL certificates to mobile devices and make them access through the hub
- B. Use enterprise mobile management (EMM) and Qlik Sense Mobile
- C. Set up an access to Qlik via VPN
- D. Export apps in QVF and copy them to mobile devices

Answer: B ([LEAVE A REPLY](#))

Valid QSSA2021 Dumps shared by Actual4test.com for Helping Passing QSSA2021 Exam! Actual4test.com now offer the **newest QSSA2021 exam dumps**, the Actual4test.com QSSA2021 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com QSSA2021 dumps with Test Engine here:

https://www.actual4test.com/QSSA2021_examcollection.html (170 Q&As Dumps, **30%OFF**

Special Discount: [Freepdfdumps](#))

NEW QUESTION: 47

A system administrator installs Qlik Sense Enterprise and is testing the product with a small team of 10 users.

The users report that the page is NOT trusted on their machines and they receive a certificate warning message. When the system administrator tries to validate this feedback on the server, the administrator does NOT see the same issue.

The system administrator completes the following steps in the proxy configuration:

- Opens all necessary ports
- Checks in MMC that there is a personal certificate on the server
- Creates a DNS entry for an easier URL
- Tries to connect with various Internet browsers on different machines including mobile devices
- Adds the page to trusted sites in the Internet configurations
- Installs OpenSSL in the environment

Which steps should the system administrator take to resolve this issue?

- A. 1. Acquire a third-party certificate from a trusted root certificate authority (CA) including private key
- B. 1. Acquire a third-party certificate from a trusted root certificate authority (CA)
- C. 1. Acquire a third-party certificate from a trusted root certificate authority (CA)
- D. 1. Generate a valid certificate for organizational needs using OpenSSL

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 48

Which of the following tasks is necessary to install Qlik Sense Enterprise on a Windows server?

- A. Disable the Windows Defender service.
- B. Set up a custom data connection for each node.
- C. Install the Qlik Sense services and the Repository Database.
- D. Configure the firewall to block all external traffic.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

A Qlik Sense site consists of a single server that runs at approximately 50% of capacity. The Qlik Sense service has recently been upgraded in the organization's criticality matrix. The following new requirements must be met:

- The site must be designed for high availability
 - Routine maintenance on a server should NOT impact performance
 - A server can have OS patches installed without affecting performance
 - A component of a server can be replaced/upgraded without affecting performance
- Which two steps should the administrator take to meet these requirements? (Select two)

- A. Add a rim node to the existing Qlik Sense site
- B. Create a second Qlik Sense site with two nodes
- C. Configure a network load balancer to distribute user traffic
- D. Configure a reverse proxy to distribute user traffic
- E. Set up a Windows Cluster to distribute user traffic

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

There is a problem to be resolved on the Qlik Sense server. The infrastructure area has told you that there is no system, network, hardware, or process problem that could be interfering with the operation of Qlik Sense.

You then decide to arrive at how scheduled task runs and token allocations are for users to access.

What two tools will you use for this scan? (Choose two)

- A. Reloads Monitor
- B. License Monitor
- C. Sessions Monitor
- D. Log Monitor
- E. Operations Monitor

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 51

The IT manager asked if it is possible for a particular group of users to be prevented from creating new objects in already published applications. And if so, it suggests that the BasicUsers group be used.

How should the system administrator meet this requirement?

A. - Resource filter: App_*

B. - Resource filter: App_*

C. Inform the manager that this type of lock cannot be performed, since the professional license gives full access in order to create new objects and screens.

D. - Resource filter: App_*

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 52

When installing Qlik Sense, which user role is required to successfully install the software on a Windows server?

A. Domain User

B. Local Administrator

C. Power User

D. Guest User

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 53

You are tasked with configuring a high-availability (HA) Qlik Sense deployment with three nodes. Which of the following components must be configured to achieve HA? (Choose all that apply)

A. Load balancer

B. Multiple central nodes

C. Shared persistence

D. Distributed Repository Database

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 54

You must implement a customer solution with a JavaScript application that must be authenticated through a single sign-on.

What authentication method should the system administrator use?

A. Ticket

B. JWT

C. SAML

D. Header

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 55

A company has three streams destined to the sales department: South, North and Central. And you're recently requesting a specific grouping that's of interest to all users in all regions.

How can the requirement be met?

A. Create a folder called "General" and link it to the three streams

B. Maintain the three existing streams and create a new general purpose

- C. A single stream including applications from all regions
- D. Create Section Access in all applications, even those created by users

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

A security audit revealed problems with the newly installed multi-node environment. The environment was deployed using the default settings for the central and nm nodes. All possible services have been added to the rim node.

The audit was based on the current IT security policy which states:

- All traffic between servers should be encrypted
 - 2 56-bit encryption is required
 - Traffic between client and server should be encrypted and trusted
 - iOS devices must be supported
 - Password length must be at least eight characters and include at least one number and one special character
- What should the system administrator deploy to meet these requirements?

- A. A certificate with third-party VPN
- B. A web app firewall in the environment
- C. A reverse proxy in the DMZ
- D. A third-party trusted certificate

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 57

A system administrator installs an extension successfully. The system administrator sets up the custom property so the extension can be used without any special permissions granted. A business analyst can NOT find this extension in the sheet editor.

In Audit, the system administrator confirms that the business analyst has full rights.

What is the cause of this issue?

- A. The extension is corrupted
- B. The extension is invalid
- C. Type used is mashup
- D. Type used is visualization

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

A user who can typically create new apps in personal work can no longer create new applications. The user's work stream is no longer displayed.

How can this problem be fixed?

- A. In the QMC, in the Audit tab, check for any rules that are preventing this user
- B. In the QMC, in the License Management tab, check if there is a Professional license assigned for this user
- C. In QMC, in the users tab, make sure it has the ContentAdmin rule

D. In the QMC, in the License Management tab, check if there is a Professional license assigned for this user

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 59

A Qlik Sense environment uses user-based license types. A user, who can typically create new apps in Personal Work, can no longer create new apps. The personal Work area is NOT displayed for this user.

How should the system administrator resolve this issue?

- A.** In Audit, select Audit license rules, and verify there are no rules for this user
- B.** In License Management, verify that Professional access rules applies to this user
- C.** In Users, look up the user and verify that this user is assigned the ContentAdmin role
- D.** In License Management, verify that Analyzer access rules applies to this user

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 60

A system administrator needs to upgrade the environment to the latest version of Qlik Sense Enterprise and decides to create a backup.

Which three items should the administrator back up? (Choose three.)

- A.** Qlik Sense certificates
- B.** Qlik Sense apps
- C.** Qlik Sense Repository Database
- D.** Qlik Sense ProgramData files
- E.** Shared persistence file share

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 61

An organization install Qlik Sense June 2019 Patch 2 to fix a critical issue. After the installation is complete, a different but more critical defect is identified. The system administrator needs to roll back to Qlik Sense June 2019 Patch 1.

Which steps should the system administrator take to complete this task?

- A.** Uninstall Qlik Sense, reinstall Qlik Sense, install Patch 1
- B.** Re-run the installer for Patch 2 and select Custom
- C.** Use the Control Panel from Windows to remove the Patch 2 installation
- D.** Stop all services, install Patch 1 and restart all services

Answer: ([SHOW ANSWER](#))

QSSA2021 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com QSSA2021 dumps with Test Engine here:

https://www.actual4test.com/QSSA2021_examcollection.html (170 Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)

NEW QUESTION: 62

A system administrator must set up security that does NOT allow certain users to create objects in published apps. The users that should NOT be able to create objects are in an AD group called LimitedUsers.

Which security rule should the administrator use to meet this requirement?

- A. Resource filter App_*
- B. Resource filter App_*
- C. Resource filter App_*
- D. Resource filter App_*

Answer: A (LEAVE A REPLY)

NEW QUESTION: 63

A system administrator needs to configure a node specifically for reload tasks only.

Which QMC setting should they modify?

- A. Node Purpose
- B. Proxy Settings
- C. Engine Allocation
- D. Repository Connection

Answer: A (LEAVE A REPLY)

NEW QUESTION: 64

Refer to the exhibit.



One user can see an extension, but another user can NOT see the same extension. The system administrator reviews the extension in the QMC. What is causing this issue?

- A. The user does NOT have the Content Admin role
- B. The user has NOT imported the extension
- C. The security rule is set to QMC only
- D. The user is NOT the owner of the extension

Answer: A (LEAVE A REPLY)

NEW QUESTION: 65

Which two of the following options are essential when creating automated tasks in Qlik Sense?
(Select two)

- A. Setting up task triggers
- B. Setting task dependencies
- C. Assigning load balancing rules to each task
- D. Configuring multi-threaded processing for each task

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

When creating a new Qlik Sense stream, which permissions must be configured for users to view and interact with the applications? (Select two)

- A. Read/Write
- B. Read
- C. Delete
- D. Publish

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 67

A system administrator has a multi-node Qlik Sense environment with a consumer node and a scheduler node. Reload task occur every 20 minutes, 24 hours a day, 7 days a week. The reload tasks cause poor performance for the users.

The system administrator reviews the configuration in the Qlik Management Console. The consumer node runs the Engine, Scheduler, Repository, and Proxy services. The scheduler node runs the Engine, Scheduler, and Repository services.

What is the most efficient method to improve performance?

- A. Change the scheduler node to "Master" only
- B. Increase the number of reloads in the scheduler node
- C. Configure the reloads to run only during non-business hours
- D. Remove the Scheduler from the consumer node

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 68

A company had only one server and later made an additional Qlik server available and configured it as a scheduler node. There is a recharge task that occurs every 30 minutes, every day.

When the task is performed, users suffer from poor performance in browsing applications. Then, when analyzing the settings in QMC, the system administrator identifies that the consumption node runs the services: Engine, Scheduler, Repository, and Proxy.

The scheduler node runs: Engine, Scheduler, and Repository. What is the most efficient method for improving performance?

- A. Change the Scheduler Node to "Slave" (or Secondary) and the consumption node to "Master" (or Primary)
- B. Set tasks to run only during non-business hours, such as 00:00AM
- C. Remove the Scheduler service from the consumption node
- D. Increase the number of tasks on the scheduler node (Scheduler Node)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 69

A user must connect to a shared folder named "SharedItems" located on Machine1. All users have permission to view the SharedItems folder. The user maps the Z: drive to access the "Data" folder located under SharedItems.

The user tries to create a new data connection to the shared folder. In the Path property section, only "Computer" and the C: and D: drives are available.

What should be entered into the data connection path text box?

- A. Z:\Data\
- B. \\SharedItems\Data\Machine1
- C. \\Machine1\Data\$\SharedItems
- D. \\Machine1\SharedItems\Data

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 70

A system administrator has a Qlik Sense environment with a central node and a scheduler node. One of the apps loads data from text files, which are located in the FinanceData folder on the D: drive on the central node.

The system administrator creates a folder data connection and sets Name = Finance Data and Path = D:\FinanceData. When the reload task runs for the first time, it fails.

What is the cause of the error?

- A. Resources are limited in the current scheduler node
- B. Access permissions to the FinanceData folder are NOT granted to users
- C. The network share is NOT configured yet
- D. Port 4747 was NOT opened on the central node

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 71

A system administrator is installing and configuring a new Qlik Sense deployment. The system administrator completes the following steps:

- Makes sure the IT-provisioned server, named Server1, meets the required specifications
- Installs Qlik Sense on Server1
- Tests the installation by opening Qlik Sense from the server desktop shortcut
- Modifies default virtual proxy prefix to "qliksense"
- Creates a new virtual proxy for users with a prefix of "QSE"

- Links the new virtual proxy to the central proxy
- Configures the new virtual proxy to load balance with the central node
- Configures the new virtual proxy host white list with the server name, FQDN, and server IP address

When the system administrator tests the new virtual proxy using the URL, <http://Server1/sense/hub>, this error message displays: Error 404 The requested resource cannot be found What is causing this error?

- A. The new virtual proxy is configured incorrectly
- B. The central proxy was NOT configured correctly
- C. The incorrect virtual proxy was used in the test
- D. The new central proxy was NOT created

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

Which setting should be configured to distribute reload tasks evenly across multiple nodes in a Qlik Sense environment?

- A. Task chaining
- B. Load balancing rules
- C. Time-based triggers
- D. Node resource allocation

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 73

A system administrator imports an app into Qlik Sense Enterprise. The app was developed with Qlik Sense Desktop. The app reload fails.

What is causing this error?

- A. The INTERNAL\SA_ENGINE account does NOT have permissions
- B. The data connection in the hub has an incorrect name
- C. A previous data connection exists with the same name
- D. The data connection owner is NOT the service account

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

Which two conditions are necessary for configuring role-based permissions in Qlik Sense?

(Select two)

- A. App-specific load balancing rules
- B. Group-based security rules
- C. Defined resource filters
- D. User role in Active Directory

Answer: B,C ([LEAVE A REPLY](#))

Valid QSSA2021 Dumps shared by Actual4test.com for Helping Passing QSSA2021 Exam!
Actual4test.com now offer the **newest QSSA2021 exam dumps**, the Actual4test.com
QSSA2021 exam **questions have been updated** and **answers have been corrected** get the
newest Actual4test.com QSSA2021 dumps with Test Engine here:

https://www.actual4test.com/QSSA2021_examcollection.html (**170** Q&As Dumps, **30%OFF**

Special Discount: Freepdfdumps)