

SAP.C-BW4HANA-24.v2021-10-11.q34

Exam Code:	C-BW4HANA-24
Exam Name:	SAP Certified Application Associate - Reporting, Modeling and Data Acquisition with SAP BW/4HANA 2.x
Certification Provider:	SAP
Free Question Number:	34
Version:	v2021-10-11
# of views:	1249
# of Questions views:	340
https://www.freepdfdumps.com/SAP.C-BW4HANA-24.v2021-10-11.q34.html	

NEW QUESTION: 1

Which objects can you use as components in a CompositeProvider in SAP BW/4HANA?

Note: There are 2 correct answers to this question.

- A. CompositeProvider
- B. BW query
- C. Semantic group
- D. Open ODS view

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 2

Which source types can you use for a generic DataSource? Note: There are 2 correct answers to this question.

- A. Function module
- B. SAP HANA calculation view
- C. DB view or table
- D. Core data service view

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 3

Your main BW query contains a characteristic value variable with a replacement path from a query.

When is the pre-query executed?

- A. Each time the main query is executed, before the filter values are applied.
- B. Directly after a predefined broadcasting event was triggered to calculate the pre-query.

- C. Directly after data is loaded to the InfoProvider of the pre-query.
- D. Each time the main query is executed, after the filter values are applied.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Which settings can you define in a data transfer process (DTP) if you load data into a DataStore object (advanced)?

Note: There are 3 correct answers to this question.

- A. Activation handling
- B. Error handling
- C. Extraction mode
- D. Semantic groups
- E. Data tiering

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

You want to use the SAP HANA concept of semantic types as part of the currency conversion mechanism. You decide to use semantic type Amount with Currency Code within your SAP HANA calculation view. Which currency reference can be assigned to the measure? Note: There are 3 correct answers to this question.

- A. A currency from another column
- B. A fixed currency
- C. A currency from a currency conversion
- D. A currency from SAP BW customizing
- E. A currency from an SAP HANA content calculation view

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 6

For which activity do you use the key figure matrix?

- A. Provide information on the relations between characteristics.
- B. Structure the information from the requirement analysis.
- C. Allocate project resources.
- D. List properties of the data sources.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

Which advantages does the SAP Lumira template for generic analysis provide? Note: There are 2 correct answers to this question.

- A. You can use Visual Basic for Applications to improve the design.
- B. You can compare two DataSources in one report.
- C. You can create a bookmark to a navigation state and link it on any Web page.

D. You can use it for any BW query or SAP HANA calculation view.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 8

which advantages can you leveragewhile importing data into a new sap hana table using a flat file? (2 answer)

- A. trasformation capabilities
- B. adjustment for column, type, lenght, and name is possible
- C. easiness of loading
- D. availability of delta logic

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 9

You model a second SAP BW/4HANA CompositeProvider to integrate tables from an SAP HANA database schema with an existing SAP BW/4HANA CompositeProvider. What must you do first?

- A. Connect an export DataSource from the exisiting CompositeProvider to the new CompositeProvider.
- B. Assign consumption properties to the new SAP HANA calculation view.
- C. Set The CompositeProvider Can Be Added to Another CompositeProvider flag.
- D. Create an Open ODS view with consumption properties to consume the data in the SAP BW/4HANA schema.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 10

You need to consume remote HADOOP data in your SAP HANA Native App. Which components can you use? Note: There are 3 correct answers to this question.

- A. Spark SQL adapter
- B. SAP HANA smart data integration
- C. SAP HANA smart data access
- D. SAP HANA SQL Controller
- E. SAP Vora ODBC adapter

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

You load a DataStore object (advanced) every night. Where can you delete the request you loaded two nights ago without deleting the last request?

- A. From a DataStore object (advanced) based on the model template Standard DataStore object if the request is activated and you execute a full load.
- B. From a DataStore object (advanced) based on the model template InfoCube if the request is activated.

C. From a DataStore object (advanced) based on the model template Standard DataStore object if the request is activated.

D. From a DataStore object (advanced) based on the model template InfoCube if the request is NOT v u activated.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 12

You need to combine master data (right table) and transactional data (left table) using a referential join.

How will this referential join behave?

A. It is executed as an inner join when NO fields from the right table are requested.

B. It returns a result data set if the left table has a corresponding entry on the right table.

C. It always returns all fields from the right table as a result data set.

D. It is executed as an inner join when a description mapping is defined between the left table and the u right table.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

you need to use a graphical calculation view with the dimension data category. Which constraint applies?

A. only different record will be visible

B. only time dependent attributes are considered

C. the output cannot be used by other calculation view, only in reporting

D. default node aggregation is required

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 14

You want to model an SAP HANA calculation view by combining the sales orders with the corresponding customer status, which was assigned to the customer when the order was issued. Which join properties do you assign to the required join type?

A. Inner join with Dynamic Join properties

B. Referential join with Temporal Join properties

C. Inner join with Temporal Join properties

D. Referential join with Dynamic Join properties

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

what can you do in the sap bw/4hana cockpit? (3 answer)

A. manage request in infoobjects and datastore object

B. model and trasport data flow

C. model, schedule and monitor process chain

- D. model and schedule replication task
- E. maintain data tiering setting

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 16

What happens if a query with time-dependent attributes is executed but NO query key date is set?

- A. The valid from date of the attribute is used as key date.
- B. The current date is used as key date.
- C. The system displays only NON-time-dependent attributes.
- D. The system displays an error message.

Answer: ([SHOW ANSWER](#))

Valid C-BW4HANA-24 Dumps shared by Actual4test.com for Helping Passing C-BW4HANA-24 Exam! Actual4test.com now offer the **newest C-BW4HANA-24 exam dumps**, the Actual4test.com C-BW4HANA-24 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C-BW4HANA-24 dumps with Test Engine here: https://www.actual4test.com/C-BW4HANA-24_examcollection.html (102 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

Which layers are part of the layered scalable architecture for SAP BW/4HANA (LSA++)?

Note: There are 2 correct answers to this question.

- A. Native SAP HANA data mart
- B. Virtual data mart
- C. Source system
- D. Open Operational Data Store

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 18

Which objects can you associate with a source field that is defined as a characteristic within an Open ODS view?

Note: There are 2 correct answers to this question.

- A. Open ODS view type Master Data for Hierarchies
- B. SAP BW InfoObject
- C. Open ODS view type Facts
- D. Open ODS view type Master Data for Attributes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

How can you persist data from any SAP HANA database table to a table in the SAP BW schema? Note:

There are 3 correct answers to this question.

- A. Create an Open ODS view. Generate a data flow.
- B. Create an SAP HANA calculation view.
- C. Consume the view using a CompositeProvider.
- D. Create an Open ODS view.
- E. Load the data to a DataStore object (advanced).
- F. Consume the view using a CompositeProvider.
- G. Create a DataSource.

Answer: A,E,G (LEAVE A REPLY)

NEW QUESTION: 20

what must you do if you want to use an object from business content in sap bw/4hana?

- A. activate the object in data warehousing workbench
- B. convert the object from A version to D version
- C. copy the business content object into customer name space
- D. identify the business content object in sap hana studio

Answer: A (LEAVE A REPLY)

NEW QUESTION: 21

Where can you integrate an analysis view from SAP Analysis for Microsoft Office? Note:

There are 3 correct answers to this question.

- A. In an SAP BusinessObjects Web Intelligence report
- B. In another SAP Analysis for Microsoft Office workbook
- C. In a Projection node of an SAP HANA calculation view
- D. In an SAP Crystal Reports for Enterprise report
- E. In a BW query

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 22

For which business requirements do you suggest an SAP BW/4HANA modeling focus rather than an SAP HANA modeling focus?

Note: There are 2 correct answers to this question.

- A. Use existing HANA content models.
- B. Load snapshots or deltas on a periodic basis.
- C. Report on a harmonized set of master data.
- D. Leverage SQL in-house knowledge.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 23

You need to view the SAP HANA calculation views, SAP BW DataSources, and InfoAreas in the same SAP HANA studio perspective. What should you do?

- A. Attach an SAP BW project to an ABAP project.
- B. Attach an SAP BW project to an SAP HANA system.
- C. Attach an ABAP project to an SAP BW project.
- D. Attach an SAP HANA system to an SAP BW project.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 24

Why do you recommend modeling a data layer in SAP BW/4HANA? Note: There are 2 correct answers to this question.

- A. To fulfill snapshot requirements
- B. To pre-define a data layout
- C. To immediately display changed entries
- D. To homogenize and cleanse data from different sources

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 25

Which SAP BW/4HANA features support the code-to-data principle? Note: There are 3 correct answers to this question.

- A. SAP HANA models as part providers in CompositeProviders
- B. Query settings fo read near-line storage data
- C. ABAP Managed Database Procedures in an SAP BW/4HANA transformation
- D. Global transfer routines for master data harmonization
- E. Activation of a DataStore object (advanced)

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 26

What must you do to define an Inventory InfoProvider in SAP BW/4HANA? Note: There are 3 correct answers to this question.

- A. Assign at least one cumulative key figure.
- B. Assign at least one non-cumulative key figure.
- C. Select the All Characteristics are Key model property.
- D. Select the Inventory model property.
- E. Select the Unique Data Records model property.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

Which SAP BW/4HANA objects can keep persistent data? Note: There are 2 correct answers to this question.

- A. Characteristics InfoObjects
- B. Key figure InfoObjects
- C. InfoSource
- D. DataStore object (advanced)

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 28

you need to determinate the number of customers that have revenue in 2018 for each countries. What is the reference infoobject in an exception aggregate?

- A. customer
- B. country
- C. counter
- D. year

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 29

What happens when you execute the Trigger Delta Merge operation for a given data target?

- A. The before and after images of the delta queues are merged.
- B. The data from the delta queue is extracted and merged into the data target.
- C. Data is transferred from the delta store to the main store.
- D. The delta between the new data and the already loaded data is removed.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

You set up the 2LIS_02_ITM (Purchasing Line Item) data source in SAP ERP using the logistics cockpit. Afterward, you successfully run the initialization into SAP BW/4HANA. Your delta load into SAP BW/4HANA shows zero records even though new purchase orders were created. How do you explain that the delta records do NOT appear in SAP BW/4HANA?

- A. All old purchase orders in SAP ERP were archived overnight before the delta loads.
- B. A reinitialization for sales orders in SAP ERP was triggered using the logistics cockpit, which deleted the purchase order item initialization.
- C. Purchasing extractors in SAP ERP were set up with Queued Delta update mode and the collective run job was NOT scheduled.
- D. Another SAP BW/4HANA system already picked up the new purchase orders using a delta load

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

Where can you apply a currency conversion? Note: There are 3 correct answers to this question.

- A. In an SAP BW/4HANA data transfer process (DTP)
- B. In an SAP BW/4HANA InfoSource
- C. In a BW query
- D. In an SAP BW/4HANA transformation
- E. In an SAP HANA calculation view

Answer: ([SHOW ANSWER](#))

Valid C-BW4HANA-24 Dumps shared by Actual4test.com for Helping Passing C-BW4HANA-24 Exam! Actual4test.com now offer the **newest C-BW4HANA-24 exam dumps**, the Actual4test.com C-BW4HANA-24 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C-BW4HANA-24 dumps with Test Engine here: https://www.actual4test.com/C-BW4HANA-24_examcollection.html (102 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

Which of the following methods supports the SAP HANA data virtualization approach with ODBC technology?

- A. SAP Data Services
- B. SAP Landscape Transformation Replication Server
- C. SAP HANA smart data integration
- D. SAP HANA smart data access

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 33

You want to validate your SAP HANA data model. What must you ensure to use the data preview functionality?

- A. You are connected as SYSTEM user and all object privileges are assigned to this SYSTEM user.
- B. The `_SYS_BIC` user is created in the system and the runtime information is written to `_SYS_STATISTICS`.
- C. The `_SYS_REPO` user must have sufficient object privileges assigned to your desired schema.
- D. Your content package is assigned with sufficient repository privileges to the SYS_REPO user.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 34

Which SAP tool do you suggest to create a pixel-precise formatted report?

- A. SAP Crystal Reports for Enterprise
- B. SAP Analytics Cloud
- C. SAP Analysis for OLAP
- D. SAP Lumira, discovery edition

Answer: A (LEAVE A REPLY)

Valid C-BW4HANA-24 Dumps shared by Actual4test.com for Helping Passing C-BW4HANA-24 Exam! Actual4test.com now offer the **newest C-BW4HANA-24 exam dumps**, the Actual4test.com C-BW4HANA-24 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C-BW4HANA-24 dumps with Test Engine here: https://www.actual4test.com/C-BW4HANA-24_examcollection.html (**102** Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)