

SAP.C-BW4HANA-27.v2022-09-07.q83

Exam Code:	C-BW4HANA-27
Exam Name:	SAP Certified Application Associate - Reporting. Modeling and Data Acquisition with SAP BW/4HANA 2.x
Certification Provider:	SAP
Free Question Number:	83
Version:	v2022-09-07
# of views:	1795
# of Questions views:	830
https://www.freepdfdumps.com/SAP.C-BW4HANA-27.v2022-09-07.q83.html	

NEW QUESTION: 1

Which of the following use cases is classified as operational reporting?

- A. Evaluation of trends over several years
- B. Near-real-time access to original transactional values
- C. Year-to-date comparison reports containing prior and actual year numbers
- D. Reporting requirements with monthly data refreshes

Answer: B (LEAVE A REPLY)

NEW QUESTION: 2

You create a transformation from a DataSource to a DataStore Object (advanced). The DataSource provides an additive-image delta for dat

a. Which key figure aggregation type do you select? (1)

- A. Minimum
- B. Summation
- C. Overwrite
- D. Maximum

Answer: B (LEAVE A REPLY)

NEW QUESTION: 3

In which sequence can you create a reusable key figure structure? Note: There are 2 correct answers to this question.

- A. 1. Create a new structure in the context menu of an InfoProvider. 2. Add key figures, selections, and formulas.

B. 1. Create a new structure with key figures, selections, and formulas in a que 2. Save the structure as a global structure.

C. 1. Create a new structure in the context menu of a calculated key figure. 2. Save the structure as a global structure.

D. 1. Apply filters to a key figure structure in SAP Analysis for Microsoft Office. 2. Save the structure as a global structure.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

With which query considerations can you optimize the query performance? Note: There are 3 correct Answers to this question.

A. Use characteristic filters that overlap

B. Use exclude functions in the restricted key figures

C. Use mandatory characteristic value variables

D. Use fewer drill-down characteristics in the initial view

E. Use include functions in the restricted key figures

Answer: **B,C,D** ([LEAVE A REPLY](#))

NEW QUESTION: 5

What can you leverage using the live data connections of SAP Analytics Cloud SAP BW/4HANA? (2)

A. BW data models for planning scenarios

B. Existing authorization concepts

C. Process chain streaming functionality

D. BW data models for analysis

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

In which ODP context is the operational delta queue (ODQ) managed by the target system? (1)

A. ODP_BW

B. DP_HANA

C. ODP_SAP

D. ODP_CDS

Answer: **A** ([LEAVE A REPLY](#))

NEW QUESTION: 7

You created an Open ODS view based on a database table in SAP HANA to virtually display the data in SAP BW/4HANA. Real-time reporting requirements have now changed and you are asked to persist the data in SAP BW/4HANA. Which objects will be created

when using the Generate Dataflow function via the Open ODS view? Note: There are 3 correct Answers to this question.

- A. CompositeProvider
- B. DataStore object (advanced)
- C. Data source
- D. Transformation
- E. SAP HANA calculation view

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 8

Which interface do you use to create a BW InfoObject access "SAP HANA view"?(1)

- A. Embedded SAP GUI in SAP HANA studio
- B. SAP HANA modeler perspective in SAP HANA stu60
- C. SAP web for SAP HANA
- D. BW modeling perspective in SAP HANA studio

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

What are desired outcomes of an SAP BW/4HANA pilot project?

There are 3 correct answers to this question.

- A. Transfer experience of the pilot project to future projects.
- B. Identify objects from SAP BI content that will be leveraged in subsequent projects.
- C. Identify customizing and configuration areas to be applied to future projects.
- D. Confirm increased database size using SAP BW/4HANA instead of a common RDBMS.
- E. Identify required changes for the business processes to comply with SAP BW/4HANA standard software.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Which of the following are possible error handling settings in a data transfer process (DTP) SAP BW/4HANA? (3)

- A. Request Red. Do Not Track Records. No Update
- B. Cancel Request. Write Error Stack, No Update
- C. Request Green. Write Error Stack, update Valid Records
- D. Cancel Request Track First Incorrect Record. No Update
- E. Request Red. Write Error Stack. Update Valid Records

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 11

In a query with cells you need to Override some of the automatically created cell values with other values. Which Cell types do you use instead of automatically-created cell? (2)

- A. Help cells
- B. Formula cells
- C. Selection cells
- D. Reference cells

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 12

You want to define a restricted column in an SAP HANA calculation view. What do you need to define?

Note: There are 2 correct Answers to this question.

- A. A reference to an existing measure
- B. A condition criterium
- C. An SAP HANA data type
- D. An aggregation method

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 13

Which SAP BW/4HANA objects can be used as sources of a data transfer process (DTP) ?

Note: There are

3 correct Answers to this question.

- A. InfoSource
- B. CompositeProvider
- C. DataStore Object (advanced)
- D. Open Hub Destination
- E. SAP HANA Analysis Process

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

In a Datastore Object (advanced) of type Data Mart, which request can be deleted? (1)

- A. Any Older request the active data table
- B. The latest request the inbound
- C. The latest request in the active data table
- D. Any Older activated request in the inbound table

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

Which features can be leveraged using a CompositeProvider in SAP BW/4HANA? Note: There are 3 correct Answers to this question.

- A. Create new calculated fields
- B. Combine InfoProviders using Joins and Unions
- C. Integrate SAP HANA calculation views

- D. Join two ABAP CDS views
- E. Define new restricted key figures

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

With which query considerations can you optimize the query performance? (3)

- A. Use fewer drill-down characteristics in the initial view
- B. Use include functions in the restricted key figures
- C. Use mandatory characteristics value variables
- D. Use exclude functions in the restricted key figures
- E. Use characteristic filters that overlap

Answer: ([SHOW ANSWER](#))

Valid C-BW4HANA-27 Dumps shared by Actual4test.com for Helping Passing C-BW4HANA-27 Exam! Actual4test.com now offer the **newest C-BW4HANA-27 exam dumps**, the Actual4test.com C-BW4HANA-27 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C-BW4HANA-27 dumps with Test Engine here: https://www.actual4test.com/C-BW4HANA-27_examcollection.html (82 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 17

Why should you run an SAP HANA delta merge? Note: There are 2 correct Answers to this question.

- A. To move the most recent data from disk to memory
- B. To decrease memory consumption
- C. To improve the read performance of InfoProviders
- D. To combine the query cache from different executions

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

You create a transformation from a DataSource to a DataStore object (advanced). The DataSource provides an additive-image delta for data. Which key figure aggregation type do you select?

- A. Maximum
- B. Overwrite
- C. Summation
- D. Minimum

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

Which objects can be affected by the key date in a BW query? Note: There are 2 correct answers to this question.

- A. Hierarchies
- B. Key figures
- C. Text variables
- D. Attributes

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 20

What must you do first if you need to define help cells for formulas in the cell editor?

- A. Define two structures in a query.
- B. Reuse a structure in a second query.
- C. Define two selections in a structure.
- D. Define two formulas in a structure.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

You plan to regularly transfer changes from an SAP ERP custom table to SAP BW/4HANA.

An additional custom development may NOT be implemented in the source system. Which Operational Data Provisioning (ODP) source system type do you recommend?

- A. ODP-CDS
- B. ODP-SAP
- C. ODP-SLT
- D. ODP-BW

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 22

What is the request handling default setting for error handling in a data transfer process (DTP) in SAP BW/4HANA?

- A. Request is canceled, records are not tracked, and target is not updated.
- B. Request is canceled, first incorrect record is tracked, and target is not updated.
- C. Request is set to failed, error stack is written, and valid records are updated.
- D. Request is set to success, error stack is written, and valid records are updated.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

For which of the following revenue reporting requirements do you create restricted key figures?

- A. Convert revenue into a number without currency.
- B. Identify the top five countries by revenue for each month.
- C. Determine the average revenue per customer.
- D. Compare this year's planned revenue with last year's actual revenue.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 24

Which objects can you associate with a source field that is defined as a characteristic within an Open ODS view?

Note: There are 2 correct answers to this question.

- A. Open ODS view type Facts
- B. SAP BW InfoObject
- C. Open ODS view type Master Data for Hierarchies
- D. Open ODS view type Master Data for Attributes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

SAP provides three data warehousing solutions to provide customers more flexibility. How is SAP Data Warehouse Cloud positioned?

- A. To empower business users to generate SQL code that is pushed to SAP BW/4HANA
- B. To empower business users to create and maintain process chains from SAP BW/4HANA dataflows
- C. To support business users with a new self-service tool to model their own dataflows
- D. To support business users who want to simplify their own ABAP routines

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which features does SAP Analysis for Microsoft Office provide? Note: There are 3 correct Answers to this question.

- A. Dragging measures in and out of the report
- B. Including more than one data source
- C. Creating bookmarks for a navigation state
- D. Changing context menu entries
- E. Displaying data simultaneously in a table and a chart

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

From which SAP BW/4HANA objects can you start generating an external View? Note: There are 2 correct Answers to this question.

- A. Semantic group object
- B. Open ODS view

C. CompositeProvider

D. BW query

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 28

Your company is using SAP S/4HANA as a business operational system and you have to provide operational analytical reports. Why might you consider SAP S/4HANA embedded analytics?

A. To use the SAP HANA optimized business content.

B. To use the ABAP CDS view based virtual data model.

C. To use the SAP HANA Deployment Infrastructure.

D. To use the generated external SAP HANA Calculation Views.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

You have created a Custom Characteristic with the technical name "COSTOBJ".

Depending on the controlling area, you need to have different attribute values assigned.

How do you design the model? (1)

A. Define Controlling Area as a navigation attribute for the characteristic "COSTOBJ"

B. Compound characteristic "COSTOBJ" with the characteristic for Controlling Area.

C. Join the characteristic "COSTOBJ" and the Controlling Area in a BW query

D. Compound the characteristic for Controlling Area with the characteristic "COSTOBJ"

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 30

Which condition must you ensure if you want to replicate data based on a view with SAP Landscape Transformation Replication Server?

A. View-based data result sets must be kept persistent first until data replication can take place.

B. Each table of the view requires a defined trigger to enable data replication.

C. An SAP HANA source system must be defined to consume the view.

D. One table as part of the view has to be defined as primary table and is used to trigger data replication.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 31

You want to model an SAP HANA calculation view by combining the sales orders with the corresponding customer status, which was assigned to the customer when the order was issued. Which join properties do you assign to the required join type?

A. Inner join with Dynamic Join properties

B. Referential join with Temporal Join properties

- C. Inner join with Temporal Join properties
- D. Referential join with Dynamic Join properties

Answer: B (LEAVE A REPLY)

Valid C-BW4HANA-27 Dumps shared by Actual4test.com for Helping Passing C-BW4HANA-27 Exam! Actual4test.com now offer the **newest C-BW4HANA-27 exam dumps**, the Actual4test.com C-BW4HANA-27 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C-BW4HANA-27 dumps with Test Engine here: https://www.actual4test.com/C-BW4HANA-27_examcollection.html (82 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

Which property settings can you assign for a characteristic? Note: There are 3 correct answers to this question.

- A. Authorization-Relevant
- B. Stock Coverage
- C. Attribute Only
- D. Useable as InfoProvider
- E. High Precision

Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 33

You need to combine master data (right table) and transactional data (left table) using a referential join. How will this referential join behave?

- A. It returns a result data set if the left table has a corresponding entry on the right table.
- B. It is executed as an inner join when NO fields from the right table are requested.
- C. It is executed as an inner join when a description mapping is defined between the left table and the u right table.
- D. It always returns all fields from the right table as a result data set.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 34

Which object is a target of an SAP BW transformation?

- A. InfoObject of type Characteristic
- B. Open ODS view
- C. InfoObject of type Key Figure
- D. CompositeProvider

Answer: (SHOW ANSWER)

NEW QUESTION: 35

You create a report with SAP Crystal Reports for Enterprise and need analysis view as a data source. Which tool can you use to create this analysis view? (1)

- A. SAP Crystal Reports for Enterprise
- B. SAP Lumira, designer edition
- C. SAP BusinessObjects Web Intelligence
- D. SAP Analysis for Microsoft Office

Answer: C (LEAVE A REPLY)

NEW QUESTION: 36

You use the wizard to create an SAP BW/4HANA Big Data source system. Which activities are mandatory? Note: There are 3 correct answers to this question.

- A. Specify release type.
- B. Select a database object schema.
- C. Specify business content type.
- D. Specify connection type Big Data.
- E. Select a remote source.

Answer: B,D,E (LEAVE A REPLY)

NEW QUESTION: 37

In which sequence does SAP recommen

- A. 1. Transformations i-l 2. Sources of data
3. Reporting requirements
4. Storage requirements
for the data model design concept?
- B. 1. Storage requirements
2. Transformations
3. Sources of data
4. Reporting requirements
- C. 1. Transformations i-l 2. Reporting requirements
3. Sources of data
4. Storage requirements
- D. 1. Reporting requirements
2. Sources of data 3. Transformations
4. Storage requirements

Answer: D (LEAVE A REPLY)

NEW QUESTION: 38

Which objects can be affected by the key date in a BW query? Note: There are 3 correct Answers to this question.

- A. Display attributes
- B. Key figures
- C. Conditions
- D. Hierarchies
- E. Navigation attributes

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 39

You need to enable real-time streaming using SAP HANA smart data integration (SDI) to load data into a DataStore object (advanced). What are prerequisites for this requirement?

Note: There are 2 correct answers to this question.

- A. The source system is pulling data into SAP BW/4HANA.
- B. The data target is a DataStore object (advanced) of the InfoCube model template.
- C. The process chain is running in streaming mode.
- D. The adapter is real-time enabled.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

You are involved in an SAP BW/4HANA project focusing on General Ledger reporting and want to use the SAP ERP Standard DataSource 0FI_GL_14 (New GL Items). Which transaction can be used to activate this DataSource? (2)

- A. Transaction RSA1 (BI Content) in the SAP BW/4HANA system
- B. Transaction RS02 (Maintain Generic DataSource) in the SAP source system.
- C. Transaction ODQMON (Monitor Delta Queues) in SAP source system
- D. Transaction RSA5 (Installation of DataSource from Business Content) SAP source system

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 41

With SAP BW/4HANA the new HANA-optimized business content is designed according to the LSA++ framework. Which technical namespace is assigned to identify new SAP ERP-related business content? (1)

- A. /0SAP/
- B. /SFA/
- C. /IMO/
- D. /BW4/

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 42

What happens when you execute the Trigger Delta Merge operation for a given data target?

- A. The before and after images of the delta queues are merged.
- B. The data from the delta queue is extracted and merged into the data target.
- C. The delta between the new data and the already loaded data is removed.
- D. Data is transferred from the delta store to the main store.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 43

What are some Of the possible variable types for the processing type SAP HANA Exit?(2)

- A. Formula
- B. Characteristic value
- C. Text
- D. Hierarchy node

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 44

Which functionality does the SAP Landscape Transformation Replication Server support?

Please choose the correct answer.

- A. Real-time scenarios using log-based replication functionality
- B. Integrated interface for SAP HANA streaming analytics
- C. Automatic conversion from non-Unicode to Unicode during data load or replication
- D. Data replication to SAP HANA, other RDBMSs, and flat files

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

In a BW query with cells, you need to overwrite the initial definition of a cell. With which cell types can this be achieved? Note: There are 2 correct Answers to this question.

- A. Help cell
- B. Reference cell
- C. Formula cell
- D. Selection cell

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 46

You open an SAP Analysis for Microsoft Office workbook. On which Design Panel tabs can you verify the filter values? Note: There are 2 correct Answers to this question.

- A. Design Rules
- B. Components
- C. Analysis
- D. Information

Answer: ([SHOW ANSWER](#))

Valid C-BW4HANA-27 Dumps shared by Actual4test.com for Helping Passing C-BW4HANA-27 Exam! Actual4test.com now offer the **newest C-BW4HANA-27 exam dumps**, the Actual4test.com C-BW4HANA-27 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C-BW4HANA-27 dumps with Test Engine here: https://www.actual4test.com/C-BW4HANA-27_examcollection.html (82 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 47

The Database Explorer in the Web IDE for SAP HANA provides a data file import wizard to create a table in SAP HANA from a flat file. What are possible actions after the system suggests the target structure?

Note: There are 3 correct Answers to this question.

- A. Define sorting properties for a target table field.
- B. Adjust the suggested data type of the target table fields.
- C. Switch the table type between row store and column store.
- D. Map InfoObjects to fields in the target table.
- E. Change the order of the fields in the target table.

Answer: C,D,E (LEAVE A REPLY)

NEW QUESTION: 48

You load a DataStore object (advanced) every night. Where can you delete the request you loaded two nights ago without deleting the last request?

- A. From a DataStore object (advanced) based on the model template InfoCube if the request is NOT v u activated.
- B. From a DataStore object (advanced) based on the model template InfoCube if the request is activated.
- C. From a DataStore object (advanced) based on the model template Standard DataStore object if the request is activated and you execute a full load.
- D. From a DataStore object (advanced) based on the model template Standard DataStore object if the request is activated.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 49

What are key capabilities of SAP Agile Data Preparation Note: There are 3 correct answers to this question.

- A. Data compliance
- B. Data retention
- C. Data cleansing

- D. Data exporting
- E. Data acquisition

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 50

With SAP BW/4HANA, the new HANA-optimized business content is designed according to the LSA++ framework. Which technical namespace is assigned to identify the new SAP ERP-related business content?

- A. /OSAP/
- B. /SFA/
- C. /IMO/
- D. /BW4/

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 51

What are some of the advantages of using SAP BW/HANA business content? (2)

- A. Automatic activation during installation of SAP BW/4HANA
- B. Ability to modify activated business content objects
- C. Adjustments to activated content objects will be delivered by SAP a new namespace
- D. Accelerated implementation using ready-made models

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 52

Which of the following are features of the Start process in a chain? (2)

- A. It Can be a Successor of another process
- B. It Can be re-used in other process chains.
- C. Only one start process is allowed for each process chain
- D. It is the only process that can be scheduled without a predecessor

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

What are the prerequisites for deleting master data (for example, cost centers) SAP BW/HANA? (2)

- A. There must be no transaction data referring to cost centers
- B. There must be no BW query that uses cost Center as a free characteristic
- C. There must be no BW analysis authorizations defined that use any of the cost centers.
- D. There must be no hierarchy for the cost centers

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 54

Which Of the following are the possible delta-relevant field types for a delta process with a generic DataSource? (3)

- A. Amount
- B. Quantity
- C. Numeric pointer
- D. Time stamp
- E. Calendar day

Answer: (SHOW ANSWER)

NEW QUESTION: 55

Which SAP BW/4HANA features support the code-to-data principle? Note: There are 3 correct answers to this question.

- A. Activation of a DataStore object (advanced)
- B. Global transfer routines for master data harmonization
- C. SAP HANA models as part providers in CompositeProviders
- D. ABAP Managed Database Procedures in an SAP BW/4HANA transformation
- E. Query settings fo read near-line storage data

Answer: B,D,E (LEAVE A REPLY)

NEW QUESTION: 56

Using SAP HANA as modeling focus, you want to combine data from different sources. Which techniques can you use? Note: There are 2 correct Answers to this question.

- A. Stored procedures
- B. Calculation views
- C. AMDPs (ABAP Managed Database Procedures)
- D. BAPIs (Business Application Programming Interface)

Answer: A (LEAVE A REPLY)

NEW QUESTION: 57

For which InfoProvider types can you select navigation attributes? Note: There are 2 correct answers to this question.

- A. CompositeProvider
- B. Open ODS views
- C. DataStore object (advanced) of type standard DataStore object
- D. DataStore object (advanced) of type InfoCube

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 58

You need to load data from a generic DataSource using Operational Data Provisioning (ODP). In which sequence do you perform the activities?

- A. 1. Create a DataSource.

2. Replicate the DataSource.
3. Activate the DataSource.
4. Run job RODPS_OS_EXPOSE.

- B.** 1. Create a DataSource.
2. Replicate the DataSource.
3. Run job RODPS_OS_EXPOSE.
4. Activate the DataSource.

- C.** 1. Create a DataSource.
2. Run job RODPS_OS_EXPOSE.
3. Replicate the DataSource.
4. Activate the DataSource.

- D.** 1. Create a DataSource.
2. Activate the DataSource.
3. Run job RODPS_OS_EXPOSE.
4. Replicate the DataSource.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 59

Which development object needs to be built to generate an HDI Container?

- A. Space
- B. SQL script procedure
- C. Package
- D. HDB module

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 60

Which tasks are part of the Business Blueprint and Data Model Definition phase in an SAP BW/4HANA project? Note: There are 3 correct Answers to this question.

- A. Specify necessary data conversion
- B. Check the availability of data
- C. Design the data layer concept
- D. Implement transport routes and layers
- E. Monitor batch jobs and data volume

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

Which data deletion options are offered for a standard DataStore object (advanced)? Note: There are 3 correct Answers to this question.

- A. Selective deletion of data
- B. Selection deletion including data of subsequent targets
- C. Deletion of all data from active table only

- D. Request-based data deletion
- E. Deletion of data from all tables

Answer: ([SHOW ANSWER](#))

Valid C-BW4HANA-27 Dumps shared by Actual4test.com for Helping Passing C-BW4HANA-27 Exam! Actual4test.com now offer the **newest C-BW4HANA-27 exam dumps**, the Actual4test.com C-BW4HANA-27 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C-BW4HANA-27 dumps with Test Engine here: https://www.actual4test.com/C-BW4HANA-27_examcollection.html (82 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 62

You model a second SAP BW/4HANA CompositeProvider to integrate tables from an SAP HANA database schema with an existing SAP BW/4HANA CompositeProvider. What must you do first?

Please choose the correct answer.

- A. Set "The CompositeProvider Can Be Added to Another CompositeProvider" flag.
- B. Create an Open ODS view with consumption properties to consume the data in the SAP BW/4HANA schema.
- C. Assign consumption properties to the new SAP HANA calculation view.
- D. Connect an export DataSource from the existing CompositeProvider to the new CompositeProvider.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 63

With SAP BW/4HANA 2.0, SAP introduced a new capability called Write Interface for DataStore objects (advanced). Which SAP solutions can leverage this interface to push data into the inbound table of DataStore objects (advanced)? Note: There are 3 correct Answers to this question.

- A. SAP Process Integration
- B. SAP Business Technology Platform
- C. SAP Data Warehouse Cloud
- D. SAP Data Services
- E. SAP Landscape Transformation Replication Server

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 64

Which tables belong to the hierarchy for characteristic OCOUNTRY? Note: There are 3 correct answers to this question.

- A. /BIC/ICOUNTRY
- B. /BIC/QCOUNTRY
- C. /BIC/PCOUNTRY
- D. D/BIC/KCOUNTRY
- E. D/BIC/HCOUNTRY

Answer: A,D,E (LEAVE A REPLY)

NEW QUESTION: 65

How can the delta merge process be initiated? Note: There are 3 correct Answers to this question.

- A. By using the SAP BW/4HANA data load monitor
- B. By setting a specific flag in the transformation
- C. By using a specific process type in a process chain
- D. By using SAP HANA smart merge technology
- E. By setting a specific flag in the data transfer process

Answer: C,D,E (LEAVE A REPLY)

NEW QUESTION: 66

Which variables types allow filter values to be determined based on the user's authorizations? Note: There are 2 correct answers to this question.

- A. Hierarchy variable
- B. Formula variable
- C. Hierarchy node variable
- D. Characteristic value variable

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 67

Which Source types are available to create a generic DataSource? (3)

- A. Database view
- B. ABAP function module
- C. ABAP class method
- D. SAP query
- E. SAP HANA calculation view

Answer: A,D,E (LEAVE A REPLY)

NEW QUESTION: 68

Why should you run an SAP HANA delta merge? (2)

- A. To improve the read performance of InfoProviders
- B. To move most recent data from disk to memory

- C. To decrease memory consumption
- D. To clear the BW query cache

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 69

What must you do to define an Inventory InfoProvider in SAP BW/4HANA? Note: There are 3 correct answers to this question.

- A. Assign at least one cumulative key figure.
- B. Select the Inventory model property.
- C. Select the Unique Data Records model property.
- D. Select the All Characteristics are Key model property.
- E. Assign at least one non-cumulative key figure.

Answer: [A,B,D \(LEAVE A REPLY\)](#)

NEW QUESTION: 70

Which Objects Can you associate with a Source field in the Characteristics folder Of an Open ODS view type "Facts"? (2)

- A. SAP BW InfoObjects type Characteristic
- B. SAP BW InfoObjects type Key Figure
- C. Open ODS view type Master Data for Hierarchies
- D. Open ODS view type Master Data for Attributes

Answer: [A,D \(LEAVE A REPLY\)](#)

NEW QUESTION: 71

Which SAP BW/4HANA Objects are possible Sources for data load processes? (3)

- A. Datastore Objects (advanced)
- B. Info Sources
- C. Composite providers
- D. Open ODS Views
- E. Characteristics

Answer: [A,C,E \(LEAVE A REPLY\)](#)

NEW QUESTION: 72

Which SAP HANA objects are automatically generated if you set the External SAP HANA Calculation View flag for an SAP BW/4HANA object?

Note: There are 2 correct answers to this question.

- A. SAP HANA privileges
- B. SAP HANA calculation views
- C. SAP HANA attribute views
- D. SAP HANA analytic views

Answer: [A,B \(LEAVE A REPLY\)](#)

NEW QUESTION: 73

What are the key benefits of using the SAP Landscape Transformation Replication Server for data provisioning into SAP HANA? (2)

- A. Virtualization capabilities
- B. Real-time and scheduled data replication
- C. Support of cluster and pool tables
- D. Log-based replication

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 74

Which SAP Landscape Transformation Replication Server cockpit operation removes all data from the trigger table?

- A. Suspend Replication and Resume Replication
- B. Stop Replication and Resume Replication
- C. Stop Replication and Start Replication
- D. Suspend Replication and Start Replication

Answer: C (LEAVE A REPLY)

NEW QUESTION: 75

Your company is using SAP S/4HANA as a business operational system and you have to provide operational analytical reports. Why might you consider SAP S/4HANA embedded analytics? (1)

- A. Make use of the SAP HANA Live content
- B. Make use of the virtual data model
- C. Make use of the SAP HANA optimized business content
- D. Make use of the SAP HANA Deployment Infrastructure

Answer: B (LEAVE A REPLY)

NEW QUESTION: 76

You want to execute a query, but do not have the authorization for selection defined in the query for authorization-relevant characteristics. What would occur in this scenario? (2)

- A. You get only the authorized data
- B. You will not get a query result
- C. You get an error message
- D. You cannot run the query

Answer: B,C (LEAVE A REPLY)

Valid C-BW4HANA-27 Dumps shared by Actual4test.com for Helping Passing C-BW4HANA-27 Exam! Actual4test.com now offer the **newest C-BW4HANA-27 exam dumps**, the Actual4test.com C-BW4HANA-27 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C-BW4HANA-27 dumps with Test Engine here: https://www.actual4test.com/C-BW4HANA-27_examcollection.html (82 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 77

You can NOT turn a display attribute into a navigation attribute. Which setting of this attribute could be the reason? (2)

- A. Case-Sensitive
- B. High Cardinality
- C. Useable InfoProvider
- D. Attribute Only

Answer: (SHOW ANSWER)

NEW QUESTION: 78

How do you enable streaming mode for a process chain?

- A. Navigate to Customizing (SPRO).
Change the general settings for SAP BW/4HANA.
- B. Navigate to Process Chain Maintenance (RSPC).
Select Streaming Mode in the process chain attributes.
- C. Navigate to Modeling DW Workbench (RSA1).

Activate streaming mode on the Current Settings Folder tab.

- D. Navigate to Process Chain Maintenance (RSPC). Add a new process variant for streaming mode.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 79

Which features does SAP Analysis for Microsoft Office provide? (3)

- A. Changing context menu entries
- B. Creating bookmarks for a navigation state
- C. Displaying data simultaneously in a table and a chart
- D. Dragging measures in and out of the report
- E. Including more than one data source

Answer: C,D,E (LEAVE A REPLY)

NEW QUESTION: 80

In a DataStore object (advanced) of type Data Mart, which request-based deletion is possible?

- A. The latest request in the active data table
- B. The latest request in the change log table
- C. The latest not-yet-activated request in the inbound table
- D. Any older activated request in the inbound table

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 81

In the Web IDE for SAP HANA workspace, you have imported a project including an HDB module with calculation views. What do you need to do in the project settings before you can successfully build the HDB module?

- A. Reset the project type
- B. Enter an organization
- C. Define a package
- D. Assign a space

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 82

What are benefits of using an InfoSource in a data flow? Note: There are 2 correct Answers to this question.

- A. Connecting sequential transformations in the data flow without storing the data again
- B. Storing the extraction delta information of the data source file
- C. Reducing the number of transformations for scenarios with many sources and targets
- D. Reducing the number of data transfer processes (DTP)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 83

You identified a variable that is based on time characteristic OCALMONTH and returns the current quarter. Which offset do you need to retrieve the corresponding quarter of the previous year?

- A. -12
- B. -4
- C. -1
- D. -3

Answer: A ([LEAVE A REPLY](#))

dumps, the Actual4test.com C-BW4HANA-27 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C-BW4HANA-27 dumps with Test Engine here: https://www.actual4test.com/C-BW4HANA-27_examcollection.html (**82** Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)