

SAP.C-SECAUTH-20.v2022-02-24.q56

Exam Code:	C-SECAUTH-20
Exam Name:	SAP Certified Technology Associate - SAP System Security and Authorizations
Certification Provider:	SAP
Free Question Number:	56
Version:	v2022-02-24
# of views:	2143
# of Questions views:	560
https://www.freepdfdumps.com/SAP.C-SECAUTH-20.v2022-02-24.q56.html	

NEW QUESTION: 1

The report "Search for Application in Role Menu" can be called via which of the following options? Note:

There are 2 correct Answers to this question.

- A. Transaction RSUSR_START_APPL
- B. Transaction SUIM (menu node "Roles")
- C. Transaction RSUSR_ROLE_MENU
- D. Transaction SUIM, (Menu node "Change Documents")

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 2

When you are troubleshooting an application start issue, what does the Search Startable Application in Roles report help you determine?

Note: There are 2 correct answer to this question.

- A. If the PFCG menu contains SAP Fiori Tile Group
- B. If there is an application start lock
- C. If the PFCG roles assigned to end user
- D. If the PFCG roles contains all the start authorizations required for the application

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 3

Which of the following are system security threats? Note: There are 3 correct answer to this question.

- A. Code Injection

- B. Nonrepudiation
- C. Authority Violation
- D. Availability
- E. System Penetration

Answer: (SHOW ANSWER)

NEW QUESTION: 4

What are the main features of SAP Enterprise Threat Detection (ETD)? Note: There are 3 correct answer to this question.

- A. Forensic investigations
- B. Monitoring of security events
- C. Realtime Alerts
- D. Segregation of Duty Analysis
- E. Monitoring of GDPR Compliance

Answer: (SHOW ANSWER)

NEW QUESTION: 5

How can you protect a system when you do not want the user assignments for a role to be transported?

- A. Restrict access to the user assignment tab in PFCG in the target system
- B. Restrict import of users in table PRGN_CUST in the development system
- C. Restrict access to the user assignment tab in PFCG in the development system
- D. Restrict import of users in table PRGN_CUST in the target system

Answer: D (LEAVE A REPLY)

NEW QUESTION: 6

In SAP NetWeaver AS Java, the User Management Engine (UME) supports which of the following data sources for storing user data? Note: There are 3 correct Answers to this question.

- A. ABAP-based SAP system
- B. LDAP Directory
- C. Directory /usr/sap
- D. UDDI provider
- E. Java system database

Answer: A,B,E (LEAVE A REPLY)

NEW QUESTION: 7

A PFCG role can be linked to an SAP Organizational Management structure by which object types? Note:

There are 3 correct answer to this question.

- A. Organizational Unit

- B. Person
- C. Position
- D. Job
- E. Task

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

Which values are permitted for the S_BTCH_JOB authorization object? Note: There are 3 correct answer to this question.

- A. SHOW
- B. RELE
- C. 02 (Change)
- D. 01 (Create)
- E. DELE

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 9

Which of the following items are addressed by Configuration Validation? Note: There are 3 correct Answers to this question.

- A. Database parameters
- B. Critical roles
- C. Software packages
- D. Failed transports
- E. RFC logins

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Where you can enable Read Access Logging tools?

- A. SUIM
- B. SWI5
- C. SPRO
- D. SICF

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Which of the following accurately describe Solution Manager functionality? Note: There are 3 correct Answers to this question.

- A. SAP SOS self-service is a convenient entry point to introduce security monitoring.
- B. Configuration validation can check if security policies were applied.
- C. SAP EWA provides the most comprehensive security check.

- D. Configuration validation helps to standardize and harmonize security-related configuration items for ABAP systems only.
- E. System recommendations provide a worklist of potentially relevant security notes.

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which of the following technical capabilities does SAP Code Vulnerability Analysis provide? Note: There are 2 correct Answers to this question.

- A. Direct integration with Root Cause Analysis
- B. Static and Dynamic Application Security Testing
- C. Capture of manual and automated check executions
- D. Deprovisioning of problematic ABAP code

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

In SAP NetWeaver AS Java, the User Management Engine (UME) supports which of the following data sources for storing user data?

Note: There are 3 correct answer to this question.

- A. Java system database
- B. UDDI provider
- C. Directory/usr/sap
- D. ABAP-based sap system
- E. LDAP Directory

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which of the following transaction allows you to define role assignments for O Data Services that are available on multiple back-end systems?

Note: There are 2 correct answer to this question.

- A. /IWFND/MAINT_SERVICE
- B. /IWFND/GW_CLIENT
- C. /UI2/GW_MAINT_SRV
- D. /IWFND/GW_SYS_ALIAS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

You want to limit an authorization administrator so that they can only assign certain authorizations. Which authorization object should you use?

- A. S_USER_AGR
- B. S_USER_VAL
- C. S_USER_ADM

D. S_USER_TCD

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

What is the equivalent of the AS ABAP user type System in the AS Java UME security policy?

- A. Internal service user
- B. J2EE user
- C. Technical user
- D. Default user

Answer: C ([LEAVE A REPLY](#))

Valid C-SECAUTH-20 Dumps shared by Actual4test.com for Helping Passing C-SECAUTH-20 Exam! Actual4test.com now offer the **newest C-SECAUTH-20 exam dumps**, the Actual4test.com C-SECAUTH-20 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C-SECAUTH-20 dumps with Test Engine here: https://www.actual4test.com/C-SECAUTH-20_examcollection.html (85 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 17

Which of the following parameters must be configured to capture log data in the Security Audit Log?

- A. rsau/enable
- B. rdisp/TRACE
- C. dir_logging
- D. rec/client

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 18

You want to adjust check indicator values for certain authorization objects delivered by SAP. In which of the following tables should your adjustments be recorded?

- A. USOBX_C
- B. USOBT_C
- C. USOBX
- D. USOBHASH

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

Which of the following user types are precluded from logging in to system directly? Note:
There are 3 correct answer to this question.

- A. Communication
- B. Service
- C. System
- D. Dialog
- E. Reference

Answer: (SHOW ANSWER)

NEW QUESTION: 20

The report "Search for Application in Role Menu" can be called via which of the following options? Note:

There are 2 correct answer to this question.

- A. Transaction RSUSR_START_APPL
- B. Transaction SUIM, (Menu node " Change Documents")
- C. Transaction SUIM (menu node "Roles")
- D. Transaction RSUSR_ROLE_MENU

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 21

Which of the following actions correctly describes the usage of Back Channel Single Sign-On based on (SAML) 2.0?

- A. The service provider redirects the user to an identity provider and includes a SAML artifact referring to authentication request.
- B. The identity provider get the authentication response from the service provider over a SOAP channel.
- C. The service provider get the authentication request from the identity provider over a SOAP channel.
- D. The service provider queries the user for authentication credentials.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 22

In the case of missing OData authorizations, why is it not recommended to maintained S_SERVICE manually within an SAP Fiori Authorization Role?

Note: There are 2 correct answer to this question.

- A. The SRV_NAME Value of the S_SERVICE authorization object is the name of an OData service
- B. Both front-end and back-end entries are generating the same S_SERVICE authorization object with different authorization values
- C. Both front-end and back-end entries are generating the same S_SERVICE authorization object with same authorization values

D. The SRV_NAME Value of the S_SERVICE authorization object is the hash value of an OData service

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

In the case of missing OData authorizations, why is it not recommended to maintain S_SERVICE manually within an SAP Fiori authorization role? Note: There are 2 correct Answers to this question.

A. The SRV_NAME value of the S_SERVICE authorization object is the name of an OData service.

B. The SRV_NAME value of the S_SERVICE authorization object is the hash value of an OData service.

C. Both front-end and back-end entries are generating the same S_SERVICE authorization object with the same authorization values.

D. Both front-end and back-end entries are generating the same S_SERVICE authorization object with different authorization values.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Which application allows a role developer to perform the mass maintenance of menu options from selected SAP Fiori Tile Catalogs?

A. PRGN_COMPARE_ROLE_MENU

B. PRGN_PRINT_AGR_MENU

C. PRGN_CREATE_FIORI_BACKENDROLES

D. PRGN_CREATE_FIORI_FRONTENDROLE

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 25

Which of the following authorization objects are used to secure the execution of External Commands when a defining a background job step?

Note: There are 2 correct answer to this question.

A. S_RZL_ADM

B. S_PROGRAM

C. S_LOG_COM

D. S_BTCH_EXT

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

During maintenance of role you notice that the status text for an authorization object indicates status "Changed New" What does this status text mean?

- A. The authorization object was used to create a new authorization because the initial configuration of the role change a default value maintained in SU24
- B. The authorization object must be maintained again
- C. The authorization object was used to create a new authorization because the value contained in SU24 differ from the SAP standard contained in SU25
- D. This authorization object has been flagged as critical object

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which transaction codes are relevant to enable SNC between ABAP systems? Note: There are 3 correct Answers to this question.

- A. SU01
- B. PFCG
- C. STRUST
- D. SNC0
- E. RZ10

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 28

Which of the following SUIM report can you use to determine if a user has segregation of duty violation?

Note: There are 2 correct answer to this question.

- A. User by Complex Search
- B. User Comparision
- C. User Level Access Risk Analysis
- D. User with Critical Authorizations

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 29

Which of the following describes an Authorization Object class?

- A. It defines the smallest unit against which an authorization check can be run.
- B. It defines a group of 1 to 10 authorization fields together.
- C. It defines a logical grouping of authorization objects.
- D. It defines authorizations for different authorization objects.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

Where is the application log information (SLG1) saved?

- A. In the directory specified by DIR_TRANS parameter
- B. In the directory specified by DIR_LOGGING parameter
- C. In the location specified by the rsau/local/file parameter

D. In the database

Answer: D (LEAVE A REPLY)

NEW QUESTION: 31

Which of the following correctly describe the SAP Security Optimization Service (SOS) offerings? Note:

There are 3 correct Answers to this question.

- A. Onsite Service: performed by specialists
- B. Remote Service: part of CQC service offering
- C. Self Service: all completely automated checks in all SAP systems
- D. Self Service: performed by experienced service engineers
- E. Onsite Service: available with additional costs

Answer: A,B,E (LEAVE A REPLY)

Valid C-SECAUTH-20 Dumps shared by Actual4test.com for Helping Passing C-SECAUTH-20 Exam! Actual4test.com now offer the **newest C-SECAUTH-20 exam dumps**, the Actual4test.com C-SECAUTH-20 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C-SECAUTH-20 dumps with Test Engine here: https://www.actual4test.com/C-SECAUTH-20_examcollection.html (**85 Q&As Dumps, 30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

Which of the following table contains transport request object list and table entry keys?

Note: There are 2 correct answer to this question.

- A. E071
- B. E070
- C. E070L
- D. E071K

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 33

Which of the following are prerequisites for using transaction PFCG? Note: There are 2 correct Answers to this question.

- A. Maintain the Check Indicators for Critical Authorization objects
- B. Generate Standard Role SAP_NEW using transaction SU25
- C. Fill in initials values for customer tables using transaction SU25
- D. Maintain parameter auth/no_check_in_some_cases = Y

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 34

In SAP S/4HANA Cloud authorization objects are grouped into which item?

- A. Business roles
- B. Single technical roles
- C. Privileges
- D. Groups

Answer: (SHOW ANSWER)

NEW QUESTION: 35

Which UCON phase blocks the access to RFC Function Modules without an assigned Communication Assembly?

- A. Logging
- B. Evaluation
- C. Activation
- D. Configuration

Answer: C (LEAVE A REPLY)

NEW QUESTION: 36

Which of the following accurately describe Solution Manager Functionality? Note: There are 3 correct answer to this question.

- A. Configuration validation helps to standardize and harmonize security related configuration items for ABAP systems only.
- B. Configuration validation can check if security policies were applied.
- C. A system recommendation provide a worklist of potentially relevant security notes.
- D. SAP EWA provides the most comprehensive security check.
- E. SAP SOS self-service is a convenient entry point to introduce security monitoring.

Answer: C,D,E (LEAVE A REPLY)

NEW QUESTION: 37

Which of the following are core principles of GDPR? Note: There are 3 correct Answers to this question.

- A. Data Minimization
- B. Data Quality
- C. Lawfulness, Fairness and Transparency
- D. Data Archiving
- E. Storage Limitations

Answer: A,C,E (LEAVE A REPLY)

NEW QUESTION: 38

Which of the following are system security threats? Note: There are 3 correct Answers to this question.

- A. Code injection
- B. Authorization violation
- C. Nonrepudiation
- D. Availability
- E. System penetration

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

A PFCG role can be linked to an SAP Organizational Management structure by which object types? Note:

There are 3 correct Answers to this question.

- A. Position
- B. Organizational Unit
- C. Task
- D. Person
- E. Job

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

Which of the following actions correctly describes the usage of Back Channel Single Sign-On based on (SAML) 2.0?

- A. The service provider queries the user for authentication credentials.
- B. The identity provider gets the authentication response from the service provider over a SOAP channel.
- C. The service provider redirects the user to an identity provider and includes a SAML artifact referring to the authentication request.
- D. The service provider gets the authentication request from the identity provider over a SOAP channel.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

What is the purpose of securing sensitive business data? Note: There are 3 correct answer to this question.

- A. Protection Image
- B. Protection of Intellectual property
- C. Reduction of training Cost
- D. Disruption of software deployment
- E. Correctness of Data

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 42

Which of the following accurately describe a Composite Role? Note: There are 2 correct answer to this question.

- A. Authorization are maintained on Single Role level
- B. Menus cannot be adjusted as required
- C. Transaction cannot be deleted from the menu with authorizations retained
- D. User assignment is maintained at the Composite Role level

Answer: (SHOW ANSWER)

NEW QUESTION: 43

Which of the following are used in SAP Enterprise Threat Detection (ETD) architecture? Note: There are 2 correct answer to this question.

- A. Forensic Lab
- B. SAP IQ
- C. SAP HANA Smart Data Streaming
- D. SAP ASE

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 44

Your company uses derived roles. During maintenance of the Plant Manager imparting role, you add a new transaction to the Menu tab which introduces a new organizational level that will be unique for each of your

150

plants. How will the new organization level be maintained in the derived roles?

- A. Manually by maintaining each derived role individually
- B. Automatically using the Copy Data button during maintenance of the imparting role
- C. Automatically after generating the profiles of the imparting role and adjusting the derived roles
- D. All at once using transaction PFCGMASSVAL

Answer: A (LEAVE A REPLY)

NEW QUESTION: 45

Which of the various protocols can be used to establish secure communication? Note: There are 3 correct Answers to this question.

- A. From Secure Login Client to Secure Login Server: DIAG/RFC (SNC), HTTPS, RADIUS
- B. From Secure Login Server to SAP Netweaver: RFC (SNC)
- C. From SAP GUI to SAP Netweaver: DIAG/RFC (SNC)
- D. From Secure Login Server to LDAP Server: HTTPS (SSL)
- E. From Business Explorer to SAP Netweaver: DIAG/RFC (SNC), HTTPS (SSL)

Answer: (SHOW ANSWER)

NEW QUESTION: 46

You are Configuring authorizations to secure access to table data using transaction SM31 and you encounter authorization object S_TABU_DIS and field DICBERCLS. How can this field be use to secure access?

- A. It allows you specify access to tables reference by a specific program group
- B. It allows you specify access to a specific client independent table
- C. It allows you to specify access to tables associated with a specific authorization group
- D. It allows you specify access to specific client-dependent table

Answer: C (LEAVE A REPLY)

Valid C-SECAUTH-20 Dumps shared by Actual4test.com for Helping Passing C-SECAUTH-20 Exam! Actual4test.com now offer the **newest C-SECAUTH-20 exam dumps**, the Actual4test.com C-SECAUTH-20 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C-SECAUTH-20 dumps with Test Engine here: https://www.actual4test.com/C-SECAUTH-20_examcollection.html (85 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 47

Which transaction code allows you to configure the SAP Security Audit Log?

- A. SM19
- B. SM18
- C. SUIM
- D. SM20

Answer: A (LEAVE A REPLY)

NEW QUESTION: 48

Which of the following SUIM reports can you use to determine if a user has a segregation of duty violation? Note: There are 2 correct Answers to this question.

- A. User Comparison
- B. Users With Critical Authorizations
- C. User Level Access Risk Analysis
- D. Users by Complex Search

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 49

Which of the following are prerequisites for using transaction PFCG? Note: There are 2 correct answer to this question.

- A. Maintain parameter auth/no_check_in_some_cases = Y
- B. Fill Initial values for customer tables using transaction SU25
- C. Maintain the Check Indicators for Critical Authorization objects
- D. Generate Standard Role SAP_NEW using transaction SU25

Answer: (SHOW ANSWER)

NEW QUESTION: 50

Which of the following technical capabilities does SAP Code Vulnerability Analysis provide? Note: There are 2 correct answer to this question.

- A. Capture of manual and automated check execution
- B. Deprovisioning of problematic ABAP code
- C. Direct integration with Root Cause Analysis
- D. Static and Dynamic Application Security Testing

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 51

Which of the following defines "Phishing"?

- A. Overloading an application with requests
- B. Acquiring sensitive information by masquerading as a trustworthy entity
- C. Pretending to be another user
- D. Modifying an IP address of the source of the TCP/IP packet

Answer: B (LEAVE A REPLY)

NEW QUESTION: 52

Which authorization object is required to modify authorization data of derived roles?

- A. S_USER_VAL
- B. S_USER_AGR
- C. S_USER_AUT
- D. S_USER_SYS

Answer: A (LEAVE A REPLY)

NEW QUESTION: 53

The DBMS tab in transaction SU01 allows you to manage database privilege assignments for which of the following scenarios?

Note: There are 2 correct answer to this question.

- A. When users need to use reporting authorizations on SAP BW
- B. When a user needs to run applications that access database directly
- C. When users need 1:1 user mapping to map analytical privileges of database to the virtual analysis of authorization on SAP BW
- D. When a user needs to execute CDS Views

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 54

Which of the following objects allows you to restrict which users can distribute a role to another system using an RFC destination?

- A. S_USER_AGR
- B. S_USER_SYS
- C. S_USER_STA
- D. S_USER_AUT

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 55

Which of the following describes an Authorization Object Class?

- A. It defines a logical grouping of authorization objects
- B. It defines authorizations for different authorization objects
- C. It defines a group of 1 to 10 authorization field together
- D. It defines smallest unit against which an authorization check can be run

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

You want to adjust check indicator values for certain authorization object delivered by SAP. In which of the following tables should your adjustments be recorded?

- A. USOBT_C
- B. USOBX
- C. USOBX_C
- D. USOBHASH

Answer: C ([LEAVE A REPLY](#))

Valid C-SECAUTH-20 Dumps shared by Actual4test.com for Helping Passing C-SECAUTH-20 Exam! Actual4test.com now offer the **newest C-SECAUTH-20 exam dumps**, the Actual4test.com C-SECAUTH-20 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C-SECAUTH-20 dumps with Test Engine here: https://www.actual4test.com/C-SECAUTH-20_examcollection.html (85 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)