

SAP.C-TADM-21.v2022-10-06.q35

Exam Code:	C-TADM-21
Exam Name:	SAP Certified Technology Associate - SAP S/4HANA System Administration
Certification Provider:	SAP
Free Question Number:	35
Version:	v2022-10-06
# of views:	1049
# of Questions views:	350
https://www.freepdfdumps.com/SAP.C-TADM-21.v2022-10-06.q35.html	

NEW QUESTION: 1

In the role maintenance transaction (PFCG) of an AS ABAP-based SAP system, which step grants the authorizations of a role to a user master record?

- A. Save the role
- B. Perform a user comparison
- C. Generate the profile
- D. Assign a user to the role

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 2

You are installing an SAP S/4HANA Server 1909 system, using s4xhost as application server host and haxhost as database host. Which actions can Software Provisioning Manager (SWPM) perform? Note:

There are 3 correct Answers to this question.

- A. Copy the database backup media from s4xhost to haxhost
- B. Set database import parameters for the database running on haxhost
- C. Install the Central Service instance on s4xhost
- D. Copy the database installation media from s4xhost to haxhost
- E. Install the database on haxhost

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 3

You can use operation modes to change the quantity of which work process types? Note:

There are 3 correct Answers to this question.

- A. Background work process
- B. Dialog work process
- C. Spool work process
- D. Standby/restricted/reserved dialog work process
- E. Update work process

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which parameters are mandatory when using the HDBLCM tool to install the SAP HANA database system in batch mode? Note: There are 2 correct Answers to this question.

- A. Data and log path
- B. Password of user sapadm
- C. SAP HANA System ID (SID)
- D. Installation path

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 5

You want to perform rapid activation for SAP Fiori. In what order should you run the task lists?

- A. 1.SAP_FIORI_FOUNDATION_S4 2.SAP_FIORI_CONTENT_ACTIVATION
3.SAP_GW_FIORI_ERP_ONE_CLNT_SETUP
- B. 1.SAP_GW_FIORI_ERP_ONE_CLNT_SETUP
2.SAP_FIORI_CONTENT_ACTIVATION 3.SAP_FIORI_FOUNDATION_S4
- C. 1.SAP_GW_FIORI_ERP_ONE_CLNT_SETUP 2.SAP_FIORI_FOUNDATION_S4 3.
SAP_FIORI_CONTENT_ACTIVATION
- D. 1.SAP_FIORI_FOUNDATION_S4 2.SAP_GW_FIORI_ERP_ONE_CLNT_SETUP
3.SAP_FIORI_CONTENT_ACTIVATION

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 6

During startup, an AS Java-based SAP system generates an error. Which file contains information about manager and services?

- A. dev_icm
- B. jvm_bootstrap.out
- C. std_server<X>.out
- D. dev_jstart

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 7

You are installing a Primary Application Server and a Central Services instance for an AS Java-based SAP system. What is the minimum number of Java server nodes you must configure?

- A. 2
- B. 1
- C. 4
- D. 0

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 8

What are some start conditions of a background job in an AS ABAP-based SAP system?
Note: There are 3 correct Answers to this question.

- A. Triggering a background event
- B. Switching the operation mode
- C. Defining an external command
- D. Reaching a specific date and time
- E. Creating a job server group

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 9

When you install SAP Solution Manager 7.2 AS Java, what information do you need to provide? Note:

There are 2 correct Answers to this question.

- A. The decision to use an External ABAP System as UME Data Source
- B. The package path to additional language installation media
- C. The package path to an archive for SAP JVM
- D. The decision whether to install an SAP Gateway integrated in the SCS instance

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 10

When performing a local client copy, which client copy profiles are available? Note: There are 3 correct Answers to this question.

- A. All client data except change documents
- B. Client-specific customizing including the authorization profiles
- C. Client-specific customizing and cross-client customizing
- D. User master data, user roles, and authorization profiles
- E. Application data and user master data

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 11

What is the correct sequence of the following four steps when you restart the SAP HANA database system?

A. Row tables are loaded into memory. Column tables are loaded. Open transactions are recovered.

Aborted transactions are rolled back.

B. Row tables are loaded into memory. Open transactions are recovered. Aborted transactions are rolled back. Column tables are loaded.

C. Aborted transactions are rolled back. Open transactions are recovered. Row tables are loaded into memory. Column tables are loaded.

D. Aborted transactions are rolled back. Row tables are loaded into memory. Open transactions are recovered. Column tables are loaded.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 12

You configure the Transport Management System (TMS) as part of the installation of an AS ABAP-based SAP system. What information can you supply for the first SAP system that uses a specific transport directory? Note: There are 3 correct Answers to this question.

A. The name of the Transport Group

B. The description of the AS ABAP-based SAP system

C. The name of the Transport Domain

D. The password of a new user that will be created

E. The user ID of a new user that will be created

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 13

Which services can you stop in the SAP HANA cockpit from the SYSTEMDB Manage Services app?

Note: There are 2 correct answers to this question.

A. Preprocessor

B. Index server

C. Compile server

D. Daemon

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 14

The SAP Fiori launchpad is working for your users. How can you enable access to the SAP Easy Access menu for them in the app finder? Note: There are 2 correct answers to this question.

A. By providing an HTTP destination type H named FIORI_CLASSICUI_HTTPS (transaction SM59)

- B. By applying the correct settings in the SAP Fiori launchpad configuration (transaction /UI2/FLP_SYS_CONF or /UI2/FLP_CUS_CONF)
- C. By assigning the authorization to start transaction SEARCH_SAP_MENU
- D. By assigning the correct target mappings, shipped via catalog /UI2/CLASSICAL_GUI_MENU

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 15

You are importing an SAP Support Package Stack with transaction SPAM. Which steps require SAP system downtime? Note: There are 2 correct Answers to this question.

- A. Import of inactive dictionary objects (DD IMPORT)
- B. Modification adjustment of other objects (SPAU)
- C. Activation of dictionary objects (DD ACTIVATION)
- D. Modification adjustment of dictionary objects (SPDD)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

Using standard transport protocol settings, after importing a transport request, which log file provides the return codes of the individual import steps? (Note: These answer: use the following abbreviations: year <YY>, week: <WW>, quarter <Q>, SAP system ID <SID>, and a 5-digit number <nnnnn>.)

- A. SLOG<YY><WW>.<SID>
- B. <SID>E9<nnnnn>.<SID>
- C. ULOG<YY>_<Q>
- D. ALOG<YY><WW>.<SID>

Answer: ([SHOW ANSWER](#))

Valid C-TADM-21 Dumps shared by Actual4test.com for Helping Passing C-TADM-21 Exam! Actual4test.com now offer the **newest C-TADM-21 exam dumps**, the Actual4test.com C-TADM-21 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C-TADM-21 dumps with Test Engine here: https://www.actual4test.com/C-TADM-21_examcollection.html (82 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

Your SAP S/4HANA Server system consists of an ABAP Central Services instance, a Primary Application Server instance, and two Additional Application Server instances. How many system profile files are evaluated for this SAP system during system start?

- A. 8
- B. 9
- C. 5
- D. 4

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 18

In an embedded deployment, which protocol is used by object pages to access the SAP S/4HANA system?

- A. DIAG
- B. OData
- C. RFC
- D. InA

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 19

In which situations can you resume the failed recovery of your productive SAP HANA tenant database? Note: There are 2 correct answers to this question.

- A. An aborted recovery of a complete data backup
- B. An aborted recovery of a delta data backup
- C. An aborted recovery of a log backup
- D. An aborted recovery of the configuration files

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 20

You are installing an SAP S/4HANA Server 1909 system, using s4xhost as application server host and haxhost as database host. Which actions can Software Provisioning Manager (SWPM) perform? Note: There are 3 correct answers to this question.

- A. Install the database on haxhost
- B. Copy the database backup media from s4xhost to haxhost
- C. Install the Central Service instance on s4xhost
- D. Set database import parameters for the database running on haxhost
- E. Copy the database installation media from s4xhost to haxhost

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 21

Which processes can run optionally as part of ABAP SAP Central Services (ASCS)? Note: There are 2 correct Answers to this question.

- A. SAP Web Dispatcher
- B. Message Server
- C. Enqueue Server

D. RFC Gateway

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 22

Which instances have processes that establish a connection to the database of an SAP system? Note:

There are 2 correct Answers to this question.

A. Enqueue Replication Server

B. Additional Application Server

C. Primary Application Server

D. Central Services

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 23

Which file systems are supported for the data and log volumes of the SAP HANA 2.0 database system?

Note: There are 2 correct Answers to this question.

A. XFS

B. OCFS2

C. Btrfs

D. GPFS

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 24

When you install SAP Solution Manager 7.2 AS Java, what information do you need to provide? Note: There are 2 correct answers to this question.

A. The package path to an archive for SAP JVM

B. The decision to use an External ABAP System as UME Data Source

C. The package path to additional language installation media

D. The decision whether to install an SAP Gateway integrated in the SCS instance

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

You are updating an AS Java-based SAP system. Which actions can Software Update Manager execute?

Note: There are 2 correct Answers to this question.

A. Update without using a stack configuration file (stack.xml file)

B. Lock the development environment

C. Check the archives' authenticity

D. Update SAP Host Agent

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which actions can be performed with the Software Update Manager (SUM) for an AS ABAP-based SAP system? Note: There are 3 correct Answers to this question.

- A. Applying an SAP kernel patch
- B. Installing an SAP Host Agent
- C. Correcting software information via a CISI run
- D. Applying a SPAM/SAINT update
- E. Setting up the Transport Management System (TMS)

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 27

You can use operation modes to change the quantity of which work process types? Note: There are 3 correct answers to this question.

- A. Dialog work process
- B. Spool work process
- C. Update work process
- D. Background work process
- E. Standby/restricted/reserved dialog work process

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 28

Which file systems are supported for the data and log volumes of the SAP HANA 2.0 database system? Note: There are 2 correct answers to this question.

- A. XFS
- B. OCFS2
- C. Btrfs
- D. GPFS

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 29

In which situations can you resume the failed recovery of your productive SAP HANA tenant database?

Note: There are 2 correct Answers to this question.

- A. An aborted recovery of a complete data backup
- B. An aborted recovery of a delta data backup
- C. An aborted recovery of a log backup
- D. An aborted recovery of the configuration files

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 30

What is the definition of "Transport Group" in Transport Management System (TMS)?

- A. A collection of systems that are controlled by the same transport domain controller
- B. A collection of systems that are connected by transport routes
- C. A collection of systems that share the same transport directory
- D. A collection of systems that are assigned to the same transport target group

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 31

When releasing a workbench request from the development system, what are prerequisites for an export to take place? Note: There are 3 correct Answers to this question.

- A. Repository objects within the workbench request must be assigned to the same transport layer.
- B. A delivery route from the development system to a subsequent system must exist.
- C. A consolidation route from the development system to a subsequent system must exist.
- D. Repository objects within the workbench request must be assigned to a package.
- E. Packages used by objects in the workbench request must be assigned to a valid transport layer.

Answer: ([SHOW ANSWER](#)**)**

Valid C-TADM-21 Dumps shared by Actual4test.com for Helping Passing C-TADM-21 Exam! Actual4test.com now offer the **newest C-TADM-21 exam dumps**, the Actual4test.com C-TADM-21 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C-TADM-21 dumps with Test Engine here: https://www.actual4test.com/C-TADM-21_examcollection.html (82 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

Which of the following protocols is SAP's RFC protocol based on? Note: There are 2 correct Answers to this question.

- A. CPI-C
- B. OLE
- C. http
- D. TCP/IP

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 33

Which of the following background jobs has the highest priority?

- A. Class C job without a target server

- B. Class A job without a target server
- C. Class C job with a target server
- D. Class A job with a target server

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 34

When importing a transport request, which steps are executed by a batch job? Note: There are 3 correct Answers to this question.

- A. Move nametab
- B. Import of dictionary objects
- C. Activation of ABAP programs
- D. Activation of dictionary objects
- E. Distribution

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

You are logged onto an AS ABAP-based SAP system. What happens when you release a task of a transport request that contains changes to a program?

- A. A version is created in version management.
- B. A data file and a cofile are created.
- C. The repository locks are released.
- D. The object list is handed over to the transport request.

Answer: D ([LEAVE A REPLY](#))

Valid C-TADM-21 Dumps shared by Actual4test.com for Helping Passing C-TADM-21 Exam! Actual4test.com now offer the **newest C-TADM-21 exam dumps**, the Actual4test.com C-TADM-21 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C-TADM-21 dumps with Test Engine here: https://www.actual4test.com/C-TADM-21_examcollection.html (82 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)