

SAP.C_BW4HANA_24.v2022-02-10.q35

Exam Code:	C_BW4HANA_24
Exam Name:	SAP Certified Application Associate - Reporting. Modeling and Data Acquisition with SAP BW/4HANA 2.x
Certification Provider:	SAP
Free Question Number:	35
Version:	v2022-02-10
# of views:	934
# of Questions views:	350
https://www.freepdfdumps.com/SAP.C_BW4HANA_24.v2022-02-10.q35.html	

NEW QUESTION: 1

which are the additional tables for the enhanced master data update for the characteristic with technical name material? (3 answer)

- A. /bic/pmaterial
- B. /bic/ematerial
- C. /bic/gmaterial
- D. /bic/hmaterial
- E. /bic/fmaterial

Answer: (SHOW ANSWER)

NEW QUESTION: 2

Which properties determine the delta process within the Operational Data Provisioning (ODP) delta management for DataSources?

Note: There are 2 correct answers to this question.

- A. Record mode
- B. Serialization
- C. Parallelization
- D. Delta type
- E. Record type

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 3

you create a new sap hana remote connection. How does sap hana smart data access(SDA) differ from sap hana smart data integration(SDI)? (2 answer)

- A. SDI supports data replication in real time
SDA does not provide this capability"
 - B. SDI requires an additional sap hana data provisioning server
SDA is integrated in the sap hana index server"
 - C. SDI is recommended for data source with limited changes in data structure SDA
contains features to act as a full blown ETL tool"
 - D. SDI is used only for sap hana native apps
the SDA interface is used for sap bw/4hana models"
- Answer: A,C ([LEAVE A REPLY](#))**

NEW QUESTION: 4

Which transformation options can be executed in an SAP HANA database? Note: There are 2 correct answers to this question.

- A. ABAP expert routines
- B. Formulas
- C. Read master data
- D. Transfer routines

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 5

Where can you integrate an analysis view from SAP Analysis for Microsoft Office? Note: There are 3 correct answers to this question.

- A. In an SAP Crystal Reports for Enterprise report
- B. In a BW query
- C. In another SAP Analysis for Microsoft Office workbook
- D. In a Projection node of an SAP HANA calculation view
- E. In an SAP BusinessObjects Web Intelligence report

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Which objects can you associate with a source field that is defined as a characteristic within an Open ODS view?

Note: There are 2 correct answers to this question.

- A. SAP BW InfoObject
- B. Open ODS view type Master Data for Attributes
- C. Open ODS view type Facts
- D. Open ODS view type Master Data for Hierarchies

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 7

You need to load data from a generic DataSource using Operational Data Provisioning (ODP). In which sequence do you perform the activities?

- A.** 1. Create a DataSource.
2. Replicate the DataSource.
3. Activate the DataSource.
4. Run job RODPS_OS_EXPOSE.
- B.** 1. Create a DataSource.
2. Replicate the DataSource.
3. Run job RODPS_OS_EXPOSE.
4. Activate the DataSource.
- C.** 1. Create a DataSource.
2. Activate the DataSource.
3. Run job RODPS_OS_EXPOSE.
4. Replicate the DataSource.
- D.** 1. Create a DataSource.
2. Run job RODPS_OS_EXPOSE.
3. Replicate the DataSource.
4. Activate the DataSource.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 8

Where can you apply a currency conversion? Note: There are 3 correct answers to this question.

- A.** In an SAP BW/4HANA transformation
- B.** In an SAP BW/4HANA InfoSource
- C.** In a BW query
- D.** In an SAP BW/4HANA data transfer process (DTP)
- E.** In an SAP HANA calculation view

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Which objects can you combine using a CompositeProvider? Note: There are 2 correct answers to this question.

- A.** SAP HANA calculation views
- B.** Key figures
- C.** CompositeProvider
- D.** InfoSources

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 10

you need to determinate the number of customers that have revenue in 2018 for each countries. What is the reference infoobject in an exception aggregate?

- A. country
- B. customer
- C. year
- D. counter

Answer: (SHOW ANSWER)

NEW QUESTION: 11

Which actions can you perform with an SAP HANA calculation view that has the DIMENSION data category assigned?

Note: There are 2 correct answers to this question.

- A. Join serveral tables.
- B. Aggregate measures.
- C. Persist master data.
- D. Define text joins.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 12

You load a DataStore object (advanced) every night. Where can you delete the request you loaded two nights ago without deleting the last request?

- A. From a DataStore object (advanced) based on the model template InfoCube if the request is activated.
- B. From a DataStore object (advanced) based on the model template InfoCube if the request is NOT v u activated.
- C. From a DataStore object (advanced) based on the model template Standard DataStore object if the request is activated and you execute a full load.
- D. From a DataStore object (advanced) based on the model template Standard DataStore object if the request is activated.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 13

To gather the requirements for data model design, which is the logical sequence? (indico solo la risposta corretta)

- A. a
- B. Reporting requirment Source of data Trasformation Storage requirement

Answer: B (LEAVE A REPLY)

NEW QUESTION: 14

You want to validate your SAP HANA data model. What must you ensure to use the data preview functionality?

- A. The _SYS_BIC user is created in the system and the runtime information is written to _SYS_STATISTICS.
- B. Your content package is assigned with sufficient repository privileges to the SYS_REPO user.
- C. The _SYS_REPO user must have sufficient object privileges assigned to your desired schema.
- D. You are connected as SYSTEM user and all object privileges are assigned to this SYSTEM user.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 15

You need to enable real-time streaming using SAP HANA smart data integration (SDI) to load data into a DataStore object (advanced). What are prerequisites for this requirement?
Note: There are 2 correct answers to this question.

- A. The source system is pulling data into SAP BW/4HANA.
- B. The data target is a DataStore object (advanced) of the InfoCube model template.
- C. The adapter is real-time enabled.
- D. The process chain is running in streaming mode.

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 16

You plan to regularly transfer changes from an SAP ERP custom table to SAP BW/4HANA. An additional custom development may NOT be implemented in the source system. Which Operational Data Provisioning (ODP) source system type do you recommend?

- A. ODP-BW
- B. ODP-SAP
- C. ODP-CDS
- D. ODP-SLT

Answer: D (LEAVE A REPLY)

Valid C_BW4HANA_24 Dumps shared by Actual4test.com for Helping Passing C_BW4HANA_24 Exam! Actual4test.com now offer the **newest C_BW4HANA_24 exam dumps**, the Actual4test.com C_BW4HANA_24 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_BW4HANA_24 dumps with Test Engine here:
https://www.actual4test.com/C_BW4HANA_24_examcollection.html (102 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

When can you NOT use a characteristic with the High Cardinality property? Note: There are 3 correct answers to this question.

- A. When it will be a navigation attribute
- B. When it will be a compound characteristic
- C. When it will be part of a hierarchy
- D. When it will be part of a report-to-report interface
- E. When it will be a time-dependent attribute

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 18

For which of the following revenue reporting requirements do you create restricted key figures?

- A. Identify the top five countries by revenue for each month.
- B. Compare this year's planned revenue with last year's actual revenue.
- C. Convert revenue into a number without currency.
- D. Determine the average revenue per customer.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 19

What must you do first if you need to define help cells for formulas in the cell editor?

- A. Reuse a structure in a second query.
- B. Define two formulas in a structure.
- C. Define two structures in a query.
- D. Define two selections in a structure.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

Which objects of an SAP HANA calculation view of DIMENSION data category can you re-use if you define an SAP calculation view of CUBE data category with star join? Note: There are 2 correct answers to this question.

- A. Attribute assignment
- B. Aggregation method
- C. Measure assignment
- D. Hierarchy assignment

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 21

You need to view the SAP HANA calculation views, SAP BW DataSources, and InfoAreas in the same SAP HANA studio perspective. What should you do?

- A. Attach an SAP BW project to an ABAP project.

- B. Attach an SAP BW project to an SAP HANA system.
- C. Attach an ABAP project to an SAP BW project.
- D. Attach an SAP HANA system to an SAP BW project.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 22

You need to create a composit provider to combine data from an SAP HANA calculation view with a datastore object(advanced). Which user interface do you use to create a composit provider?

- A. BW modeling perspective in SAP HANA Studio
- B. SAP HANA modeler perspective in SAP HANA Studio
- C. SAP BW/4HANA Cockpit
- D. Embedded SAP GUI in SAP HANA Studio

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 23

Which of the following use cases is classified as operational reporting?

- A. Year-to-date comparison reports containing prior and actual year numbers
- B. Reporting requirements with monthly data refreshes
- C. Near-real-time access to original transactional values
- D. Evaluation of trends over several years

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 24

Which SAP HANA objects are automatically generated if you set the External SAP HANA Calculation View flag for an SAP BW/4HANA object?

Note: There are 2 correct answers to this question.

- A. SAP HANA privileges
- B. SAP HANA calculation views
- C. SAP HANA attribute views
- D. SAP HANA analytic views

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

You need to create a CompositeProvider to combine data from an SAP HANA calculation view with a DataStore object (advanced). Which of the following Eclipse perspectives do you use?

- A. BW modeling perspective
- B. SAP HANA modeler perspective
- C. JavaScript perspective
- D. ABAP perspective

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which sources types can you select when you create an Open ODS view? Note: There are 3 correct answers to this question.

- A. InfoSource
- B. Characteristic \
- C. SAP BW DataSource
- D. Transformation
- E. Virtual table using SAP HANA smart data access

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 27

You create a DataStore object (advanced) using model template Standard DataStore Object. Which flags are set?

Note: There are 2 correct answers to this question.

- A. Activate Data
- B. All Characteristics are Key
- C. Write Change Log
- D. Unique Data Records

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 28

Which layers are part of the layered scalable architecture for SAP BW/4HANA (LSA++)?

Note: There are 2 correct answers to this question.

- A. Virtual data mart
- B. Native SAP HANA data mart
- C. Open Operational Data Store
- D. Source system

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

When modeling a characteristic, which SAP BW/4HANA feature are intended to reduce the physical data volume? (2 answer)

- A. Compounding
- B. Reference characteristic
- C. Transitive attribute
- D. Enhanced master data

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 30

You create a transformation from a DataSource to a DataStore object (advanced). The DataSource provides an after-image delta. Which key figure aggregation type do you select?

- A. Maximum
- B. Minimum
- C. Overwrite
- D. Summation

Answer: C (LEAVE A REPLY)

NEW QUESTION: 31

You define a temporal condition for a temporal join in a calculation view. Which column data types are supported?

Note: There are 3 correct answers to this question.

- A. Integer
- B. Boolean
- C. Decimal
- D. Date
- E. Timestamp

Answer: A,C,E (LEAVE A REPLY)

Valid C_BW4HANA_24 Dumps shared by Actual4test.com for Helping Passing C_BW4HANA_24 Exam! Actual4test.com now offer the **newest C_BW4HANA_24 exam dumps**, the Actual4test.com C_BW4HANA_24 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_BW4HANA_24 dumps with Test Engine here:
https://www.actual4test.com/C_BW4HANA_24_examcollection.html (102 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

Your customer is using a pure SAP HANA native data warehouse approach. Which tools should the customer install?

Note: There are 2 correct answers to this question.

- A. BW Modeling Tools
- B. SAP solutions for enterprise information management
- C. Process Chain Monitoring app
- D. SAP Information Steward

Answer: (SHOW ANSWER)

NEW QUESTION: 33

What can you do when you use process chains? Note: There are 2 correct answers to this question.

- A. Activate data transfer processes (DTPs).
- B. Activate requests in DataStore objects (advanced).
- C. Generate transformations.
- D. Trigger delta merge.

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 34

You want to use the SAP HANA concept of semantic types as part of the currency conversion mechanism. You decide to use semantic type Amount with Currency Code within your SAP HANA calculation view. Which currency reference can be assigned to the measure? Note: There are 3 correct answers to this question.

- A. A currency from an SAP HANA content calculation view
- B. A currency from another column
- C. A currency from SAP BW customizing
- D. A fixed currency
- E. A currency from a currency conversion

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 35

You need to determine the number of customers in each country that have revenue in 2018. What is the reference InfoObject in an exception aggregation?

- A. Country
- B. Customer
- C. Counter
- D. Year

Answer: B (LEAVE A REPLY)

Valid C_BW4HANA_24 Dumps shared by Actual4test.com for Helping Passing C_BW4HANA_24 Exam! Actual4test.com now offer the **newest C_BW4HANA_24 exam dumps**, the Actual4test.com C_BW4HANA_24 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_BW4HANA_24 dumps with Test Engine here:
https://www.actual4test.com/C_BW4HANA_24_examcollection.html (102 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)