

SAP.C_BW4HANA_27.v2023-02-15.q30

Exam Code:	C_BW4HANA_27
Exam Name:	SAP Certified Application Associate - Reporting. Modeling and Data Acquisition with SAP BW/4HANA 2.x
Certification Provider:	SAP
Free Question Number:	30
Version:	v2023-02-15
# of views:	863
# of Questions views:	300
https://www.freepdfdumps.com/SAP.C_BW4HANA_27.v2023-02-15.q30.html	

NEW QUESTION: 1

You create a transformation from a DataSource to a DataStore object (advanced). The DataSource provides an additive-image delta for data. Which key figure aggregation type do you select?

- A. Minimum
- B. Maximum
- C. Summation
- D. Overwrite

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

How can the delta merge process be initiated? Note: There are 3 correct Answers to this question.

- A. By using a specific process type in a process chain
- B. By using SAP HANA smart merge technology
- C. By setting a specific flag in the transformation
- D. By setting a specific flag in the data transfer process
- E. By using the SAP BW/4HANA data load monitor

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

You create a DataStore object (advanced) using the "Data Mart DataStore Object" modeling property. Which behaviors are specific to this modeling property? Note: There are 2 correct answers to this question.

- A. Query results are only shown when data has been activated
- B. The change log table will only be filled after data activation
- C. Reporting is done based on a union of the inbound and active tables
- D. All characteristic are automatically defined as key

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

You created an Open ODS view based on a database table in SAP HANA virtually display the data in SAP BW/4HANA.

Real-time reporting requirements have now changed and you are asked to persist the data in SAP BW/4HANA. Which objects will be created when using the Generate Dataflow function via the Open ODS view? Note: There are 3 correct answers to this question.

- A. Transformation
- B. DataStore object (advanced)
- C. CompositeProvider
- D. Data source
- E. SAP HANA calculation view

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which development object needs to be built to generate an HDI Container?

- A. Space
- B. SQL script procedure
- C. Package
- D. HDB module

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

What is the request handling default setting for error handling in a data transfer process (DTP) in SAP BW/4HANA?

- A. Request is canceled, first incorrect record is tracked, and target is not updated.
- B. Request is canceled, records are not tracked, and target is not updated
- C. Request is set to success, error stack is written, and valid records are updated
- D. Request is set to failed, error stack is written, and valid records are updated

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 7

What are the prerequisites for deleting master data (for example, cost centers) in SAP BW/4HANA? Note: There are 2 correct answers to this question.

- A. There must be no transaction data referring to the cost centers
- B. There must be no BW analysis authorizations defined that use any of the cost centers

- C. There must be no hierarchy for the cost centers
- D. There must be no BW query that uses cost center as a free characteristic.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 8

With SAP HANA 2.x you can model Calculation Views in the SAP Web IDE for SAP HANA. Which node types for a native SAP HANA Calculation View are available in the SAP Web IDE, and not available in SAP HANA studio? Note: There are 2 correct answers to this question.

- A. Rank
- B. Graph
- C. Union
- D. Intersect

Answer: B,D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 9

In which ODP context is the operational delta queue (ODQ) managed by the target system?

- A. ODP_CDS
- B. ODP_SAP
- C. ODP_BW
- D. ODPJHANA

Answer: D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 10

What are the reasons for implementing CompositeProviders? Note: There are 2 correct Answers to this question.

- A. To store snapshots for reporting
- B. To provide a virtual data mart layer
- C. To provide an interface for BW queries
- D. To persist combined data for reporting

Answer: B,C [\(LEAVE A REPLY\)](#)

NEW QUESTION: 11

What are the key benefits of using the SAP Landscape Transformation Replication Server for data provisioning into SAP HANA? Note: There are 2 correct Answers to this question.

- A. Support of cluster and pool tables
- B. Virtualization capabilities
- C. Real-time and scheduled data replication
- D. Log-based replication

Answer: A,C [\(LEAVE A REPLY\)](#)

NEW QUESTION: 12

What can you leverage using the live data connections of SAP Analytics Cloud with SAP BW/4HANA? Note: There are 2 correct answers to this question.

- A. Process chain streaming functionally
- B. BW data models for analysis
- C. Existing authorization concepts
- D. BW data models for planning scenarios

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 13

What are the possible ways to fill a pre-calculated value set (bucket)? Note: There are 3 correct answers to this question.

- A. By accessing an SAP HANA Calculation View of data category Dimension
- B. By using a query
- C. By using a transformation and data transfer process
- D. By entering the values manually
- E. By referencing a table

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 14

Your company is using SAP S/4HANA as a business operational system and you have to provide operational analytical reports. Why might you consider SAP S/4HANA embedded analytics?

- A. To use the SAP HANA optimized business content
- B. To use the ABAP CDS view based virtual data model
- C. To use the generated external SAP HANA Calculation Views
- D. To use the SAP HANA Deployment Infrastructure

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 15

In an SAP HANA smart data integration flowgraph, which transformation options are available? Note: There are 3 correct answers to this question.

- A. Execute a stored procedure
- B. Combine datasets
- C. Execute an SAP HANA analysis process
- D. Call an ABAP function module
- E. Split datasets

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 16

With SAP BW/4HANA, the new HANA-optimized business content is designed according to the LSA++ framework. Which technical namespace is assigned to identify the new SAP ERP-related business content?

- A. /IMO/
- B. /OSAP/
- C. /SFA/
- D. /BW4/

Answer: A ([LEAVE A REPLY](#))

Valid C_BW4HANA_27 Dumps shared by Actual4test.com for Helping Passing C_BW4HANA_27 Exam! Actual4test.com now offer the **newest C_BW4HANA_27 exam dumps**, the Actual4test.com C_BW4HANA_27 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_BW4HANA_27 dumps with Test Engine here:
https://www.actual4test.com/C_BW4HANA_27_examcollection.html (82 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 17

You created an Open ODS view of type Facts. Which object type can you associate with a view field in the characteristics folder? Note: There are 2 correct answers to this question.

- A. Calculation View of type Dimension
- B. Open ODS view of type Facts
- C. InfoObject of type Characteristic
- D. Open ODS view of type Master Data

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 18

Which of the following are possible source types for an Open ODS view? Note: There are 3 correct answers to this question.

- A. CompositeProvider
- B. Open hub destination
- C. Transformations
- D. Database table or view
- E. DataStore object (advanced)

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 19

Which modeling function is possible in modeling with an SAP HANA Calculation View that is not possible in modeling with a CompositeProvider?

- A. Use aggregation for datasets
- B. Generate a rank column
- C. Combine datasets by union
- D. Create a calculated column

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 20

Which data deletion options are offered for a standard DataStore object (advanced)? Note: There are 3 correct answers to this question.

- A. Deletion of data from all tables
- B. Selection deletion including data of subsequent targets
- C. Selective deletion of data
- D. Request-based data deletion
- E. Deletion of all data from active table only

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 21

You want to run a BW query, but you only have partial authorization for the data selection. What happens related to the BW query in this scenario?

- A. The BW query does not start running
- B. The BW query starts and shows an error message
- C. The BW query starts and the unauthorized values are
- D. The BW query starts and only the authorized data is displayed

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 22

What is the maximum number of characteristics that can be used for a multi-dimensional exception aggregation in a BW query?

- A. 7
- B. 5
- C. 3
- D. 10

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

You have created an SAP HANA Calculation View in SAP Web IDE for SAP HANA and want to integrate it into an SAP BW/4HANA CompositeProvider. Which "Settings for HANA Consumption in BW" in transaction SPRO can you use in this scenario? Note: There are 2 correct answers to this question.

- A. Hybrid Mode
- B. HANA Deployment Infrastructure (HDI)

C. External SAP HANA View

D. SAP HANA Repository

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 24

You notice that an SAP ERP ODP_SAP DataSource is delivering incorrect values into the first persistent data layer in SAP BW/4HANA.

Which options do you have to analyze a potential extractor issue? Note: There are 2 correct answers to this question.

A. Use the ODQ maintenance in SAP BW/4HANA

B. Use program RODPS_REPL_TEST in SAP ERP

C. Check entries in table RSDDSTATEXTRACT in SAP ERP

D. Use transaction RSA3 (Extractor checker) in SAP ERP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

You created a generic DataSource in SAP ERP using a function module. Which manual activity could you perform to enable your generic DataSource to use as an ODP_SAP DataSource in SAP BW/4HANA?

A. Release the DataSource in SAP BW/4HANA for ODP

B. Adapt the function module using transaction ODQMON

C. Generate the PSA table of the DataSource in SAP BW/4HANA

D. Run program RODPS_OS_EXPOSE in SAP ERP for the DataSource

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

You are involved in an SAP BW/4HANA project focusin on General Ledger reporting and want to use the SAP ERP Estandar DataSource oFI_GL_14 (New GL Items). Which transactions can be used to activate this DataSource? Note: There are 2 correct answers to this question.

A. Transaction RSA1 (BI Content) in the SAP BW/4HANA system

B. Transaction RS02 (Maintain Generic DataSource) in the SAP source system

C. Transaction ODQMON (Monitor Delta Queues) in the SAP Source system

D. Transaction RSA5 (Installation of DataSource from Business Content) in the SAP source system

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

Which of the following are posible delta-specific field for a generic DataSource in SAP ERP? Note: There are 3 correct answers to this question.

A. Record mode

- B. Calendar day
- C. Request ID
- D. Numeric pointer
- E. Time stamp

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 28

You would like to highlight the deviation from predefined threshold values for key figures actual revenue. Which BW feature do you use?

- A. Exceptions
- B. Calculated key figures
- C. Structure
- D. Conditions

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

Why should you run an SAP HANA delta merge? Note: There are 2 correct answers to this question.

- A. To combine the query cache from different executions
- B. To move the most recent data from disk to memory
- C. To improve the read performance of InfoProviders
- D. To decrease memory consumption

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

With which query considerations can you optimize the query performance? Note: There are 3 correct answers to this question.

- A. Use exclude functions in the restricted key figures
- B. Use fewer drill-down characteristics in the initial view
- C. Use characteristic filters that overlap
- D. Use mandatory characteristic value variables

Answer: A,B,C ([LEAVE A REPLY](#))

Valid C_BW4HANA_27 Dumps shared by Actual4test.com for Helping Passing C_BW4HANA_27 Exam! Actual4test.com now offer the **newest C_BW4HANA_27 exam dumps**, the Actual4test.com C_BW4HANA_27 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_BW4HANA_27 dumps with Test Engine here:

https://www.actual4test.com/C_BW4HANA_27_examcollection.html (82 Q&As Dumps,
30%OFF Special Discount: **Freepdfdumps**)