

SAP.C_BW4H_211.v2023-08-17.q34

Exam Code:	C_BW4H_211
Exam Name:	SAP Certified Application Associate - Reporting, Modeling and Data Acquisition with SAP BW/4HANA
Certification Provider:	SAP
Free Question Number:	34
Version:	v2023-08-17
# of views:	732
# of Questions views:	340
https://www.freepdfdumps.com/SAP.C_BW4H_211.v2023-08-17.q34.html	

NEW QUESTION: 1

In a BW query with cells, you need to overwrite the initial definition of a cell. With which cell tupes can this be achieved?? Note: There are 2 correct answers to this question.

- A. Formula cell
- B. Selection cell
- C. Help cell
- D. Reference cell

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 2

InfoObject CITY is defined as a display attribute for InfoObject CUSTOMER, and InfoObject COUNTRY is defined as a display attribute for InfoObject CITY. In a master data report you want to display the COUNTRY of a CUSTOMER. Which options do you have to realize the scenario? Note: There are 3 correct answer to this question."

- A. Include CUSTOMER to rows in the BW Query on CUSTOMER and activate the Universal Display Hierarchy setting.
- B. Combine CUSTOMER, CITY and COUNTRY in a Open ODS View using a sequence of associations.
- C. Add COUNTRY as a transitive attribute for CUSTOMER in InfoObject definition.
- D. Combine CUSTOMER, CITY and COUNTRY in a Composite Provider using a sequence of left outer join operators.
- E. Generate external views for CUSTOMER, CITY and COUNTRY, and join them in another calculation view.

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 3

What are some of the prerequisites for using SAP S/4HANA ABAP CDS views for extraction into SAP BW/4HANA in an ODP context? Note: There are 2 correct answers to this question.

- A. The ABAP CDS views must be defined with the appropriate data extraction annotations
- B. An Operational Data Provisioning Framework must be configured in SAP BW/4HANA
- C. THE ABAP CDS views must be released via program RODPS_OS_EXPOSE for BW extraction
- D. An ODP source system with contest ODP_CDS must be created in SAP BW/4HANA

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

Why is the start process a special type of process in a process chain? Note: There are 2 correct answers to this question.

- A. Open ODS view of type Facts
- B. Calculation View of type Dimension
- C. InfoObject of type Characteristic
- D. Open ODS view of type Master Data

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

What are the prerequisites for deleting master data (for example, cost centers) in SAP BW/4HANA? Note: There are 2 correct answers to this question.

- A. There must be no hierarchy for the cost centers
- B. There must be no transaction data referring to the cost centers
- C. There must be no BW query that uses cost center as a free characteristic.
- D. There must be no BW analysis authorizations defined that use any of the cost centers

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 6

You want to set up the replication process for the SAP Landscape Transformation Replication Server. Which actions can you define for a specific table? Note: There are 2 correct answers to this question.

- A. Convert Unicode to non-Unicode
- B. Set the reading type and portion sizes
- C. Change or enrich the table structure
- D. Apply mapping rules during the replication
- E. Apply customizing settings to the database redo logs.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which layer of the layered scalable architecture (LSA++) of SAP BW/4HANA is designed as the main storage for harmonized consistent data?

- A. Open operational data store layer
- B. Data acquisition layer
- C. Virtual data mart layer
- D. Flexible Enterprise Data Warehouse Core layer.

Answer: D ([LEAVE A REPLY](#))

* D. Flexible Enterprise Data Warehouse Core layer: This is the layer of the layered scalable architecture (LSA++) of SAP BW/4HANA that is designed as the main storage for harmonized consistent data. The Flexible Enterprise Data Warehouse Core layer contains the Corporate Memory and the Quality & Harmonization layers, which are used to store and harmonize data from different sources and

systems. The data in this layer is modeled using DataStore objects (advanced) and InfoObjects, and can be accessed by different data marts for reporting and analysis purposes¹².

Reference:

* 1 https://help.sap.com/doc/saphelp_nw75/7.5.5/en-US/4a/124597ca771b41e10000000a421937/content.htm

* 2 <https://help.sap.com/doc/r/dd104a87ab9249968e6279e61378ff66/11.0.8/en-US/0062afefa6db41eaa9460afef1894beb.html>

NEW QUESTION: 8

Which of the Augmented Analytics Smart Features in SAP Analytics Cloud generates fully populated, multi-tabbed stories?

- A. Search to insight
- B. Forecasting
- C. Smart Predict
- D. Smart Discovery

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 9

For which requirements do you suggest an SAP HANA modeling focus rather than an SAP BW/4HANA modeling focus?? Note: There are 2 correct answers to this question.

- A. Load snapshots or deltas from different sources on a periodic basis
- B. Report on a harmonized set of master data
- C. Enhance existing SAP HANA content models
- D. Leverage SQL in-house knowledge

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 10

You are following a top-down method for your SAP BW/4HANA modeling project. What would be your first task?

- A. Collect reporting requirements
- B. Check available sources in the SAP ERP system
- C. Determine enhancements of SAP Business Content
- D. Determine if physical or logical objects will be needed

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

Which tasks are part of the Business Blueprint and Data Model Definition phase in an SAP BW/4HANA project? Note: There are 3 correct answers to this question.

- A. Design the data layer concept
- B. Monitor batch jobs and data volume
- C. Specify necessary data conversion
- D. Implement transport routes and layers
- E. Check the availability of data

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which SAP BW/4HANA objects can be used as sources of a data transfer process (DTP)? Note: There are 3 correct answers to this question.

- A. InfoSource
- B. Open Hub Destination
- C. CompositeProvider
- D. SAP HANA Analysis Process
- E. DataStore Object (advanced)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

Which features does SAP Analysis for Microsoft Office provide? Note: There are 3 correct answers to this question.

- A. Dragging measures in and out of the report
- B. Including more than one data source
- C. Displaying data simultaneously in a table and a chart
- D. Creating bookmarks for a navigation state
- E. Changing context menu entries

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which disadvantages should you keep in mind when you set the High Cardinality flag for a characteristic? Note: There are 2 correct answers to this question.

- A. You cannot use navigation attributes for this characteristic
- B. You cannot load more than 2 billion master data records for this characteristic
- C. SID numbers are created at runtime which might negatively affect the reporting performance
- D. You cannot use this characteristic as a navigation attribute for another characteristic.

Answer: A,C ([LEAVE A REPLY](#))

* A. You cannot use navigation attributes for this characteristic: This is a disadvantage of setting the High Cardinality flag for a characteristic. A characteristic with high cardinality cannot be used as a navigation attribute for another characteristic, and therefore it cannot have navigation attributes itself¹².

* C. SID numbers are created at runtime which might negatively affect the reporting performance: This is a disadvantage of setting the High Cardinality flag for a characteristic. A characteristic with high cardinality has no persistent SID values and no SID table, which means that the SID numbers are generated on the fly during query execution. This can have a negative impact on the reporting performance, especially if the characteristic is used in filters or aggregations¹³.

Reference:

* 1 https://help.sap.com/docs/SAP_BW4HANA/107a6e8a38b74ede94c833ca3b7b6f51/f851415842154e59a5f038e458b97a0b.html

* 2 https://help.sap.com/docs/SAP_BW4HANA/107a6e8a38b74ede94c833ca3b7b6f51/88a51330c046426091f3730d0c42c0de.html

* 3 <https://blogs.sap.com/2019/01/14/high-cardinality-characteristics-in-bw4hana/>

NEW QUESTION: 15

You are involved in an SAP BW/4HANA project focusin on General Ledger reporting and want to use the SAP ERP Estandar DataSource oFI_GL_14 (New GL Items). Which transactions can be used to activate this DataSource? Note: There are 2 correct answers to this question.

- A. Transaction RSA5 (Installation of DataSource from Business Content) in the SAP source system
- B. Transaction ODQMON (Monitor Delta Queues) in the SAP Source system
- C. Transaction RSA1 (BI Content) in the SAP BW/4HANA system
- D. Transaction RS02 (Maintain Generic DataSource) in the SAP source system

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

With SAP BW/4HANA, the new HANA-optimized business content is designed according to the LSA++ framework. Which tecnical namespace is assigned to identify the new SAP ERP-related business content?

- A. /SFA/
- B. /BW4/
- C. /OSAP/
- D. /IMO/

Answer: D ([LEAVE A REPLY](#))

Valid C_BW4H_211 Dumps shared by Actual4test.com for Helping Passing C_BW4H_211 Exam! Actual4test.com now offer the **newest C_BW4H_211 exam dumps**, the Actual4test.com C_BW4H_211 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_BW4H_211 dumps with Test Engine here:

https://www.actual4test.com/C_BW4H_211_examcollection.html (83 Q&As Dumps, **30%OFF** Special Discount:

Freepdfdumps)

NEW QUESTION: 17

"You have already loaded data from a non-sap system into SAP Data Wharehouse Cloud. You want to federate this data with data from an InfoCube of your SAP BW powered by SAP HANA system" What do you need to use to combine data?

- A. BW SHEL Migration
- B. BW Remote migration
- C. SAP ABAP Connection
- D. SAP BW/4HANA Model Transfer.

Answer: C ([LEAVE A REPLY](#))

* C. SAP ABAP Connection: This is what you need to use to combine data from a non-sap system and an InfoCube of your SAP BW powered by SAP HANA system using SAP Data Warehouse Cloud. You can use an SAP ABAP connection to connect to your SAP BW system and access the InfoCube data as a remote table. You can then join this remote table with the data from the non-sap system that you have already loaded into SAP Data Warehouse Cloud using a graphical view¹².

Reference:

* 1 <https://help.sap.com/doc/00f68c2e08b941f081002fd3691d86a7/release/en-US/0c9d6f0a6c4a4b8e8b3f7e5c0a3d6f9d.html>

* 2 <https://help.sap.com/doc/00f68c2e08b941f081002fd3691d86a7/release/en-US/5c9a6c8b6c4a4b8e8b3f7e5c0a3d6f9d.html>

NEW QUESTION: 18

You open an SAP Analysis for Microsoft Office workbook. On which Design Panel tabs can you verify the filter values? Note: There are 2 correct answers to this question.

- A. Analysis
- B. Design Rules
- C. Components
- D. Information

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 19

How can the delta merge process be initiated in SAP BW/4HANA? Note: There are 2 correct answers to this question.

- A. By setting a specific flag in the data transfer process
- B. By using a specific process type in a process chain
- C. By setting a specific flag in the transformation
- D. By using the SAP BW/4HANA data load monitor.

Answer: B ([LEAVE A REPLY](#))

The delta merge process is used to transfer data modifications from the delta storage to the main storage in SAP HANA database. It can be initiated in SAP BW/4HANA in the following ways:

- * By using a specific process type in a process chain, called Trigger for DB Merge. This process type can be added to a process chain and linked to the loading processes that require a delta merge. The process type allows specifying the object type and name for the delta merge.
- * By using the SAP BW/4HANA data load monitor, which is a web-based tool for monitoring and managing data loads. The data load monitor has an option to trigger a database merge for an object after a successful data load.

NEW QUESTION: 20

In which ODP context is the operational delta queue (ODQ) managed by the target system?

- A. ODP_CDS
- B. ODP_SAP
- C. ODP_BW
- D. ODPJHANA

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 21

"How does SAP position SAP Data Warehouse Cloud in supporting business users?"

- A. Business users can maintain process chains from SAP BW/4HANA dataflows
- B. Business users can create agile models from different sources
- C. Business users can allocate system resources without IT involvement
- D. Business users can generate SQL code that is pushed to SAP BW/4HANA.

Answer: ([SHOW ANSWER](#))

SAP Data Warehouse Cloud is a cloud-based data service that enables business users to create agile models from different sources and access data in real time. Business users can use the graphical user interface or the SQL editor to create data models, join data from various sources, and enrich data with business semantics. Business users can also use SAP Analytics Cloud to visualize and analyze data from SAP Data Warehouse Cloud. SAP Data Warehouse Cloud supports business users by providing self-service capabilities, pre-built business content, and flexible consumption options. Reference: 123

NEW QUESTION: 22

What are some of the variable types in a BW query that can use the processing type SAP HANA Exit. Note: There are 2 correct answers to this question.

- A.** Formula
- B.** Text
- C.** Characteristic value
- D.** Hierarchy node

Answer: C,D (LEAVE A REPLY)

* C. Characteristic value: This type of variable can use the SAP HANA Exit processing type to determine default values for variables using an AMDP class implementation. This can improve the performance and flexibility of queries that are generated as external SAP HANA views¹².

* D. Hierarchy node: This type of variable can use the SAP HANA Exit processing type to determine default values for variables using an AMDP class implementation. This can improve the performance and flexibility of queries that are generated as external SAP HANA views¹².

Reference:

* 1 <https://help.sap.com/docs/r/107a6e8a38b74ede94c833ca3b7b6f51/1.0.8/en-US/b77f3073e9d842d6959e03e74dcefa09.html>

* 2 <https://blogs.sap.com/2017/09/29/usage-of-sap-hana-exit-variables-for-a-standard-reporting-scenario/>

NEW QUESTION: 23

Which features of an SAP BW/4HANA InfoObject are intended to reduce the physical data volume? Note: There are 2 correct answers to this question.

- A.** Enhanced master data update
- B.** Reference characteristic
- C.** Transitive attribute
- D.** Compounding characteristic

Answer: (SHOW ANSWER)

NEW QUESTION: 24

In a DataStore object (advanced) of type Data Mart, which request-based deletion is possible?

- A.** The latest not-yet-activated request in the inbound table
- B.** The latest request in the change log table
- C.** Any older activated request in the inbound table
- D.** The latest request in the active data table

Answer: A (LEAVE A REPLY)

NEW QUESTION: 25

Which node types are only available for graphical modeling of SAP HANA HDI Calculation Views(XS Advanced), but not for SAP HANA Calculation Views(XS Classic)? Note: There are 2 correct answers to this question.

- A. Rank
- B. Intersect
- C. Aggregation
- D. Graph

Answer: ([SHOW ANSWER](#))

* A. Rank: This node type is only available for graphical modeling of SAP HANA HDI Calculation Views(XS Advanced), but not for SAP HANA Calculation Views(XS Classic). It allows you to rank the data based on a measure and a ranking rule¹².

* D. Graph: This node type is only available for graphical modeling of SAP HANA HDI Calculation Views(XS Advanced), but not for SAP HANA Calculation Views(XS Classic). It allows you to model graph data and perform graph operations such as shortest path, neighborhood search, and pattern matching¹³.

Reference:

* 1

https://help.sap.com/docs/SAP_HANA_PLATFORM/fc5ace7a367c434190a8047881f92ed8/050f14f7a6d94d2da905b0a4072ba546.html

* 2 <https://help.sap.com/docs/r/e8e6c8142e60469bb401de5fdb6f7c00/2.0.03/en-US/9b9b4b8e0c4d4f0a9c3e7f8a3b5d9b9d.html>

* 3 <https://help.sap.com/docs/r/e8e6c8142e60469bb401de5fdb6f7c00/2.0.03/en-US/e8b26f49218648eaa8e2ce9b54a8b812.html>

NEW QUESTION: 26

You create a report with SAP Crystal Reports for Enterprise and need an analysis view as a data source. Which tool can you use to create this analysis view?

- A. SAP Analysis for Microsoft Office
- B. SAP BusinessObjetc Web Intelligence
- C. SAP Lumira, designer edition
- D. SAP Crustal Reportis for Enterprise

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 27

You define a remote subscription of type UPSERT in an SAP HANA Smart Data Integration (SDI) real-time udate scenario. Which fields are added to the DataSource automatically? Note: There are 3 correct answers to this question.

- A. SDI_CHANGE_SEQUENCE
- B. SDI_ENTITY_COUNTER
- C. SDI_RECORD_MODE
- D. SDI_CHANGE_TIME
- E. SDI_CHANGE_TYPE

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 28

"You have an existing field-based data flow that follows the LSA++ concept with all of its layers. To meet a new urgent business requirement, you want to leverage a characteristic hierarchy with the least amount of effort to change your data flow. Which object do you use to associate an InfoObject?"

- A. CompositeProvider
- B. Open ODS view
- C. BW query
- D. DataStore object (advanced).

Answer: B (LEAVE A REPLY)

Open ODS views are used to associate an InfoObject with a characteristic hierarchy without changing the existing data flow. Open ODS views can be created on top of any source system and can be used as a source for other objects such as CompositeProviders or BW queries. Open ODS views can also leverage the LSA++ concept by using different layers such as staging, quality, and harmonization. Reference: 12

NEW QUESTION: 29

You want to run a BW query, but you only have partial authorization for the data selection. What happens related to the BW query in this scenario?

- A. The BW query starts and only the authorized data is displayed
- B. The BW query does not start running
- C. The BW query starts and the unauthorized values are
- D. The BW query starts and shows an error message

Answer: D (LEAVE A REPLY)

NEW QUESTION: 30

"What are benefits of separating master data from transactional data in SAP BW/4HANA? Note: There are 3 correct answer to this question."

- A. Allowing different data load frequency
- B. Reducing the number of data transfer processes
- C. Ensuring referential integrity on your transactional data
- D. Providing language dependent master data texts.
- E. Avoiding generation of SID values.

Answer: A,C,D (LEAVE A REPLY)

Separating master data from transactional data in SAP BW/4HANA has the following benefits:

It allows different data load frequency for master data and transactional data, which can improve the performance and flexibility of data loading processes. For example, master data can be loaded daily or weekly, while transactional data can be loaded hourly or near real-time.

It ensures referential integrity on your transactional data by using SID values that link the transactional data to the master data. This way, the transactional data can be consistent and accurate across different InfoProviders and queries.

It provides language dependent master data texts that can be displayed in different languages according to the user's preference. This way, the master data can be more user-friendly and understandable for different audiences.

NEW QUESTION: 31

You created an Open ODS View on an SAP HANA database table to virtually consume the data in SAP BW/4HANA. Real-time reporting requirements have now changed and you are asked to persist the data in SAP BW/4HANA. Which objects are created when using the "Generate Data Flow" function in the Open ODS View editor? Note: There are 3 correct answers to this question.

- A. Transformation
- B. DataStore object (advanced)
- C. CompositeProvider
- D. SAP HANA calculation view
- E. Data source

Answer: A,B,E ([LEAVE A REPLY](#))

Valid C_BW4H_211 Dumps shared by Actual4test.com for Helping Passing C_BW4H_211 Exam! Actual4test.com now offer the **newest C_BW4H_211 exam dumps**, the Actual4test.com C_BW4H_211 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_BW4H_211 dumps with Test Engine here:

https://www.actual4test.com/C_BW4H_211_examcollection.html (83 Q&As Dumps, **30%OFF** Special Discount:

Freepdfdumps)

NEW QUESTION: 32

"What are benefits of separating master data from transactional data in SAP BW/4HANA? Note: There are 3 correct answer to this question."

- A. Ensuring referential integrity on your transactional data
- B. Providing language dependent master data texts.
- C. Reducing the number of data transfer processes
- D. Allowing different data load frequency
- E. Avoiding generation of SID values.

Answer: A,B,D ([LEAVE A REPLY](#))

Separating master data from transactional data in SAP BW/4HANA has the following benefits:

It allows different data load frequency for master data and transactional data, which can improve the performance and flexibility of data loading processes. For example, master data can be loaded daily or weekly, while transactional data can be loaded hourly or near real-time.

It ensures referential integrity on your transactional data by using SID values that link the transactional data to the master data. This way, the transactional data can be consistent and accurate across different InfoProviders and queries.

It provides language dependent master data texts that can be displayed in different languages according to the user's preference. This way, the master data can be more user-friendly and understandable for different audiences.

NEW QUESTION: 33

SAP provides three data warehouse solutions to provide customers more flexibility. How is SAP Data Warehouse Cloud positioned?

- A. To support business user who want to simplify their own ABAP routines
- B. To support business user with a new self-service tool to model their own data flows
- C. To empower business users to create and maintain process chain from SAP BW/4HANA dataflows

D. To empower business users to generate SQL code that is pushed to SAP BW/4HANA

Answer: B (LEAVE A REPLY)

NEW QUESTION: 34

You use InfoObject B as a display attribute for InfoObject A. Which object properties prevent you from changing InfoObject B into a navigational attribute for InfoObject A? Note: There are 3 correct answers to this question."

- A. High Cardinality is set in InfoObject B
- B. Attribute Only is set in InfoObject B
- C. Data Type "Character String" is set in InfoObject A
- D. Conversion Routine "ALPHA" is set in InfoObject A
- E. InfoObject B is defined as a Key Figure.

Answer: A,B,D (LEAVE A REPLY)

- * A. High Cardinality is set in InfoObject B: This is an object property that prevents you from changing InfoObject B into a navigational attribute for InfoObject A. A characteristic with high cardinality cannot be used as a navigation attribute for another characteristic, and therefore it cannot have navigation attributes itself¹².
- * B. Attribute Only is set in InfoObject B: This is an object property that prevents you from changing InfoObject B into a navigational attribute for InfoObject A. A characteristic that is marked as an exclusive attribute can only be used as a display attribute for another characteristic, but not as a navigational attribute. In addition, the characteristic cannot be transferred into InfoCubes³⁴.
- * D. Conversion Routine "ALPHA" is set in InfoObject A: This is an object property that prevents you from changing InfoObject B into a navigational attribute for InfoObject A. A characteristic that has a conversion routine cannot have navigational attributes, because the conversion routine would have to be applied to the navigational attributes as well, which is not possible⁵.

Reference:

- * 1 https://help.sap.com/docs/SAP_BW4HANA/107a6e8a38b74ede94c833ca3b7b6f51/f851415842154e59a5f038e458b97a0b.html
- * 2 https://help.sap.com/doc/saphelp_nw75/7.5.5/en-US/f8/51415842154e59a5f038e458b97a0b/content.htm
- * 3 https://help.sap.com/doc/saphelp_scm700_ehp02/7.0.2/en-US/63/f3c416bcbf4730bb86e62ef8a54e17/content.htm
- * 4 <https://answers.sap.com/questions/1149854/difference-display-attribute-and-navigational-attr.html>
- * 5 https://help.sap.com/doc/saphelp_nw75/7.5.5/en-US/42/f93a83ae5546d3a7cfd7ff09e25a2b/content.htm
- * <https://answers.sap.com/questions/10121838/infoobjects-attributes.html>

Valid C_BW4H_211 Dumps shared by Actual4test.com for Helping Passing C_BW4H_211 Exam! Actual4test.com now offer the **newest C_BW4H_211 exam dumps**, the Actual4test.com C_BW4H_211 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_BW4H_211 dumps with Test Engine here:

https://www.actual4test.com/C_BW4H_211_examcollection.html (83 Q&As Dumps, **30%OFF** Special Discount:

Freepdfdumps)