

SAP.C_C4H620_34.v2025-05-19.q70

Exam Code:	C_C4H620_34
Exam Name:	SAP Certified Application Associate - SAP Customer Data Cloud
Certification Provider:	SAP
Free Question Number:	70
Version:	v2025-05-19
# of views:	1276
# of Questions views:	700
https://www.freepdfdumps.com/SAP.C_C4H620_34.v2025-05-19.q70.html	

NEW QUESTION: 1

Which capabilities does the UI Builder provide? Note: There are 3 correct answers to this question.

- A. Field mapping
- B. Policy editor
- C. Drag-and-drop visual editing
- D. Hosted page editor
- E. Language translation support

Answer: C,D,E (LEAVE A REPLY)

The capabilities provided by the UI Builder in SAP Customer Data Cloud include:

- * Drag-and-drop visual editing (C): This allows users to visually design and customize the user interface by dragging and dropping elements.
- * Hosted page editor (D): This feature enables the creation and editing of hosted pages directly within the UI Builder.
- * Language translation support (E): This supports the translation and localization of content, making it easier to manage multiple languages.

References

- * SAP Customer Data Cloud UI Builder Documentation
- * SAP Help Portal on UI Builder Features

NEW QUESTION: 2

How would you define a field as required for a child API key?

Note: There are 2 correct answers to this question.

- A. By setting the scope parameter to Site
- B. By setting it within the profile schema

- C. By setting it from within the schema editor inside that API key
- D. By setting the scope parameter to Group

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 3

What are the recommended ways to facilitate a lite account progression to a full account?

Note: There are 3 correct answers to this question.

- A. Automatic progression policy
- B. Webhooks
- C. Screen-sets flow
- D. Extensions
- E. Rest API flow

Answer: ([SHOW ANSWER](#))

Facilitating a lite account progression to a full account in SAP Customer Data Cloud can be achieved through the following recommended ways:

- * Automatic progression policy: This automatically upgrades lite accounts to full accounts based on predefined criteria.
- * Screen-sets flow: This method uses predefined screens and user interfaces to guide the user through the account progression process.
- * Rest API flow: This allows programmatic control over the account progression process using RESTful APIs.

These methods provide flexibility and automation in managing account upgrades, enhancing user experience and administrative efficiency.

References

- * SAP Customer Data Cloud Lite to Full Account Progression Documentation

NEW QUESTION: 4

Which of the library based on Google Maps that facilitates implementation of any map behavior and component in your app?

- A. yLocationLibrary
- B. yCommerceLibrary
- C. DrawerPushLayout
- D. CatalogMenuFragment

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which of the following actions would trigger an update to the consent vault?

- A. A user opts out of a newsletter.
- B. A user updates their address and contact details.
- C. A user executes a failed login attempt.
- D. A user connects their account to their social media network account

Answer: (SHOW ANSWER)

An update to the consent vault in SAP Customer Data Cloud is triggered by actions that involve changes to a user's consent preferences. Specifically, when:

- * User Optes Out of a Newsletter: This action directly impacts the user's consent records, as it reflects a change in their subscription and communication preferences.
- * Consent Vault Update: Opting out of a newsletter requires updating the consent vault to record the user's new preference, ensuring compliance with consent management and data privacy regulations.

Other actions, such as updating contact details, failed login attempts, or connecting to social media, do not directly involve changes to consent preferences and therefore do not trigger updates to the consent vault.

References

- * SAP Customer Data Cloud Consent Management Documentation

NEW QUESTION: 6

Which of the dataflow are dedicated components?

- A. Assessment tool
- B. Security log
- C. Building Blocks
- D. Networking log

Answer: C (LEAVE A REPLY)

NEW QUESTION: 7

Which type of Module provides features that registers events and webservices from SAP Commerce to SAP Cloud Platform Extension Factory ?

- A. Bulk Editing in Backoffice
- B. Extension Factory Integration
- C. Bookmark Support in Backoffice
- D. Backoffice Login Page

Answer: B (LEAVE A REPLY)

NEW QUESTION: 8

What data is required to perform signature validation to verify the authenticity of an API request? Note: There are 3 correct answers to this question.

- A. LoginId
- B. signatureKey
- C. signature Timestamp
- D. UIDSignature
- E. UID

Answer: B,C,D (LEAVE A REPLY)

To perform signature validation and verify the authenticity of an API request, the required data includes:

- * signatureKey: This key is used to generate the signature for the API request.
- * signature Timestamp: This timestamp ensures the signature is valid within a specific time frame, preventing replay attacks.
- * UIDSignature: This is the actual signature that needs to be validated against the data using the signatureKey.

These elements are crucial for ensuring the integrity and authenticity of API requests.

References

- * SAP Customer Data Cloud Signature Validation Documentation

NEW QUESTION: 9

What is the recommended approach to design a family-relationship model in SAP Customer Data Cloud?

- A. Use the profile custom data functionality.
- B. Set up a family account data store schema.
- C. Set up a family account group model.
- D. Use the standard profile fields.

Answer: C (LEAVE A REPLY)

To design a family-relationship model in SAP Customer Data Cloud, the recommended approach is to set up a family account group model. This method allows for the grouping of multiple user accounts under a single family account, thereby enabling the management of family relationships and shared data within the system.

- * Family Account Group Model: This model allows for the representation of family relationships by creating a primary account (e.g., parent) and linking secondary accounts (e.g., children) to it.
- * Benefits: This approach simplifies the management of shared information and permissions, making it
- * easier to handle family-related data and interactions within the system.
- * Implementation: Use APIs and data structures provided by SAP Customer Data Cloud to create and manage these family groups.

References

- * SAP Customer Data Cloud Documentation

NEW QUESTION: 10

Which features can be overridden at the child level when using site groups? Note: There are 3 correct answers to this question.

- A. New User Welcome email template
- B. Web SDK configuration
- C. Default login and registration screen-set
- D. Login identifier

E. Data schema

Answer: A,C,D (LEAVE A REPLY)

When using site groups in SAP Customer Data Cloud, the following features can be overridden at the child level:

- * New User Welcome email template: Each child site can customize the welcome email sent to new users.

- * Default login and registration screen-set: Child sites can define their own login and registration screens, tailored to their specific requirements.

- * Login identifier: Child sites can specify different login identifiers (e.g., email, username) from the parent site.

These override capabilities provide flexibility in managing user experience across different sites within a group.

References

- * SAP Customer Data Cloud Site Groups Documentation

NEW QUESTION: 11

You want to retrieve the users who subscribed to the Fitness Newsletter from email accounts. What is the correct way to query the information?

A. SELECT * FROM emailAccounts WHERE
subscriptions.<Fitness>.email.isSubscribed=true AND subscriptions.
<Fitness>.email.hasFullAccount=true

B. SELECT * FROM fullAccounts WHERE
subscriptions.<Fitness>.email.isSubscribed=true

C. SELECT * FROM emailAccounts WHERE subscriptions.<Fitness>
email.isSubscribed=true

D. SELECT * FROM emailAccounts WHERE
subscriptions.<Fitness>.email.hasFullAccount=true

Answer: B (LEAVE A REPLY)

To retrieve users who subscribed to the Fitness Newsletter from email accounts, the correct query to use is:

- * SELECT * FROM fullAccounts WHERE subscriptions.<Fitness>.email.isSubscribed=true

This query filters the fullAccounts table to find users who are subscribed to the Fitness Newsletter. It specifically checks the isSubscribed status within the subscriptions object for the Fitness newsletter.

References

- * SAP Customer Data Cloud Query Documentation

NEW QUESTION: 12

What is the offering from SAP Customer Data Cloud for businesses to manage their relationship with other businesses in a transparent way?

A. Experiential perspective

- B. Pretty Good Privacy (PGP)
- C. One-time pad (OTP)
- D. CIAM for B2B

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 13

You are building a dataflow to synchronize existing users' subscriptions from the marketing system to SAP Customer Data Cloud. The marketing system will provide a PGP-encrypted file and place it on an S3 bucket.

All records failing to update will be zipped and sent back to the S3 bucket. Which actions will you perform during the creation of the dataflow? Note: There are 2 correct answers to this question

- A. Add a file decrypt.pgp component and a file compress.zip component.
- B. Add a file encrypt.pgp component and a file uncompress.zip component.
- C. Add an error handling step after a datasource.write.gigya.account component.
- D. Add an error handling step after a datasource.read.amazon.s3 component.

Answer: ([SHOW ANSWER](#))

When creating a dataflow to synchronize existing users' subscriptions from the marketing system to SAP Customer Data Cloud with the given requirements, you need to perform the following actions:

- * File Decrypt and Compress Components: Add a file decrypt.pgp component to decrypt the PGP-encrypted file provided by the marketing system and a file compress.zip component to compress the failed records before sending them back to the S3 bucket.
- * file.decrypt.pgp: Decrypts the incoming PGP-encrypted file.
- * file.compress.zip: Compresses the records that failed to update.
- * Error Handling Step: Add an error handling step after the datasource.write.gigya.account component to manage records that fail to update in the SAP Customer Data Cloud.
- * Error Handling: This step ensures that any records that fail to update are processed and handled appropriately, including being zipped and sent back to the S3 bucket.

These actions ensure that the dataflow handles encryption, compression, and error management effectively.

References

- * SAP Customer Data Cloud Dataflow Documentation

NEW QUESTION: 14

Do we support nested organizations?

- A. No
- B. Yes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

What are required for accessing each system and customer database?

- A. Government
- B. Specify passwords
- C. Mainstream
- D. IDs

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 16

What happen when a hypertext link points to a page on a web site other than its home page that involves some navigation into the structure of the web site ?

- A. yvoid Extension Template
- B. Available Extension Templates
- C. Deep linking occurs
- D. Jalo-Logic-Free Extension

Answer: C ([LEAVE A REPLY](#))

Valid C_C4H620_34 Dumps shared by Actual4test.com for Helping Passing C_C4H620_34 Exam! Actual4test.com now offer the **newest C_C4H620_34 exam dumps**, the Actual4test.com C_C4H620_34 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_C4H620_34 dumps with Test Engine here: https://www.actual4test.com/C_C4H620_34_examcollection.html (209 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 17

Who can delete the data after a certain retention period, to accommodate the user's right to be forgotten ?

- A. Configuration tabs
- B. Name of the configuration
- C. System
- D. Assigned RFC destination

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 18

What are the key pages required to set up SAP Customer Data Cloud as a SAML identity provider? Note:

There are 2 correct answers to this question.

- A. Assertion
- B. Proxy
- C. Error

D. Consent

Answer: B,C ([LEAVE A REPLY](#))

To set up SAP Customer Data Cloud as a SAML identity provider, the key pages required are:

- * Proxy Page: This page facilitates the interaction between the Service Provider (SP) and the Identity Provider (IdP), managing the SAML request and response flows.

- * Error Page: This page is used to display error messages and handle exceptions during the SAML authentication process.

These pages ensure the proper functioning and user experience during the SAML authentication process.

References

- * SAP Customer Data Cloud SAML Configuration Documentation

NEW QUESTION: 19

Which of the three demand better experiences throughout the entire business relationship?

A. Suppliers

B. Consultants

C. Customers

D. Corrections

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 20

Which of the following are OpenID Connect terminology? Note: There are 2 correct answers to this question

A. Scope

B. Assertion

C. Claims

D. Metadata

Answer: A,C ([LEAVE A REPLY](#))

In OpenID Connect (OIDC) terminology, the following terms are commonly used:

- * Scope: This term refers to the set of permissions or access rights that are being requested by the client application.

- * Claims: These are pieces of information about the user, such as name, email, and other profile information, that are returned by the identity provider.

These terms are essential for understanding the permissions and user information handled within the OpenID Connect protocol.

References

- * OpenID Connect Core Documentation

NEW QUESTION: 21

How many components are there in SDK comprises ?

- A. 4
- B. 6
- C. 9
- D. 8

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 22

You are implementing Customer Identity via server-side REST API. What do you have to do in the Console to start making API calls against your existing API key?

- A. Create a new application and secret key to be used for the request.
- B. Enable the REST interface in the site settings.
- C. Add the IP address of the backend on the IP-Allowlist of SAP Customer Data Cloud.
- D. Create a CNAME in the site settings.

Answer: C ([LEAVE A REPLY](#))

When implementing Customer Identity via server-side REST API in SAP Customer Data Cloud, you must add the IP address of the backend to the IP-Allowlist in the Console to start making API calls against your existing API key. This ensures that only requests from allowed IP addresses can interact with the SAP Customer Data Cloud, enhancing security.

* IP-Allowlist Configuration:

- * Navigate to the site settings in the Console.
- * Add the IP addresses of your backend servers to the IP-Allowlist.
- * Security: This step ensures that only specified IP addresses can make API calls using your API key, preventing unauthorized access.

References

- * SAP Customer Data Cloud Security Documentation

NEW QUESTION: 23

Which of the SDK allows you to quickly develop mobile solutions for your customers by leveraging the use of tools and libraries developed specifically for Android ?

- A. Engine implementation
- B. Default JSON converter
- C. Network communication
- D. SAP Commerce Mobile App SDK

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 24

Which of the following lists contains only segments of the accounts database?

- A. Registration Data, Preferences, System Data
- B. Profile Data, Preferences, Data Store
- C. Identities, Custom Data, Data Store

D. Profile Data, Custom Data, System Data

Answer: D ([LEAVE A REPLY](#))

In SAP Customer Data Cloud, the segments of the accounts database include:

- * Profile Data: Contains user-specific information such as name, email, and other personal details.
- * Custom Data: Allows for storing additional custom attributes defined by the implementation.
- * System Data: Includes system-generated information related to the user account.

These segments are used to store and manage different types of user data within the accounts database.

References

- * SAP Customer Data Cloud Data Segments Documentation

NEW QUESTION: 25

Which of the two sites should belong to the same data center?

- A. Target**
- B. Hubs**
- C. Source**
- D. Hinges**

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which properties can you set in the field of a schema? Note: There are 3 correct answers to this question.

- A. Whether the field is compressed**
- B. Whether the field is encrypted**
- C. Whether the field is hidden**
- D. The field's type**
- E. The field's name**

Answer: B,D,E ([LEAVE A REPLY](#))

In a schema field within SAP Customer Data Cloud, you can set various properties to define its behavior and characteristics. The properties include:

- * Whether the field is encrypted: This property ensures the data stored in the field is encrypted for security purposes.
- * The field's type: This property defines the data type of the field (e.g., string, integer, boolean).
- * The field's name: This property assigns a unique name to the field for identification and reference within the schema.

These properties help in customizing and securing the data structure within the system.

References

- * SAP Customer Data Cloud Schema Field Documentation

NEW QUESTION: 27

What method of the iOS SDK would you use to display a plugin modally?

- A. viewPluginDialogOn
- B. showPluginDialogOver
- C. showPluginDialogOn
- D. viewPluginDialogOver

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 28

When the user profile is created in SAP Customer Data Cloud and then in SAP Commerce, with name, email, and SAP Customer Data Cloud UID? (Choose the correct option)

- A. Direct - option for housing reservations
- B. Advantages of direct - option for housing reservations
- C. Once the customer registers on the storefront
- D. Limitations of direct - option for housing reservations

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 29

How can you define privileges in the Console?

- A. By using permission groups
- B. By enabling auditing capabilities
- C. By creating administrators and applications
- D. By using IP restrictions

Answer: (SHOW ANSWER)

Privileges in the SAP Customer Data Cloud Console can be defined by using permission groups.

- * Using permission groups:

- * Permission groups allow administrators to assign specific permissions and roles to different users or applications.

- * This helps in managing access control and ensuring that only authorized users can perform certain actions.

Permission groups are a central feature for defining and managing privileges within the Console.

References

- * SAP Customer Data Cloud Permission Groups Documentation

NEW QUESTION: 30

You are implementing a website that will allow users to log in using their existing company credentials by initiating an OIDC flow. How would you configure your website and SAP Customer Data Cloud?

- A. SAP Customer Data Cloud as the RP, and the website as the OP
- B. SAP Customer Data Cloud as the SP, and the website as the OP
- C. SAP Customer Data Cloud as the IdP, and the website as the SP
- D. SAP Customer Data Cloud as the RP, and the website as the IdP

Answer: D (LEAVE A REPLY)

To configure your website and SAP Customer Data Cloud for allowing users to log in using their existing company credentials via an OpenID Connect (OIDC) flow, you should set:

* SAP Customer Data Cloud as the Relying Party (RP), and the website as the Identity Provider (IdP).

This configuration allows the website to authenticate users and then pass the authentication information to SAP Customer Data Cloud for further processing.

References

* SAP Customer Data Cloud OIDC Configuration Documentation

NEW QUESTION: 31

Why deep linking is dependent on the single sign-on (SSO) configuration, which is typically done by Professional Services upon implementation in single sign-on and deep linking ?

- A. Replicate quotes from SAP CPQ to SAP Commerce
- B. Convert quote to sales order and replicate to SAP ERP
- C. Update the commerce quote from SAP CPQ with price and discounts
- D. For SAP Jam Collaboration

Answer: D (LEAVE A REPLY)

Valid C_C4H620_34 Dumps shared by Actual4test.com for Helping Passing C_C4H620_34 Exam! Actual4test.com now offer the **newest C_C4H620_34 exam dumps**, the Actual4test.com C_C4H620_34 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_C4H620_34 dumps with Test Engine here: https://www.actual4test.com/C_C4H620_34_examcollection.html (209 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

Which of the file contains the JavaScript code that calls the Profile Tag script ?

- A. Order Management for SAP Commerce with AOM
- B. SAP Product Availability
- C. ProfileTag.tag
- D. SAP Master Data

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

You want to use the New User Welcome template to ensure new users will receive an automatic email after the account becomes fully registered. Where can you activate this?

- A.** In your Site settings
- B.** In your Email Policies
- C.** In your Email Templates settings
- D.** In your Flow Builder template

Answer: D ([LEAVE A REPLY](#))

To ensure new users receive an automatic email using the New User Welcome template after their account becomes fully registered, you can activate this feature in the Flow Builder template. Flow Builder allows you to design and manage workflows that trigger specific actions, such as sending emails upon user registration completion.

* Flow Builder Template: This tool within SAP Customer Data Cloud provides a visual interface to define the sequence of events and actions that should occur during user registration and other processes.

* Access the Flow Builder template settings.

* Configure the flow to include an action that sends the New User Welcome email upon successful account registration.

* Save and activate the flow to ensure that new users automatically receive the welcome email.

This setup helps automate the communication process and enhances the user onboarding experience.

References

* SAP Customer Data Cloud Flow Builder Documentation

NEW QUESTION: 34

Which of the cloud provides a centralized location to manage your user profiles and user consent ?

- A.** SAP Customer Data Cloud
- B.** Housing provider with the group rate
- C.** Advantages of in-house with group rate
- D.** Advantages of housing provider

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

What is the function of the Assertion Consumer Service URL in an SAML implementation?

- A.** It allows consumers to securely enter their SAML credentials.
- B.** It asserts the logged-in status of the consumer.
- C.** It enables the proxy page and its linked pages, such as login and error pages.

D. It tells the IdP where to send the SAML response after authenticating a user

Answer: D ([LEAVE A REPLY](#))

In an SAML implementation, the Assertion Consumer Service (ACS) URL plays a critical role by indicating where the Identity Provider (IdP) should send the SAML response after authenticating a user.

* Assertion Consumer Service URL Function:

* The ACS URL is specified in the SAML configuration.

* After successful authentication, the IdP sends the SAML assertion to this URL.

* The Service Provider (SP) then processes the SAML response to complete the login process.

References

* SAML Implementation Guide

NEW QUESTION: 36

Who can integrate sap commerce with sap cloud platform extension factory by establishing trust between the two system in Backoffice ?

A. Data Hub for data replication

B. Administrator

C. Spring as programming model

D. SAP Commerce extension concept

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 37

Which type of AddOn provides an easy path for users of the B2C accelerator to tag the website and send events to Context-Driven Services Foundation ?

A. Data Hub Knowledge

B. Profile Tag AddOn

C. Build Essential Data

D. Foundational concepts

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 38

Which of the pixels are more sophisticated tags based on JavaScript ?

A. Cornerstones of Data

B. Hub operation

C. Tracking pixels

D. Reasonable understanding

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 39

After a successful login, the registration completion screen is automatically displayed.
What is causing this behavior?

- A. There is a new schema field without a value.
- B. There is a new subscription without a value.
- C. Two-factor authentication is enabled.
- D. The user didn't accept a mandatory consent.

Answer: D ([LEAVE A REPLY](#))

The registration completion screen is automatically displayed after a successful login because:

- * The user didn't accept a mandatory consent (D): If a mandatory consent is not accepted by the user, the system prompts them to complete this step before proceeding.

References

- * SAP Customer Data Cloud Consent Management Documentation
- * SAP Help Portal on Registration Processes

NEW QUESTION: 40

Once the Web SDK has loaded, some additional code needs to be run. What is the best practice for this use case?

- A. Use the JavaScript onLoad event
- B. Use the onGigyaServiceReady function
- C. Use accounts.addEventHandlers
- D. Use the <head> tag

Answer: ([SHOW ANSWER](#))

Once the Web SDK has loaded, the best practice to run additional code is to use the onGigyaServiceReady function.

- * onGigyaServiceReady function: This function ensures that the Gigya services are fully loaded and ready before executing additional code.

Using this function ensures that all necessary components are available and prevents errors related to incomplete loading of services.

References

- * SAP Customer Data Cloud Web SDK Documentation

NEW QUESTION: 41

What is a model for fine-grained authorization where the access is defined according to the attributes of the user, the attributes of the resource and the attributes of the environment?

- A. Clustering
- B. Calls to action
- C. ABAC (Attribute Based Access Control)
- D. Scaling out

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 42

What resources are available for reading subscription data? Note: There are 2 correct answers to this question

- A. accounts.search
- B. accounts.getAccountinfo
- C. idx.search
- D. accounts.getSchema

Answer: B,C (LEAVE A REPLY)

To read subscription data in SAP Customer Data Cloud, the following resources can be used:

- * accounts.getAccountinfo: This API endpoint retrieves detailed information about a user's account, including subscription data.
- * Use this endpoint to fetch user-specific subscription details as part of the account information.
- * The response includes various attributes related to the user's subscriptions.
- * idx.search: This API endpoint allows for advanced searching and querying of indexed data, which can include subscription information.
- * Use this endpoint to perform searches based on specific criteria related to subscriptions.
- * The idx.search function is powerful for retrieving data sets that match certain conditions across multiple user accounts.

These resources enable comprehensive access to subscription data, facilitating detailed reporting and analysis.

References

- * SAP Customer Data Cloud accounts.getAccountinfo Documentation
- * SAP Customer Data Cloud idx.search Documentation

NEW QUESTION: 43

You have an existing site hosted over a URL and using Web SDK. What can you use to connect and route events to the Android SDK?

- A. GigyaWebView
- B. GigyaWebBridge
- C. GigyaPluginView
- D. GigyaSiteBridge

Answer: B (LEAVE A REPLY)

To connect and route events from an existing site hosted over a URL and using the Web SDK to the Android SDK, you should use GigyaWebBridge.

- * GigyaWebBridge: This component enables seamless integration and communication between the Web SDK and the Android SDK, allowing events to be routed and handled appropriately across platforms.

* Functionality: By using GigyaWebBridge, you ensure that the events generated on the web application can be captured and processed by the mobile application, maintaining consistent user experience and data synchronization.

This approach provides a reliable way to connect your web-based site with mobile applications using the Android SDK.

References

* SAP Customer Data Cloud SDK Documentation

NEW QUESTION: 44

What is achieved using the SAP Cloud Platform Identity Provisioning service that allows the provisioning of centrally managed identities and their access across the enterprise ?

- A. Jalo-Logic-Free Extension
- B. Identity provisioning
- C. Localization Support
- D. yvoid Extension Template

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

What is a ready-to-use web implementation template that enables you to jumpstart your implementation and easily build and maintain a feature-rich omni-channel commerce solution ?

- A. SAP ERP acts
- B. Order management scenario
- C. SAP Commerce leverages
- D. SAP Commerce Accelerator

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 46

You need to modify the data schema to keep a log of customer orders in SAP Customer Data Cloud. What is the recommended way to achieve that?

- A. Modify the accounts data schema to add an array of orders attribute.
- B. Add a custom type to the Data Store and provide a UID when storing customer order documents.
- C. Update the profile schema according to the order data structure.
- D. Add a JSON document to the custom data.

Answer: B ([LEAVE A REPLY](#))

To keep a log of customer orders in SAP Customer Data Cloud, the recommended way is to add a custom type to the Data Store and provide a UID when storing customer order documents.

* Add a custom type to the Data Store:

* Navigate to the Data Store in the SAP Customer Data Cloud Console.

- * Create a new custom type that represents the order data structure.
- * Provide a UID when storing customer order documents:
- * When storing order data, include the UID of the customer to link the orders to the correct customer account.
- * This method ensures that order data is stored separately from the account schema but can be associated with specific customers through the UID.

References

- * SAP Customer Data Cloud Data Store Documentation

Valid C_C4H620_34 Dumps shared by Actual4test.com for Helping Passing C_C4H620_34 Exam! Actual4test.com now offer the **newest C_C4H620_34 exam dumps**, the Actual4test.com C_C4H620_34 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_C4H620_34 dumps with Test Engine here: https://www.actual4test.com/C_C4H620_34_examcollection.html (209 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 47

You're executing an accounts search query via REST API. In the response, you see an identities array. What is stored as part of this array?

- A. Custom data fields
- B. Social identities of the user
- C. Login identifiers (including custom identifiers) of the user
- D. The UIDs belonging to the user

Answer: B (LEAVE A REPLY)

When executing an accounts search query via the SAP Customer Data Cloud REST API, the response includes an "identities" array. This array is designed to store the social identities of the user. Social identities refer to the various social login accounts (such as Facebook, Google, LinkedIn, etc.) that a user has linked to their account within the SAP Customer Data Cloud. This information is critical for recognizing the different social media profiles that are associated with a single user account in the system.

- * Identities Array: This array includes objects representing each social identity linked to the user's
- * account.
- * Social Identities: Each object within the identities array contains details about a specific social media account, such as the provider (e.g., Facebook, Google), the provider UID, and other related data.
- * Usage: This feature allows for the aggregation of user data across multiple social platforms, providing a comprehensive view of user identity.

References

- * SAP Customer Data Cloud API Documentation
- * SAP Help Portal

NEW QUESTION: 48

What is the recommended approach to make a native API call, such as getAccountinfo, from an Android client?

- A.** Use an application key and secret and make an HTTP POST call to the API endpoint.
- B.** Use an application key and secret and make an HTTP GET call to the API endpoint.
- C.** Use internal SDK method Gigya.getInstance().send to call the API method.
- D.** Use internal SDK method Gigya.getInstance().send to call the API method with an application key and secret.

Answer: ([SHOW ANSWER](#))

The recommended approach to make a native API call, such as getAccountinfo, from an Android client is to:

- * Use internal SDK method Gigya.getInstance().send to call the API method with an application key and secret (D): This method allows you to securely call the API using the provided application key and secret.

References

- * SAP Customer Data Cloud Android SDK Documentation
- * SAP Help Portal on Native API Calls

NEW QUESTION: 49

Can an org. member be associated to multiple organizations?

- A.** Must conform to the latest accessibility standards
- B.** Must complement the company's direction
- C.** Yes, with different roles, departments etc
- D.** Must conform to the latest technical standards

Answer: **C** ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which of the two restrictions are imposed on the amount and frequency of data flows each partner can run?

- A.** Maximum allowed number of data flows- 5
- B.** The target node that you designate for your network
- C.** Converting the existing print catalog into HTML
- D.** Maximum allowed number of scheduled data flows- 5

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

Which type of services foundation tracks only the type of information for which the consumer or the tenant grants consent ?

- A. Commerce storefront
- B. Context-Driven Services
- C. Data containers
- D. GenIL connectivity framework

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 52

By which, we find out what were the bottlenecks of a job that took a long time to run, review performance issues, and monitor the number of records that completed the flow?

- A. Page weight
- B. Step metrics
- C. Page rankings
- D. Server logs

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

Your customer's security team wants to improve login security on their website. What risk factors can be configured through the Risk-Based Authentication UI? Note: There are 3 correct answers to this question.

- A. Unsuccessful logins from a different account but from the same IP
- B. Login from different location
- C. Login during a specific timeframe
- D. Unsuccessful logins on a specific date
- E. Unsuccessful logins from a specific account

Answer: A,B,E ([LEAVE A REPLY](#))

The Risk-Based Authentication UI in SAP Customer Data Cloud allows configuration of various risk factors to improve login security. The configurable risk factors include:

- * Unsuccessful logins from a different account but from the same IP: This factor considers failed login attempts from the same IP address but using different accounts, indicating possible malicious activity.
- * Login from different location: This factor monitors login attempts from locations that are unusual for the user, helping to detect potential account compromises.
- * Unsuccessful logins from a specific account: This factor tracks failed login attempts on a specific account, which could indicate a brute-force attack.

These risk factors enhance the security of user logins by identifying and mitigating potential threats.

References

- * SAP Customer Data Cloud Risk-Based Authentication Documentation

NEW QUESTION: 54

Which of the sets available in SAP Customer Data Cloud to be used in SAP Commerce to enable you to connect with your website and app users, and engage with your customers? (Choose the correct option)

- A. Pace report
- B. Housing processes
- C. Registration Screen
- D. Login screen

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 55

Who offers you the option of writing your own custom scripts to use in a dataflow?

- A. T-SQL
- B. ANSI SQL
- C. IdentitySync
- D. Key progress

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

Which of the extension contains simplified interfaces for processing login, registration, and profile updates from SAP Customer Data Cloud ?

- A. Identity provider
- B. SAML authority
- C. SAML consumer.
- D. gigya facades extension

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 57

Who can update his profile either from the SAP Commerce store front, or an agent can update it from the Backoffice?

(Choose the correct option)

- A. Consultant
- B. End user
- C. Supplier
- D. Customer

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

What can be used in other Android applications, as this is a completely independent HTTP client ?

- A. yCommerceLibrary.
- B. SAP Commerce Mobile App

C. HTTPClientLibrary

D. Asynchronous way

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 59

Which password attributes can be defined in the Customer Identity policies? Note: There are 2 correct answers to this question.

A. Max character groups

B. Max length

C. Password reset token expiration time

D. Min length

Answer: B,D ([LEAVE A REPLY](#))

In the Customer Identity policies, the password attributes that can be defined include:

- * Max length (B): This sets the maximum allowed length for user passwords.

- * Min length (D): This sets the minimum required length for user passwords.

These settings help enforce password complexity and security standards.

References

- * SAP Customer Data Cloud Security Policies Documentation

- * SAP Help Portal on Password Policy Settings

NEW QUESTION: 60

Which authorization framework supports both coarse-grained and fine-grained authorization?

A. Access control based on lists and roles

B. Access control based on policies

C. Access control based on roles

D. Access control based on attributes

Answer: D ([LEAVE A REPLY](#))

The authorization framework that supports both coarse-grained and fine-grained authorization is:

- * Access control based on attributes:

- * Attribute-based access control (ABAC) allows for detailed and flexible access control policies by using attributes (user attributes, resource attributes, and environmental attributes).

- * This method supports both broad (coarse-grained) and detailed (fine-grained) access control requirements.

References

- * SAP Customer Data Cloud Access Control Documentation

NEW QUESTION: 61

What login identifier settings can you maintain in SAP Customer Data Cloud? Note: There are 2 correct answers to this question.

- A. A biometric identifier
- B. A custom login identifier
- C. A username
- D. SAML identifier

Answer: (SHOW ANSWER)

In SAP Customer Data Cloud, you can maintain various login identifier settings. The settings include:

- * A custom login identifier: This allows you to define a custom identifier for login purposes, providing flexibility in how users access the system.
- * A username: This is a traditional login identifier allowing users to log in using a unique username.

These settings enable customized and secure login methods, accommodating diverse authentication requirements.

References

- * SAP Customer Data Cloud Login Identifier Settings Documentation

Valid C_C4H620_34 Dumps shared by Actual4test.com for Helping Passing C_C4H620_34 Exam! Actual4test.com now offer the **newest C_C4H620_34 exam dumps**, the Actual4test.com C_C4H620_34 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_C4H620_34 dumps with Test Engine here: https://www.actual4test.com/C_C4H620_34_examcollection.html (209 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)

NEW QUESTION: 62

Can we add additional attributes on the org. <-> org. member relationship?

- A. ISO SQL
- B. T-SQL
- C. ANSI SQL
- D. No

Answer: (SHOW ANSWER)

NEW QUESTION: 63

You are implementing a native registration flow using the mobile SDK as follows: Call accounts.initRegistration. Call accounts.register with the loginID and password, and regToken. Account goes to pending registration status - missing required fields. Call accounts.setAccountInfo with required fields data. Call accounts.finalizeRegistration. However, you are getting a permission error when performing steps

3 and 4. Which parameters should be passed to steps 3 and 4 to stop the error?

- A. The regToken
- B. An app key and secret
- C. The loginID
- D. The password

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 64

Which of the solution with a governance process to secure applications and resources and help prevent data leaks and unauthorized access across the entire digital ecosystem?

- A. S-HTTP
- B. SSL
- C. Centralized Policy Based Access Control (PBAC)
- D. SET

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 65

For browsers that block third-party cookies, what additional implementation steps can you take to ensure that SSO functions properly? Note: There are 2 correct answers to this question

- A. Call initSSO in the onLogin handler after successful logins.
- B. Set the continueSSO parameter to true in Global Configuration.
- C. Configure a CNAME
- D. Set storageDomainOverride for the group parent site in Global Configuration.

Answer: C,D ([LEAVE A REPLY](#))

For browsers that block third-party cookies, additional steps can ensure that Single Sign-On (SSO) functions properly:

- * Configure a CNAME: This allows the system to use a first-party cookie instead of a third-party cookie, bypassing the restriction.
 - * Set storageDomainOverride for the group parent site in Global Configuration: This setting ensures the cookies are correctly attributed and managed across different domains.
- These configurations help maintain SSO functionality even with browser restrictions on third-party cookies.

References

- * SAP Customer Data Cloud SSO Configuration Documentation

NEW QUESTION: 66

Which of the extension provides the data model changes, DAOs, and services to provide integration with SAP Customer Data Cloud ?

- A. Sapcoreconfiguration
- B. Gigyaservices

- C. Sapcorejco
- D. SncLibraryPath

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 67

When you must add the consent template in SAP Commerce Backoffice ?

- A. SAP integration into Backoffice
- B. To enable consent replication
- C. Attributes and parameters
- D. SAP-specific configuration data

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 68

Delegated administration for Partner Admins includes performing, which of the following for partner users?

- A. Activation
- B. Scaling
- C. Role assignment
- D. Password reset

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

You would like to secure the communication of the Webhooks notifications. Which of the following statements is valid?

Note: There are 3 correct answers to this question.

- A. The notification can be signed with a Partner secret.
- B. The notification can be signed with a User secret.
- C. The authenticity of the notification can be validated with SigUtils.ValidateUserSignature.
- D. The authenticity of the notification can be validated with the X-Gigya-Sig-Hmac-Sha1 header.
- E. The notification can be run on either HTTP or HTTPS.

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 70

What should you consider when creating a site group?

- A. Sites in the group must be in the same data center.
- B. Sites in the group must have the same e-mail templates.
- C. SSO must be enabled for sites in Europe.
- D. SSO segments are not supported for sites in the United States.

Answer: A ([LEAVE A REPLY](#))

Valid C_C4H620_34 Dumps shared by Actual4test.com for Helping Passing C_C4H620_34 Exam! Actual4test.com now offer the **newest C_C4H620_34 exam dumps**, the Actual4test.com C_C4H620_34 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_C4H620_34 dumps with Test Engine here: https://www.actual4test.com/C_C4H620_34_examcollection.html (209 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)