

SAP.C_FIORDEV_21.v2021-08-16.q77

Exam Code:	C_FIORDEV_21
Exam Name:	SAP Certified Development Associate - SAP Fiori Application Developer
Certification Provider:	SAP
Free Question Number:	77
Version:	v2021-08-16
# of views:	2860
# of Questions views:	770
https://www.freepdfdumps.com/SAP.C_FIORDEV_21.v2021-08-16.q77.html	

NEW QUESTION: 1

Which information is included in the SAPUI5 app's manifest.json file? (3 answers)

- A. SAPUI5 dependencies
- B. App ID, Name and Version
- C. Referenced data sources
- D. Client side data-models
- E. Localization keys

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Which tile types can you use to display real-time data values read from an OData service? (2 answers)

- A. KPI based tile
- B. News tile
- C. App Launcher - Static tile
- D. App Launcher - Dynamic tile

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 3

You develop an SAPUI5 app and implement a FacetFilter. What events are triggered when the user interacts with the FacetFilter control? (2 answers)

- A. listFilter
- B. confirm
- C. reset

D. oninit

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 4

You are creating KPI Design or KPI Modeler Apps using the SAP KPI Framework. Which of the following sequences is the correct one for this?

A. Create KPI, Create Evaluation, Create Tile Configure Drill-Down, Manage KPI Associations

B. Create Tile. Create KPI, Create Evaluation, Configure Drill-Down, Manage KPI Associations

C. Create KPI. Configure Drill-Down. Create Evaluation, Create Tile Manage KPI Associations

D. Create Evaluation, Create Tile, Create KPI, Manage KPI Associations, Configure Drill-Down

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 5

Where is the best place to store local data when using the SAP Web IDE?

A. In the models folder.

B. In the localService folder.

C. In the mockdata folder.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 6

From which control does the sap.m.App control inherit navigation capabilities?

A. sap.ui.core.NavContainer

B. sap.m.NavigationContainer

C. sap.m.NavContainer

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 7

When SAP Web IDE deploys an SAPUI5 app to the ABAP server, which type of app is it deployed as?

A. BSP

B. HTML5

C. OpenUI5

D. ABAP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

You are developing SAP Fiori Elements applications. Which of the following actions are available in SAP Web IDE? Note: There are 2 correct answers to this question

- A. Choose the Data service as data provider for the project
- B. Add catalog to user menu in a PFCG role and grant the role to user
- C. Create a catalog, target mapping, and tiles
- D. Create an annotation file associated with the OData service and add annotations

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 9

Your customer needs to securely connect the SAP HANA Cloud Connector to the Web IDE of an on-premise system. How does the SAP HANA cloud connector help do this? (2 answers)

- A. It initiates a cloud-based reverse-invoke process
- B. It secures an SSL tunnel between the SAP Hana Cloud and the on-premise system
- C. It creates connectivity by a reverse-invoke process on the on-premise system
- D. It supports custom destination API configuration and certificate inspection

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 10

For which operations will the SAP Gateway server compute and return a new ETag in a response header? (2 answers)

- A. PUT
- B. GET
- C. DELETE
- D. POST

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

Which UI annotation is used to declare a field for the smart filter template?

- A. UI.finderField
- B. UI.searchField
- C. UI.selectionField
- D. UI.filterField

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which of the following best describes a commit?

- A. A commit in GIT is a local operation.
- B. With every commit, a new local repository is created.
- C. With every commit, GIT create a new branch.
- D. With every commit, GIT takes a snapshot of the current state of the underlying files.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 13

To generate SAPUI5 coding that is based on prototypes, which tool do you use?

- A. SPLASH
- B. UI Theme Designer
- C. SAP WEB IDE
- D. SAP BUILD

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 14

In the screenshot, which element of the Arrange-Act-Assert pattern corresponds to the Act in a QUnit test?

- A. teardown : function() {}
- B. QUnit.module
- C. this.calculator.press("1")
- D. QUnit.test

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 15

You develop an SAPUI5 app that updates data for sales order and sales order items on the back-end system.

What do you create to implement a deep insert? (2 answers)

- A. Create individual structures for both Sales Order and Sales Order Items, and then batch them
- B. Create an object structure that defines the hierarchy
- C. Create a flat structure with Sales Order and Sales Order Items, and then add an expand command
- D. Create a nested structure for Sales Order and Sales Order Items

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 16

Which tile types can you use to display real-time data values read from an OData service? (2 answers)

- A. App Launcher - Static tile
- B. KPI based tile
- C. News tile
- D. App Launcher - Dynamic tile

Answer: C,D ([LEAVE A REPLY](#))

Valid C_FIORDEV_21 Dumps shared by Actual4test.com for Helping Passing C_FIORDEV_21 Exam! Actual4test.com now offer the **newest C_FIORDEV_21 exam dumps**, the Actual4test.com C_FIORDEV_21 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_FIORDEV_21 dumps with Test Engine here:

https://www.actual4test.com/C_FIORDEV_21_examcollection.html (195 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

What is a prerequisite for configuring the SAP Fiori HAT Connector?

- A. Set the path for custom plug-ins
- B. Create a local Cordova project
- C. Generate a service certificate
- D. Create an SAP HANA Cloud Platform (HCP) Web IDE account

Answer: D (LEAVE A REPLY)

NEW QUESTION: 18

Which of the following aspects are true for a SAPUI5 UI element?

- A. A UI element has a Tenderer.
- B. A UI element can have events.
- C. A UI element does not have a Tenderer.
- D. A UI element has an API.

Answer: (SHOW ANSWER)

NEW QUESTION: 19

Does QUnit support SAPUI5 view tests?

- A. Yes, you can implement a test class to test UI aspects of SAPUI5.
- B. No, for UI tests you must use OPA5.
- C. You can use the QUnit-extensions, called Selenium, to test SAPUI5 controls.

Answer: (SHOW ANSWER)

NEW QUESTION: 20

Which SAP Fiori app types require the SAP HANA database? (2 answers)

- A. Transactional
- B. Legacy
- C. Analytical
- D. Factsheet

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 21

Which UI annotation is used in the object page to display the object header?

- A. UI.objectheader
- B. UI.header-Object
- C. UI.headerInfo
- D. UI.header

Answer: C (LEAVE A REPLY)

NEW QUESTION: 22

Which of the following SAP Fiori element based UIs are currently available?

- A. Overview Pages
- B. List Report
- C. Object Page
- D. Master-Detail
- E. Wizard Form

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 23

Your customer asks you for the advantages of the Model View Controller (MVC) design pattern. Which of the following answers do you provide? (2 answers)

- A. The project team members that have extensive UI skills can concentrate in that area
- B. The data that the models work with can be reused by several different applications
- C. MVC artifacts can be transported and debugged separately
- D. MVC is easy to implement for the project team members and supports quick coding

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 24

Your customer asks you for the advantages of the Model View Controller (MVC) design pattern. Which of the following answers do you provide? (2 answers)

- A. The project team members that have extensive UI skills can concentrate in that area
- B. The data that the models work with can be reused by several different applications
- C. MVC is easy to implement for the project team members and supports quick coding
- D. MVC artifacts can be transported and debugged separately

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 25

For which app type in SAP Fiori do you install the KPI framework?

- A. Transactional app
- B. Factsheet app
- C. Analytical app
- D. Legacy app

Answer: C (LEAVE A REPLY)

NEW QUESTION: 26

Is it true to say that the sap.m.App control does not provide responsive behavior?

- A. It depends on the SAPUI5 version. From version 1.30 and later, the sap.m.App control provides responsive behavior.
- B. That is true, the sap.m.App control does not provide responsive behavior.
- C. No, that is not true. The sap.m.App control provides responsive behavior.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 27

You are developing a complex screen and you use fragments. What features of fragments are useful here?

Note: There are 2 correct answers to this question

- A. Fragments have their own controller
- B. Fragments can be found by the SAPUI5 runtime libraries.
- C. Fragments are light-weight UI parts that can be reused.
- D. Fragments can be a stand-alone view

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

What is the best approach to show a UI control on a desktop only, and not on a mobile device?

- A. Use the Device API to check the environment and call setVisible on the UI control.
- B. Use the standard CSS class sapUiVisibleOnlyOnDesktop.
- C. Use the UI control from sap.ui.commons. These UI controls can handle this automatically.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

You need to securely connect the SAP Web IDE to an on-premise system How does the SAP Cloud Connector help do this? Note: There are 2 correct answers to this question.

- A. It secures an SSL tunnel between the SAP Cloud and the on-premise system
- B. It initiates a cloud-based reverse-invoke process
- C. It supports custom destination API configuration and certificate inspection
- D. It creates connectivity by a reverse-invoke process on the on-premise system

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

You need to explain the core functions of OPA5 for testing SAPUI5 apps. Which test options are offered by OPA5? (2 answers)

- A. Load tests

- B. User interaction tests
- C. Navigation tests
- D. Development tests

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 31

What impact does UX have on monetary values?

- A. Provides training cost savings.
- B. Provides productivity gains and increases data quality.
- C. Strengthens relationships with customers.
- D. Reduces the number of change requests and user errors.
- E. Increases user satisfaction.

Answer: A,B,D (LEAVE A REPLY)

Valid C_FIORDEV_21 Dumps shared by Actual4test.com for Helping Passing C_FIORDEV_21 Exam! Actual4test.com now offer the **newest C_FIORDEV_21 exam dumps**, the Actual4test.com C_FIORDEV_21 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_FIORDEV_21 dumps with Test Engine here:

https://www.actual4test.com/C_FIORDEV_21_examcollection.html (195 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

What do you configure to import the BUILD prototype in the SAP Web IDE for development?

- A. The API key in the SAP Web IDE plugin
- B. The destination in the SAP HANA Cloud Platform
- C. The connection in the SAP HANA Cloud Connector
- D. The connection in the SAP HANA Cloud Integration

Answer: B (LEAVE A REPLY)

NEW QUESTION: 33

What is the purpose of the Logon Plugin Data Vault of the SAP Fiori Client?

- A. Provide a reusable component for storing sensitive information on the device
- B. Enable secure and seamless handling of attachments
- C. Allow a client policy that can be defined on the mobility platform
- D. Prevent the access to all nonessential plugins

Answer: (SHOW ANSWER)

NEW QUESTION: 34

Which file is referred to as the App Descriptor and what is its function?

- A. The neo.json file is referred to as App Descriptor Its function is to capture data from objects
- B. The config.json file is referred to as App Descriptor Its function is to configure ports and turn on plug-ins
- C. The configure.xml file is referred to as App Descriptor Its function is to configure web apps and turn on
^ plug-ins
- D. The manifest.json file is referred to as App Descriptor Its function is to instantiate the model

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

What type of concurrency control is offered by OData?

- A. No concurrency control
- B. Pessimistic concurrency control
- C. Optimistic concurrency control
- D. Exclusive concurrency control

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

In the source code below, which of the following locations must reference the extension point?

- A. Neo-app.json
- B. Components
- C. EmployeeDate.controllers
- D. EmployeeData.view.xml

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

Which file of the SAP HAT Connector stores the WebIDEHosts URL and can be used for troubleshooting?

- A. Config.json
- B. appConfig.js
- C. Package.json
- D. Assistmsg.json

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

Which of the following annotations would you use for a List Report Page? Note: There are 2 correct answers to this question.

- A. Use @UI.hidden annotation to hide the fields that are not to be displayed on a list report
- B. Use @UI.lineitem importance annotation to determine in which devices the field is displayed
- C. Use @Search.defaultSearchElement annotation to define input fields with value help
- D. Use @UI.selectionField annotation to define a fuzzy search field

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 39

You develop an SAPUI5 app that updates data on the SAP back-end system. What activities are required when you implement an XSRF token? (2 answers)

- A. Generate a token on each read and write request
- B. Retrieve the token and send it with each service request
- C. Include the token in the HTTP request body of each write request
- D. Execute the Refresh method for an expired token

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

Which deployment options do you have for SAP Fiori UIs and OData Services regarding the software components? (2 answers)

- A. Two different deployment packages on the same system as the business system
- B. One deployment package on the same system as the business system
- C. Two different deployment packages on a different from the business system
- D. One deployment package on a different system from the business system

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 41

In which base class implementation is the setModel function implemented?

- A. sap.ui.model.base.BaseModel
- B. sap.ui.base.Object
- C. sap.ui.base.ManagedObject
- D. sap.ui.base.Interface

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

You need to implement an SAP Fiori transactional app for your customer. What benefits are available in the completed app? (2 answers)

- A. It allows access to the back end to edit document details
- B. It allows fast iterations for the UI apps
- C. It allows drill-down details to be presented in the UI

D. It allows UI changes without development privileges in the back-end

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 43

Which binding modes are supported by SAPUI5?

A. One-time

B. Once

C. Two-way

D. One-way

E. Single-time-only

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 44

How can you extend an SAP Fiori app? (3 answers)

A. Add customer view content in a predefined extension point

B. Modify the data model to merge data at runtime

C. Modify the properties of the view control

D. Enable merging of the standard and the custom controller at runtime

E. Modify the runtime libraries that are to be loaded

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 45

You develop an SAPUI5 app and implement a FacetFilter. What events are triggered when the user interacts with the FacetFilter control? (2 answers)

A. reset

B. oninit

C. confirm

D. listFilter

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 46

To perform a QUnit test, what do you include in a test page under your webapp folder?

A. SAPUI5 bootstrap code

B. Stub code

C. Mock code

D. OPA function

Answer: A ([LEAVE A REPLY](#))

Valid C_FIORDEV_21 Dumps shared by Actual4test.com for Helping Passing C_FIORDEV_21 Exam! Actual4test.com now offer the **newest C_FIORDEV_21 exam dumps**, the Actual4test.com C_FIORDEV_21 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_FIORDEV_21 dumps with Test Engine here:

https://www.actual4test.com/C_FIORDEV_21_examcollection.html (195 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 47

What can your customer use a custom SAP Fiori client for? (3 answers)

- A. To apply custom branding
- B. To create non-Cordova hybrid application containers
- C. To build the SAP Fiori Client with a customized communication protocol
- D. To wrap the application with SAP Mobile Secure
- E. To add additional plugins to the application

Answer: A,C,E (LEAVE A REPLY)

NEW QUESTION: 48

Which elements are part of the UX? (2 answers)

- A. User response
- B. User emotion
- C. User effectiveness
- D. User interaction

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 49

What is a GIT branch?

- A. A GIT branch always represents the main development line.
- B. A GIT branch represents a local working copy of the main development line.
- C. A GIT branch is the SAP implementation of GIT.
- D. A GIT branch represents an independent line of development.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 50

In the code on the screenshot, what is the absolute path of the property to retrieve the City value for the company Acme Inc?

- A. /regions/companies/O/city
- B. /regions/1/companies/1/city
- C. /regions/0/companies/O/city
- D. /regions/companies/1/city

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 51

Your customer requires an app to display flight information on a mobile device. Please see the screenshot for details. Which options can you use to display the same data in a readable format on a mobile device? (2 answers)

- A. column: <Column demandPopin-'true" minScreenWidth-'tablef popinDisplay-'Inline">
- B. column : <Column demandPopin-'true" minScreenWidth="tablet">
- C. column: <Column demandPopin-'true" maxScreenWidth-'mobile" popinDisplay="Inline">
- D. column: <Column:demandPopin="true" maxScreenWidth="mobile">

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 52

Which activities does the the OData Model Editor support? Note: There are 2 correct answers to this question.

- A. Deploy OData Models
- B. Test DataModels
- C. Create ODataModels
- D. Edit ODataModels

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 53

What types of extensions/replacements are supported by SAPUI5?

- A. Manifest.json replacement
- B. Component replacement
- C. View replacement
- D. View modification
- E. Replace service
- F. Implement UI Controller Hooks

Answer: C,D,E,F ([LEAVE A REPLY](#))

NEW QUESTION: 54

Which security features does the SAP Fiori provide to restrict the access to native device capabilities? (2 answers)

- A. Privacy screen
- B. Encrypted storage of data on the device
- C. Restricted device functionality using a client policy
- D. Bridge for non-Fiori content

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 55



In the code on the screenshot, what are the absolute paths of the property that retrieves the City value for the company Acme Inc.? Note: There are 2 correct answers to this question

- A. /regions/1/companies/1/city
- B. /region [0]/companies[0]/city
- C. /regions/0/companies/0/city
- D. /regions/companies/0/city

Answer: (SHOW ANSWER)

NEW QUESTION: 56

You develop an SAPUI5 app that updates data for sales order and sales order items on the back-end system. What do you create to implement a deep insert? (2 answers)

- A. Create a nested structure for Sales Order and Sales Order Items
- B. Create an object structure that defines the hierarchy
- C. Create a flat structure with Sales Order and Sales Order Items, and then add an expand command
- D. Create individual structures for both Sales Order and Sales Order Items, and then batch them

Answer: (SHOW ANSWER)

NEW QUESTION: 57

You are modeling a new role for your SAP Fiori Launchpad users. Which of the following steps is an optional configuration step?

- A. Create Tiles and Target Mappings o Create Catalog
- B. Activate Windows Go to Settings
- C. Create Group and Assign Tile
- D. Assign Catalog to Role

Answer: C (LEAVE A REPLY)

NEW QUESTION: 58

Which SAP Fiori application is launched by using the search functionality instead of using a tile?

- A. Transactional
- B. Factsheet
- C. Legacy
- D. Analytical

Answer: B (LEAVE A REPLY)

NEW QUESTION: 59

How does the OData Model handle XSRF tokens?

- A.** The OData Model fetches the token when reading the metadata and sends the token automatically in each write request header.
- B.** The OData Model does not handle XSRF-tokens. The developer must implement token handling.
- C.** The OData Model fetches the token for each request and sends the token automatically with each request.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 60

Where are the themes saved for the SAP Fiori launchpad?

- A.** In the UI theme designer tool
- B.** In the theme data center
- C.** In the theme repository
- D.** In the bootstrap

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 61

When do you use deep insert?

- A.** When working with aggregation binding to update / insert an entity in the bound complex structure.
- B.** When adding a new entity to an entity set.
- C.** When working with hierarchical data where the data can only be stored in the full hierarchy.

Answer: ([SHOW ANSWER](#))

Valid C_FIORDEV_21 Dumps shared by Actual4test.com for Helping Passing C_FIORDEV_21 Exam! Actual4test.com now offer the **newest C_FIORDEV_21 exam dumps**, the Actual4test.com C_FIORDEV_21 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_FIORDEV_21 dumps with Test Engine here:

https://www.actual4test.com/C_FIORDEV_21_examcollection.html (195 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 62

You want to create a business catalog for all employees that contains a standard SAP Fiori app How would you do this?

- A. Reference the tile from a SAP Business Catalog
- B. Reference the tile from a Technical Catalog provided by SAP
- C. Reference the tile from a SAP Business Group
- D. Reference the tile from Odata metadata

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 63

What are the limitations of OPA5 test? (2 answers)

- A. End-to-End tests are NOT recommended
- B. Testing across more than one page is NOT possible
- C. It never causes a test to fail
- D. The developer needs to create the test during development

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 64

You perform a QUnit test with the following syntactical options. Which call returns true when you execute it?

- A. `Assert.strictEqual(0,-0,"true");`
- B. `Assert.strictEqual(0,"","Ttrue");`
- C. `Assert.strictEqual(0,null,"true");`
- D. `Assert.strictEqual(0,"0","true");`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 65

What is the required content of the Components.js file of an extension project? (2 answers)

- A. The customizing section
- B. The link to the parent app
- C. The controller IDs
- D. The namespace of the parent app

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 66

Which properties do you need to configure when you use the Mock server? (2 answers)

- A. Destination
- B. Binding type
- C. Service URL
- D. Module path

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 67

What is meant by the phrase "SAPUI5 supports modification free enhancements"?

- A. The delivered standard application remains unchanged and hence the extension is considered to be modification free.
- B. SAP provides a service in the cloud to generate an enhanced application using aspect-oriented programming.
- C. The developer must create a copy of the application that should be enhanced and the enhancement is done in the copy.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 68

Which model types are supported by SAPUI5?

- A. XML Model
- B. Translation model
- C. JSON model
- D. Resource model
- E. OData model

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

How can a Tenderer access the associated elements?

- A. SAPUI5 provides functions to access all properties, associations, and aggregations.
- B. The developer must implement an appropriate function to access the elements.
- C. The developer must define a property method in the control metadata and declare the access control.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 70

In the code on the screenshot, what are the absolute paths of the property that retrieves the City value for the company Acme Inc.? Note: There are 2 correct answers to this question

- A. /regions/0/companies/O/city
- B. /region [OJ/companies[0]/city
- C. /regions/1/companies//city
- D. /regions/companies/O/city

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 71

Which activities does the OData Model Editor support? (3 answers)

- A. Test ODataModels
- B. Define ODataModels
- C. Edit ODataModels
- D. Deploy ODataModels

E. Create ODataModels

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

What aspects of the runtime environment can be accessed by the Device API of SAPUI5?

- A. Orientation change
- B. Screen size
- C. Language
- D. Operating system
- E. Touch-specific features

Answer: A,B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 73

What happens if you execute an app that contains the following bootstrap file? (to jest to bootstrapowanie z pliku index.html wtagach <script> i nie bylo zadeklarowanego data-sap-ui-theme)

- A. The bootstrap will load and the customer-defined default theme will be used
- B. The bootstrap will load and the SAP default theme will be used
- C. The bootstrap will NOT load and the application will produce an error message that the theme is missing
- D. The bootstrap will load and the application will run successfully but without a theme

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 74

Your customer ask you to add text for a new language to an app. Which file do you provide in the translator?

- A. MANIFEST.JSON
- B. MASTER_VIEW.XML
- C. I18N.PROPERTIES
- D. COMPONENT.JS

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 75

What parameter must you provide when calling the simulate function of the mock server?

- A. The full qualified path to the model and the URI for the service document.
- B. The full qualified path to the local metadata file and the folder where the model data are stored locally.
- C. The autoRespondAfter parameter and the full qualified path to the local metadata file.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 76

Your customer requires an app to display flight information on a mobile device. Please see the screenshot for details. Which options can you use to display the same data in a readable format on a mobile device? (2 answers)

- A. column: <Column:demandPopin="true" maxScreenWidth="mobile">
- B. column: <Column demandPopin-'true" minScreenWidth="tablet">
- C. column: <Column demandPopin-'true" minScreenWidth-'tablef popinDisplay-'Inline">
- D. column: <Column demandPopin-'true" maxScreenWidth-'mobile" popinDisplay="Inline">

Answer: B,C ([LEAVE A REPLY](#))

Valid C_FIORDEV_21 Dumps shared by Actual4test.com for Helping Passing C_FIORDEV_21 Exam! Actual4test.com now offer the **newest C_FIORDEV_21 exam dumps**, the Actual4test.com C_FIORDEV_21 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_FIORDEV_21 dumps with Test Engine here:

https://www.actual4test.com/C_FIORDEV_21_examcollection.html (195 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 77

What method is called inside the library.js file?

- A. sap.ui.getCore().loadLibrary
- B. sap.ui.getCore().register-Library
- C. sap.ui.getCore().runl_ibrary
- D. sap.ui.getCore().initLibrary

Answer: A ([LEAVE A REPLY](#))

Valid C_FIORDEV_21 Dumps shared by Actual4test.com for Helping Passing C_FIORDEV_21 Exam! Actual4test.com now offer the **newest C_FIORDEV_21 exam dumps**, the Actual4test.com C_FIORDEV_21 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_FIORDEV_21 dumps with Test Engine here:

https://www.actual4test.com/C_FIORDEV_21_examcollection.html (195 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)