

SAP.C_FIORDEV_21.v2022-08-26.q84

Exam Code:	C_FIORDEV_21
Exam Name:	SAP Certified Development Associate - SAP Fiori Application Developer
Certification Provider:	SAP
Free Question Number:	84
Version:	v2022-08-26
# of views:	1841
# of Questions views:	840
https://www.freepdfdumps.com/SAP.C_FIORDEV_21.v2022-08-26.q84.html	

NEW QUESTION: 1

You develop an SAPUI5 app that can be extended. To allow your customer notifications, you set up a hook method. What activities are required to implement a hook method? (3 answers)

- A. Add a code snippet to check if the method exists and execute it
- B. Identify a strategic location in the controller for the customized code
- C. Define a new function name ensuring it is reserved for the extension
- D. Create a js file in the Util folder to allow the customer to add custom code
- E. Modify the bootstrap option to allow multi-layer extensions of the custom code

Answer: A,B,C (LEAVE A REPLY)

NEW QUESTION: 2

What are the basic guidelines of the Extension Point concept of SAPUI5? (2 answers)

- A. The custom app and the parent app contain a component.js file
- B. The custom app remains modification free
- C. The parent app contains all modifications
- D. The custom app is located in a separate project

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 3

You need the server to sort and filter the data used in your customers app. Which SAPUI5-supported data model must you use?

- A. ODataModel
- B. ResourceModel

C. JSONModel

D. XMLModel

Answer: A (LEAVE A REPLY)

NEW QUESTION: 4

What approach gives you the most flexibility for your SAPUI5 app?

A. Using a component-based approach.

B. Using a view-only based approach.

C. Using a controller-based approach.

D. Implement complex UIs in the index.html file.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 5

Which of the following are best practices when developing a SAPUI5 app?

A. Minimize the code in the index.html file.

B. Use the Synchronous Model Definition (SMD) syntax.

C. Describe your app using a set of metadata.

D. Make use of patterns.

E. Use an asynchronous model definition in your JavaScript code.

Answer: A,C,D,E (LEAVE A REPLY)

NEW QUESTION: 6

Your customer requests a special create method to enable the creation of the full OData hierarchy. Which OData service method can you use?

A. CREATE_DEEP_ENTITY

B. CREATE_BATCH_ENTITY

C. EXECUTE_DEEP_INSERT

D. CREATE_STREAM

Answer: A (LEAVE A REPLY)

NEW QUESTION: 7

Which tile types can you use to display real-time data values that are read from an OData service? Note: There are 2 correct answers to this question

A. News tile

B. App Launcher - Static tile

C. KPI-based tile

D. App Launcher-Dynamic tile

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 8

What options can you use to add UI annotations to a SAP Fiori Element Page? Note:
There are 3 correct answers to this question.

- A. Add Annotation with the help of a Metadata Extension
- B. Add Annotation to the underlying Database Table
- C. Add Annotation to the Annotation file present as a part of WebIDE project using Annotation modeler
- D. Add Annotations to the underlying CDS view

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 9

What result do you expect from the de-composition and re-composition phases? (3 answers)

- A. The prevention of irrelevant data being shown to the user
- B. The break-down of a large transaction
- C. A purpose-built app to support personas
- D. An adaptive and coherent app
- E. A responsive de-composed design

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 10

In what configuration area of the manifest.json file can you activate automatic message creation?

- A. sap.app
- B. sap.ui5
- C. sap.ui

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

You need to securely connect the SAP Web IDE to an on-premise system How does the SAP Cloud Connector help do this? Note: There are 2 correct answers to this question.

- A. It creates connectivity by a reverse-invoke process on the on-premise system
- B. It secures an SSL tunnel between the SAP Cloud and the on-premise system
- C. It supports custom destination API configuration and certificate inspection
- D. It initiates a cloud-based reverse-invoke process

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 12

To generate SAPUI5 coding that is based on prototypes, which tool do you use?

- A. SPLASH
- B. SAP WEB IDE
- C. UI Theme Designer

D. SAP BUILD

Answer: **B** ([LEAVE A REPLY](#))

NEW QUESTION: 13

Your customer ask you to add text for a new language to an app. Which file do you provide in the translator?

- A. I18N.PROPERTIES
- B. COMPONENT.JS
- C. MASTER_VIEW.XML
- D. MANIFEST.JSON

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

From which control does the sap.m.App control inherit navigation capabilities?

- A. sap.m.NavContainer
- B. sap.m.NavigationContainer
- C. sap.ui.core.NavContainer

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Your customer asks you to demonstrate their app with localization changes. Which activity do you perform?

- A. Show the i18n.properties file translations
- B. Configure the run configuration file in the app
- C. Configure the Supported Languages settings in the Project.json file
- D. Enable the preview frame in the run configuration

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

You develop an SAPUI5 app and implement a FacetFilter. What events are triggered when the user interacts with the FacetFilter control? (2 answers)

- A. oninit
- B. confirm
- C. reset
- D. listFilter

Answer: ([SHOW ANSWER](#))

dumps, the Actual4test.com C_FIORDEV_21 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_FIORDEV_21 dumps with Test Engine here:

https://www.actual4test.com/C_FIORDEV_21_examcollection.html (195 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17

Why does it make sense to use the navigation API of SAPUI5 and concepts such as eventbus or the navcontainer functions of the base application?

- A. The NavContainer of the App object is not accessible inside a component-based app.
- B. Using the navigation API, it is possible to use bookmarks.
- C. Using the navigation API, the configuration of routes and targets are clearly separated from the application implementation.
- D. The eventbus concept is deprecated and should no longer be used.

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 18

What is the correct HTTP request method that is required to modify an ODATA resource?

- A. Change
- B. Put
- C. Post
- D. Update

Answer: D (LEAVE A REPLY)

NEW QUESTION: 19

Which file is referred to as the App Descriptor and what is its function?

- A. The neo.json file is referred to as App Descriptor Its function is to capture data from objects
- B. The config.json file is referred to as App Descriptor Its function is to configure ports and turn on plug-ins
- C. The manifest.json file is referred to as App Descriptor Its function is to instantiate the model
- D. The configure.xml file is referred to as App Descriptor Its function is to configure web apps and turn on
^ plug-ins

Answer: (SHOW ANSWER)

NEW QUESTION: 20

Which UI annotation is used in the object page to display the object header?

- A. UI.headerInfo
- B. UI.objectheader

C. UI.header-Object

D. UI.header

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 21

What is a GIT branch?

A. A GIT branch represents a local working copy of the main development line.

B. A GIT branch always represents the main development line.

C. A GIT branch is the SAP implementation of GIT.

D. A GIT branch represents an independent line of development.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 22

You want to create a business catalog for all employees that contains a standard SAP Fiori app How would you do this?

A. Reference the tile from a Technical Catalog provided by SAP

B. Reference the tile from Odata metadata

C. Reference the tile from a SAP Business Catalog

D. Reference the tile from a SAP Business Group

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

Which technologies are used to create Hybrid apps and SAPUI5 apps?

A. HTML5, JavaScript and CSS

B. HTML, JSON and CSS3

C. XML, JavaScript and CSS3

D. XML, JSON and CSS

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 24

What layout control is used to achieve flexible and responsive layouts?

A. Splitter

B. VerticalLayout

C. Grid

D. FlexBox

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 25

What are the advantages of the Sinon.JS framework? (2 answers)

A. It supplies higher level test doubles for timers and AJAX requests

B. It enables test-driven development

- C. It provides support for Spies, stubs and mocks
- D. It can be used with any JavaScript unit test framework

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 26

Your customer wants to enable the SAP Fiori app to be accessed in multiple languages. Which of the following activities do you perform? (3 answers)

- A. Create a resource file for each language
- B. HTML -enable the special characters in the resource file
- C. Create a view file and a controller file for each language
- D. Create a resource file containing key/value pairs
- E. Create a resource file with a .props extension

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

You need to bind data from a model to an SAPUI5 view control. Which of the following models are valid? (3 answers)

- A. One-way binding
- B. Resource-model binding
- C. One-time binding
- D. Three-way binding
- E. Two-way binding

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

You finalized your SAPUI5 app development in the SAP Web IDE. What are the platforms available for deployment? Note: There are 3 correct answers to this question,

- A. Deploy to SAP Cloud Platform
- B. Deploy to SAP Fiori Launchpad
- C. Deploy to SAPUI5 Java Repository
- D. Deploy to SAPUI5 ABAP Repository

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 29

What can your customer use a custom SAP Fiori client for? (3 answers)

- A. To build the SAP Fiori Client with a customized communication protocol
- B. To create non-Cordova hybrid application containers
- C. To wrap the application with SAP Mobile Secure
- D. To apply custom branding
- E. To add additional plugins to the application

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 30

Your customer requires an app to display flight information on a mobile device. Please see the screenshot for details. Which options can you use to display the same data in a readable format on a mobile device? (2 answers)

- A. column: <Column demandPopin-'true" minScreenWidth="tablet">
- B. column: <Column demandPopin-'true" minScreenWidth-'tablef popinDisplay-'Inline">
- C. column: <Column demandPopin-'true" maxScreenWidth-'mobile" popinDisplay="Inline">
- D. column: <Column:demandPopin="true" maxScreenWidth="mobile">

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 31

When SAP Web IDE deploys an SAPUI5 app to the ABAP server, which type of app is it deployed as?

- A. BSP
- B. HTML5
- C. OpenUI5
- D. ABAP

Answer: A ([LEAVE A REPLY](#))

Valid C_FIORDEV_21 Dumps shared by Actual4test.com for Helping Passing C_FIORDEV_21 Exam! Actual4test.com now offer the **newest C_FIORDEV_21 exam dumps**, the Actual4test.com C_FIORDEV_21 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_FIORDEV_21 dumps with Test Engine here:
https://www.actual4test.com/C_FIORDEV_21_examcollection.html (195 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32

Which OData versions are currently supported by SAPUI5?

- A. OData V5
- B. OData V7
- C. OData V2
- D. OData V4

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 33

For which app type in SAP Fiori do you install the KPI framework?

- A. Factsheet app

- B. Transactional app
- C. Legacy app
- D. Analytical app

Answer: D (LEAVE A REPLY)

NEW QUESTION: 34

Which properties are part of the design phase when you develop SAP Fiori apps?

- A. Scoping, 360 degree research and Synthesis
- B. Requirement gathering, Research and Documentation
- C. Developing, Testing and Deploying
- D. Ideation, Prototyping and Validation

Answer: D (LEAVE A REPLY)

NEW QUESTION: 35

What is returned by the function createEntry?

- A. A newly created object in JSON-format.
- B. A binding context object.
- C. The ID of the newly created entity.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 36

In the data in the screenshot, you want to display the List of Companies in the Americas region which binding option do you use for the X Y and Z values in the view?



- A. X: /regions/u/companies Y companies/u/name L companies/u/city
- B. X: /regions/O/companies Y: name Z: city
- C. X: /regions/companies Y companies/name Z companies/city
- D. X: /regions/companies Y: name Z:.city

Answer: B (LEAVE A REPLY)

NEW QUESTION: 37

In the screenshot, which element of the Arrange-Act-Assert pattern corresponds to the Act in a QUnit test?

- A. QUnit.test
- B. this.calculator.press("1")
- C. teardown : function() {}
- D. QUnit.module

Answer: A (LEAVE A REPLY)

NEW QUESTION: 38

Which properties do you need to configure when you use the Mock server? (2 answers)

- A. Module path
- B. Service URL
- C. Destination
- D. Binding type

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

Which function do you call on the ODataModel to trigger a deep insert?

- A. insertDeep
- B. createDeep
- C. updateDeep
- D. create

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

You develop an SAPUI5 app that updates data for sales order and sales order items on the back-end system.

What do you create to implement a deep insert? (2 answers)

- A. Create individual structures for both Sales Order and Sales Order Items, and then batch them
- B. Create an object structure that defines the hierarchy
- C. Create a nested structure for Sales Order and Sales Order Items
- D. Create a flat structure with Sales Order and Sales Order Items, and then add an expand command

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 41

You develop an SAPUI5 app that updates data for sales order and sales order items on the back-end system.

What do you create to implement a deep insert? (2 answers)

- A. Create a flat structure with Sales Order and Sales Order Items, and then add an expand command
- B. Create individual structures for both Sales Order and Sales Order Items, and then batch them
- C. Create an object structure that defines the hierarchy
- D. Create a nested structure for Sales Order and Sales Order Items

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

Which of the following SAP Fiori element based UIs are currently available?

- A. Master-Detail
- B. Overview Pages
- C. List Report
- D. Object Page
- E. Wizard Form

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 43

What method is called inside the library.js file?

- A. sap.ui.getCore().loadLibrary
- B. sap.ui.getCore().initLibrary
- C. sap.ui.getCore().runLibrary
- D. sap.ui.getCore().registerLibrary

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 44

What is the purpose of the Logon Plugin Data Vault of the SAP Fiori Client?

- A. Enable secure and seamless handling of attachments
- B. Prevent the access to all nonessential plugins
- C. Provide a reusable component for storing sensitive information on the device
- D. Allow a client policy that can be defined on the mobility platform

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

An administrator wants to configure the SAP Fiori Launchpad for all users in one client for your S/4HANA

1809 landscape. Which of the following options represents the best way for the administrator to do this?

- A. Use the configuration file to define URL parameters to enable/disable features when starting the SAP Fiori Launchpad
- B. Create a target mapping in a catalog and assign the catalog to all users using roles
- C. Define settings using transaction /UI5/FLP_CUS_CONF.
- D. Define settings using transaction /UI5/FLP_SYS_CONF

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 46

When do you select the custom plugins to build and package a hybrid app using the SAP HAT?

- A. During the Build the Hybrid Companion App step of installing the SAP HAT

- B. During the Configure Path for Custom Plugins step of installing the SAP HAT
- C. While creating a new project using the Hybrid Mobile Enablement feature
- D. While configuring the app properties on the Hybrid App Configuration tab of the Web IDE Plugin

Answer: ([SHOW ANSWER](#))

Valid C_FIORDEV_21 Dumps shared by Actual4test.com for Helping Passing C_FIORDEV_21 Exam! Actual4test.com now offer the **newest C_FIORDEV_21 exam dumps**, the Actual4test.com C_FIORDEV_21 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_FIORDEV_21 dumps with Test Engine here:

https://www.actual4test.com/C_FIORDEV_21_examcollection.html (195 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 47

Which of the following are the current SAP UI Tools?

- A. SAP Screen Personas
- B. SAP NetWeaver Gateway
- C. Flexible UI Designer
- D. SAP NetWeaver Portal
- E. SAPUI5 Application Development Tools

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 48

How do you access the MessageManager?

- A. Each UI control provides a function to access the MessageManager.
- B. It is a singleton and can be accessed by the getMessageManager function on the core object.
- C. You have to instantiate the MessageManager using the constructor function.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 49

In which state are the files in GIT when a remote repository is cloned?

- A. Staged and modified
- B. Tracked and unmodified
- C. Modified and tracked
- D. Tracked and staged

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

When is the use of a master-detail pattern not recommended?

- A. You want to display a single object.
- B. When you want to display different facets of the same object, data, or both.
- C. You need to offer complex filters for the master list of items.

Answer: (SHOW ANSWER)

NEW QUESTION: 51

You extend an SAP Fiori app. The visibility value of a View Button control needs to be modified. Which extension point do you use?

- A. View Visibility
- B. View Modification
- C. View Extension
- D. View Replacement

Answer: B (LEAVE A REPLY)

NEW QUESTION: 52

Which of the following annotations would you use for a List Report Page? Note: There are 2 correct answers to this question.

- A. Use @UI.lineitem importance annotation to determine in which devices the field is displayed
- B. Use Search.defaultSearchElement annotation to define input fields with value help
- C. Use @UI.selectionField annotation to define a fuzzy search field
- D. Use @UI.hidden annotation to hide the fields that are not to be displayed on a list report

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 53

In the data in the screenshot, you want to display the List of Companies in the Americas region which binding option do you use for the X Y and Z values in the view?



- A. X: /regions/u/companies Y companies/u/name L companies/u/city
- B. X: /regions/companies Y: name Z:.city
- C. X: /regions/companies Y companies/name Z companies/city
- D. X: /regions/0/companies Y: name Z: city

Answer: D (LEAVE A REPLY)

NEW QUESTION: 54

What method must be implemented on the back end to support deep inserts?

- A. INSERT_ENTITY_DEEP
- B. CREATE_ENTITY_DEEP
- C. CREATE_DEEP_ENTITY
- D. APPLY_DEEP_ENTITY

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 55

Which activities does the the OData Model Editor support? Note: There are 2 correct answers to this question.

- A. Deploy OData Models
- B. Create ODataModels
- C. Test DataModels
- D. Edit ODataModels

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 56

What are the Lifecycle events of an SAPUI5 view controller? (2 answers)

- A. onEntry
- B. onBeforeRendering
- C. onExecution
- D. onExit

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 57

Which of the following best describes a commit?

- A. With every commit, a new local repository is created.
- B. A commit in GIT is a local operation.
- C. With every commit, GIT create a new branch.
- D. With every commit, GIT takes a snapshot of the current state of the underlying files.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 58

Which of the following statements are true about the merge functionality in GIT?

- A. Allows the merging of two local branches into one local branch.
- B. Allows integration of a branch into another branch.
- C. A merge deletes the content of a branch.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

You develop an SAPUI5 app and implement a FacetFilter. What events are triggered when the user interacts with the FacetFilter control? (2 answers)

- A. listFilter
- B. reset
- C. oninit
- D. confirm

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 60

Which SAP Fiori application is launched by using the search functionality instead of using a tile?

- A. Legacy
- B. Factsheet
- C. Analytical
- D. Transactional

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 61

What is the name of the aggregation of the sap.m.App control, or more precisely the name of the sap.m.NavContainer control, in which UI controls are aggregated?

- A. masterPages
- B. pages
- C. detailPages
- D. fullPages

Answer: B ([LEAVE A REPLY](#))

Valid C_FIORDEV_21 Dumps shared by Actual4test.com for Helping Passing C_FIORDEV_21 Exam! Actual4test.com now offer the **newest C_FIORDEV_21 exam dumps**, the Actual4test.com C_FIORDEV_21 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_FIORDEV_21 dumps with Test Engine here:

https://www.actual4test.com/C_FIORDEV_21_examcollection.html (195 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 62

You need to configure a SAP Cloud Platform destination to enable SAP Web IDE to extend an existing SAP Fiori app. Which configuration setting for the WebIDEUsage property is required? Choose the correct answer.

- A. ui5_execute_abap
- B. extend_abap
- C. odata_abap
- D. dev_abap

Answer: C (LEAVE A REPLY)

NEW QUESTION: 63

What happens if you execute an app that contains the following bootstrap file? (to jest to bootstrapowanie z pliku index.html wtagach <script> i nie bylo zadeklarowanego data-sap-ui-theme)

- A. The bootstrap will load and the SAP default theme will be used
- B. The bootstrap will NOT load and the application will produce an error message that the theme is missing
- C. The bootstrap will load and the customer-defined default theme will be used
- D. The bootstrap will load and the application will run successfully but without a theme

Answer: D (LEAVE A REPLY)

NEW QUESTION: 64

In the code on the screenshot, what are the absolute paths of the property that retrieves the City value for the company Acme Inc.? Note: There are 2 correct answers to this question

- A. /region [OJ/companies[0]/city
- B. /regions/companies/O/city
- C. /regions/0/companies/O/city
- D. /regions/1/companies//city

Answer: C (LEAVE A REPLY)

NEW QUESTION: 65

Which of the following annotations would you use for a List Report Page? Note: There are 2 correct answers to this question.

- A. Use @UI.selectionField annotation to define a fuzzy search field
- B. Use @UI hidden annotation to hide the fields that are not to be displayed on a list report
- C. Use @Search.defaultSearchElement annotation to define input fields with value help
- D. Use @UI.lineitem importance annotation to determine in which devices the field is displayed

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 66

Your customer needs to securely connect the SAP HANA Cloud Connector to the Web IDE of an on-premise system. How does the SAP HANA cloud connector help do this? (2 answers)

- A. It supports custom destination API configuration and certificate inspection
- B. It creates connectivity by a reverse-invoke process on the on-premise system
- C. It secures an SSL tunnel between the SAP Hana Cloud and the on-premise system
- D. It initiates a cloud-based reverse-invoke process

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

In a standard SAPUI5 project, which file is the Application Descriptor that contains the metadata description of the application?

- A. Neo-app.json
- B. Index.html
- C. Components
- D. Manifest.json

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

You are developing a complex screen and you use fragments. What features of fragments are useful here?

Note: There are 2 correct answers to this question

- A. Fragments are light-weight UI parts that can be reused.
- B. Fragments can be a stand-alone view
- C. Fragments can be found by the SAPUI5 runtime libraries.
- D. Fragments have their own controller

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

Which HTTP request methods does the SAP Gateway server use to compute and return a new ETag in a response header? Note: There are 2 correct answers to this question.

- A. Get
- B. Post
- C. Delete
- D. Put

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 70

Is it possible to add an extension point in the component implementation?

- A. Yes
- B. No
- C. It depends on the type of component.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 71

Which of the following statements are true with regard to OPA5?

- A. Is a view controller test framework.
- B. Can be used for SAPUI5 integration tests.
- C. Can be used for user interaction tests.
- D. Provides the possibility to test navigation.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 72

Which methods can you use to bind data to the controls in SAPUI5? (3 answers)

- A. Property
- B. Element
- C. Aggregation
- D. Combination
- E. Structure

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 73



In the code on the screenshot, what are the absolute paths of the property that retrieves the City value for the company Acme Inc.? Note: There are 2 correct answers to this question

- A. `/regions/0/companies/0/city`
- B. `/region [0]/companies[0]/city`
- C. `/regions/companies/0/city`
- D. `/regions/1/companies/1/city`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

Which features of the SAP Web IDE help you extend a standard SAP Fiori app? (2 answers)

- A. An editor to modify the data model in the extended project
- B. The Extensibility Pane to extend the control
- C. A wizard to generate the files for each extension possibility
- D. The Descriptor Editor to choose elements for extension

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 75

What is meant by the phrase "SAPUI5 supports modification free enhancements"?

- A. The developer must create a copy of the application that should be enhanced and the enhancement is done in the copy.
- B. The delivered standard application remains unchanged and hence the extension is considered to be modification free.
- C. SAP provides a service in the cloud to generate an enhanced application using aspect-oriented programming.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 76

Which of the following steps are part of the discover phase in the DLD?

- A. Implement
- B. Test
- C. Research
- D. Scope
- E. Synthesize

Answer: (SHOW ANSWER)

Valid C_FIORDEV_21 Dumps shared by Actual4test.com for Helping Passing C_FIORDEV_21 Exam! Actual4test.com now offer the **newest C_FIORDEV_21 exam dumps**, the Actual4test.com C_FIORDEV_21 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_FIORDEV_21 dumps with Test Engine here:

https://www.actual4test.com/C_FIORDEV_21_examcollection.html (195 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 77

What type of concurrency control is offered by OData?

- A. Pessimistic concurrency control
- B. Exclusive concurrency control
- C. No concurrency control
- D. Optimistic concurrency control

Answer: D (LEAVE A REPLY)

NEW QUESTION: 78

What are the different content densities provided by SAPUI5?

- A. cozy
- B. large
- C. strict

- D. compact
- E. condensed

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 79

To what namespace is the ExtensionPoint class assigned?

- A. sap.m
- B. sap.ui.extension
- C. sap.ui.core.extension
- D. sap.ui.core

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 80

In the screenshot, which element of the Arrange-Act-Assert pattern corresponds to the Act in a QUnit test?

- A. teardown : function() {}
- B. QUnit.test
- C. QUnit.module
- D. this.calculator.press("1")

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 81

You need to consume the ODATA service from the gateway to create a new SAP Fiori App in the SAP WEB IDE. What value do you configure in the WebIDEUsage property by the destination in the SAP?

- A. odata_abap
- B. odata_gen
- C. odata_xs
- D. dev_abap

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 82

What message types are known to SAPUI5?

- A. Control message
- B. Server message
- C. UI message
- D. Log message

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 83

What parameter is needed when instantiating a MockServer object?

- A. url
- B. rootUri
- C. uri
- D. rootUrl

Answer: B (LEAVE A REPLY)

NEW QUESTION: 84

What is a prerequisite for configuring the SAP Fiori HAT Connector?

- A. Generate a service certificate
- B. Create an SAP HANA Cloud Platform (HCP) Web IDE account
- C. Create a local Cordova project
- D. Set the path for custom plug-ins

Answer: B (LEAVE A REPLY)

Valid C_FIORDEV_21 Dumps shared by Actual4test.com for Helping Passing C_FIORDEV_21 Exam! Actual4test.com now offer the **newest C_FIORDEV_21 exam dumps**, the Actual4test.com C_FIORDEV_21 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_FIORDEV_21 dumps with Test Engine here:

https://www.actual4test.com/C_FIORDEV_21_examcollection.html (195 Q&As Dumps,

30%OFF Special Discount: Freepdfdumps)