

## SAP.C\_FIORDEV\_22.v2023-03-29.q32

<b>Exam Code:</b>	C_FIORDEV_22
<b>Exam Name:</b>	SAP Certified Development Associate - SAP Fiori Application Developer
<b>Certification Provider:</b>	SAP
<b>Free Question Number:</b>	32
<b>Version:</b>	v2023-03-29
<b># of views:</b>	687
<b># of Questions views:</b>	320
<a href="https://www.freepdfdumps.com/SAP.C_FIORDEV_22.v2023-03-29.q32.html">https://www.freepdfdumps.com/SAP.C_FIORDEV_22.v2023-03-29.q32.html</a>	

### NEW QUESTION: 1

Which of the following activities allow you to store your changes in a local Git repository?

- A. Save
- B. Push
- C. Clone
- D. Commit

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 2

Your customer asks you to demonstrate their app with localization changes. Which activity do you perform?

- A. Configure the supported Languages settings in the Project.json file.
- B. Show the il8n properties file translations.
- C. Use the preview frame in the run configuration.
- D. Configure the run configuration file in the app.

**Answer:** B ([LEAVE A REPLY](#))

### NEW QUESTION: 3

What can you connect with the SAP Cloud Connector?

- A. SAP API Business Hub to client devices
- B. SAP BTP services to SAP Business Application Studio
- C. SAP Business Application Studio to a Cordova development environment
- D. SAP BTP services to on-premise systems in a customer's network

**Answer:** D ([LEAVE A REPLY](#))

**NEW QUESTION: 4**

Which of the following tile types can use an OData service to set the title properties?

- A. Semi-dynamic
- B. Dynamic
- C. Static

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 5**

Your customer extends an SAP Fiori app with View Replacement.

Which activities do you perform?

Note: There are 2 correct answers to this question.

- A. Identify a specific SAPUI5 control to be replaced
- B. Verify that adding custom content in the Extension Points is NOT sufficient
- C. Create an SAPUI5 control that replaces the original control.
- D. Create an SAPUI5 view that replaces the complete view.

**Answer:** B,D ([LEAVE A REPLY](#))

**NEW QUESTION: 6**

What result do you expect from the de-composition and re-composition phases? Note: There are 3 correct answers to this question.

- A. An adaptive and coherent app
- B. A purpose-built app to support personas
- C. A responsive de-composed design
- D. The break-down of a large transaction
- E. The prevention of irrelevant data being shown to the user

**Answer:** B,D,E ([LEAVE A REPLY](#))

**NEW QUESTION: 7**

You want to use transaction /UIZ/FLP to start the SAP Fiori Launchpad using the Web Dispatcher. Which database table do you use to configure this?

- A. HTTP\_WHITELIST
- B. HTTPURLLOC
- C. HTTP\_MADMIM.
- D. HTTP\_CSP\_MADMIN

**Answer:** B ([LEAVE A REPLY](#))

**NEW QUESTION: 8**

What are Technical Catalogs used for?

Note: There are 2 correct answers to this question.

- A. To reference tiles and target mappings according to Segregation of Duties for example a Purchaser, a Buyer and so on

- B. To store tiles and target mappings by technology per solution area
- C. As a reference for Business Catalogs
- D. As a reference for Business Groups

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 9**

What type of navigation is used in SAP Fiori Launchpad applications?

- A. Target-based navigation
- B. Action-based navigation
- C. Scope-based navigation

**Answer:** B ([LEAVE A REPLY](#))

**NEW QUESTION: 10**

What are the advantages of the Sinon.JS framework? Note: There are 2 correct answers to this question.

- A. It enables test-driven development.
- B. It supplies higher level test doubles for timers and AJAX requests.
- C. It supports only synchronous requests.
- D. It provides support for spies, stubs and mocks.

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 11**

Which of the following can you use to extend an SAP Fiori Elements application? Note: There are 2 correct Answers to this question.

- A. CDS extension
- B. App extension
- C. Adaption extensions
- D. ABAP extension

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 12**

What are Smart Controls?

- A. Application templates for SAPUI5 applications to optimize development
- B. SAPUI5 controls that can be rendered dynamically according to OData service annotations
- C. Basic SAPUI5 controls recommended for standalone usage
- D. The predecessor of Smart Templates

**Answer:** A ([LEAVE A REPLY](#))

**NEW QUESTION: 13**

What are catalog types in SAP Fiori? Note: There are 3 correct Answers to this question.

- A. Tile

- B. System
- C. Replicable
- D. None-typed
- E. Standard

**Answer: A,C,E ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 14**

An administrator wants to configure the SAP Fiori Launchpad for all users in one client for your S/4HANA 1809 landscape.

- A. Use the configuration file to define URL parameters to enable/disable features when starting the SAP Fiori Launchpad.
- B. Define settings using transaction /UI2/FLP\_SYS\_CONF.
- C. Create a target mapping in a catalog and assign the catalog to all users using roles.  Define settings using transaction /UI2/FLP\_CUS\_CONF.
- D. Which of the following options represents the best way for the administrator to do this?

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 15**

Which of the following are features of the SAPUI5 SDK? Note: There are 2 correct Answers to this question.

- A. Full translation support
- B. Interface for Web Dynpro
- C. Feature-rich UI controls for handling complex UI patterns
- D. Responsiveness across browsers on non-mobile devices only

**Answer: A,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 16**

Which HTTP request methods does the SAP Gateway server use to compute and return a new eTag in a response header? Note: There are 2 correct Answers to this question.

- A. POST
- B. DELETE
- C. PUT
- D. GET

**Answer: A,C ([LEAVE A REPLY](#))**

**Valid C\_FIORDEV\_22 Dumps** shared by Actual4test.com for Helping Passing C\_FIORDEV\_22 Exam! Actual4test.com now offer the **newest C\_FIORDEV\_22 exam dumps**, the Actual4test.com C\_FIORDEV\_22 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C\_FIORDEV\_22 dumps with Test

Engine here: [https://www.actual4test.com/C\\_FIORDEV\\_22\\_examcollection.html](https://www.actual4test.com/C_FIORDEV_22_examcollection.html) (85 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

**NEW QUESTION: 17**

You need to securely connect the SAP Web IDE to an on-premise system How does the SAP Cloud Connector help do this? Note: There are 2 correct answers to this question.

- A. It initiates a cloud-based reverse-invoke process.
- B. It creates connectivity by a reverse-invoke process on the on-premise system.
- C. It secures an SSL tunnel between the SAP Cloud and the on-premise system.
- D. It supports custom destination API configuration and certificate inspection.

**Answer: B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 18**

What is the correct HTTP request method that is required to modify an ODATA resource?

- A. UPDATE
- B. CHANGE
- C. POST
- D. PUT

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 19**

To which of the following does an SAP Fiori tile point to directly?

- A. An action
- B. An SAP Fiori app
- C. A target mapping with a semantic object and an action
- D. A semantic object

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 20**

In the data in the screenshot, you want to display the List of Companies in the Americas region. Which binding option do you use for the X, Y, and Z values in the view?

```

1 View:
2   <List id="myList" items="{X}"
3     headerText="Companies" >
4     <DisplayListItem label="{Y}" value="{Z}" />
5   </List>
6
7 Data:
8   var data = {
9     regions: [
10    {
11      name: "Americas",
12      companies : [
13        {
14          name: "Acme Inc.",
15          city: "Belmont"
16        },
17        {
18          name : "Beam Hdg.",
19          city: "Hancock"
20        }
21      ]
22    }
23  ]
24 };
25

```

- A. X:/regions/companies Y: companies/name Z: companies/city
- B. X:/regions/companies Y: name Z: city
- C. X:/regions/0/companies Y: name Z: city
- D. X:/regions/0/companies Y: companies/O/name Z: companies/O/city

**Answer: C** ([LEAVE A REPLY](#))

**NEW QUESTION: 21**

Which tile types can you use to display real-time data values that are read from an OData service? Note: There are 2 correct answers to this question.

- A. App Launcher - Static tile
- B. News tile
- C. App Launcher - Dynamic tile
- D. KPI-based tile

**Answer: A,C** ([LEAVE A REPLY](#))

**NEW QUESTION: 22**

What are the advantages of Local Annotations Over SADL-based Annotations? Note: There are 2 correct answers to this question.

- A. Can handle Complex annotations which is not a bound to a single field or entity
- B. Local Annotations are more reusable as compared to SADL based annotations
- C. All the Framework-Specific Annotations available as a part of CDS views are also available as a part of Annotation Modeler, which makes it highly flexible

D. Can Override the CDS based Annotations

**Answer: B,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 23**

In a standard SAPUI5 project, which file is the Application Descriptor that contains the metadata description of the application?

A. Neo-app.json

B. Manifest.json

C. Index.html

D. Component.js

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 24**

Which of the following floorplans also have a standard SAP Fiori Elements implementation available as a part of SAP Fiori 2.0? Note: There are 3 correct answers to this question.

A. Initial Page

B. Overview Page

C. Analytical List Page

D. Wizard

E. List Report

**Answer: B,C,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 25**

Where are the themes saved for the SAP Fiori launchpad?

A. In the theme data center

B. In the bootstrap

C. In the UI theme designer tool

D. In the theme repository

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 26**

Your customer requires an app to display flight information on a mobile device as detailed in the following screenshot for details. Which options can you use to display the same data in a readable format on a mobile device? Note: There are 2 correct answers to this question.

Flight No.	Date	From	To	Price	Airplane
0017	Tue Apr 07 2015 20:00:00 GMT-0400 (Universal Time Clock)	new york	SAN FRANCISCO	422.94	747-400
0017	Tue Apr 21 2015 20:00:00 GMT (Universal Time Clock)		SAN FRANCISCO	422.94	747-400

- A. Column:<column demandpopin="true" maxscreenwidth="mobile" popindisplay="Inline"x/column>
- B. Column:<column demandpopin="true" maxscreenwidth="mobile"></column>
- C. Column:<column demandpopin="true" minscreenwidth="tablet" popindisplay="Inline"x/column>
- D. Column:<column demandpopin="true" minscreenwidth="tablet"x/column>
- Answer: C,D (LEAVE A REPLY)**

#### NEW QUESTION: 27

Which information is included in the SAPUI5 app's manifest.json file? Note: There are 3 correct Answers to this question.

- A. Localization keys
- B. Referenced data sources
- C. SAPUI5 dependencies
- D. App ID, Name, and Version
- E. Client side data-models

**Answer: (SHOW ANSWER)**

#### NEW QUESTION: 28

You perform a QUnit test with the following syntactical options. Which call returns true when you execute it?

- A. `assert.strictEqaKO("true");`
- B. `assert.strictEqual(0,,-0,"true");`
- C. `assert.strictEqual(0,"0","true");`
- D. `assert.strictEqual(0/null/"true");`

**Answer: B (LEAVE A REPLY)**

#### NEW QUESTION: 29

What options can you use to add UI annotations to a SAP Fiori Element Page? Note: There are 3 correct answers to this question.

- A. Add Annotation to the Annotation file present as a part of WebIDE project using Annotation modeler
- B. Add Annotations to the manifest file present as a part of WebIDE project using the Descriptor Edit
- C. Add Annotation with the help of a Metadata Extension
- D. Add Annotations to the underlying CDS view
- E. Add Annotation to the underlying Database Table

**Answer: C,D,E ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 30**

You are modeling a new role for your SAP Fiori Launchpad users. Which of the following steps is an optional configuration step?

- A. Assign Catalog to Role
- B. Create Catalog
- C. Create Tiles and Target Mappings
- D. Create Group and Assign Tile

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 31**

You want to create a business catalog for all employees that contains a standard SAP Fiori app. How would you do this?

- A. Reference the tile from a SAP Business Catalog
- B. Reference the tile from a SAP Business Group
- C. Reference the tile from a Technical Catalog provided by SAP
- D. Reference the tile from Odata metadata

**Answer: B ([LEAVE A REPLY](#))**

**Valid C\_FIORDEV\_22 Dumps** shared by Actual4test.com for Helping Passing C\_FIORDEV\_22 Exam! Actual4test.com now offer the **newest C\_FIORDEV\_22 exam dumps**, the Actual4test.com C\_FIORDEV\_22 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C\_FIORDEV\_22 dumps with Test Engine here: [https://www.actual4test.com/C\\_FIORDEV\\_22\\_examcollection.html](https://www.actual4test.com/C_FIORDEV_22_examcollection.html) (85 Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

#### **NEW QUESTION: 32**

Which of the following annotations would you use for a List Report Page? Note: There are 2 correct answers to this question.

- A. Use @UI.lineitem.importance annotation to determine in which devices the field is displayed.
- B. Use @Search.defaultSearchElement annotation to define input fields with value help.
- C. Use @UI.hidden annotation to hide the fields that are not to be displayed on a list report
- D. Use @UI.selectionField annotation to define a fuzzy search field

**Answer: A,D ([LEAVE A REPLY](#))**

**Valid C\_FIORDEV\_22 Dumps** shared by Actual4test.com for Helping Passing C\_FIORDEV\_22 Exam! Actual4test.com now offer the **newest C\_FIORDEV\_22 exam dumps**, the Actual4test.com C\_FIORDEV\_22 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C\_FIORDEV\_22 dumps with Test Engine here: [https://www.actual4test.com/C\\_FIORDEV\\_22\\_examcollection.html](https://www.actual4test.com/C_FIORDEV_22_examcollection.html) (85 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)