SAP.C_SACP_2302.v2023-05-29.q52

Exam Code:	C_SACP_2302
Exam Name:	SAP Certified Application Associate - SAP Analytics Cloud: Planning
Certification Provider:	SAP
Free Question Number:	52
Version:	v2023-05-29
# of views:	891
# of Questions views:	520
https://www.freepdfdumps.com/SAP.C_SACP_2302.v2023-05-29.q52.html	

NEW QUESTION: 1
You need to copy data from one version to another for a group of customers. For privacy reasons, you want the results to be copied to an unassigned customer. Where do you specify this in your data action?
A. Options
B. Aggregate to
C. Filters
D. Copy Rules
Answer: B (LEAVE A REPLY)

NEW QUESTION: 2
You have a planning model with the following dimensions; Account, Product, Profit Center, Date, and Version. In a story, which new master data can you add on the fly? Note: There are 2 correct answers to this question.
A. Account Member
B. Profit Center property value
C. Product Member
D. Hierarchy Node
Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 3
You enter the following code into the formula script editor: MEMBERSET[d/Account]= What does the auto-complete feature return? Note: There are 2 correct answers to this question.
A. Properties
B. Members
C. Parameters
D. Hierachies

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 4
What can you do in a value driver tree with only a BI user role? Note: There are 2 correct answers to this question
A. Add a cross calculation to a specific node
B. Filter the date dimension at node level
C. Enter data into the value driver tree
D. Nest value driver trees
Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 5
What does SAP recommend you do to improve the performance of advanced formulas?
A. Maximise the number of DATA functions.
B. Minimise the number of MEMBERSET statements.
C. Minimise the use of LOOP instructions.
D. Maximise the number of RESULTLOOKUPs.
Answer: C (LEAVE A REPLY)

NEW QUESTION: 6
Which of the following actions on the date dimension are available in Value Driver Trees? Note: There are 2 correct answers to this question.
A. Specify a presentation date range
B. Select the Day granularity
C. Change the date filter for an individual node within the Value Driver Tree
D. Change the date filter for the entire Value Driver Tree
Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 7
Which scheduling task is available from the SAP Analytics Cloud calendar?
A. Multi action
B. Planning sequence
C. Allocations process
Answer: A (LEAVE A REPLY)

NEW QUESTION: 8
In a story, you are on a New Model with currency translation enabled. Which properties in the calculation editor are available when you configure currency conversion? Note: There are 2 correct answers to this question.
A. Source Measure
B. Exchange Rate

C. Category
D. Rate Type
Answer: (SHOW ANSWER)

NEW QUESTION: 9
You have an allocation process with 3 steps. Which of the following can be used to run only allocation step
#2?
A. Story Taskbar
B. Allocation button
C. Data Action
Answer: C (LEAVE A REPLY)

NEW QUESTION: 10
What can you do with live connections in SAP Analytics Cloud? Note: There are 2 correct answers to this question.
A. Reduce Data Redundancy
B. Export data
C. Secure data with SAP Analytics Cloud Security
D. Secure data with on-premise security
Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 11
To import a display attribute from SAP Business Warehouse into an SAP Analytics Cloud dimension, in which BW object must the display attribute be included?
A. Query
B. Data Source
C. Characteristic
D. InfoProvider
Answer: (SHOW ANSWER)

NEW QUESTION: 12
Your account dimension has an account for Profit that is calculated as [Revenue] - [Cost]. Which formula can you use to enter a value for Profit and have the system re-calculate Cost while Revenue remains constant?
A. [Revenue] - [Cost] := INVERSE ([Cost] = [Revenue] -[Profit])
B. [Revenue] - [Cost] := (INVERSE [Cost] := [Revenue] -[Profit])
C. [Revenue] - [Cost] | INVERSE ([Cost] = [Revenue] -[Profit])
D. [Revenue] - [Cost] | INVERSE ([Cost] := [Revenue] -[Profit])
Answer: D (LEAVE A REPLY)

NEW QUESTION: 13
You are working on a flat file-based planning model. You want to prevent manual data entry for certain data intersections. What options do you have? Note: There are 2 correct answers to this question.
A. Dataslice locks
B. Data locks
C. Cell locks
D. Work status locks
Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 14
What dimension types can be used to determine currencies? Note: There are 2 correct answers to this question.
A. Date
B. Account
C. Organization
D. Generic
Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 15
You are planning with two hierarchies that have different granularity. Your model contains no data. The story has two pages: a parent planning page and a member planning page (see screenshot). In the Member Planning page you enter the following data: Brazil 100 Chile 100 Peru 100. In the Parent Planning page you enter the following data: North America 10000 South America 30000. When you go back to the Member Planning page, what will you see? Note: There are 2 correct answers to this question.



A. South America 30300. Brazil 10100. Chile 10100. Peru 10100
B. South America 30300. Brazil 100. Chile 100. Peru 100
C. North America 10000. US 5000. Canada 5000
D. North America 10000. US 0. Canada 0
Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 16
In an analytic application you want to use a data action trigger. Your customer complains that the data action trigger pushbutton is too large. How can you address this complaint?
A. Resize the data action trigger in the builder pane
B. Use a button to run a data action
C. Add a cascading style sheet to the data action trigger
Answer: B (LEAVE A REPLY)

Valid C_SACP_2302 Dumps shared by Actual4test.com for Helping Passing C_SACP_2302 Exam! Actual4test.com now offer the **newest C_SACP_2302 exam dumps**, the Actual4test.com C_SACP_2302 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_SACP_2302 dumps with Test Engine here: https://www.actual4test.com/C_SACP_2302_examcollection.html (**123** Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 17
You saved data for a certain cost center and profit center combination. Later, an administrator created a validation rule that prevents saving data against that combination. What happens when you display the data in a story?
A. The data is re-aligned
B. An error message is displayed
C. The data is deleted
D. A warning message is displayed
Answer: D (LEAVE A REPLY)

NEW QUESTION: 18
In SAP Analytics Cloud, where can users access data locking tasks?
A. Input Controls
B. Planning Stories
C. Security
D. Calendar
Answer: D (LEAVE A REPLY)

NEW QUESTION: 19
You are running a predictive forecast.
What could the data lines represent in the preview?
Note: There are 2 correct answers to this question.
A. Line 1 is input data
B. Line 1 is forecast data

C. Line 2 is input data
D. Line 2 is forecast data
Answer: (SHOW ANSWER)


NEW QUESTION: 20
When you import data into a classic planning model, what can you do with category and version in data management? Note: There are 3 correct answers to this question.
A. Use an existing Version
B. Create a new Private Version
C. Use an existing category
D. Create a new Public Version
E. Create a new Category
Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 21
What can you use to restrict input in a story based on nested conditions?
A. Data Locking
B. Validation Rules
C. Advance Filtering
Answer: C (LEAVE A REPLY)

NEW QUESTION: 22
In an analytic application, which element can you enter comments for?
A. Data cells in a table
B. Data points in a chart
C. Dimension members in a table
Answer: (SHOW ANSWER)

NEW QUESTION: 23
You are importing from SAP S/4HANA into a planning model with pre-converted actuals turned on. What mappings are required to import both local and default currency?
A. Two measures
B. Two currencies
C. Two curriencies types
Answer: A (LEAVE A REPLY)

NEW QUESTION: 24
You create an input form with a restricted measure called 'Current Year Plan' based on the amount measure and date set to current year. In the attached image, what is used to display the selected year as a column header?



A. Text widget
B. Text variable
C. Dimension formula
D. Table formula
Answer: B (LEAVE A REPLY)

NEW QUESTION: 25
Which of the following SAP Business Warehouse variable types can be used when importing data to SAP Analytics Cloud? Note: There are 2 correct answers to this question.
A. Customer exits
B. Single values
C. Hierarchy nodes
D. SAP exits
Answer: (SHOW ANSWER)

NEW QUESTION: 26
Which of the following properties does a CommentInfo object in an analytical contain? Note: There are 3 correct answers to this question
A. The comment Lenght
B. The comment text
C. The comment technical ID
D. The change history
E. The number of likes
Answer: B,C,E (LEAVE A REPLY)

NEW QUESTION: 27
You are using SAP Analytics Cloud and SAP BPC, version for SAP BW/4HANA Embedded option. Which of the following planning features are available for hybrid planning? Note: There are 2 correct answers to this question.
A. Data Actions
B. Data Access Controls

freepdfdumps.com

C. Planning Sequences
D. Analysis Authorizations
Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 28
What node types can be imported from S/4HANA? Note: There are 3 correct answers to this question.
A. L
B. R
C. H
D. N
E. T
Answer: (SHOW ANSWER)

NEW QUESTION: 29
In a rolling forecast table, what can be used to determine the date to cut over to plan data?
A. Look back x number of months
B. Last actual value
C. Current date with an offset
D. Look ahead x number of months
Answer: B (LEAVE A REPLY)

NEW QUESTION: 30
In a story, how can you create a chart to compare versions? Note: There are 2 correct answers to this question.
A. Add a I difference from I measure.
B. Add a new member with a formula.
C. Add a chart component.
D. Add a recommended comparison.
Answer: (SHOW ANSWER)

NEW QUESTION: 31
When exporting from SAP Analytics Cloud to SAP Business Warehouse, which of the following are active by default? Note: There are 2 correct answers to this question.
A. Update Calendar Month
B. Delta Mode
C. Overwrite Mode
D. Update fiscal period
Answer: A,C (LEAVE A REPLY)

Valid C_SACP_2302 Dumps shared by Actual4test.com for Helping Passing C_SACP_2302 Exam! Actual4test.com now offer the **newest C_SACP_2302 exam dumps**, the Actual4test.com C_SACP_2302 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_SACP_2302 dumps with Test Engine here: https://www.actual4test.com/C_SACP_2302_examcollection.html (**123** Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 32
What SAP Business Warehouse data can you import into SAP Analytics Cloud? Note: There are 2 correct answers to this question.
A. Hierarchical characteristic structures
B. Calculate Key Figures
C. Characteristic Structure
D. SAP BW Query text elements
Answer: (SHOW ANSWER)

NEW QUESTION: 33
You have a model in SAP BPC, version for SAP BW/4HANA Standard option that contains data records in both local currency and group currency. When you create the corresponding planning model in SAP Analytics Cloud, you set the Currency Conversion setting to On. How does this impact the planning model? Note: There are 2 correct answers to this question.
A. Currencies are determined from the currency dimension
B. Currencies are determined from the entity dimension
C. Local currency is imported
D. Local currency and group currency are imported
Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 34
From which S/4HANA source table can you import actual data for cost centers?
A. BSEG
B. ACDOCU
C. ACDOCA
D. GLTO
Answer: C (LEAVE A REPLY)

NEW QUESTION: 35
Which of the following dimensions supports multiple hierarchies?
A. Account
B. Version
C. Organization

D. Time
Answer: C (LEAVE A REPLY)

NEW QUESTION: 36
You want to import data from SAP BPC Standard. Which SAP Analytics Cloud planning model types can you use? Note: There are 2 correct answers to this question.
A. Basic
B. Write-back
C. Financial
D. Generic
Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 37
Why do you use a table formula?
A. To create an on-the-fly calculation
B. To enable allocation of data
C. To define link dimensiones
D. To disaggregate data
Answer: A (LEAVE A REPLY)

NEW QUESTION: 38
Why would you decide to use an Analytic Application instead of a Story? Note: There are 2 correct answers to this question.
A. To do form-based data input
B. To use data cell comments
C. To have fewer data action triggers
D. To use advanced data actions
Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 39
What can you do with a data action trigger in an analytic application? Note: There are 2 correct answers to this question
A. Execute the data action trigger at runtime
B. Execute the data action trigger at design time
C. Use the onAfterExecute event
D. Use the onBeforeExecute event
Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 40

You enter plan values by year and product group. You want to allocate these values to months and products in proportion to last year's actual data. What setting in the allocation process is required to achieve this?

A. Add date as a reference dimension

B. Add product as a source dimension

C. Add date as a source dimension

D. Add product as a reference dimension

Answer: D (LEAVE A REPLY)

NEW QUESTION: 41

Which data locking status can you use to prevent manual data entry?

A. Released

B. Submitted

C. Restricted

D. Closed

Answer: (SHOW ANSWER)

NEW QUESTION: 42

How can you use a data action to copy data from one version to another while keeping the account number the same? Note: There are 2 correct answers to this question.

A. Include 'to' & 'from' parameters for version and account in the copy rules

B. Include a parameter for version in the filter and 'to' & 'from' parameters for the account dimension in the copy rules

C. Include a parameter for account in the filter and 'to' & 'from' parameters for version in the copy rules

D. Include a parameter for version and account in the filter section of the data action

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 43

When you set up a copy data action, what must you do to allow the user to select the source and target version?

A. Create a parameter for the source version

B. Create a parameter for the target version.

C. Add a copy rule for version

Answer: (SHOW ANSWER)

NEW QUESTION: 44

Using a live connection in SAP Analytics Cloud, for which system can you change plan data?

A. SAP S/4HANA

B. SAP BPC Embedded

C. SAP BPC Estandar

Answer: B (LEAVE A REPLY)

NEW QUESTION: 45
You need a hierarchy that is based both on the region and the country column in the same dimension. What hierarchy type can you use?
A. Level-based
B. Parent-child
C. Table-based
Answer: A (LEAVE A REPLY)

NEW QUESTION: 46
Which work files can you access when you run a planning process? Note: There are 2 correct answers to this question.
A. Analytic Application
B. Dashboard
C. Workbook
D. URL Link
Answer: A,D (LEAVE A REPLY)

Valid C_SACP_2302 Dumps shared by Actual4test.com for Helping Passing C_SACP_2302 Exam! Actual4test.com now offer the **newest C_SACP_2302 exam dumps**, the Actual4test.com C_SACP_2302 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_SACP_2302 dumps with Test Engine here: https://www.actual4test.com/C_SACP_2302_examcollection.html (**123** Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)

NEW QUESTION: 47
When you run a data action with the "publish target version automatically" setting enabled, what changes to your data are published? Note: There are 2 correct answers to this question.
A. Manual changes to the target version
B. Data action-specific changes to the target public version
C. Data action-specific changes to the private and public versions
D. Manual changes to the private and public versions"
Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 48
You have labor hours in an expense model and labor rates in the HR model. To calculate and store labor values (labor hours x labor rates) in the expense model, what must you do? Note: There are 2 correct answers to this question.

A. Include the labor hours and labor rates in a dimension formula
B. Look up the labor rates in an advanced data action
C. Blend labor hours and labor rates in the story
D. Copy the labor rates into the expense model
Answer: (SHOW ANSWER)

NEW QUESTION: 49
Which of the following are features of an Embedded Data Action step? Note: There are 2 correct answers to this question
A. Link parameters of data actions
B. Nest data actions
C. Combine data actions of different models
D. Create cyclical references of data actions
Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 50
For which of the following are value driver trees available? Note: There are 2 correct answers to this question
A. Analytic models
B. Planning models
C. Datasets
D. Live models
Answer: (SHOW ANSWER)

NEW QUESTION: 51
You are mapping an SAP Business Warehouse data source with 4 key figures and 10 lines of data to a planning model. You have mapped all key figures to your model.
How many lines of data are imported into your model?
A. 10
B. 14
C. 4
D. 40
Answer: (SHOW ANSWER)

NEW QUESTION: 52
You have an SAP Business Warehouse data source with 25 key figures and no account characteristic. What must you do to import this data into an existing planning model? Note: There are 2 correct answers to this question.
A. Map the key figures to the measures card during the import.
B. Include 25 accounts in the planning model.
C. Map the key figures to the account card during the import.

D. Include 25 value columns in the planning model.
Answer: B,C (LEAVE A REPLY)

Valid C_SACP_2302 Dumps shared by Actual4test.com for Helping Passing C_SACP_2302 Exam! Actual4test.com now offer the **newest C_SACP_2302 exam dumps**, the Actual4test.com C_SACP_2302 exam **questions have been updated** and **answers have been corrected** get the **newest** Actual4test.com C_SACP_2302 dumps with Test Engine here: https://www.actual4test.com/C_SACP_2302_examcollection.html (**123** Q&As Dumps, **30%OFF Special Discount: Freepdfdumps**)